

Publicaties der leden 2002

Analytisch

Klinische chemie

Beurden WJ van, Harff GA, Dekhuijzen PN, Bosch MJ van den, Creemers JP, Smeenk FW. An efficient and reproducible method for measuring hydrogen peroxide in exhaled breath condensate. *Respir Med* 2002; 96: 197-203.

Castro R, Struys EA, Jansen EE, Blom HJ, Almeida IT de, Jakobs C. Quantification of plasma S-adenosylmethionine and S-adenosylhomocysteine as their fluorescent 1,N(6)-etheno derivatives: an adaptation of previously described methodology. *J Pharm Biomed Anal* 2002; 29: 963-968.

Cox-Reijven PLM, Kreel BK van, Soeters PB. Accuracy of bioelectrical impedance spectroscopy in measuring changes in body composition during severe weight loss. *J Parent Enter Nutrit* 2002; 26: 120-129.

Cox-Reijven PLM, Kreel BK van, Soeters PB. Bio-electrical impedance spectroscopy: Alternatives for the conventional hand-to-foot measurements. *Clin Nutrit* 2002; 21: 1-8.

Dijstelbloem HM, Hepkema BG, Kallenberg CGM, van der Linden MW, Keijsers V, Huizinga TW, Jansen MD, Winkel JGJ van de. The R-H polymorphism of Fc γ receptor IIa as a risk factor for systemic lupus erythematosus is independent of single-nucleotide polymorphisms in the interleukin-10 gene promotor. *Arthritis Rheum* 2002; 46: 1125-1126.

Fokkema MR, Smit EN, Martini IA, Woltlij HA, Boersma ER, Muskiet FAJ. Assessment of essential fatty acid and ω 3-fatty acid status by measurement of erythrocyte 20:3 ω 9 (Mead acid), 22:5 ω 6/20:4 ω 6 and 22:5 ω 6/22:6 ω 3. *Prostaglandins Leukot Essent Fatty Acids* 2002; 67: 345-356.

Forouzanfar T, Kessels AGH, Kleef M van, Weber WEJ, Kreel BK van. Multi-frequency bioelectrical impedance measurement in complex regional pain syndrome type I. Pilot study of 28 patients. *The Pain Clinic* 2002; 13: 211-221.

Gibson KM, Schor DS, Gupta M, Guerand WS, Senephansiri H, Burlingame TG, Bartels H, Hogema BM, Bottiglieri T, Froestl W, Snead OC, Grompe M, Jakobs C. Focal neurometabolic alterations in mice deficient for succinate semialdehyde dehydrogenase. *J Neurochem* 2002; 81: 71-79.

Jansen RTP, Duurling N van, Leuverman J, Knubben M. Foutieve detectie van en correctie voor de carbamylpiek (#C) door de Menarini Hi-Auto A1c HA-8140 HbA1c-automaat. *Ned Tijdschr Klin Chem* 2002; 27: 36-39.

Janssens PMW. Herkenning van verschillende lichaamsvloeistoffen. *Ned Tijdschr Klin Chem* 2002; 27: 226-228.

Janssens PMW. Wanneer is het zinvol het myoglobinegehalte in urine te bepalen? *Reumatologen Vademeicum* 2002; 1.

Kreel BK van, Janssen MA, Kootstra G. Functional relationship of α -glutathione S-transferase and glutathione S-trans-

ferase activity in machine preserved non-heart-beating donor kidneys. *Transplant International* 2002; 15: 546-549.

Kyogoku C, Dijstelbloem HM, Tsuchiya N, Hatta Y, Kato H, Yamaguchi A, Fukazawa T, Jansen MD, Hashimoto H, Winkel JGJ van de, Kallenberg CGM, Tokunaga K. Fc γ receptor gene polymorphisms in Japanese patients with systemic lupus erythematosus: contribution of Fc γ RIIb to genetic susceptibility. *Arthritis Rheum* 2002; 46: 1242-1254.

Netea MG, Kullberg BJ, Demacker PNM, Jacobs LEH, Verder-Janssen TJG, Hijmans A, Tits LJH van, Hoenderop JGJ, Willems PHGM, Meer JWM van der, Stalenhoef AFH. Native LDL potentiate TNF α and IL-8 production by human mononuclear cells. *J Lipid Res* 2002; 42: 1065-1071.

Neucker A van den, Bijleveld CMA, Wolthers BG, Swaanenburg JCJM, Kester ADM, Kreel BK van, Forget PP. Comparison of near infrared reflectance analysis of fecal fat, nitrogen and water with conventional methods, and fecal energy content. *Clin Biochem* 2002; 35: 29-33.

Pelt J van. Koolhydraatdeficiënt transferrine in relatie tot de ijzerstatus. *Ned Tijdschr Klin Chem* 2002; 27: 188-189.

Roumen-Klappe EM, Heijer M den, Uum SHM van, Ven-Jongekrijg J van der, Graaf F van der, Wollersheim H. Inflammatory response in the acute phase of deep-vein thrombosis. *J Vasc Surg* 2002; 35: 701-706.

Scharnhorst V, Vader HL, Graaf F van der. Characteristics of the cardiac Troponin I assay on the Immulite 2000 analyzer. *Clin Chem* 2002; 48: 1626-1627.

Schor DS, Verhoeven NM, Struys EA, Brink HJ ten, Jakobs C. Quantification of 3-hydroxyglutaric acid in urine, plasma, cerebrospinal fluid and amniotic fluid by stable-isotope dilution negative chemical ionization gas chromatography-mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 2002; 780: 199-204.

Teerlink T, Nijveldt RJ, Jong S de, Leeuwen PA van. Determination of arginine, asymmetric dimethylarginine, and symmetric dimethylarginine in human plasma and other biological samples by high-performance liquid chromatography. *Anal Biochem* 2002; 303: 131-137.

Thelen MHM, Bezu J van, Kok A, Schutgens RB. Disclosure of hidden free light chains by immunosubtraction. *Clin Chem* 2002; 48: 2044-2045.

Thelen MHM. Paragnost, een softwaredatabase voor het beheer van eiwitspectra en immunoafixaties. *Ned Tijdschr Klin Chem* 2002; 27: 147-150.

Weerheim AM, Kolb AM, Sturk A, Nieuwland R. Phospholipid composition of cell-derived microparticles determined by one-dimensional high-performance thin-layer chromatography. *Anal Biochem* 2002; 302: 191-198.

Hematologie

Berckmans RJ, Nieuwland R, Tak PP, Böing AN, Romijn FPHTM, Kraan MC, Breedveld FC, et al. Cell-derived micro-particles in synovial fluid from inflamed arthritic joints support coagulation exclusively via a factor VII-dependent mechanism. *Arthritis Rheumatism* 2002; 46: 2857-2866.

Boer AK, Drayer AL, Rui H, Vellenga E. Prostaglandin-E₂ enhances EPO-mediated STAT5 transcriptional activity by serine phosphorylation of CREB. *Blood* 2002; 100: 467-473.

Hoffmann JJML, Janssen WCM. Automated counting of cells in cerebrospinal fluid using the CellDyn-4000 haematology analyser. *Clin Chem Lab Med* 2002; 40: 1168-1173.

Janssen WCM, Hoffmann JJML. Evaluation of flow cytometric enumeration of foetal erythrocytes in maternal blood. *Clin Lab Haematol* 2002; 24: 89-92.

Keijzer MH de, Meer W van der. Automated counting of nucleated red blood cells in blood samples of newborns. *Clin Lab Haem* 2002; 24: 343-346.

Meer W van der, Dinnissen JWB, Keijzer MH de, Scott CS. Comparative evaluation of Abbott CellDyn CD3700, Bayer ADVIA 120 and Sysmex XE-2100 automated leucocyte differentials and flagging. *Lab Hematol* 2002; 8:102-117.

Meer W van der, Dinnissen JMB, Keijzer MH de. Evaluation of the Sysmex XT-2000i, a new automated haematology analyser. *Sysmex J Int* 2002 ; 2 : 71-75.

Schutgens REG, Haas FJLM, Ruven HJT, Spannagl M, Horn K, Biesma DH. No influence of heparin plasma and other (pre)analytic variables on D-dimer determinations. *Clin Chem* 2002; 48: 1611-1613.

Wever PC, Henskens YM, Kager PA, Dankert J, Gool T van. Detection of imported malaria with the Cell-Dyn 4000 hematology analyzer. *J Clin Microbiol* 2002; 40: 4729-4731.

Moleculaire technieken

Asbroek ALMA ten, Groenigen M van, Nooij M, Baas F. The involvement of human ribonucleases H1 and H2 in the variation of response of cells to antisense phosphoro-thioate oligonucleotides. *Eur J Biochem* 2002; 269: 583-592.

Asbroek ALMA ten, Groeningen M van, Jakobs ME, Koevoets C, Janssen B, Baas F. Ribonuclease H1 maps to chromosome 2 and has at least three pseudogene loci in the Human Genome. *Genomics* 2002; 79: 818-823.

Bizzi A, Bugiani M, Salomons GS, Hunneman DH, Moroni I, Estienne M, Danesi U, Jakobs C, Uziel G. X-linked creatine deficiency syndrome: a novel mutation in creatine transporter gene SLC6A8. *Ann Neurol* 2002; 52: 227-231.

Blasi P, Boyl PP, Ledda M, Novelletto A, Gibson KM, Jakobs C, Hogema B, Akaboshi S, Loreni F, Malaspina P. Structure of human succinic semialdehyde dehydrogenase gene: identification of promoter region and alternatively processed isoforms. *Mol Genet Metab* 2002; 76: 348-362.

Buijtenhuijs P, Poot AA, Feijen J, Vermes I. First steps for tissue engineering blood vessels; isolation, culturing and characterisation of smooth muscle cells. *Biomedical Engineering* 2002; 17-20.

Castro R, Struys EA, Jansen EE, Blom HJ, Almeida IT de, Jakobs C. Quantification of plasma S-adenosylmethionine and S-adenosylhomocysteine as their fluorescent 1,N(6)-etheno derivatives: an adaptation of previously described methodology. *J Pharm Biomed Anal* 2002; 29: 963-968.

Duran M. Miscellaneous analyses. In: Physician's Guide to the Laboratory Diagnosis of Metabolic Diseases. Eds. N. Blau, M. Duran, M.E. Blaskovics, K.M. Gibson. Second Edition. Springer-Verlag Berlin Heidelberg New York. 2002: 45-55.

Franck PFH. Moleculair biologische diagnostiek van hemolytische anemieën met een membraan defect. *Ned Tijdschr Klin Chem* 2002; 27: 190-191.

Goh DL, Patel A, Thomas GH, Salomons GS, Schor DS, Jakobs C, Geraghty MT. Characterization of the human gene encoding alpha-amino adipate aminotransferase (AADAT). *Mol Genet Metab* 2002; 76: 172-180.

Häberle J, Pauli S, Linnebank M, Kleijer WJ, Bakker HD, Wanders RJA, Harms E, et al. Structure of the human argininosuccinate synthetase gene and an improved system for molecular diagnostics in patients with classical and mild citrullinemia. *Hum Genet* 2002; 110: 327-333.

Item CB, Stromberger C, Muhl A, Edlinger C, Bodamer OA, Schulze A, Surtees R, Leuzzi V, Salomons GS, Jakobs C, Stockler-Ipsiroglu S. Denaturing gradient gel electrophoresis for the molecular characterization of six patients with guanidinoacetate methyltransferase deficiency. *Clin Chem* 2002; 48: 767-769.

Kleijer WJ, Garritsen VH, Linnebank M, Mooyer P, Huijmans JGM, Mustonen A, Simola KOH, et al. Clinical, enzymatic, and molecular genetic characterization of a biochemical variant type of argininosuccinic aciduria: prenatal and postnatal diagnosis in five unrelated families. *J Inher Metab Dis* 2002; 25: 399-410.

Koeken A, Cobbaert C, Nouhan N, Quint W, van Doorn L. Genotyping of hemochromatosis-associated mutations in the *HFE* gene by PCR RFLP and a novel reverse hybridization method. *Clin Chem Lab Med* 2002; 40: 122-125.

Kok JB de, Wiegerinck ETG, Giesendorf BAJ, Swinkels DW. Rapid genotyping of single nucleotide polymorphisms using novel minor groove binding DNA oligonucleotides (MGB-probes). *Human Mut* 2002; 19: 554-559.

Kuilenburg ABP van, Gennip AH van. HPLC-electrospray tandem mass spectrometry in screening for disorders of purine and pyrimidine metabolism. *Clin Chem* 2000; 46: 445-452. In: Molecular Testing in Laboratory Medicine. Selections from *Clinical Chemistry, 1998-2001*, With Annotations and Updates. Editors: D.E. Bruns, Y.M.D. Lo, C.T. Wittwer. AAC Press, 2002.

Kuilenburg ABP, Dobritzsch D, Meinsma R, Haasjes J, Waterham R, Nowaczyk MJM, Maropoulos GD, et al. Novel disease-causing mutations in the dihydropyrimidine dehydrogenase gene interpreted by analysis of the three-dimensional protein structure. *Biochem J* 2002; 364: 157-163.

Kuilenburg ABP, Meinsma R, Poll-Thé BT, Zoetekouw L, Gennip AH van. Identification of a novel disease-causing mutation (100deIa) in the dihydropyrimidine dehydrogenase gene. *LifeXY* 2002; 1: 1096-1100.

Leegwater PA, Boor PK, Yuan BQ, van der Steen J, Visser A, Konst AA, Oudejans CB, Schutgens RB, Pronk JC, van der Knaap MS. Identification of novel mutations in MLC1 responsible for megalencephalic leukoencephalopathy with subcortical cysts. *Hum Genet* 2002; 110: 279-283.

Okun JG, Kölker S, Schulze A, Kohlmüller D, Olgemöller, Lindner M, Hoffmann GF, et al. A method for quantitative acylcarnitine profiling in human skin fibroblasts using unlabelled palmitic acid: diagnosis of fatty acid oxidation disorders and differentiation between biochemical phenotypes of MCAD deficiency. *BBA* 2002; 1584: 91-98.

Ruijter JM, Kampen AHC van, Baas F. Statistical evaluation of Serial Analysis of Gene Expression (SAGE) libraries: consequences for experimental design. *Physiol Gen* 2002; 11: 37-44.

Schaik RH van, Heiden IP van der, Anker JN van den, Lindemanns J. CYP3A5 variant allele frequencies in Dutch Caucasians. *Clin Chem* 2002; 48: 1668-1671.

Vaz FM, Melega B, Bene J, Cuevas D, Gage DA, Bootsma A, Vreken P, et al. Analysis of carnitine biosynthesis metabolites in urine by HPLC-electrospray tandem mass spectrometry. *Clin Chem* 2002; 48: 826-834.

Vet JAM, Rijt, BJM van der, Blom HJ. Molecular beacons: colorful analysis of nucleic acids. *Expert Rev Mol Diagn* 2002; 2: 77-86.

Vet JAM, Tyagi S, Russell Kramer F, Blom HJ, Giesendorf BAJ. Commentary - New applications of molecular beacons: from living cells to microarrays. *Molecular Testing in Laboratory Medicine* 2002: 28-29.

Klinisch

Hart- en vaatziekten

Artz MA, Boots JMM, Ligtenberg G, Roodnat JI, Christiaans MHL, Hené RJ, Blom HJ, Demacker PNM, Hilbrands LB. Randomized conversion from cyclosporine to tacrolimus in renal transplant patients: improved lipid profile and unchanged plasma homocysteine levels. *Transplant Proc* 2002; 34: 1793-1794.

Bekers O, Buijsch RAM op den, Vries JE de, Wijnen PAHM, Diejen-Visser MP van. Capillary electrophoretic detection in apolipoprotein E genotyping. *Electrophoresis* 2002; 23: 1878-1881.

Bemelmans WJE, Broer J, Feskens EJM, Smit AJ, Muskiet FAJ, Lefrandt JD, Bom VJJ, May JF, Meyboom-de Jong B. Effect of an increased intake of α -linolenic acid and group nutritional education on cardiovascular risk factors: the Mediterranean Alpha-linolenic Enriched Groningen Dietary Intervention (MARGARIN) study. *Am J Clin Nutr* 2002; 75: 221-227.

Binsbergen JJ van, Verschuren WMM, Blom HJ. Hyperhomocysteinemia: opsporen en behandelen? *Huisarts en Wetenschap* 2002; 45: 406-409.

Blom HJ, Vriese S de. Why are homocysteine levels increased in kidney failure? A metabolic approach. *J Lab Clin Med* 2002; 139: 262-268.

Blom HJ. Methylenetetrahydrofolate dehydrogenase: a trifunctional enzyme of tetrahydrofolate metabolism. *Wiley Encycl Mol Med* 2002, 5 Vol. Set.

Bouter H, Schippers EF, Lelmo SAC, Versteegh MIM, Ros P, Guiot HFL, Fröhlich M, Dissel JT van. No effect of preoperative selective gut decontamination on endotoxemia and cytokine activation during cardiopulmonary bypass: A randomized, placebo-controlled study. *Crit Care Med* 2002; 30: 38.

Bree A de, Verschuren WMM, Kromhout D, Kluijtmans LAJ, Blom HJ. Homocysteine determinants and the evidence to what extent homocysteine determines the risk of coronary heart disease. *Pharmacol Rev* 2002; 54: 599-618.

Bree A de, Verschuren WMM, Kromhout D, Mennen LI, Blom HJ. Homocysteine and coronary heart disease: the importance of a distinction between low and high risk subjects. *Int J Epidemiol* 2002; 31: 1268-1277.

Bruinsma GJ, Bredee JJ, Ruigrok TJ, Echteld V, Thijssen JH. No evidence for participation of non-adrenergic non-cholinergic substances in brain death-related hemodynamic deterioration of the feline potential heart donor. *Ann Transplant* 2001; 6: 43-47.

Coolen SAJ, Wijnen MHWA, Reijenga JC, Vader HL, Roumen RMH, Huf FA. A new method for measuring oxidative stress in claudicants during strenuous exercise using free radical derivatives of antipyrene as indicators, a pilot study. *Ann Clin Lab Sci* 2002; 32: 181-187.

Diris JHC, Hermens WT, Hemker PW, Lagrand WK, Hack CE, Diejen-Visser MP van. Pharmacokinetics of C1-inhibitor in patients with acute myocardial infarction. *Clin Pharmacol Ther* 2002; 72: 498-504.

Fokkema MR, Doormaal JJ van, Reijngoud D-J, Muskiet FAJ. Reactie op het rapport "Homocysteïne en hart- en vaatziekten" van de Nederlandse Hartstichting. *Ned Tijdschr Klin Chem* 2002; 27: 152-155.

Fransen EJ, Diris JHC, Maessen JG, Hermens WT, Diejen-Visser MP van. Evaluation of "new" cardiac markers for ruling out myocardial infarction after coronary artery bypass grafting. *Chest* 2002; 122: 1316-1321.

Hogeveen M, Blom HJ, Amerongen M van, Boogmans B, Beynum IM van, Bor M van de. Hyperhomocysteinemia as risk factor for ischemic and hemorrhagic stroke in newborn infants. *J Pediatr* 2002; 141: 429-431.

Jonge R de, Out M, Maas WJ, Jong JW de. Preconditioning of rat hearts by adenosine A1 or A3 receptor activation. *Eur J Pharmacol* 2002; 441: 165-172.

Keijzer MBAJ, Heijer M den, Blom HJ, Bos GMJ, Willems HPJ, Gerrits WBJ, Rosendaal FR. Interaction between hyperhomocysteinemia, mutated methylenetetrahydrofolatereductase (MTHFR) and inherited thrombophilic factors in recurrent venous thrombosis. *Thromb Haemost* 2002; 88: 723-728.

Klerk M, Verhoef P, Clarke R, Blom HJ, Kok FJ, Schouten EG and the MTHFR Studies Collaboration Group. MTHFR 677C→T polymorphism and risk of coronary heart disease. *JAMA* 2002; 288: 2023-2031.

Klerk M, Verhoef P, Verbruggen B, Schouten EG, Blom HJ, Bos GM, Heijer M den. Effect of homocysteine reduction by B-vitamin supplementation on markers of clotting activation. *Thromb Haemost* 2002; 88: 230-235.

Lievers KJ, Afman LA, Kluijtmans LA, Boers GH, Verhoef P, Heijer M den, Trijbels FJ, Blom HJ. Polymorphisms in the transcobalamin gene: association with plasma homocysteine in healthy individuals and vascular disease patients. *Clin Chem* 2002; 48: 1383-1389.

Mönkemann H, Vriese AS de, Blom HJ, Kluijtmans LAJ, Heil SG, Schild HH, Golubnitschaja O. Early molecular events in the development of the diabetic cardiomyopathy. *Amino Acids* 2002; 23: 331-336.

Muskiet FAJ, Schaafsma A. Evolution of our dietary LC-PUFA needs. *CARE* 2002; 4: 6-7.

Rothkrantz-Kos SM, Schmitz MPJ, Bekers O, Menheere PPCA, Diejen-Visser MP van. High-sensitivity C-reactive protein Methods examined. *Clin Chem* 2002; 48: 359-362.

Veerkamp MJ, Graaf J de, Bredie SJH, Hendriks JCM, Demacker PNM, Stalenhoef AFH. Diagnosis of familial combined hyperlipidemia based on lipid phenotype expression in 32 families. Results of a 5-year follow-up. *Arterioscler Thromb Vasc Biol* 2002; 22: 274-282.

Wijnen MHWA, Roumen RMH, Vader HL, Goris RJA. A multi-antioxidant supplementation reduces damage from ischaemia reperfusion in patients after lower torso ischaemia. *Eur J Vasc Endovasc Surg* 2002; 23: 486-490.

Wijnen MHWA, Vader HL, Roumen RMH. Multi-antioxidant supplementation does not prevent an increase in gut permeability after lower torso ischaemia and reperfusion in humans. *Eur Surg Res* 2002; 34: 300-305.

Wijnen MHWA, Vader HL, Wall Bake AWL van den, Roumen RMH. Can renal dysfunction after infra-renal aortic aneurysm repair be modified by multi-antioxidant supplementation? *J Cardiovasc Surg (Torino)* 2002; 43: 483-488.

Willems FF, Aengevaeren WRM, Boers GHJ, Blom HJ, Verheugt FWA. Coronary endothelial function in hyperhomocysteinemia: improvement after treatment with folic acid and cobalamin in patients with coronary artery disease. *J Am Coll Cardiol* 2002; 40: 766-772.

Zwaan C de, Kleine AH, Diris JHC, Glatz JFC, Wellens HJJ, Strengers PFW, Tissing M, Hack CE, Diejen-Visser MP van, Hermens WT. Continuous 48-h C1-inhibitor treatment, following reperfusion therapy, in patients with acute myocardial infarction. *Eur Heart J* 2002; 23: 1670-1677.

Hematologie

Berg JM ten, Gerritsen WBM, Haas FJLM, Kelder JC, Verheugt FWA, Plokker HWT. High-dose aspirin in addition to daily low-dose aspirin decreases platelet activation in patients before and after percutaneous coronary intervention. *Thrombosis Research* 2002; 105: 385-390.

Berg JM ten, Gerritsen WBM, Haas FJLM, Kelder JC, Verheugt FWA, Plokker HWT. Pretreatment with oral anticoagulants decreases platelet activation in patients before and after percutaneous coronary intervention. *Thromb Haemost* 2002; 88: 924-930.

Besselaar AMHP van den, Sturk A, Reijnierse GLA. Monitoring of unfractionated heparin with the activated partial thromboplastin time: determination of therapeutic ranges. *Thromb Res* 2002; 107: 235-240.

Boekel E ten, Bartels PCM. Abnormally short activated partial thromboplastin times are related to elevated plasma levels of TAT, F 1+2, D-dimer and FVIII:c. *Pathophysiol Haemost Thromb* 2002; 32: 137-142.

Decsi T, Boehm G, Tjoonk HM, Molnár S, Dijck-Brouwer DAJ, Hadders-Algra M, Martini IA, Muskiet FAJ, Boersma

ER. Trans isomeric octadecenoic acids are related inversely to arachidonic acid and DHA and positively related to mead acid in umbilical vessel wall lipids. *Lipids* 2002; 37: 959-965.

Dijks FPL van der, Fokkema MR, Brouwer DAJ, Niessink B, Wal TIC van der, Schnog JB, Duits AJ, Muskiet FD, Muskiet FAJ. Optimization of folate, vitamin B12 and vitamin B6 supplements in pediatric patients with sickle cell disease. *Am J Hematol* 2002; 69: 239-246.

Ermens AA, Vlasveld LT, Marion-Kievit JA van, Lensen CJ, Lindemans J. De betekenis van een verhoogde cobalamine concentratie in het bloed. *Ned Tijdschr Geneesk* 2002; 146: 459-464.

Fokkema MR, Woltil HA, Beusekom CM van, Schaafsma A, Dijck-Brouwer DAJ, Muskiet FAJ. Plasma total homocysteine increases from day 20 to 40 in breastfed but not formula-fed low-birth weight infants. *Acta Paediatr* 2002; 91: 507-511.

Goldé PM van, Hart HCh, Kraaijenhagen RJ, Bouma BN, Wiel A van de, Regular alcohol intake and fibrinolysis. *Neth J Med* 2002; 60: 285-288.

Janssen MJW, Dool EJ van den, Berends F. Een lupus anticoagulans met bijzondere eigenschappen. *Ned Tijdschr Klin Chem* 2002; 27: 281-283.

Kraaijenhagen RJ. Anemieonderzoek. *Analyse* 2002; 57: 133-137.

Meer W van der, Keijzer MH de. Pseudo trombopenia: report of a new method to count platelets in a patient with EDTA and temperature independant antibodies of the IgM type. *Eur J Haematol* 2002; 69: 243-248.

Meer W van der, Verwiel JMM, Gidding CEM, Metz M de, Keijzer MH de. Bacteria in blood smears: overwhelming sepsis or trivial contamination. *Acta Haematol* 2002; 107: 220-223.

Michiels JJ, Kasbergen H, Oudega R, Graaf F van der, Maeseneer M de, Planken M van der, Schroyens W. Exclusion and diagnosis of deep vein thrombosis in outpatients by sequential noninvasive tools. *Int Angiol* 2002; 21: 9-19.

Nieuwland R, Sturk A. Platelet-derived microparticles. In: *Platelets*. A.D. Michelson, ed., pg. 255-265. Academic Press 2002, New York.

Oranje AP, Mulder PG, Heide R, Tank B, Riezebos P, Toorenbergen AW van. Urinary N-methylhistamine as an indicator of bone marrow involvement in mastocytosis. *Clin Exp Dermatol* 2002; 27: 502-506.

Remijn JA, Wu YP, Jeninga EH, IJsseldijk MJ, Willigen G van, Groot PG de, Sixma JJ, Nurden AT, Nurden P. Role of ADP receptor P2Y(12) in platelet adhesion and thrombus formation in flowing blood. *Arterioscler Thromb Vasc Biol* 2002; 22: 686-691.

Remijn JA, IJsseldijk MJ, Hemel BM van, Galanakis DK, Hogan KA, Lounes KC, Lord ST, Sixma JJ, Groot PG de. Reduced platelet adhesion in flowing blood to fibrinogen by alterations in segment gamma316-322, part of the fibrin-specific region. *Br J Haematol* 2002; 117: 650-657.

Schutgens RE, Esseboom EU, Haas FJ, Nieuwenhuis HK, Biesma DH. Usefulness of a semiquantitative D-dimer test for the exclusion of deep venous thrombosis in outpatients. *Am J Med* 2002; 112: 617-621.

Smit EN, Martini IA, Mulder H, Boersma ER, Muskiet FAJ. Estimated biological variation of the mature human milk fatty acid composition. Prostaglandins Leukot Essent Fatty Acids 2002; 66: 549-555.

Velzing-Aarts FV, Dijs FPL van der, Muskiet FAJ, Duits AJ. The association of pre-eclampsia with the Duffy negative phenotype in women of West African descent. Br J Obst Gynaecol 2002; 109: 453-455.

Velzing-Aarts FV, Muskiet FAJ, Dijs FPL van der, Duits AJ. High serum interleukin-8 levels in Afro-Caribbean women with pre-eclampsia. Relations with tumor necrosis factor- α , Duffy negative phenotype and Von Willebrand factor. Am J Repr Immunol 2002; 47: 1-4.

Verhoef H, West CE, Kraaijenhagen RJ, Nzyuko SM, King R, Mbandi MM, Laatum S van, Hogervorst R, Schep C, Kok FJ. Malarial anemia leads to adequately increased erythropoiesis in asymptomatic Kenyan children. Blood 2002; 100: 3489-3494.

Vlietman JJ, Verhage J, Vos HL, Wijk R van, Remijn JA, Solinge WW van, Brus F. Congenital afibrinogenemia in a newborn infant due to a novel mutation in the fibrinogen Aa gene. Br J Haematol 2002; 119: 282-283.

Vooght KMK de, Wijk R van, Nieuwenhuis HK, Ploos van Amstel JK, Rijken G, Solinge WW van. Van gen naar ziekte; erfelijke niet-sferocytaire hemolytische anemie veroorzaakt door pyruvatekinase deficiëntie. Ned Tijdschr Geneesk 2002; 146: 1828-1831.

Gynaecologie / obstetrie / perinatologie

Bolt RJ, Weissenbruch MM van, Popp-Snijders C, Sweep CG, Lafeber HN, Delemarre-van de Waal HA. Fetal growth and the function of the adrenal cortex in preterm infants. J Clin Endocrinol Metab 2002; 87: 1194-1199.

Franke HR, Vermes. The effect of continuous combined 17 β -oestradiol and dihydroxydihydroestosterone on apoptotic cell death and proliferation of human breast cancer cells in vitro. Eur J Cancer 2002; 38: 69-70.

Franke HR, Kole S, Ciftci Z, Haanen C, Vermes I. In vitro effects of estradiol, dydrogesterone, tamoxifen and cyclophosphamide on proliferation vs death in human breast cancer cells. Cancer Lett 2002; 190: 113-118.

Franke HR, Vermes I. Hormonelle und nichthormonelle Induktion der Apoptose bei menschlichen Mammakarzinomzellen in vitro. J Menopause 2002; 9: 6-7.

Koebnick C, Heins UA, Dagnelie PC, Wickramasinghe SN, Ratnayaka ID, Hothorn, T, Pfahlberg AB, Hoffmann I, Lindemann J, Leitzmann C. Longitudinal concentrations of vitamin B(12) and vitamin B(12)-binding proteins during uncomplicated pregnancy. Clin Chem 2002; 48: 928-933.

Oosterhuis J, Vermes I, Schoemaker J, Lambalk CB. Follicle stimulating hormone measured in unextracted urine throughout the menstrual cycle correlates with age and ovarian reserve. Human Reproduction 2002; 17: 641-646.

Swinkels DW, Kok JB de, Hendriks JCM, Wiegerinck ETG, Zusterzeel PLM, Steegers EAP. HELLP syndrome as complication of preeclampsia in pregnant women increases the amount of cell-free fetal and maternal DNA in maternal plasma and serum. Clin Chem 2002; 48: 650-653.

Wijk MJ van, Nieuwland R, Boer K, Post JAM van der, Bavel E van, Sturk A. Microparticle subpopulations are increased in preeclampsia: possible involvement in vascular dysfunction? Am J Obstet Gynecol 2002; 187: 450-456.

Wijk MJ van, Boer K, Berckmans RJ, Meijers JCM, Post JAM van der, Sturk A, Bavel van, Nieuwland R. Enhanced coagulation activation in preeclampsia: the role of APC resistance, microparticles and other plasma constituents. Thromb Haemost 2002; 88: 415-420.

Neurologie / psychiatrie

Geel WJA van, Reus HPM de, Nijzing H, Verbeek MM, Vos PE, Lamers KJB. Measurement of Glial Fibrillary Acidic Protein in blood: an analytical method. Clin Chim Acta 2002; 326: 151-154.

Horssen J van, Kleinnijenhuis J, Maass CN, Rensink AAM, Otte-Höller I, David G, Heuvel LPWJ van den, Wesseling P, Waal RMW de, Verbeek MM. Accumulation of heparan sulfate proteoglycans in cerebellar senile plaques. Neurobiol Aging 2002; 23: 537-545.

Horssen J van, Wilhelmus MMM, Heljasvaara R, Pihlajaniemi T, Wesseling P, Waal RMW de, Verbeek MM. Collagen XVIII: a novel heparan sulfate proteoglycan associated with vascular amyloid depositions and senile plaques in Alzheimer's disease brains. Brain Pathol 2002; 12: 456-462.

Jong D de, Janssen RWMM, Verbeek MM, Kremer HPH. Niet-steroidale anti-inflammatoire middelen en de ziekte van Alzheimer. Ned Tijdschr Geneesk 2002; 146: 2074-2078.

Jongen PJH, Verbeek MM. Liquoronderzoek bij MS. Axon 2002; 3: 17-20.

Klaassen T, Riedel WJ, Van Praag HM van, Menheere PPCA, Griez E. Neuroendocrine response to meta-chlorophenylpiperazine and ipsapirone in relation to anxiety and aggression. Psych Res 2002; 113: 29-40.

Kremer B. Expression of the cytokine Leukemia Inhibitory Factor and pro-apoptotic Insulin-like Growth Factor Binding Protein-3 in Alzheimer's disease. Acta Neuropathol 2002; 104: 525-533.

Lamandé SR, Mörgelin M, Selan C, Jöbsis GJ, Baas F, Batenman JF. Kinked collagen VI tetrameters and reduced microfibril formation as a result of Bethlem Myopathy and introduced triple helical glycine mutations. J Biol Chem 2002; 277: 1949-1956.

Michiels E, Weiss J, Hoovers JMN, Baak JPA, Voûte PA, Baas F, Hermans MA. Genetic alterations in childhood medulloblastoma analyzed by comparative genomic hybridization. J Pediatric Hematology/Oncology 2002; 24: 205-210.
Rensink AAM, Gellekink H, Otte-Höller I, Donkelaar HJ ten, Waal RMW de, Verbeek MM,

Mulder C, Wahlund LO, Blomberg M, de Jong S, van Kamp GJ, Scheltens P, Teerlink T. Alzheimer's disease is not associated with altered concentrations of the nitric oxide synthase inhibitor asymmetric dimethylarginine in cerebrospinal fluid. J Neural Transm 2002; 109: 1203-1208.

Mulder C, Schoonenboom SN, Wahlund LO, Scheltens P, van Kamp GJ, Veerhuis R, Hack CE, Blomberg M, Schutgens RB, Eikelenboom P. CSF markers related to pathogenetic mechanisms in Alzheimer's disease. J Neural Transm 2002; 109: 1491-1498.

Rensink AAM, Verbeek MM, Otte-Höller I, Donkelaar HJ ten, Waal RMW de, Kremer B. Inhibition of amyloid β -induced cell death in human brain pericytes in vitro. *Brain Research* 2002; 95: 111-121.

Riedel WJ, Klaassen T, Griez E, Honig A, Menheere PPCA, Praag HM van. Dissociable hormonal, cognitive and mood responses to neuroendocrine challenge:evidence for receptor-specific serotonergic dysregulation in depressed mood. *Neuro-psychopharmacol* 2002; 26: 358-367.

Ru JA de, Nesselrooij BPM van, Baas F. Perceptief gehoersverlies bij hereditaire motorische en sensibele neuropathie-lom, de eerste patiënt in Nederland. *Ned Tijdschr KNO-Heelk* 2002; 8: 105-110.

Schillevort I, Boer A de, Weide J van der, Steijns LSW, Roos RAC, Jansen PAFG, Leufkens HGM. Antipsychotic-induced extrapyramidal syndromes and cytochrome P4502D6 genotype: a case-control study. *Pharmacogenetics* 2002; 12: 235-240.

Veefkind AH, Ingenhoven TJM, Groot IW de. No allelic association between harm avoidance and the debrisoquine 4-hydroxylase gene. *Acta Neuropsychiatrica* 2002; 14: 216-218.

Verbeek MM, Otte-Höller I, Fransen JAM, Waal RMW de. Accumulation of the amyloid beta precursor protein in multi-vesicular body-like organelles. *J Histochem Cytochem* 2002; 50: 681-690.

Verbeek MM, Reus HPM de, Weykamp CW. A comparison of techniques for the detection of oligoclonal IgG bands in cerebrospinal fluid and serum: results of the Dutch Quality Control Survey. *Clin Chem* 2002; 48: 1578-1580.

Vis JC, Boer-van Huizen RT de, Verbeek MM, Waal RMW de, Donkelaar HJ ten, Kremer B. 3-Nitropropionic acid induces cell death and mitochondrial dysfunction in rat corticostriatal slice cultures. *Neurosci Lett* 2002; 329: 86-90.

Vos PE, Verbeek MM: Brain specific proteins in serum: do they reliably reflect brain damage? [editorial comment] *Shock* 2002; 18: 481-482.

Interne geneeskunde

Aanen MC, Waart DR de, Williams PF, Out TA, Zweers MM, Krediet RT. Dextran antibodies in peritoneal dialysis patients treated with icodextrin. *Perit Dial Int* 2002; 22: 513-515.

Adam JA, Menheere PPCA, Dielen FMH van, Soeters PB, Buurman WA, Greve JWM. Decreased plasma orexin-A levels in obese individuals. *Int J Obesity* 2002; 26: 274-276.

Arkwright PD, McDermott MF, Houten SM, Frenkel J, Waterham HR, Aganna E, Hammond LJ, et al. Hyper IgD syndrome (HIDS) associated with *in vitro* evidence of defective monocyte TNFRSF1A shedding and partial response to TNF receptor blockade with etanercept. *Clin Exp Immunol* 2002; 130: 484-488.

Beerenhout C, Bekers O, Kooman JP, Sande FM van der, Leunissen KML. A comparison between the soluble transferrin receptor, transferrin saturation and serum ferritin as markers of iron state in hemodialysis patients. *Nephron* 2002; 92: 32-35.

Beishuizen A, Thijss LG, Vermes I. Decreased levels of dehydroepiandrosterone sulphate in severe critical illness: sign of exhausted adrenal reserve? *Critical Care* 2002; 6: 434-438.

Beurden WJ van, Dekhuijzen PN, Harff GA, Smeenk FW. Variability of exhaled hydrogen peroxide in stable COPD patients and matched healthy controls. *Respiration* 2002; 69: 211-216.

Bienfait HM, Baas F, Gabreëls-Festen AA, Koelman JH, Langerhorst CT, Visser M de. Two amino-acid substitutions in the myelin protein zero gene of a case of Charcot-Marie-Tooth disease associated with light-near dissociation. *Neuromusc Dis* 2002; 12: 281-285.

Bijl M, Dijstelbloem HM, Oost WW, Bootsma H, Derkx RHWM, Aten J, Limburg PC, Kallenbergh CGM. IgG subclass distribution of autoantibodies differs between renal and extra-renal relapses in patients with systemic lupus erythematosus. *Rheumatology* 2002; 41: 62-67.

Bisschop PH, Ackermans MT, Endert E, Ruiter AF, Meijer AJ, Kuipers F, Sauerwijn HP, et al. The effect of carbohydrate and fat variation in euenergetic diets on postabsorptive free fatty acid release. *Br J Nutr* 2002; 87: 555-559.

Bodegraven A A van, Schoorl M, Linskens RK, Tuynman HARE, Bartels PCM. Persistent activation of coagulation and fibrinolyses after treatment of active ulcerative colitis. *Eur J Gastroenterol Hepatol* 2002; 14: 413-418.

Borg EJ ter, Haanen HCM, Haas FJLM, Bistervelds JHGM, Huisman FW, Kerkhaert JA, Kallenbergh CGM. Treatment of primary Sjögren's syndrome with D-penicillamine: a pilot study. *Neth J Med* 2002; 60: 402-406.

Branten AJ, Klasen IS, Wetzelis JF. Short-term effects of fish oil treatment on urinary excretion of high- and low-molecular weight proteins in patients with IgA nephropathy. *Clin Nephrol* 2002; 58: 267-274.

Diamant M, Nieuwland R, Pablo RF, Sturk A, Smit JWA, Radde JK. Elevated numbers of tissue-factor exposing micro-particles correlate with components of the metabolic syndrome in uncomplicated Type 2 diabetes mellitus. *Circulation* 2002; 106: 2442-2447.

Exel E van, Gussekloo J, Craen AJM de, Bootsma-van der Wiel A, Fröhlich M, Westendorp RGJ. Inflammation and stroke. *Stroke* 2002; 33: 1135.

Gelens M, Luik AJ, van Kleffens M, van der Sande FM, Kooman JP. A dialysate sodium concentration of 140 mmol/l may lead to net diffusive sodium gain. *Blood Purif* 2002; 20:190.

Grootjans-Geerts I, Wielders JPM. Pilot onderzoek naar hypovitaminose D bij ogenschijnlijk gezonde gesluierde Turkse vrouwen. *Ned Tijdschr Geneesk* 2002; 146: 1100-1101.

Hegge HHM, Wielders JPM, Slaets JPJ. Zink tekort bij geriatrische patiënten. *Tijdschr Gerontol Geriatrie* 2002; 33: 64-69.

Heijckmann CA, Menheere PPCA, Sels JPJE, Beuls EAM, Wolffenbuttel BHR. Clinical experience with Sandostatin LAR® in patients with acromegaly. *Neth J Med* 2002; 59: 286-291.

Houten SM, Frenkel J, Rijkers GT, Wanders RJA, Kuis W, Waterham HR. Temperature dependence of mutant mevalonate kinase activity as a pathogenic factor in hyper-IgD and periodic fever syndrome. *Human Molecular Genetics* 2002; 11: 3115-3124.

Karnebeek CDM van, Gelderen I van, Nijhof GJ, Abeling NG, Vreken P, Redeker EJ, Eeghen AM van. An aetiological study of 25 mentally retarded adults with autism. *J Med Genet* 2002; 39: 205-214.

Knijff-Dutmer EAJ, Kalsbeek-Batenburg EM, Koerts J, Laar MAFJ van de. Platelet function is inhibited by non-steroidal anti-inflammatory drugs but not by cyclo-oxygenase-2-selective inhibitors in patients with rheumatoid arthritis. *Rheumatology* 2002; 41: 458-461.

Knijff-Dutmer EAJ, Koerts J, Nieuwland R, Kalsbeek-Batenburg EM, Laar AFJ van der. Elevated levels of platelet micro-particles are associated with disease activity in rheumatoid arthritis. *Arthritis & Rheumatism* 2002; 46: 1498-1503.

Neugebauer S, Tarnow L, Stehouwer C, Teerlink T, Baba T, Watanabe T, Parving HH. Total plasma homocysteine is associated with hypertension in Type I diabetic patients. *Diabetologia* 2002; 45: 1315-1324.

Nijveldt RJ, Leeuwen PA van, Guldener C van, Stehouwer CD, Rauwerda JA, Teerlink T. Net renal extraction of asymmetrical (ADMA) and symmetrical (SDMA) dimethylarginine in fasting humans. *Nephrol Dial Transplant* 2002; 17: 1999-2002.

Pouwels MJ, Span PN, Tack CJ, Olthaar AJ, Sweep CG, Engelen BG van, Jong JG de, Lutterman JA, Hermus AR. Muscle uridine diphosphate-hexosamines do not decrease despite correction of hyperglycemia-induced insulin resistance in type 2 diabetes. *J Clin Endocrinol Metab* 2002; 87: 5179-5184.

Rothkrantz-Kos, S, Drent M, Vuil H, Boer M de, Bast A, Wouters EFM, Roos D, Diejen-Visser MP van. Decreased redox state in red blood cells from patients with sarcoidosis. *Sarcoidosis Vasculitis and Diffuse Lung Diseases* 2002; 19: 114-120.

Prins HA, Nijveldt RJ, Gasselt DV, Kemenade F van, Teerlink T, van Lambalgen AA, Rauwerda JA, Leeuwen PA van. The flux of arginine after ischemia-reperfusion in the rat kidney. *Kidney Int* 2002; 62: 86-93.

Schaafsma A, Doormaal JJ van, Muskiet FAJ, Hofstede GJH, Pakan I, Veer E van der. Positive effects of a chicken eggshell powder-enriched vitamin-mineral supplement on femoral neck bone mineral density in healthy late post-menopausal Dutch women. *Br J Nutr* 2002; 87: 267-275.

Sluijs Veer G van der, Vermes I. Presence of anti-tissue-transglutaminase antibodies as a sign of tissue lesion. *Clin Chem* 2002; 48: 393-394.

Swinkels DW, Marx JJM. Bij welke serumferritin concentratie is het zinvol aderlatingen te doen, ter behandeling van primaire hemochromatose? *Reumatologen Vademeicum* 2002, 3.

Swinkels DW, Aalbers N, Elving LD, Bleijenberg G, Swanink CMA, Meer JWM van der. Primary hemochromatosis: a missed cause of chronic fatigue syndrome? *Neth J Med* 2002; 60: 429-433.

Symersky T, Vu MK, Frölich M, Biemond I, Masclee AAM. The effect of equicaloric medium-chain and long-chain triglycerides on pancreas enzyme secretion. *Clin Physiol Func Im* 2002; 22: 307-311.

Tellingen A van, Grooteman MPC, Schoorl M, Bartels PCM, Schoorl M, Ploeg T van der Wee PM ter, Nubé M J. Intercurrent clinical events are predictive of plasma C-reactive protein levels in hemodialysis patients. *Kidney Int* 2002; 62: 632-638.

Vroonhof K, Beek AP van, Huisman A. Vasten en insuline om te beginnen. *Pharm Weekbl* 2002; 29: 1019-1020.

Vrouenraets SM, Treskes M, Regez RM, Troost N, Smulders YM, Weigel HM, Frissen PH, Brinkman K. Hyperlactataemia in HIV-infected patients: the role of NRTI-treatment. *Antivir Ther* 2002; 7: 239-244.

Wanten G, Beunk J, Naber A, Swinkels D. Tocopherol isoforms in parenteral lipid emulsions and neutrophil activation. *Clin Nutr* 2002; 21: 417.

Winter RJ de, Heyde GS, Koch KT, Fischer J, Straalen van JP, Bax M, Schotborgh CE, et al. The prognostic value of pre-procedural plasma C-reactive protein in patients undergoing elective coronary angioplasty. *Eur Heart J* 2002; 23: 960-966.

Oncologie

Bierau J, Gennip AH van, Leen R, Caron HN, Kuilenburg ABP van. Retinoic acid reduces the cytotoxicity of cyclopentenyl cytosine in neuroblastoma cells. *FEBS Letters* 2002; 527: 229-233.

Buiting AMJ, Wijermars PW. CBO-richtlijn 'Monoklonale Gammopathie (paraproteinemie)' herziening. *Ned Tijdschr Geneesk* 2002; 146: 1406-1411.

Fiets WE, Blankenstein MA, Struikmans H, Ruitenberg HM, Nortier JW. The prognostic value of hormone receptor detection by enzyme immunoassay and immunohistochemistry: a prospective study in patients with early breast cancer. *Int J Biol Markers* 2002; 17: 24-32.

Fluiter K, Asbroek ALMA ten, Groenigen M van, Nooitj M, Aalders MCG, Baas F. Tumor genotype specific growth inhibition *in vivo* by antisense oligonucleotides against a polymorphic site of the large subunit of human RNA polymerase II. *Cancer Res* 2002; 62: 2024-2028.

Jongsma AP, Piek JM, Zweemer RP, Verheijen RH, Klein Gebbinck JW, Kamp GJ van, Jacobs IJ, Shaw P, Diest PJ van, Kenemans P. Molecular evidence for putative tumour suppressor genes on chromosome 13q specific to BRCA1 related ovarian and fallopian tube cancer. *Mol Pathol* 2002; 55: 305-309.

Kok JB de, Verhaegh GW, Roelofs RW, Hessels D, Kiemeney LA, Aalders TW, Swinkels DW, Schalken JA. DD3 (PCA3), a very sensitive and specific marker to detect prostate tumors. *Cancer Res* 2002; 62: 2695-2698.

Kuilenburg ABP van, Meinsma R, Zoetekouw L, Gennip AH van. Increased risk of grade IV neutropenia after administration of 5-fluorouracil due to a dihydropyrimidine dehydrogenase deficiency: high prevalence of the IVS14+1G>A mutation. *Int J Cancer* 2002; 101: 253-258.

Look MP, Putten WL van, Duffy MJ, Harbeck N, Christensen IJ, Thomssen C, Kates R, et al (Blankenstein MA). Pooled analysis of prognostic impact of urokinase-type plasminogen activator and its inhibitor PAI-1 in 8377 breast cancer patients. *J Natl Cancer Inst* 2002; 94: 116-128.

Luo J, Zha S, Gage WR, Dunn TA, Hicks JL, Bennett CH, Ewing CM, et al. (RJWanders). α -Methylacyl-CoA racemase: a new molecular marker for prostate cancer. *Cancer Res* 2002; 62: 2220-2226.

Maring JG, Kuilenburg ABP, Haasjes J, Piersma H, Groen HJM, Uges DRA, Gennip AH van, et al. Reduced 5-FU clearance in a patient with low DPD activity due to heterozygosity for a mutant allele of the DPYD gene. *Br J Canc* 2002; 86: 1028-1033.

Noesel MM van, van Bezouw S, Salomons GS, Voute PA, Pieters R, Baylin SB, Herman JG, Versteeg R. Tumor-specific down-regulation of the tumor necrosis factor-related apoptosis-inducing ligand decoy receptors DcR1 and DcR2 is associated with dense promoter hypermethylation. *Cancer Res* 2002; 62: 2157-2161.

Oosterhuis JWA, Pauwels RPE, Schapera RFM, Pelt J van, Smeets W, Newling DWW. Detection of recurrent transitional cell carcinoma of the bladder with Nuclear Matrix Protein-22 in a follow-up setting. *UroOncology* 2002; 2: 137-142.

Schutter EM, Davelaar EM, Kamp GJ van, Verstraeten RA, Kenemans P, Verheijen RH. The differential diagnostic potential of a panel of tumor markers (CA 125, CA 15-3, and CA 72-4 antigens) in patients with a pelvic mass. *Am J Obstet Gynecol* 2002; 187: 385-392.

Somers VA, Brandwijk RJ, Joosten B, Moerkerk PT, Arends JW, Menheere PPCA, Pieterse WO, Claessen A, Scheper RJ, Hoogenboom HR, Hufton SE. A panel of candidate tumor antigens in colorectal cancer revealed by the serological selection of a phage displayed cDNA expression library. *J Immunol* 2002; 2772-2780.

Thijssen MAMA, Swinkels DW, Ruers TJM, Kok JB de. Difference between free circulating plasma and serum DNA in patients with colorectal liver metastases. *Anticancer Res* 2002; 22: 421-426.

Valkema R, Jong M de, Bakker WH, Breeman WA, Kooij PP, Lugtenburg PJ, Jong FH de, Christiansen A, Kam BL, Herder WW de, Stridsberg M, Lindemans J, Ensing, G, Krenning EP. Phase I study of peptide receptor radionuclide therapy with [In-DTPA]octreotide: the Rotterdam experience. *Semin Nucl Med* 2002; 32: 110-122.

Vandeputte DA, Troost D, Leenstra S, IJlst-Keizers H, Ramkema M, Bosch DA, Baas F, Das NK, Aronica E. Expression and distribution of id helix-loop-helix proteins in human astrocytic tumors. *Glia* 2002; 38: 329-338.

Ven J van de, Donker GH, Sprong M, Blankenstein MA, Thijssen JH. Effect of tibolone (Org OD14) and its metabolites on aromatase and estrone sulfatase activity in human breast adipose stromal cells and in MCF-7 and T47D breast cancer cells. *J Steroid Biochem Mol Biol* 2002; 81: 237-247.

Verheijen FM, Donker GH, Viera CS, Sprong M, Jacobs HM, Blaauw G, Thijssen JH, Blankenstein MA. Progesterone receptor, bc1-2 and bax expression in meningiomas. *J Neuro-oncol* 2002; 56: 35-41.

Verheijen FM, Sprong M, Kloosterman JM, Blaauw G, Thijssen JH, Blankenstein MA. TP53 mutations in human meningiomas. *Int J Biol Markers* 2002; 17: 42-48.

Vermes A, Guchelaar H-J, Kuilenburg ABP van, Dankert J. 5-Fluorocytosine-related bone-marrow depression and conversion to fluorouracil: a pilot study. *Fundamental & Clin Pharmacol* 2002; 16: 39-47.

Verschuur AC, Gennip AH van, Leen R, Voûte PA, Brinkman J, Kuilenburg ABP van. Cyclopentenyl cytosine increases the phosphorylation and incorporation into DNA of 1-β-D-arabinofuranosyl cytosine in a human T-lymphoblastic cell line. *Int J Cancer* 2002; 98: 616-623.

Yurdakul G, Bangma CH, Blijenberg BG, Zelst BD van, Wildhagen MF, Kwast TH van der, Schroder FH. Different PSA assays lead to detection of prostate cancers with identical histological features. *Eur Urol* 2002; 42: 154-158.

Allergie / infectieziekten

Balzarini J, Sienraert R, Liekens S, Kuilenburg A van, Carrangio A, Esnouf R, Clercq E de, et al. Lack of susceptibility of bicyclic nucleoside analogs, highly potent inhibitors of Varicella-Zoster virus, to the catabolic action of thymidine phosphorylase and dihydropyrimidine dehydrogenase. *Mol Pharmacol* 2002; 61: 1140-1145.

Baumgarten R, Péquéraux NCV, Puyuenbroek MJE van, Speelberg B. Is procalcitonine van additionele waarde bij de diagnostiek van sepsis? *Ned Tijdschr Klin Chem* 2002; 27: 32-35.

Dosogne H, Meyer E, Sturk A, van Loon J, Massart-Leën AM, Burvenich C. Effect of enrofloxacin treatment on plasma endotoxin during bovine Escherichia coli mastitis. *Inflammation Res* 2002; 51: 201-205.

Frenkel J, Rijkers GT, Mandey SHL, Buurman SWM, Houten SM, Wanders RJA, Waterham HR, et al. Lack of isoprenoid products raises ex vivo interleukin-1 β secretion of hyperimmunoglobulinemia D and Periodic Fever Syndrome. *Arthritis Rheumatism* 2002; 46: 2794-2803.

Gorp ECM van, Suharti C, Mairuhu ATA, Dolmans WMV, Ven J van der, Demacker PNM, Meer JWM van der. Changes in the plasma lipid profile as a potential predictor of clinical outcome in Dengue Hemorrhagic fever. *Clin Infect Disease* 2002; 34: 1150-1153.

Groenewoud GC, Graaf in 't Veld C de, Oorschot-van Nes AJ van, Jong NW de, Vermeulen AM, Toorenbergen AW van, Burdorf A, Groot H de, Gerth van Wijk R. Prevalence of sensitization to the predatory mite Amblyseius cucumeris as a new occupational allergen in horticulture. *Allergy* 2002; 57: 614-619.

Groenewoud GC, Jong NW de, Oorschot-van Nes AJ van, Vermeulen AM, Toorenbergen AW van, Mulder PG, Burdorf A, Groot H de, Wijk RG van. Prevalence of occupational allergy to bell pepper pollen in greenhouses in the Netherlands. *Clin Exp Allergy* 2002; 32: 434-440.

Kaay DC van der, Kleijn ED de, De Rijke YB, Hop WC, Groot R de, Hazelzet JA. Procalcitonin as a prognostic marker in meningococcal disease. *Intensive Care Med* 2002; 28: 1606-1612.

Lettinga KD, Verbon A, Weverling GJ, Schellekens JF, Boer JW den, Yzerman EP, Prins J, et al. Legionnaires' disease at a Dutch flower show: prognostic factors and impact of therapy. *Emerg Infect Dis* 2002; 8: 1448-1454.

Merkus PJ, Toorenbergen AW van. Birds or zebras? *Allergy* 2002; 57: 566-569.

Metz J de, Sauerwein HP, Gouma DJ, Out TA, Reijneke RM, Hack CE, Romijn JA, Berge IJ ten. Interferon-gamma administration to patients after major surgery influences cellular immunity without pro-inflammatory response. *Eur J Clin Invest* 2002; 32: 787-789.

Oranje AP, Mulder PG, Heide R, Tank B, Riezebos P, Toorenbergen AW van. Urinary N-methylhistamine as an indicator of bone marrow involvement in mastocytosis. *Clin Exp Dermatol* 2002; 27: 502-506.

Out TA, Wang S-Z, Rudolph K, Bice DE. Local T-cell activation after segmental allergen challenge in the lungs of allergic dogs. *Immunology* 2002; 105: 499-508.

Pater-Huijsen FL de, Riemer MJ de, Reijneke RM, Pompel M, Lutter R, Jansen HM, Out TA. Products from human mast cell line cells enhance the production of interferon-gamma by CD8+ and CD4+ T cells. *Immunology* 2002; 106: 11-19.

Swiegers JH, Vaz FM, Pretorius IS, Wanders RJA, Bauer FF. Carnitine biosynthesis in *Neurospora crassa*: identification of a cDNA coding for ε-N-trimethyllysine hydroxylase and its functional expression in *Saccharomyces cerevisiae*. *FEMS Microbiology Letters* 2002; 10399: 1-5.

Erfelijke stofwisselingsziekten

Asfaw B, Ledvinova J, Dobrovolsky R, Bakker HD, Desnick RJ, Diggelen OP van, Jong JG de, Kanzaki T, Chabas A, Maire I, Conzelmann E, Schindler D. Defects in degradation of blood group A and B glycosphingolipids in Schindler and Fabry diseases. *J Lipid Res* 2002; 43: 1096-104.

Baas JCM, Laar R van de, Dorland L, Duran M, Berger R, Poll-The BT, Koning TJ de. Plasma pipecolic acid is frequently elevated in non-peroxisomal disease. *J Inher Metab Dis* 2002; 25: 699-701.

Bedilu R, Nummy KA, Cooper A, Wevers R, Smeitink J, Kleijer WJ, Friderici KH. Variable clinical presentation of lysosomal beta-mannosidosis in patients with null-mutations. *Mol Genet Metab* 2002; 77: 282-290.

Beekvelt MC van, Engelen BG van, Wevers RA, Colier WN. Near-infrared spectroscopy in chronic progressive ophthalmoplegia: adipose tissue confounds decreased muscle oxygen consumption. *Ann Neurol* 2002; 51: 272-273.

Beekvelt MC van, Wevers RA, van Engelen BG, Colier WN. Muscle tissue oxygenation as a functional tool in the follow up of dermatomyositis. *J Neurol Neurosurg Psych* 2002; 73: 93-94.

Beekvelt MCP van, Engelen BGM van, Wevers RA, Colier WNJM. In vivo quantitative near infrared spectroscopy in skeletal muscle during incremental isometric handgrip exercise. *Clin Physiol Func Im* 2002; 22: 210-217.

Boer MEJ den, Wanders RJA, Morris AAM, IJlst L, Heymans HSA, Wijburg FA. Long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency: clinical presentation and follow-up of 50 patients. *Pediatrics* 2002; 109: 99-104.

Bosch AM, Bakker HD, Gennip AH van, Kempen JV van, Wanders RJA, Wijburg FA. Clinical features of galactokinase deficiency: a review of the literature. *J Inher Metab Dis* 2002; 25: 629-634.

Bräutigam C, Hyland K, Wevers R, Sharma R, Wagner L, Stock GJ, Heitmann F, Hoffmann GF. Clinical and laboratory findings in twins with neonatal epileptic encephalopathy mimicking aromatic L-amino acid decarboxylase deficiency. *Neuropediatrics* 2002; 33: 113-117.

Bräutigam C, Weykamp C, Hoffmann GF, Wevers RA. Neurotransmitter metabolites in CSF: an external quality control scheme. *J Inh Metab Dis* 2002; 25: 287-298.

Brockmann K, Bjornstad A, Dechent P, Korenke C.G., Smeitink JAM, Trijbels JMF, Athanassopoulos S, Villagrán R, Skjeldal OH, Wilichowski E, Frahm J, Hanefeld F. Succinate in dystrophic white matter: a proton magnetic resonance spectroscopy finding characteristic for complex II deficiency. *Ann Neurol* 2002; 52: 38-46.

Cappellen van Walsum A-M van, Jongsma HW, Wevers RA, Nijhuis JG, Crevels J, Engelke UFH, Abreu RA De, Moole-naar SH, Oeseburg B, Nijland R. ¹H-NMR spectroscopy of cerebrospinal fluid of fetal sheep during hypoxia-induced acidemia and recovery. *Ped Res* 2002; 52: 56-63.

Clayton PT, Verrips A, Sistermans E, Mann A, Mieli-Vergani G, Wevers R. Mutations in the sterol 27-hydroxylase gene (CYP27A) cause hepatitis of infancy as well as cerebrotendinous xanthomatosis. *J Inh Metab Dis* 2002; 25: 501-513.

Duran M, Poll-The BT, Gennip AH van. Laboratory diagnosis of inherited metabolic disease. *Proceedings Book*, volume 2, 12th National Congress of Child Health, Bali, 2002; 352-360.

Duran M. Disorders of mitochondrial fatty acid oxidation and ketone body handling. In: *Physician's Guide to the Laboratory Diagnosis of Metabolic Diseases*. Eds. N. Blau, M. Duran, M.E. Blaskovics, K.M. Gibson. Second Edition. Springer-Verlag Berlin Heidelberg New York. 2002: 309-334.

Ensenauer R, Niederhoff H, Ruiter JPN, Wanders RJA, Schwab KO, Brandis M, Lehnhert W. Clinical variability in 3-hydroxy-2-methylbutyryl-CoA dehydrogenase deficiency. *Ann Neurol* 2002; 51: 656-659.

Evandé R, Blom H, Boers GH, Banerjee R. Alleviation of intrasteric inhibition by the pathogenic activation domain mutation, D44N, in human cystathionine beta-synthase. *Biochemistry* 2002; 41: 11832-11837.

Evangelou A, Lionis C, Michailidou H, Spilioti M, Kanitsakis A, Nikitakis P, Drakonakis N, Giannakopoulou C, Sbyrakis S, Sewell AC, Boehles HJ, Smeitink J, Wevers RA. Selective screening for inborn errors of metabolism: the primary care-based model in rural Crete. *J Inh Metab Dis* 2002; 24: 877-880.

Ferdinandusse S, Grunsven EG van, Oostheim W, Denis S, Hogenhout EM, IJlst L, Roermund CWT, et al. Reinvestigation of peroxisomal 3-ketoacyl-CoA deficiency: identification of the true defect at the level of D-bifunctional protein. *Am J Hum Genet* 2002; 70: 1589-1593.

Ferdinandusse S, Meissner T, Wanders RJA, Mayatepek E. Identification of the peroxisomal β-oxidation enzymes involved in the degradation of leukotrienes. *Biochem Biophys Res Comm* 2002; 293: 269-273.

Ferdinandusse S, Rusch H, Lint AEM van, Dacremont G, Wanders RJA, Vreken P. Stereochemistry of the peroxisomal branched-chain fatty acid α- and β-oxidation systems in patients suffering from different peroxisomal disorders. *J Lipid Res* 2002; 43: 438-444.

Fiumara A, Brautigam C, Hyland K, Sharma R, Lagae L, Stoltzenborg B, Hoffmann GF, Jaeken J, Wevers RA. Aromatic L-amino acid decarboxylase deficiency with hyperdopamineuria. Clinical and laboratory findings in response to different therapies. *Neuropediatrics* 2002; 33: 203-208.

Gootjes J, Mooijer PAW, Dekker C, Barth PG, Poll-The BT, Waterham HR, Wanders RJA. Biochemical markers predicting survival in peroxisome biogenesis disorders. *Neurology* 2002; 59: 1746-1749.

Grattan-Smith PJ, Wevers RA, Steenbergen-Spanjers GC, Fung VS, Earl J, Wilcken B. Tyrosine hydroxylase deficiency: clinical manifestations of catecholamine insufficiency in infancy. *Mov Disord* 2002; 17: 354-359.

- Grauw TJ de, Salomons GS, Cecil KM, Chuck G, Newmeyer A, Schapiro MB, Jakobs C. Congenital creatine transporter deficiency. *Neuropediatrics* 2002; 33: 232-238.
- Gupta M, Greven R, Jansen EE, Jakobs C, Hogema BM, Froestl W, Snead OC, Bartels H, Grompe M, Gibson KM. Therapeutic intervention in mice deficient for succinate semialdehyde dehydrogenase (gamma-hydroxybutyric aciduria). *J Pharmacol Exp Ther* 2002; 302: 180-187.
- Hahn KA, Salomons GS, Tackels-Horne D, Wood TC, Taylor HA, Schroer RJ, Lubs HA, Jakobs C, Olson RL, Holden KR, Stevenson RE, Schwartz CE. X-linked mental retardation with seizures and carrier manifestations is caused by a mutation in the creatine-transporter gene (SLC6A8) located in Xq28. *Am J Hum Genet* 2002; 70: 1349-1356.
- Hein G, Kuilenburg ABP van, Lehnert W, Gennip AH van, Schweizer P, Wagner N, Kalhoff H. Dihydropyrimidin dehydrogenase (DPD)-Mangel: gutartiger klinischer Verlauf bei neubeschriebener Missense-Mutation. Novartis Pharma Verlag Nürnberg 2002: 271-273.
- Heinzer AK, Kemp S, Lu-J-F, Watkins PA, Smith KD. Mouse very long-chain acyl-CoA synthetase in X-linked adrenoleukodystrophy. *J Biol Chem* 2002; 277: 28765-28773.
- Hogenboom S, Romeijn GJ, Houten SM, Baes M, Wanders RJA, Waterham HR. Absence of functional peroxisomes does not lead to deficiency of enzymes involved in cholesterol biosynthesis. *J Lipid Res* 2002; 43: 90-98.
- Houten SM, Woerden CS van, Wijburg FA, Wanders RJA, Waterham HR. Carrier frequency of the V377I (1129G>A) MVK mutation, associated with Hyper-IgD and periodic fever syndrome, in the Netherlands. *Eur J Human Gen* 2002; 11: 196-200.
- Hove JL van, Damme-Lombaerts R van, Gruenewald S, Peters H, Damme B van, Fryns JP, Arnout J, Wevers R, Baumgartner ER, Fowler B. Cobalamin disorder Cbl-C presenting with late-onset thrombotic microangiopathy. *Am J Med Genet* 2002; 111: 195-201.
- IJlst L, Loupatty FJ, Ruiter JPN, Duran M, Lehnert W, Wanders RJA. 3-Methylglutaconic aciduria type I is caused by mutations in AUH. *Am J Hum Genet* 2002; 71: 1463-1466.
- Janssens PMW, Brussel W, Wevers RA. Een peuter met geletsafwijkingen en een opeenstapeling van klachten in de eerste twee levensjaren. *Ned Tijdschr Klin Chem* 2002; 27: 283-288.
- Janssens PMW, Jong JGN de, Boelen C, Brus F. Een pasgeborene in diep coma, met hypoglycemie en sterk verhoogd ammoniak. *Ned Tijdschr Klin Chem* 2002; 27: 222-225.
- Janssens PMW, Ruitenberg W, Trijbels JMF. Een patient met fenylketonurie, opgespoord via de neonatale PKU-screening. *Ned Tijdschr Klin Chem* 2002; 27: 170-173.
- Jordens EZ, Palmieri L, Huizing M, Heuvel LP van den, Sengers RCA, Dörner A, Ruitenberg W, Trijbels JMF, Valsson J, Sigfusson G, Palmieri F, Smeitink JAM. Adenine nucleotide translocator 1 deficiency associated with Sengers syndrome. *Ann Neurol* 2002; 52: 95-99.
- Knaap MS van der, Leegwater PA, Konst AA, Visser A, Naidu S, Oudejans CB, Schutgens RB, Pronk JC. Mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter. *Ann Neurol* 2002; 51: 264-270.
- Koning TJ de, Duran M, Maldergem L van, Pineda M, Dorland L, Gooskens R, Jaeken J et al. Congenital microcephaly and seizures due to 3-phosphoglycerate dehydrogenase deficiency: Outcome of treatment with amino acids. *J Inher Metab Dis* 2002; 25: 119-125.
- Levtchenko EN, Graaf-Hess A. de, Blom HJ, Monnens LAH. Negligible urinary cysteamine loss in cystinosis patients with Fanconi syndrome. *Clin Nephrol* 2002; 57: 349-351.
- Lievers CJA, Kluijtmans LAJ, Heil SG, Boers GHJ, Verhoef P, Oppenraaij-Emmerzaal D van, Heijer M den, Trijbels JMF, Blom HJ. A 31bp VNTR in the cystathione beta-synthetase (CBS) gene is associated with reduced CBS activity and elevated post-load homocysteine levels. *Eur J Hum Genet* 2001; 9: 583-589.
- Lievers KJA, Kluijtmans LAJ, Boers GHJ, Verhoef P, Heijer M. den, Trijbels JMF, Blom HJ. Influence of a glutamate carboxypeptidase II (GCPII) polymorphism (1561C>T) on plasma homocysteine, folate and vitamin B12 levels and its relationship to cardiovascular disease risk. *Atherosclerosis* 2002, 164: 269-273.
- Loeffen J, Elpeleg O, Smeitink J, Smeets R, Stockler-Ipsiroglu S, Mandel H, Sengers R, Trijbels F, Heuvel L van den. Mutations in the complex I NDUFS2 gene of patients with cardiomyopathy and encephalomyopathy. *Ann Neurol* 2001, 49: 195-201.
- Loos F de, Huijben KMLC, Kar NCAJ van der, Monnens LAH, Heuvel LPWJ van den, Groener JEM, Moor RA de, Wevers RA. Hemolytic Uremic Syndrome attributable to *Streptococcus pneumoniae* infection: a novel cause for secondary protein N-glycan abnormalities. *Clin Chem* 2002; 48: 781-784.
- Maldergem L van, Trijbels JMF, DiMauro S, Sindelar PJ, Musumeci O, Janssen A, Delberghe X, Martin J-J, Gillerot Y. Coenzyme Q- Responsive Leigh's encephalopathy in two sisters. *Ann Neurol* 2002, 52: 750-754.
- McLean BN, Allen J, Ferdinandusse S, Wanders RJA. A new defect of peroxisomal function involving pristanic acid: a case report. *J Neurol Neurosurg Psychiatry* 2002; 72: 396-399.
- Mihalik SJ, Steinberg SJ, Pei Z, Park J, Kim DG, Heinzer AK, Dacremont G, et al. Participation of two members of the very long-chain acyl-CoA synthetase family in bile acid synthesis and recycling. *J Biol Chem* 2002; 277: 24771-24779.
- Moolenaar SH, Engelke UFH, Abeling NGGM, Mandel H, Duran M, Wevers RA. Prolidase deficiency diagnosed by ¹H-NMR spectroscopy of urine. *J Inh Metab Dis* 2002; 24: 843-850.
- Motley AM, Brites P, Gerez L, Hogenhout E, Haasjes J, Benne R, Tabak HF, et al. Mutational spectrum in the PEX7 gene and functional analysis of mutant alleles in 78 patients with Rhizomelic Chondrodysplasia Punctata Type 1. *Am J Hum Genet* 2002; 70: 612-624.
- Odievre M-H, Sevin C, Laurent J, Laboureau J-P, Rabier D, Brivet M, Roe C, et al. Long-chain 3-hydroxyacyl CoA dehydrogenase deficiency: a new case presenting with liver dysfunction, cholestasis and fibrosis. *Acta Paediatr* 2002; 91: 719-722.
- Ofman R, Mrabet L el, Dacremont G, Spijker D, Wanders RJA. Demonstration of dimethylnonanoyl-CoA thioesterase activity in rat liver peroxisomes followed by purification and molecular cloning of the thioesterase involved. *Biochem Biophys Res Comm* 2002; 290: 629-634.

- Olpin SE, Pollitt RJ, McMenamin J, Manning NJ, Besley G, Ruiter JPN, Wanders RJA. 2-Methyl-3-hydroxybutyryl-CoA dehydrogenase deficiency in a 23-year-old man. *J Inher Metab Dis* 2002; 25: 477-482.
- Onkenhout W, Groener J, Verhoeven N, Yin C, Laan L. L-Arabinosuria: a new defect in human pentose metabolism. *Mol Genet Metab* 2002; 77: 80.
- Poll-The BT, Duran M. Inborn errors of metabolism. Proceedings Book, volume 2, 12th National Congress of Child Health, Bali, 2002; 341-351.
- Raas-Rothschild A, Wanders RJA, Mooijer AW, Gootjes J, Waterham HR, Gutman A, Suzuki Y, et al. A PEX6-Defective peroxisomal biogenesis disorder with severe phenotype in an infant, versus mild phenotype resembling Usher syndrome in the affected parents. *Am J Hum Genet* 2002; 70: 1062-1068.
- Rahbeeni Z, Vaz FM, Al-Hussein, Bucknall MP, Ruiter J, Wanders RJA, Rashed MS. Identification of two novel mutations in OCTN2 from two Saudi patients with systemic carnitine deficiency. *J Inher Metab Dis* 2002; 25: 363-369.
- Ruiter CJ de, May AM, Engelen BGM van, Wevers RA, Steenbergen-Spanjers GC, Haan A de. Muscle function during repetitive moderate-intensity muscle contractions in myoadenylate deaminase-deficient Dutch subjects. *Clin Science* 2002; 102: 531-539.
- Schuelke M, Detjen A, Heuvel LP van den, Korenke C, Janssen A, Smits A, Trijbels JMF, Smeitink JAM. New nuclear encoded mitochondrial mutation illustrates pitfalls in prenatal diagnosis by biochemical methods. *Clin Chem* 2002; 48: 772-775.
- Schuelke M, Krude H, Finckh B, Mayatepek E, Janssen A, Schmelz M, Trefz F, Trijbels JMF, Smeitink JAM. Septo-optic dysplasia associated with a new mitochondrial cytochrome b mutation. *Ann Neurol* 2002; 51: 388-392.
- Shimozawa N, Nagase T, Takemoto Y, Suzuki Y, Fujiki Y, Wanders RJA, Kondo N. A novel aberrant splicing mutation of the PEX16 gene in two patients with Zellweger syndrome. *Biochem Biophys Res Comm* 2002; 292: 109-112.
- Silva CG da, Ribeiro CA, Leipnitz G, Dutra-Filho CS, Wyse AT AT, Wannmacher CM, Sarkis JJ, Jakobs C, Wajner M. Inhibition of cytochrome c oxidase activity in rat cerebral cortex and human skeletal muscle by D-2-hydroxyglutaric acid in vitro. *Biochim Biophys Acta* 2002; 1586: 81-91.
- Silva MF, Ruiter JP, Overmars H, Bootsma AH, Gennip AH van, Jakobs C, Duran M, Tavares de Almeida I, Wanders RJ. Complete beta-oxidation of valproate: cleavage of 3-oxovalproyl-CoA by a mitochondrial 3-oxoacyl-CoA thiolase. *Biochem J* 2002; 362: 755-760.
- Silva MFA, Ruiter JPN, Overmars H, Bootsma AH, Gennip AH van, Jakobs C, Duran M, et al. Complete β -oxidation of valproate: cleavage of 3-oxovalproyl-CoA by a mitochondrial 3-oxoacyl-CoA thiolase. *Biochem J* 2002; 362: 755-760.
- Simmonds HA, Gennip AH van. Purine and pyrimidine disorders. In: Physician's Guide to the Laboratory Diagnosis of Metabolic Diseases. Eds. N. Blau, M. Duran, M.E. Blaskovics, K.M. Gibson. Second Edition. Springer-Verlag Berlin Heidelberg New York, 2002, pg. 445-466.
- Valianpour F, Wanders RJA, Overmars H, Vreken P, Gennip AH van, Baas F, Plecko B, Santer R, Becker K, Barth PG. Cardiolipin deficiency in X-linked cardioskeletal myopathy and neutropenia (Barth syndrome, MIM 302060) B a study in cultured skin fibroblasts. *J Pediatrics* 2002; 141: 729-733.
- Valianpour F, Wanders RJA, Barth PG, Overmars H, Gennip AH van. Quantitative and compositional study of cardiolipin in platelets by electrospray ionization mass spectrometry: application for the identification of Barth syndrome patients. *Clin Chem* 2002; 48: 1390-1397.
- Vaz FM, Wanders RJA. Carnitine biosynthesis in mammals (review article). *Biochem J* 2002; 361: 417-429.
- Visser WF, Roermund CWT van, Waterham HR, Wanders RJA. Identification of human PMP34 as a peroxisomal ATP transporter. *Biochem Biophys Res Commun* 2002; 299: 494-497.
- Vissing J, Ravn K, Danielsen ER, Dunø M, Wibrand F, Wevers RA, Schwartz M. Multiple mtDNA deletions with features of MNGIE. *Neurology* 2002; 59: 926-929.
- Wajne M, Vargas CR, Funayama C, Fernandez A, Elias ML, Goodman SI, Jakobs C, Knaap MS van der. D-2-Hydroxyglutaric aciduria in a patient with a severe clinical phenotype and unusual MRI findings. *J Inher Metab Dis* 2002; 25: 28-34.
- Wanders RJA, Barth PG, Poll-The B-T. Peroxisomal Disorders. In: Physician's Guide to the Laboratory Diagnosis of Metabolic Diseases. Eds. N. Blau, M. Duran, M.E. Blaskovics, K.M. Gibson. Second Edition. Springer-Verlag Berlin Heidelberg New York. 2002: 481-508.
- Wanders RJA, Duran M, Wijburg F. Inherited disorders of mitochondrial fatty acid β -oxidation. In: Mitochondrial Disorders in Neurology 2, ed. A.H.V. Schapira and S. DiMauro. Butterword/Heinemann. 2002; 257-297.
- Waterham HR. Inherited disorders of cholesterol biosynthesis. *Clin Genet* 2002; 61: 393-403 (Mini Review).
- Wevers RA. Value of CSF investigation in diagnosis and therapy of inherited metabolic encephalomyopathies. *Paediatr Croat* 2002; 46: 211.
- Yilmazer T, Gennip AH van, Abeling NGGM, Özalp I, CoÖkun T, Bakker HD. Phenylketonuria and glycogen storage disease type III in sibs of one family. *Turkish J Pediatrics* 2002; 44: 49-53.
- Yilmazer T, Wijburg FA, Abeling NGGM, Duran M, Bakker HD. Methylmalonic aciduria. A rare disorder? *Pediatrics Clinics Amsterdam*. 2002; 13: 1-3.
- ### Endocrinologie
- Akker ESA van den, Stikkelbroeck MML, Menheere PPCA, Roumen FJME, Otten BJ. Succesvolle behandeling en zwangerschap bij een vrouw met de niet-klassieke vorm van het adrenogenitaal syndroom. *Ned Tijdschr Geneesk* 2002; 146: 268-270.
- Bolt RJ, Weissenbruch MM van, Popp-Snijders C, Sweep FG, Lafeber HN, Delemarre-van de Waal HA. Maturity of the adrenal cortex in very preterm infants is related to gestational age. *Pediatr Res* 2002; 52: 405-410.
- Buijs MM, Burggraaf J, Langendonk JG, Schoemaker RC, Frölich M, Arndt JW, Cohen AF, Romijn JA, Ackermans MT, Sauerwein HP, Meinder AE, Pijl H. Hyposomatotropism blunts lipolysis in abdominally obese women. *J Clin Endocrin Metab* 2002; 87: 3851-3858.

Buijs MM, Romijn JA, Burggraaf J, Kam ML de, Cohen AF, Frölich M, Stellaard F, Meinders AE, Pijl H. Growth hormone blunts protein oxidation and promotes protein turnover to a similar extent in abdominally obese and normal-weight women. *J Clin Endocrinol Metab* 2002; 87: 5668-5674.

Coeverden SC van, Netelenbos JC, Ridder CM de, Roos JC, Popp-Snijders C, Delemarre-van de Waal HA. Bone metabolism markers and bone mass in healthy pubertal boys and girls. *Clin Endocrinol (Oxf)* 2002; 57: 107-116.

Dam EWCM van, Roelfsema F, Veldhuis JD, Helmerhorst FM, Frölich M, Meinders AE, Krans HJM, Pijl H. Increase in daily LH secretion in response to short-term calorie restriction in obese women with PCOS. *Am J Physiol Endocrinol Metab* 2002; 282: E865-E872.

Engelbrecht MJ, Weissenbruch MM van, Popp-Snijders C, Delemarre-van de Waal HA. Delayed first cycle in intrauterine growth-retarded and postnatally undernourished female rats: follicular growth and ovulation after stimulation with pregnant mare serum gonadotropin at first cycle. *J Endocrinol* 2002; 173: 297-304.

Erkut ZA, Endert E, Huitinga I, Swaab DF. Cortisol is increased in postmortem cerebrospinal fluid of multiple sclerosis patients: relationship with cytokines and sepsis. *Mult Scler* 2002; 8: 229-236.

Exel E van, Gussekloo J, Craen AJM de, Frölich M, Bootsma van der Wiel A, Westendorp RGJ. Low production capacity of interleukin-10 associates with the metabolic syndrome and type 2 diabetes. *Diabetes* 2002; 51: 1088-1092.

Gallas PR, Stolk RP, Bakker K, Endert E, Wiersinga WM. Thyroid dysfunction during pregnancy and in the first postpartum year in women with diabetes mellitus type 1. *Eur J Endocrinol* 2002; 147: 443-451.

Kamp GA, Zwinderman AH, Doorn J van, Hackeng W, Frölich M, Schönau E, Wit JM. Biochemical markers of growth hormone (GH) sensitivity in children with idiopathic short stature: individual capacity of IGF-I generation after high-dose GH treatment determines the growth response to GH. *Clin Endocrinol* 2002; 57: 315-315.

Kerkhof DH van de, Ooijen RD van, Boer D de, Fokkens RH, Nibbering NM, Zwicker JW, Thijssen JH, Maes RA. Artifact formation due to ethyl thio-incorporation into silylated steroid structures as determined in doping analysis. *J Chromatogr A*. 2002; 954: 199-206.

Kok SW, Meinders AE, Overeem S, Lammers GJ, Roelfsema F, Frölich M, Pijl H. Reduction of plasma leptin levels and loss of its circadian rhythmicity in hypocretin (orexin)-deficient narcoleptic humans. *J Clin Endocrinol Metab* 2002; 87: 805-809.

Martin de las Mulas J, Niel M van, Millan Y, Ordas J, Blankenstein MA, Mil F van, Misdorp W. Progesterone receptors in normal, dysplastic and tumorous feline mammary glands. Comparison with oestrogen receptors status. *Res Vet Sci* 2002; 72: 153-161.

Metz J de, Romijn JA, Gouma DJ, Berge IJ ten, Busch OR, Endert E, Sauerwijn HP. Interferon-gamma administration does not affect human thyroid hormone metabolism in the post-surgical euthyroid sick syndrome. *J Endocrinol Invest* 2002; 25: 315-320.

Moreno JC, Bikker H, Kempers MJE, Trotsenburg ASP van, Baas F, Vijlder JJM de, Vulsm T, Ris-Stalpers C. Inactivating mutations in the gene for thyroid oxidase 2 (THOX2) and congenital hypothyroidism. *J Engl J Med* 2002; 347: 95-102.

Pennings RJE, Dikkeschei LD, Cremers CWRJ, Ouwehand JMW van den. Van gen naar ziekte; mutaties in het WFS1 gen als oorzaak van juveniele type-I-diabetes mellitus met opticus atrofie (Wolfram-syndroom). *Ned Tijdschr Geneesk* 2002; 146: 985-987.

Pluim SM, Dik MG, Jonker C, Deeg DJ, Kamp GJ van, Lips P. Effects of gender and age on the association of apolipoprotein E epsilon4 with bone mineral density, bone turnover and the risk of fractures in older people. *Osteoporos Int* 2002; 13: 701-709.

Schoemaker NJ, Teerds KJ, Mol JA, Lumeij JT, Thijssen JH, Rijnberk A. The role of luteinizing hormone in the pathogenesis of hyperadrenocorticism in neutered ferrets. *Mol Cell Endocrinol* 2002; 197: 117-125.

Sluis IM van der, Boot AM, Hop WC, Rijke YB de, Krenning EP, Muinck Keizer-Schrama SM de. Long-term effects of growth hormone therapy on bone mineral density, body composition, and serum lipid levels in growth hormone deficient children: a 6-year follow-up study. *Horm Res* 2002; 58: 207-214.

Sprangers F, Jellema WT, Lopuhua CE, Endert E, Ackermans MT, Lieshout JJ van, Zee JS van der, et al. Partial inhibition of nitric oxide synthesis in vivo does not inhibit glucose production in man. *Metabolism* 2002; 51: 57-64.

Stikkelenbroeck MML, Kamp HJ van der, Baarle W van, Lanting CI, Elvers LH, Verkerk PH, Verheul FEAM, et al. Neonatale screening op het adrenogenitaal syndroom. Pilot-onderzoek en landelijke invoering. 1998 - 2001. RIVM rapport 199003063/2002.

Thijssen JH. Relations of androgens and selected aspects of human behavior. *Maturitas* 2002; 41 Suppl 1: S47-S54.

Valk M van der, Reiss P, Leth FC van, Ackermans MT, Endert E, Romijn JA, et al. Highly active antiretroviral therapy-induced lipodystrophy minor effects on human immuno deficiency virus-induced changes in lipolysis, but normalizes resting energy expendit. *J Clin Endocrinol Metab* 2002; 87: 5066-5071.

Ven J van de, Donker TH, Blankenstein MA, Thijssen JH. Differential effect of gonadotropin-releasing hormone analogue treatment on estrogen levels and sulfatase activity in uterine leiomyoma and myometrium. *Fertil Steril* 2002; 77: 1227-1232.

Toxicologie

Furth R van, Wolff FA de. Gevaren voor onze gezondheid. Cursus najaar 2002, HOVO, Universiteit Leiden.

Gijsman HJ, Gerven JMA van, Verkes RJ, Schoemaker RC, Pieters MSM, Pennings EJM, Hessing TJ, Cohen AF. Saccadic peak velocity and EEG as end-points for a serotonergic challenge test. *Human Psychopharmacol Clin Experimental* 2002; 17: 83-89.

Knijff P de, Maat GJR, Tenhaeff A, Wolff FA (eds.) Ontwikkelingen in de forensische geneeskunde. 02-05-2002. Boerhaave Commissie voor Postacademisch Onderwijs in de Geneeskunde, Leids Universitair Medisch Centrum (2002) ISBN 90-6767-499-0.

Leussink BT, Nagelkerke JF, Water B van de, Slikkerve A, Voet GB van der, Srinivasan A, Bruijn JA, Wolff FA de, Heer E de: Pathways of proximal tubular cell death in bismuth nephrotoxicity. *Toxicol Appl Pharmacol* 2002; 180: 100-109.

Oudshoorn M, Pennings EJM. Toxicologie. De stof GHN - Stofoegenschappen. In: DJ Korf, T. Nabben, F. Leenders, A. Benschop (Eds). GHB: Tussen Extase en Narcose. Rozenberg Publ., Amsterdam 2002: p. 168-178 (ISBN 90 5170 622 7).

Pennings EJM, Leccese AP, Wolff FA de. Effects of concurrent use of alcohol and cocaine. *Addiction* 2002; 97: 773-784.

Reneman L, Booij J, Schmand B, Reitsma JB, Wolff FA de, Gunning WB, Heeten GJ den, Brink W van den. Korte- en langetermijn effecten van ecstasy op serotonineproducerende hersencellen en het geheugen. *Ned Tijdschr Geneesk* 2002; 146: 2240-2246.

Reneman L, Endert E., Bruin K de, Lavalaye J Feenstra MG, Wolff, FA de, Booij J. The acute and chronic effects of MDMA ("Ecstasy") on cortical 5-HT_{2A} receptors in rat and human brain. *Neuropsychopharmacol* 2002; 26: 387-396.

Steijns LSW, Bouw J, Weide J van der. Evaluation of fluorescence polarization assays for measuring Valproic Acid, Phenytoin, Carbamazepine and Phenobarbital in serum. *TDM* 2002; 24: 432-435.

Voet GB van der, Lentjes EGWM, Wolff FA de. Tracing Heavy Metals. Laboratorium voor Toxicologie, LUMC, Leiden (2002) (ISBN 90-803882-5-4).

Voet GB van der, Wolff FA de. Metals. In: Side Effects of Drugs, Annual 25 (J.K. Aronson ed), Elsevier Science BV, Amsterdam. 2002; ch. 22; 257-266.

Wolff FA de. Kunnen anti-epileptica de alcoholblaastest beïnvloeden? Vademeicum: permanente nascholing huisartsen 2002; 20/49a: 2-3.

Wolff FA de (mede-auteur) c.s. Acute Exposure Guideline Levels for Selected Airborne Chemicals. National Research Council, vol. 2. Report of the Subcommittee on Acute Exposure Guideline Levels. The National Academies Press, Washington DC, 2002; ISBN 0-309-08511-X.

Wolff FA de, Berend K, Voet GB van der. Subacute fatal aluminium poisoning in dialyzed patients: post-mortem toxicological findings. *Forensic Science Int* 2002; 128: 41-43.

Wolff FA de. Gifmoorden komen bijna niet meer voor. *Medisch Contact* 2002; 57/23: 905. en In: Medische Misvattingen. Nieuwe inzichten in de geneeskundige praktijk, 3e, herziene uitgebreide druk (C.J.E. Kaandorp, J.J.E. van Everdingen, eds.), Bohn Stafleu Van Loghum, Houten/Diegem 2002: 115-117. (ISBN 90 313 3905 9).

Bedrijfsvoering

Kwaliteit / automatisering / statistiek

Baadenhuijsen H. Resultaten Zweettestenquête. *Ned Tijdschr Klin Chemie* 2002; 27: 229-230.

Baadenhuijsen H, Steigstra H, Cobbaert C, Kuypers A, Weykamp C, Jansen R. Commutability Assessment of Potential Reference Materials using a Multi-centre Split-patient-sample Between-field-method (Twin-study) Design. *Clin Chem* 2002; 48:1520-1525.

Bartels PCM, Oomes J, Schoorl M, Schoorl M. Besturing en innovatie in een laboratoriumorganisatie met behulp van de Balanced Score Card methode. *Ned Tijdschr Klin Chem* 2002; 27: 141-144.

Bartels PCM, Schoorl M. Laboratorium KCHI: kwaliteit maak je met elkaar, vóór elkaar! *Kwaliteit in beeld* 2002; 4: 14-17.

Bartels PCM, Schoorl M. Synergie: het geheel is meer dan de som der delen. *Ned Tijdschr Klin Chem* 2002; 27: 289-291.

Cobbaert C, Weykamp C, Baadenhuijsen H, Kuypers A, Lindemans J, Jansen R. Selection, Preparation, and Characterization of Commutable Frozen Human Serum Pools as Potential Secondary Reference Materials for Lipid and Apolipoprotein Measurements: Study within the Framework of the Dutch Project "Calibration 2000". *Clin Chem* 2002; 48: 1526-1538.

Doesburg - van Kleffens M, Bergmans CHF, Pelt J van. Transparante koppeling: voordeelen voor back-up over lokaties, POCT en centrale dataverzameling. *Ned Tijdschr Klin Chem* 2002; 27: 40-42.

Oosterhuis WP, Ulenkate HJLM. Structured validation of laboratory test results. *Tijdschr BVLT-ABTL* 2002; 29: 106-115.

Punt JMHM, Masseus WMM, Janssens PMW, van Pelt J. Over de betekenis van de %CDT-uitslag bij de beoordeling van het patroon van alcoholgebruik. *Ned Tijdschr Klin Chem* 2002; 27: 271-278.

Siekmann L, Bonora R, Burtis CA, Ceriotti F, Clerc-Renaud P, Férid G, Ferrero CA, Forest J-C, Franck PFH, et al. IFCC Primary Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes at 37°C.

Part 1. The Concept of Reference Procedures for the Measurement of Catalytic Activity Concentrations of Enzymes. *Clin Chem Lab Med* 2002; 40: 631-634.

Part 2. IFCC Reference Procedure for the Measurement of Catalytic Activity Concentrations of Creatine Kinase. *Clin Chem Lab Med* 2002; 40: 635-642.

Part 3. IFCC Reference Procedure for the Measurement of Catalytic Activity Concentrations of Lactate Dehydrogenase. *Clin Chem Lab Med* 2002; 40: 643-648.

Part 4. IFCC Reference Procedure for the Measurement of Catalytic Activity Concentrations of Alanine-Aminotransferase. *Clin Chem Lab Med* 2002; 40: 718-724.

Part 5. IFCC Reference Procedure for the Measurement of Catalytic Activity Concentrations of Aspartate-Aminotransferase. *Clin Chem Lab Med* 2002; 40: 725-733.

Part 6. IFCC Reference Procedure for the Measurement of Catalytic Activity Concentrations of γ -Glutamyltransferase. *Clin Chem Lab Med* 2002; 40: 734-738.

Part 7. Certification of Four Reference Materials for the Determination of Enzymatic Activity of γ -Glutamyltransferase, Lactate Dehydrogenase, Alanine Aminotransferase and Creatine Kinase according to IFCC Reference Procedures at 37°C. *Clin Chem Lab Med* 2002; 40:739-745.

Schoorl M, Bartels PCM. Werken aan kwaliteit: kosten vóór baten.....Analyse 2002: 109-111.

Schoorl M, IJzerman N, Bartels PCM. Terugblik Symposium Kwaliteit: 'De keerzijde van de medaille'. Analyse 2002: 112-115.

Diversen

Bartels PCM, Tegelaers FPW. Integrale nascholing voor analisten in regioverband. Ned Tijdschr Klin Chem 2002; 27: 291-294.

Demacker PNM. Dr. ir Pierre Kuppens en de historie van het Tijdschrift NVKC. Ned Tijdschr Klin Chemie 2002; 27: 117-119.

Gurr E, Koller U, Blaton V, Lund E, Harmoinen A, Zérah S, Rizos D, Kenny D, Pazzagli M, Opp M, Willems H, Reguengo H, Queraltó J, Wallinder H, McMurray J, Jansen R, Parviainen M, Beastall G, Kohse K. The European register for specialists in clinical chemistry and laboratory medicine: Guide to the register version 2-2003 and procedure for re-registration. Clin Chem Lab Med 2003; 41: 238-247.

Jansen RTP, Laeven M, Kardol W. Internal quality control system for non-stationary, non-ergodic analytical processes based upon exponentially weighted estimation of process means and process standard deviation. Clin Chem Lab Med 2002; 40: 616-624.

Jansen RTP. The EC4 register of European clinical chemists and EC4 activities. Clin Chim Acta 2002; 319: 143-148.

Janssens PMW, Engels LLM. Stroomlijning van semenonderzoek door middel van voorscreening met TFSC, gemeten op de Sperm Quality Analyser. Tijdschr BVLT/ABTL 2002; 29: 157-167.

Janssens PMW. Verspreiding van erfelijke ziekten door donor-sperma: geen reden voor verlaging van het aantal nakomelingen per donor in Nederland. Ned Tijdschr Geneesk 2002; 146: 1215-1218.

Lequin RM, Thijssen JH. Marius Tausk (1902-1990), influential endocrinologist and producer of medicines; a retrospect to mark the centenary of his birth. Ned Tijdschr Geneesk 2002; 146: 327-330.

Pelt J van. Tien jaar publicaties der leden NVKC (1992-2001). Ned Tijdschr Klin Chem 2002; 27: 235-236.

Samsioe G, Thijssen J, Kenemans P. Our history. Maturitas 2002; 41: 169-170 en 2002; 42 Suppl 1: S3-S4.

Sanders GT, Beastall GH, Kohse KP, Zérah S, Jansen R, Kölle U, Blaton V, Lund E, Parviainen M, Charret J, Gurr E, Nicholou H, Kenny D, Pazzagli M, Opp M, Willems H, Carmo Martins M do, Queraltó JM, Landin B, Yu A and Murray J. The practice of clinical chemistry in the european union. Clin Chem Lab Med 2002; 40: 196-204.

Sturk A. Ontwikkelingen rond DNA diagnostiek en genomics in Nederland. Ned Tijdschr Klin Chemie 2002; 27: 136-142.

Wevers RA. Een evaluatie van wetenschappelijke bijdragen aan het Europese Congres Klinische Chemie in Praag van 26-31 mei 2001. Ned Tijdschr Klin Chem 2002; 27: 45-46.

Dissertaties

Bodegraven A.A. van. Clotting factors in idiopathic Inflammatory Bowel Disease. Studies in plasma, DNA and colonic mucosa. Vrije Universiteit Amsterdam. 5 juni 2002. Co-promotor: Dr. P.C.M. Bartels.

Cox-Reijven P.L.M. The validation of bio-electrical impedance spectroscopy (BIS) for measuring body composition in patients. Universiteit van Maastricht. Co-promotor: dr. B. van Kreel.

Ferdinandusse S. New insights in peroxisomal β -oxidation. UvA, Amsterdam. 14 mei 2002. Promotores: Prof. dr. R.J.A. Wanders en dr. H.R. Waterham.

Fouraux M.A. Characterization of novel hY RNA- and La-associated proteins. Katholieke Universiteit Nijmegen. 20 december 2002. Promotor: Prof. dr. W.J. van Venrooij.

Frenkel J.M. Periodic fever and mevalonate kinase deficiency. Universiteit van Utrecht. 20 juni 2002. Promotor: Prof. dr. R.J.A. Wanders.

Houten S.M. Biochemical and genetic aspects of mevalonate Kinase and its deficiency. UvA, Amsterdam. 18 juni 2002. Promotor: Prof. dr. R.J.A. Wanders.

Lievers C.J.A. Genetics of hyperhomocysteinemia in vascular disease. Katholieke Universiteit Nijmegen. 6 november 2002. Promotor: prof. dr. JMF Trijbels. Co-promotores: dr. H.J. Blom, dr. G.H.J. Boers, dr. L.A.J. Kluijtmans.

Remijn J.A. Platelet-fibrin(ogen) interactions in flowing blood. Universiteit van Utrecht. 30 mei 2002. Promotores: Prof. dr. Ph.G. de Groot en prof. dr. S.S. Sixma.

Roermund C.W.T. van. Fatty acid β -oxidation in *Saccharomyces cereviae*, new insights with implications for human diseases. UvA, Amsterdam. 26 juni 2002. Promotor: Prof. dr. R.J.A. Wanders.

Smit E.N. Essential fatty acid deficiency in malnourished children. Rijksuniversiteit Groningen, 26 juni 2002. Promotor: Prof. dr. F.A.J. Musket.

Vaz F.M. Molecular and biochemical aspects of carnitine biosynthesis. UvA, Amsterdam. 25 januari 2002. Promotor: Prof. dr. R.J.A. Wanders.

Ven J. van de. Local estrogen levels and estrogen biosynthesis in breast cancer and uterine leiomyomas. Universiteit Utrecht, 22 april 2002. Promotores: Prof. dr. J.H.H. Thijssen en prof. dr. M.A. Blankenstein.

Wal PS van der. Blood glucose lowering treatment of Type 2 diabetes mellitus. Pharmacodynamic and practical aspects, Vrije Universiteit Amsterdam, 20 december 2002. Co-promotor: Dr. C. Popp-Snijders.

Oraties

Blankenstein M.A. Het bloed is goed. Ned Tijdschr Klin Chem 2002; 27: 252-260. Oratie 3 mei 2002.

Musket F.A.J. Klinische Chemie: meer dan analytische chemie en management. Ned Tijdschr Klin Chem 2002; 27: 174-184. Oratie 21 mei 2002.

Vermes I. Apoptose en bio-engineering: er is leven na de dood. Ned Tijdschr Klin Chem 2002; 27: 207-218. Oratie 11 april 2002.