

## Publicaties van de leden 2012

### Analytisch: Hematologie

Agar C, de Groot Ph, Meijers JCM. Nieuwe inzichten in beta-2-glycoproteïne 1 en het antifosfolipidensyndroom. Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 196-200.

Backes D, Rinkel GJ, Kemperman H, Linn FH, Vergouwen MD. Time-dependent test characteristics of head computed tomography in patients suspected of nontraumatic subarachnoid hemorrhage. Stroke. 2012; 43 (8): 2115-9.

Bartels M, van Solinge WW, den Breeijen HJ, Bierings MB, Coffer PJ, Egberts TC. Valproic acid treatment is associated with altered leukocyte subset development. J Clin Psychopharmacol. 2012; 32 (6): 832-4.

Curvers J, Scharnhorst V, de Haas M, Warnier-Wandel L, van de Kerkhof D. Blood group genotyping in a multitrauma patient: a case report. Immunohematology. 2012; 28 (3): 85-7.

Curvers J, van de Kerkhof D, Stroobants AK, van den Dool EJ, Scharnhorst V. Measuring direct thrombin inhibitors with routine and dedicated coagulation assays: which assay is helpful? Am J Clin Pathol. 2012; 138 (4): 551-8.

Fleming C, Brouwer R, Lindemans J, de Jonge R. Validation of the body fluid module on the new Sysmex XN-1000 for counting blood cells in cerebrospinal fluid and other body fluids. Clin Chem Lab Med. 2012; 50 (10): 1791-8.

Giezen TJ, Mantel-Teeuwisse AK, ten Berg MJ, Straus SM, Leufkens HG, van Solinge WW, Egberts TC. Rituximab-induced thrombocytopenia: a cohort study. Eur J Haematol. 2012; 89 (3): 256-66.

Hoffmann JJ, van den Broek NM, Curvers J. Reference intervals of extended erythrocyte and reticulocyte parameters. Clin Chem Lab Med. 2012; 50 (5): 941-8.

Hoffmann JJ. Red blood cell morphology reporting: additional views. J Pediatr Hematol Oncol. 2012; 34 (3): 244.

Hoffmann JJ. Reference range of mean platelet volume. Thromb Res. 2012; 129: 534-535.

Keuren JF, Hoffmann JJ, Leers MP. Analysis of serous body fluids using the Cell-DYN Sapphire hematology analyser. Clin Chem Lab Med. 2012; 50 (1): 1-6.

Lancé MD, Marcus MA, van Oerle R, Theunissen HM, Henskens YM. Platelet concentrate transport in pneumatic tube systems - does it work? Vox Sang. 2012; 103 (1): 79-82.

Lancé MD, Sloep M, Henskens YM, Marcus MA. Mean platelet volume as a diagnostic marker for cardiovascular disease: drawbacks of preanalytical conditions and measuring techniques. Clin Appl Thromb Hemost. 2012; 18 (6): 561-8.

Molenaar PJ, Dinkelaar J, Leyte A. Measuring Rivaroxaban in a clinical laboratory setting, using common coagulation assays, Xa inhibition and thrombin generation. Clin Chem Lab Med. 2012; 50 (10): 1799-807.

Oostendorp M, van Solinge WW, Kemperman H. Potassium but not lactate dehydrogenase elevation due to in vitro hemolysis is higher in capillary than in venous blood samples. Arch Pathol Lab Med. 2012; 136 (10): 1262-5.

van Bladel ER, de Jager RL, Walter D, Cornelissen L, Gaillard CA, Boven LA, Roest M, Fijnheer R. Platelets of patients with chronic kidney disease demonstrate deficient platelet reactivity in vitro. BMC Nephrol. 2012; 13: 127.

van den Besselaar AM, van Zanten AP, Brantjes HM, Elisen MG, van der Meer FJ, Poland DC, Sturk A, Leyte A, Castel A. Comparative study of blood collection tubes and thromboplastin reagents for correction of INR discrepancies: a proposal for maximum allowable magnesium contamination in sodium citrate anticoagulant solutions. Am J Clin Pathol. 2012; 138 (2): 248-54.

van Rossum AP, Vlasveld LT, van den Hoven LJ, de Wit CW, Castel A. False prolongation of the activated partial thromboplastin time (aPTT) in inflammatory patients: interference of C-reactive protein. Br J Haematol. 2012; 157 (3): 394-5.

van Zijp HM, Schot CC, de Jong AM, Jongmans N, van Holten TC, Roest M, Prins MW. Measurement of platelet responsiveness using antibody-coated magnetic beads for lab-on-a-chip applications. Platelets. 2012; 23 (8): 626-32.

Vroemen WH, Munnix IC, Bakker JA, Bierau J, Huts M, Leers MP. A novel multiparameter flow cytometric assay for inosine triphosphatase expression analysis in leukocytes. Cytometry A. 2012; 81 (8): 672-8.

van Wijk R, van Solinge WW. Advanced methods in diagnosis and translational research of red blood cell disorders. Ned Tijdschr Klin Chem Labgeneesk 2012; 37: 79-81.

van Wijk R, van Solinge WW. Advanced methods in diagnosis and translational research of red blood cell disorders. Tijdschr Belg Ver Lab Technol 2012; 39: 355-9.

Wolters M, Oostendorp M, Coolen BF, Post MJ, Janssen JM, Strijkers GJ, Kooi ME, Nicolay K, Backes WH. Efficacy of positive contrast imaging techniques for molecular MRI of tumor angiogenesis. Contrast Media Mol Imaging. 2012; 7 (2): 130-9.

### Analytisch: Immunochemie

Broodman I, de Costa D, Stingl C, Dekker LJ, VanDuijn MM, Lindemans J, van Klaveren RJ, Luider TM. Mass spectrometry analyses of K and  $\lambda$  fractions result in increased number of complementarity-determining region identifications. Proteomics. 2012; 12 (2): 183-91.

- Heijboer AC, Blankenstein MA, Kema IP, Buijs MM. Accuracy of 6 routine 25-hydroxyvitamin d assays: influence of vitamin d binding protein concentration. *Clin Chem*. 2012; 58 (3): 543-8.
- Heil SG, de Jonge R, de Rotte MC, van Wijnen M, Heiner-Fokkema RM, Muller Kobold AC, Pekelharing JM, Adriaansen HJ, Sanders E, Trienekens PH, Rammeloo T, Lindemans J. Screening for metabolic vitamin B12 deficiency by holotranscobalamin in patients suspected of vitamin B12 deficiency: a multicentre study. *Ann Clin Biochem*. 2012; 49 (Pt 2): 184-9.
- Janssen MJW, Wielders JPM, Bekker CC, Boesten LSM, Buijs MM, Heijboer AC, van der Horst FAL, Loupatty FJ, van den Ouwehand JMW. Multicenter comparison study of current methods to measure 25-hydroxyvitamin D in serum. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 223-6.
- Stegeman I, de Wijkerslooth TR, Mallant-Hent RC, de Groot K, Stroobants AK, Fockens P, Mundt M, Bossuyt PM, Dekker E. Implementation of population screening for colorectal cancer by repeated Fecal Immunochemical Test (FIT): third round. *BMC Gastroenterol*. 2012; 12: 73.
- van der Sluis TM, Vis AN, van Moorselaar RJ, Bui HN, Blankenstein MA, Meuleman EJ, Heijboer AC. Intraprostatic testosterone and dihydrotestosterone. Part I: concentrations and methods of determination in men with benign prostatic hyperplasia and prostate cancer. *BJU Int*. 2012; 109 (2): 176-82.
- van Mourik MS, Moons KG, van Solinge WW, Berkelbach-van der Sprengel JW, Regli L, Troelstra A, Bonten MJ. Automated detection of healthcare associated infections: external validation and updating of a model for surveillance of drain-related meningitis. *PLoS One*. 2012; 7 (12): e51509.
- van Toorenbergen AW. Between-laboratory quality control of automated analysis of IgG antibodies against Aspergillus fumigatus. *Diagn Microbiol Infect Dis*. 2012; 74 (3): 278-81.
- ### Analytisch: Klinische chemie
- Bakker AJ, de Grauw WJC. Methoden voor urineverzameling voor het bepalen van microalbuminurie: tijd voor consensus. *Ned Tijdschr Geneesk*. 2004; 148: 2012-5.
- Bakker AJ, Werf CE, van Abbema T. Detection and quantification of M-proteinemia: comparison of various methods for serum protein electrophoresis. *Clin Chem Lab Med*. 2012; 50: 77-80.
- van Beek EM, Verheul AAM, van Houtte AJ, Kortlandt W. Evaluatie van een kwantitatieve bepalingsmethode van Bence Jones eiwitten in urine. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 217-9.
- Bons JA, Havekes B, Volders PG, de Zwaan C, Kema IP, Wodzig WK, Menheere PP. Assay-specific pitfalls of catecholamine HPLC assays. *Clin Chem Lab Med*. 2012; 50 (10): 1853-6.
- Büttler RM, Struys EA, Addie R, Blankenstein MA, Heijboer AC. Measurement of dehydroepiandrosterone sulfate (DHEAS) in serum and cerebrospinal fluid by isotope-dilution liquid chromatography tandem mass spectrometry. *Clin Chim Acta*. 2012; 414: 246-7.
- Cobbaert C, Weykamp C, Franck P, de Jonge R, Kuypers A, Steigstra H, Klein Gunnewiek J, van Loon D, Jansen R. Systematic monitoring of standardization and harmonization status with commutable EQA-samples--five year experience from the Netherlands. *Clin Chim Acta*. 2012; 414: 234-40.
- Davids M, Swieringa E, Palm F, Smith DE, Smulders YM, Scheffer PG, Blom HJ, Teerlink T. Simultaneous determination of asymmetric and symmetric dimethylarginine, l-monomethylarginine, l-arginine, and l-homoarginine in biological samples using stable isotope dilution liquid chromatography tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2012; 900: 38-47.
- den Boer E, Heil SG, van Zelst BD, Meesters RJ, Koch BC, te Winkel ML, van den Heuvel-Eibrink MM, Luider TM, de Jonge R. A U-HPLC-ESI-MS/MS-based stable isotope dilution method for the detection and quantitation of methotrexate in plasma. *Ther Drug Monit*. 2012; 34 (4): 432-9.
- Douma JW, Wilting I, ten Berg MJ, den Breeijen JH, Huisman A, Egberts ACG, van Solinge WW. Associatie tussen clozapinegebruik en FL-3-fluorescentie: een mogelijke biomarker voor therapie (on)trouw? *Pharmaceutisch Weekblad Wetenschappelijk Platform* 2012; 6: 1-4.
- Emmen JMA, Wielders JPM, Boer AK, van den Ouwehand JMW, Vader HL. The new Roche Vitamin D total assay: fit for its purpose? *Clin Chem Lab Med* 2012; 50 (11): 1969-72.
- Falke LL, Dendooven A, Leeuwis JW, Nguyen TQ, van Geest RJ, van der Giezen DM, Broekhuizen R, Lyons K, Stoop R, Kemperman H, Schlingemann R, Joles JA, Goldschmeding R. Hemizygous deletion of CTGF/CCN2 does not suffice to prevent fibrosis of the severely injured kidney. *Matrix Biol*. 2012; 31 (7-8): 421-31.
- Groenestege WM, Bui HN, ten Kate J, Menheere PP, Oosterhuis WP, Vader HL, Heijboer AC, Janssen MJ. Accuracy of first and second generation testosterone assays and improvement through sample extraction. *Clin Chem*. 2012; 58 (7): 1154-6.
- Groeneveld KM, Heeres M, Leenen LPH, Huisman A, Koenderman L. Immunophenotyping of posttraumatic neutrophils on a routine haematology analyser. *Mediators Inflamm*. 2012; 1-6.
- Hol S, de Vooght KM, van der Spoel JJ, van Solinge WW, Kemperman H. A 56-year-old man with an apparently normal oxygen saturation and a dead canary. *Am J Respir Crit Care Med*. 2012; 186 (9): 928-9.
- Horstman P, Linn FHH, Voorbij HAM, Rinkel GJE. Chance of aneurysm in patients suspected of SAH who have a negative CT scan but a positive lumbar puncture. *J Neurol*. 2012; 259: 649-52.
- Hubeek I, Abrahams AC, de Bruin M, Kemperman H. False-ly decreased ionized calcium results due to analytical interference by teriflunomide, the active metabolite of leflunomide (Arava®). *Clin Chem Lab Med*. 2012; 50 (4): 755-6.
- Hubeek I, ter Heide H, van Solinge WW, de Vooght KM. Hypothermic cardiopulmonary bypass surgery in a 7-year-old boy with a cold agglutinin. *Ann Hematol*. 2012; 91 (12): 1989-90.
- Koenders MM, van Hurne ME, Glasmacher-van Zijl M, van der Linde G, Westerhuis BW. The analytic impact of a reduced centrifugation step on chemistry and immunochemistry assays: an evaluation of the Modular Pre-Analytics. *Ann Clin Biochem*. 2012; 49 (Pt 5): 468-74.
- Lentjes EGWM. Urineonderzoek Praktische Vaardigheden, chapter 12, Bohn Stafleu van Loghum, Houten. 2012: 79-82.
- Lentjes EGWM. Fecesonderzoek Praktische Vaardigheden, chapter 13, Bohn Stafleu van Loghum, Houten. 2012: 83-85.

- Mingels AM, Cobbaert CM, de Jong N, van den Hof WF, van Diejen-Visser MP. Time- and temperature-dependent stability of troponin standard reference material 2921 in serum and plasma. *Clin Chem Lab Med.* 2012; 50 (9): 1681-4.
- Musson RE, Cobbaert CM, Smit NP. Molecular diagnostics of calcineurin-related pathologies. *Clin Chem.* 2012; 58 (3): 511-22.
- Musson RE, Mullenders LH, Smit NP. Effects of arsenite and UVA-1 radiation on calcineurin signaling. *Mutat Res.* 2012; 735 (1-2): 32-8.
- Polinder-Bos HA, Kok EE, van de Wiel A, Spiering W, Wielders JPM, Bloemendal HJ. Severe hypertriglyceridaemia associated with the use of capecitabine. *Neth J Med.* 2012; 70 (2): 104.
- Rozing MP, Westendorp RG, Maier AB, Wijsman CA, Frölich M, de Craen AJ, van Heemst D. Serum triiodothyronine levels and inflammatory cytokine production capacity. *Age (Dordr).* 2012; 34 (1): 195-201.
- Scharnhorst V, Krasznai K, van 't Veer M, Michels RH. Variation of cardiac troponin I and T measured with sensitive assays in emergency department patients with noncardiac chest pain. *Clin Chem.* 2012; 58 (8): 1208-14.
- Uijtendaal EV, Zwart-van Rijkdom JEF, van Solinge WW, Egberts ACG. Serum potassium influencing interacting drugs: risk-modifying strategies also needed at discontinuation. *Ann Pharmacother.* 2012; 46: 176-82.
- van der Burgt YE, Cobbaert CM, Dalebout H, Smit N, Deelder AM. Temperature-dependent instability of the cTnI subunit in NIST SRM2921 characterized by tryptic peptide mapping. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2012; 902: 147-50.
- van der Pol P, Schlagwein N, van Gijlswijk DJ, Berger SP, Roos A, Bajema IM, de Boer HC, de Fijter JW, Stahl GL, Daha MR, van Kooten C. Mannan-binding lectin mediates renal ischemia/reperfusion injury independent of complement activation. *Am J Transplant.* 2012; 12 (4): 877-87.
- van Rossum HH, Schrijver I, Castel A. Een buitenlandse wetenschappelijke stage als onderdeel van de opleiding klinische chemie: drie maanden Stanford. *Ned Tijdschr Klin Chem Labgeneesk.* 2012; 37: 99-101.
- van Zelst BD, de Jonge R. A stable isotope dilution LC-ESI-MS/MS method for the quantification of pyridoxal-5'-phosphate in whole blood. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2012; 903: 134-41.
- Veldhuijzen N, Kamphuis S, van den Bergh F, Spronk P, Braber A. Madam, why are you so sour? *Eur J Anaesthesiol.* 2012; 29 (8): 398-400.
- Vijlbrief DC, Benders MJNL, Kemperman H, van Bel F, de Vries WB. B-type natriuretic peptide and rebound during treatment for persistent pulmonary hypertension. *J Pediatr.* 2012; 160: 111-5.
- Vijlbrief DC, Benders MJL, Kemperman H, van Bel F, de Vries WB. Cardiac biomarkers as indicators of hemodynamic adaptation during postasphyxial hypothermia treatment. *Neonatal.* 2012; 102: 243-8.
- Vijlbrief DC, MJL Benders, Kemperman H, van Bel F, de Vries W. Use of cardiac biomarkers in neonatology. *Pediat Res.* 2012; 72: 337-43.
- de Vooght KMK, Schutgens REG, van Solinge WW. Persistent A-antigen after stem cell transplantation of blood group A patient with non-A donor. *Am J Hematol.* 2012; 87: E118-9.
- Vos MJ, Lenters-Westra E, Bilo JG. Labquiz HbA1c. *Ned Tijdschr Geneesk.* 2012; 156 (41): A4554.
- Wener RR, Loupatty FJ, Schouten WE. Isolated elevated aspartate aminotransferase: a surprising outcome for clinicians. *Neth J Med.* 2012; 70 (3): 136-8.
- Wielders JPM. Vitamin D, myth of miracle. *Ned Tijdschrift Klin Chem Labgeneesk.* 2012; 37: 76-9.
- Wielders JPM, te Stroet R. Forever an alcoholic? The Dutch approach in using CDT as alcohol biomarker in forensic medicine. *Ned Tijdschrift Klin Chem Labgeneesk.* 2012; 37: 74-6.
- ### Analytisch: Moleculaire technieken
- Cobbaert CM, Delanghe J, Boer JMA, Feskens EJM. Regional differences of HFE (C282Y, H63D) allele frequencies in the Netherlands: a model case illustrating the significance of genographics and prehistorical population migration. *Acta Clin Belg.* 2012; 67 (6): 430-5.
- Kooijmans SA, Vader P, van Dommelen SM, van Solinge WW, Schiffelers RM. Exosome mimetics: a novel class of drug delivery systems. *Int J Nanomedicine.* 2012; 7: 1525-41.
- Mitropoulos K, Innocenti F, van Schaik RH, Lezhava A, Tzimas G, Kollia P, Macek M, Fortina P, Patrinos GP. Institutional Profile: Golden Helix Institute of Biomedical Research: interdisciplinary research and educational activities in pharmacogenomics and personalized medicine. *Pharmacogenomics.* 2012; 13 (4): 387-92.
- van Schaik RHN, Elens LL, Mathijssen RHJ, Berns EMJJ, Stricker BCh, Visser LE, de Wildt SN, Hesselink DA, Gelders T, van den Anker JN, Tibboel D, Schenk PW, Lindemans J. Pharmacogenetics: from research to clinical implementation. *Ned Tijdschr Klin Chem Labgeneesk.* 2012; 37: 56-61.
- ### Bedrijfsvoering: Dienstverlening
- Janssens PMW. Sturing van het gebruik van diagnostisch laboratoriumonderzoek. *Ned Tijdschr Klin Chem Labgeneesk.* 2012; 37: 30-3.
- Scherrenburg J, van de Wijngaart DJ, Janssens PM. Reducing the number of clinical stat phlebotomy orders: feasible or not? *Clin Chem Lab Med.* 2012; 50: 2141-8.
- ### Bedrijfsvoering: Diversen
- ten Berg MJ, den Breeijen JH, Egberts ACG, van Solinge WW. Biomarkers voor de effecten van geneesmiddelen: het UPOD-initiatief. *Ned Tijdschr Klin Chem Labgeneesk.* 2012; 37: 7-10.
- Geerts AF, de Koning FH, Egberts TC, de Smet PA, van Solinge WW. Information comparison of the effects of drugs on laboratory tests in drug labels and Young's book. *Clin Chem Lab Med.* 2012; 50 (10): 1765-8.
- Geerts AF, de Koning FH, van Solinge WW, de Smet PA, Egberts TC. Instructions on laboratory monitoring in 200 drug labels. *Clin Chem Lab Med.* 2012; 50 (8): 1351-8.

Hillebrand JJJG, Gillis JMEP, Castel R, Dinkelaar J, van Zwam M, van Dijk - van Berkel EAT. Van tekort naar overschat: Behoeftberaming klinisch chemici 2012 - 2016. Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 254-6.

Coolen SAJ, Opdam S, van Dorp E, van de Luytgaarden-van Leeuwen IMG, van der Dijs FPL, van Haard PMM. Lean Six Sigma toegepast op het bloedafnameproces op de afdeling Chirurgie van een ziekenhuis: een pilot study. Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 181-7.

### **Bedrijfsvoering: Kwaliteit / Automatisering / Statistiek**

Douma JW, Wilting I, ten Berg MJ, den Breeijen JH, Huisman A, Egberts ACG, van Solinge WW. Associatie tussen clozapinegebruik en FL3-fluorescentie: een mogelijke biomarker voor therapie (on)trouw? Pharmaceutisch Weekblad. 2012; 147: a1210.

Houwert AC, Lock MT, Lentjes EG. Alpha-fetoprotein in the Dutch external quality assurance programme: a need for improvement. Ann Clin Biochem. 2012; 49 (Pt 3): 273-6.

Janssens PMW, de Waard H, van Welt E, Lentink B, Staring W, de Geest A. Een handige, effectieve aanpak voor procesvalidatie in het klinisch laboratorium. Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 247-51.

Kroot JJ, van Herwaarden AE, Tjalsma H, Jansen RT, Hendriks JC, Swinkels DW. Second round robin for plasma hepcidin methods: first steps toward harmonization. Am J Hematol. 2012; 87 (10): 977-83.

Schindhelm RK, Janssens PMW. Risk Management: Choosing optimal tools on the basis of psychological analysis. In: Risk assessment and management, Zhiyong Zhang, ed. Academy-Publish.org, 2012. ISBN 978-0-9835850-9-1, pp. 55-60.

ten Berg MJ, den Breeijen H, Egberts TCG, van Solinge WW. Biomarkers voor de effecten van geneesmiddelen: het UPOD-initiatief. Ned Tijdschr KlinChem Labgeneesk 2012; 37: 8-11.

### **Bedrijfsvoering: Point-of-care testing**

Hessels J, Douw G, Yildirim DD, Meerman G, van Herwaarden MA, van den Bergh FA. Evaluation of Prevent ID and Quantum Blue rapid tests for fecal calprotectin. Clin Chem Lab Med. 2012; 50 (6): 1079-82.

Huisman A. Needs analysis and selection of Point-of-Care testing analysers. Laboratory Hematology Practise, chapter 50, Whiley-Blackwell, Oxford, UK (2012) pp. 949-54.

Huisman A. Point-of-Care hematology assays. Laboratory Hematology Practise, chapter 52, Wiley-Blackwell, Oxford, UK (2012) pp. 668-72.

van den Broek N, Keyzer J, Hopstaken R, Nabbe K. Gecertificeerde CRP sneltest in de huisartspraktijk. Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 238-44.

van den Besselaar AM, Péqueraux NC, Ebben M, van der Feest J, de Jong K, Ganzeboom MB, van Ooijen J, Postema F, Witteveen E, van der Meer FJ. Point-of-care monitoring of vitamin K-antagonists: validation of CoaguChek XS test strips with International Standard thromboplastin. J Clin Pathol. 2012; 65 (11): 1031-5.

### **Klinisch: Allergie / infectieziekten**

Bierau J, Bakker JA, Schippers JA, Grashorn JA, Lindhout M, Lowe SH, Paulussen AD, Verbon A. Erythrocyte inosine triphosphatase activity is decreased in HIV-seropositive individuals. PLoS One. 2012; 7 (1): e30175.

de Groot H, van Haard PMM. First experience of sublingual immunotherapy (allergy immunotherapy. Ned Tijdschr Allergie Astma 2012; 12: 155-62.

Heil SG, van der Ende ME, Schenk PW, van der Heiden I, Lindemans J, Burger D, van Schaik RH. Associations between ABCB1, CYP2A6, CYP2B6, CYP2D6, and CYP3A5 alleles in relation to efavirenz and nevirapine pharmacokinetics in HIV-infected individuals. Ther Drug Monit. 2012; 34 (2): 153-9.

Kortman GA, Boleij A, Swinkels DW, Tjalsma H. Iron availability increases the pathogenic potential of *Salmonella typhimurium* and other enteric pathogens at the intestinal epithelial interface. PLoS One. 2012; 7 (1): e29968.

Link L, Bart A, Verhaar N, van Gool T, Pronk M, Scharnhorst V. Molecular detection of *Plasmodium knowlesi* in a Dutch traveler by real-time PCR. J Clin Microbiol. 2012; 50 (7): 2523-4.

Robroeks CM, van Vliet D, Jöbsis Q, Braekers R, Rijkers GT, Wodzig WK, Bast A, Zimmermann LJ, Dompeling E. Prediction of asthma exacerbations in children: results of a one-year prospective study. Clin Exp Allergy. 2012; 42 (5): 792-8.

Smeets RL, Fleuren WW, He X, Vink PM, Wijnands F, Gorecka M, Klop H, Bauerschmidt S, Garritsen A, Koenen HJ, Joosten I, Boots AM, Alkema W. Molecular pathway profiling of T lymphocyte signal transduction pathways: Th1 and Th2 genomic fingerprints are defined by TCR and CD28-mediated signaling. BMC Immunol. 2012; 13: 12.

Vissers E, de Jager CP, Hilbink M, Kusters R, van Gageldonk-Lafeber AB, Wever PC. Hypophosphatemia, fever and prolonged length of hospital stay in seronegative PCR positive patients as compared to seropositive patients with early acute Q fever pneumonia. Clin Chem Lab Med. 2012; 50 (8): 1433-7.

### **Klinisch: Endocrinologie**

Ackermans MT, Kettelerij-Haas Y, Boelen A, Endert E. Determination of thyroid hormones and their metabolites in tissue using SPE UPLC-tandem MS. Biomed Chromatogr. 2012; 26 (4): 485-90.

Bloeming-Wolbrink KA, Jansen MJ, de Weerth C, Ruijsse-naars AJJM, Sweep CGJ, Eijsbouts A, Riksen-Walraven JM. Stress in adults with congenital deafblindness and an intellectual disability: Information from their cortisol curves. Br J Visual Impairm. 2012; 30 (3): 149-59.

Brinkmann J, Heusser K, Schmidt BM, Menne J, Klein G, Bauersachs J, Haller H, Sweep FC, Diedrich A, Jordan J, Tank J. Catheter-based renal nerve ablation and centrally generated sympathetic activity in difficult-to-control hypertensive patients: prospective case series. Hypertension. 2012; 60 (6): 1485-90.

Buscher HC, Lenders JW, Wilder-Smith OH, Sweep CG, van Goor H. Bilateral thoracoscopic splanchicectomy for pain in patients with chronic pancreatitis impairs adrenomedullary but not noradrenergic sympathetic function. Surg Endosc. 2012; 26 (8): 2183-8.

- Dankers AC, Sweep FC, Pertuis JC, Verweij V, van den Heuvel JJ, Koenderink JB, Russel FG, Masereeuw R. Localization of breast cancer resistance protein (Bcrp) in endocrine organs and inhibition of its transport activity by steroid hormones. *Cell Tissue Res.* 2012; 349 (2): 551-63.
- Delaloye J, de Bruin IJ, Darling KE, Reymond MK, Sweep FC, Roger T, Calandra T, Cavassini M. Increased macrophage migration inhibitory factor (MIF) plasma levels in acute HIV-1 infection. *Cytokine*. 2012; 60 (2): 338-40.
- Eskes SA, Endert E, Fliers E, Geskus RB, Dullaart RP, Links TP, Wiersinga WM. Treatment of amiodarone-induced thyrotoxicosis type 2: a randomized clinical trial. *J Clin Endocrinol Metab*. 2012; 97 (2): 499-506.
- Ghassabian A, Bongers-Schokking JJ, de Rijke YB, van Mil N, Jaddoe VW, de Muinck Keizer-Schrama SM, Hooijkaas H, Hofman A, Visser W, Roman GC, Visser TJ, Verhulst FC, Tiemeier H. Maternal thyroid autoimmunity during pregnancy and the risk of attention deficit/hyperactivity problems in children: the Generation R Study. *Thyroid*. 2012; 22 (2): 178-86.
- Giltay EJ, Geleijnse JM, Heijboer AC, de Goede J, Oude Griep LM, Blankenstein MA, Kromhout D. No effects of n-3 fatty acid supplementation on serum total testosterone levels in older men: the Alpha Omega Trial. *Int J Androl*. 2012; 35 (5): 680-7.
- Hempen C, Elfering S, Mulder AH, van den Bergh FA, Maatman RG. Dexamethasone suppression test: development of a method for simultaneous determination of cortisol and dexamethasone in human plasma by liquid chromatography/tandem mass spectrometry. *Ann Clin Biochem*. 2012; 49 (Pt 2): 170-6.
- Janssen MJ, van der Velde RY, Swaanenburg JC, van den Bergh JP. Diagnostic approach to hypocalcaemia and hypercalcaemia. *Ned Tijdschr Geneesk*. 2012; 156 (6): A3919.
- Janssen MJ, Wielders JP, Bekker CC, Boesten LS, Buijs MM, Heijboer AC, van der Horst FA, Loupatty FJ, van den Ouwehand JM. Multicenter comparison study of current methods to measure 25-hydroxyvitamin D in serum. *Steroids*. 2012; 77 (13): 1366-72.
- Kalsbeek A, van der Spek R, Lei J, Endert E, Buijs RM, Fliers E. Circadian rhythms in the hypothalamo-pituitary-adrenal (HPA) axis. *Mol Cell Endocrinol*. 2012; 349 (1): 20-9.
- Khoo AL, Koenen HJ, Chai LY, Sweep FC, Netea MG, van der Ven AJ, Joosten I. Seasonal variation in vitamin D3 levels is paralleled by changes in the peripheral blood human T cell compartment. *PLoS One*. 2012; 7 (1): e29250.
- Kosack CS, Page AL, Van Hulsteijn LT, Lentjes EG. TSH-CHECK-1 test: diagnostic accuracy and potential application to initiating treatment for hypothyroidism in patients on anti-tuberculosis drugs. *PLoS One*. 2012; 7 (3): e33704.
- Lem AJ, de Rijke YB, van Toor H, de Ridder MA, Visser TJ, Hokken-Koelega AC. Serum thyroid hormone levels in healthy children from birth to adulthood and in short children born small for gestational age. *J Clin Endocrinol Metab*. 2012; 97 (9): 3170-8.
- Lie Fong S, Visser JA, Welt CK, de Rijke YB, Eijkemans MJ, Broekmans FJ, Roes EM, Peters WH, Hokken-Koelega AC, Fauser BC, Themmen AP, de Jong FH, Schipper I, Laven JS. Serum anti-müllerian hormone levels in healthy females: a nomogram ranging from infancy to adulthood. *J Clin Endocrinol Metab*. 2012; 97 (12): 4650-5.
- Luxwolda MF, Kuipers RS, Kema IP, Dijck-Brouwer DA, Musket FA. Traditionally living populations in East Africa have a mean serum 25-hydroxyvitamin D concentration of 115 nmol/l. *Br J Nutr*. 2012; 108 (9): 1557-61.
- Luykx JJ, Bakker SC, Lentjes E, Boks MP, van Geloven N, Eijkemans MJ, Janson E, Strengman E, de Lepper AM, Westenberg H, Klopper KE, Hoorn HJ, Gelissen HP, Jordan J, Tolenaar NM, van Dongen EP, Michel B, Abramovic L, Horvath S, Kappen T, Bruins P, Keijzers P, Borgdorff P, Ophoff RA, Kahn RS. Season of sampling and season of birth influence serotonin metabolite levels in human cerebrospinal fluid. *PLoS One*. 2012; 7 (2): e30497.
- Medici M, de Rijke YB, Peeters RP, Visser W, de Muinck Keizer-Schrama SM, Jaddoe VV, Hofman A, Hooijkaas H, Steegers EA, Tiemeier H, Bongers-Schokking JJ, Visser TJ. Maternal early pregnancy and newborn thyroid hormone parameters: the Generation R study. *J Clin Endocrinol Metab*. 2012; 97 (2): 646-52.
- Raps M, Helmerhorst F, Fleischer K, Thomassen S, Rosendaal F, Rosing J, Ballieux B, van Vliet H. Sex hormone-binding globulin as a marker for the thrombotic risk of hormonal contraceptives. *J Thromb Haemost*. 2012; 10 (6): 992-7.
- Renner P, Roger T, Bochud PY, Sprong T, Sweep FC, Bochud M, Faust SN, Haralambous E, Betts H, Chanson AL, Reymond MK, Mermel E, Erard V, van Deuren M, Read RC, Levin M, Calandra T. A functional microsatellite of the macrophage migration inhibitory factor gene associated with meningococcal disease. *FASEB J*. 2012; 26 (2): 907-16.
- Roke Y, van Harten PN, Buitelaar JK, Tenback DE, de Rijke YB, Boot AM. Antipsychotic-induced hyperprolactinemia and testosterone levels in boys. *Horm Res Paediatr*. 2012; 77 (4): 235-40.
- Roke Y, van Harten PN, Buitelaar JK, Tenback DE, Quekel LG, de Rijke YB, Boot AM. Bone mineral density in male adolescents with autism spectrum disorders and disruptive behavior disorder with or without antipsychotic treatment. *Eur J Endocrinol*. 2012; 167 (6): 855-63.
- Runia TF, Hop WC, de Rijke YB, Buljevac D, Hintzen RQ. Lower serum vitamin D levels are associated with a higher relapse risk in multiple sclerosis. *Neurology*. 2012; 79 (3): 261-6.
- Twigt BA, van Dalen T, Vollebregt AM, Kortlandt W, Vriens MR, Borel Rinkes IH. The additional value of intraoperative parathyroid hormone assessment is marginal in patients with nonfamilial primary hyperparathyroidism: a prospective cohort study. *Am J Surg*. 2012; 204 (1): 1-6.
- van de Ven AC, Muntjewerff JW, Netea-Maier RT, de Vegt F, Ross HA, Sweep FC, Kiemeney LA, Vos PE, Buitelaar JK, Hermus AR, den Heijer M, Janzing JG. Association between thyroid function, thyroid autoimmunity, and state and trait factors of depression. *Acta Psychiatr Scand*. 2012; 126 (5): 377-84.
- van de Ven AC, Netea-Maier RT, de Vegt F, Ross HA, Sweep FC, Kiemeney LA, Hermus AR, den Heijer M. Is there a relationship between fatigue perception and the serum levels of thyrotropin and free thyroxine in euthyroid subjects? *Thyroid*. 2012; 22 (12): 1236-43.
- van den Ouwehand JM, Kema IP. The role of liquid chromatography-tandem mass spectrometry in the clinical laboratory. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2012; 883-884: 18-32.

van Dijk SC, de Herder WW, Kwekkeboom DJ, Zillikens MC, Feelders RA, van Schaik RH, van Driel M, van Leeuwen JP. 5-HIAA excretion is not associated with bone metabolism in carcinoid syndrome patients. *Bone*. 2012; 50 (6): 1260-5.

van Drongelen J, van Koppen A, Pertijs J, Gooi JH, Parry LJ, Sweep FC, Lotgering FK, Smits P, Spaanderman ME. Impaired vascular responses to relaxin in diet-induced overweight female rats. *J Appl Physiol*. 2012; 112 (6): 962-9.

van Mil NH, Steegers-Theunissen RP, Bongers-Schokking JJ, El Marroun H, Ghassabian A, Hofman A, Jaddoe VW, Visser TJ, Verhulst FC, de Rijke YB, Steegers EA, Tiemeier H. Maternal hypothyroxinemia during pregnancy and growth of the fetal and infant head. *Reprod Sci*. 2012; 19 (12): 1315-22.

van Rooij K, Bloemers J, de Leede L, Goldstein I, Lentjes E, Koppeschaar H, Olivier B, Tuiten A. Pharmacokinetics of three doses of sublingual testosterone in healthy premenopausal women. *Psychoneuroendocrinol*. 2012; 37 (6): 773-81.

van Vliet M, van der Heyden JC, Diamant M, von Rosenstiel IA, Schindhelm RK, Heymans MW, Brandjes DP, Beijnen JH, Aanstoost HJ, Veeze HJ. Overweight children with type 1 diabetes have a more favourable lipid profile than overweight non-diabetic children. *Eur J Pediatr*. 2012; 171 (3): 493-8.

Veldhuis-Vlug AG, El Mahdiui M, Endert E, Heijboer AC, Fliers E, Bisschop PH. Bone resorption is increased in pheochromocytoma patients and normalizes following adrenalectomy. *J Clin Endocrinol Metab*. 2012; 97 (11): E2093-7.

Wit JM, van Duyvenvoorde HA, Scheltinga SA, de Bruin S, Hafkenscheid L, Kant SG, Ruivenkamp CA, Gijsbers AC, van Doorn J, Feigerlova E, Noordam C, Walenkamp MJ, Claassen-van de Grinten H, Stouthart P, Bonapart IE, Pereira AM, Gosen J, Delemarre-van de Waal HA, Hwa V, Breuning MH, Domené HM, Oostdijk W, Losekoot M. Genetic analysis of short children with apparent growth hormone insensitivity. *Horm Res Paediatr*. 2012; 77 (5): 320-33.

## Klinisch: Erfelijke stofwisselingsziekten

Bakker JA, Bierau J. Purine and pyrimidine metabolism: still more to learn. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 3-6.

Albersen M, Groenendaal F, van der Ham M, de Koning TJ, Bosma M, Visser WF, Visser G, de Sain-van der Velden MG, Verhoeven-Duif NM. Vitamin B6 vitamer concentrations in cerebrospinal fluid differ between preterm and term newborn infants. *Pediatrics*. 2012; 130 (1): e191-8.

Bennett MJ, Rinaldo P, Wilcken B, Pass KA, Watson MS, Wanders RJ. Newborn screening for metabolic disorders: how are we doing, and where are we going? *Clin Chem*. 2012; 58 (2): 324-3.

Betsalel OT, Pop A, Rosenberg EH, Fernandez-Ojeda M; Creatine Transporter Research Group, Jakobs C, Salomons GS. Detection of variants in SLC6A8 and functional analysis of unclassified missense variants. *Mol Genet Metab*. 2012; 105 (4): 596-601.

Binkhorst M, Wortmann SB, Funke S, Kozicz T, Wevers RA, Morava E. Glycosylation defects underlying fetal alcohol spectrum disorder: a novel pathogenetic model. *J Inherit Metab Dis*. 2012; 35 (3): 399-405.

Bluemlein K, Glückmann M, Grüning NM, Feichtinger R, Krüger A, Wamelink M, Lehrach H, Tate S, Neureiter D, Kofler B, Ralser M. Pyruvate kinase is a dosage-dependent regulator of cellular amino acid homeostasis. *Oncotarget*. 2012; 3 (11): 1356-69.

Boraska V, Jerončić A, Colonna V, Southam L, Nyholt DR, Rayner NW, Perry JR, Toniolo D, Swinkels DW, van der Harst P, Vollenweider P, Völzke H, Wareham NJ, Wichmann HE, Wilson JF, Rudan I, Xue Y, Zeggini E. Genome-wide meta-analysis of common variant differences between men and women. *Hum Mol Genet*. 2012; 21 (21): 4805-15.

Bosch AM, Stroek K, Abeling NG, Waterham HR, IJlst L, Wanders RJ. The Brown-Vialeto-Van Laere and Fazio Londe syndrome revisited: natural history, genetics, treatment and future perspectives. *Orphanet J Rare Dis*. 2012; 7: 83.

Bruggink C, Poorthuis BJ, Deelder AM, Wahrer M. Analysis of urinary oligosaccharides in lysosomal storage disorders by capillary high-performance anion-exchange chromatography-mass spectrometry. *Anal Bioanal Chem*. 2012; 403 (6): 1671-83.

Celestino-Soper PB, Violante S, Crawford EL, Luo R, Lionel AC, Delaby E, Cai G, Sadikovic B, Lee K, Lo C, Gao K, Person RE, Moss TJ, German JR, Huang N, Shinawi M, Treadwell-Deering D, Szatmari P, Roberts W, Fernandez B, Schroer RJ, Stevenson RE, Buxbaum JD, Betancur C, Scherer SW, Sanders SJ, Geschwind DH, Sutcliffe JS, Hurles ME, Wanders RJ, Shaw CA, Leal SM, Cook EH Jr, Goin-Kochel RP, Vaz FM, Beaudet AL. A common X-linked inborn error of carnitine biosynthesis may be a risk factor for nondysomorphic autism. *Proc Natl Acad Sci USA*. 2012; 109 (21): 7974-81.

Cheillan D, Curt MJ, Briand G, Salomons GS, Mention-Mulliez K, Dobbelaere D, Cuisset JM, Lion-François L, Portes VD, Chabli A, Valayannopoulos V, Benoist JF, Pinard JM, Simard G, Douay O, Deiva K, Afenjar A, Héron D, Rivier F, Chabrol B, Prieur F, Cartault F, Pitelet G, Goldenberg A, Bekri S, Gerard M, Delorme R, Tardieu M, Porchet N, Vianey-Saban C, Vamecq J. Screening for primary creatine deficiencies in French patients with unexplained neurological symptoms. *Orphanet J Rare Dis*. 2012; 7: 96.

Cochat P, Hulton SA, Acquaviva C, Danpure CJ, Daudon M, De Marchi M, Fargue S, Groothoff J, Harambat J, Hoppe B, Jamieson NV, Kemper MJ, Mandrile G, Marangella M, Picca S, Rumsby G, Salido E, Straub M, van Woerden CS; Oxal-Europe. Primary hyperoxaluria Type 1: indications for screening and guidance for diagnosis and treatment. *Nephrol Dial Transplant*. 2012; 27 (5): 1729-36.

Davids M, Teerlink T. Asymmetric dimethylarginine (ADMA) and cardiovascular disease. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 10-14.

Dercksen M, Duran M, IJlst L, Mienie LJ, Reinecke CJ, Ruiter JP, Waterham HR, Wanders RJ. Clinical variability of isovaleric acidemia in a genetically homogeneous population. *J Inher Metab Dis*. 2012; 35 (6): 1021-9.

Ebberink MS, Koster J, Visser G, Spronzen Fv, Stolte-Dijkstra I, Smit GP, Fock JM, Kemp S, Wanders RJ, Waterham HR. A novel defect of peroxisome division due to a homozygous non-sense mutation in the PEX11 $\beta$  gene. *J Med Genet*. 2012; 49 (5): 307-13.

El Hajj HI, Vluggens A, Andreoletti P, Ragot K, Mandard S, Kersten S, Waterham HR, Lizard G, Wanders RJ, Reddy JK, Cherkaoui-Malki M. The inflammatory response in acyl-CoA oxidase 1 deficiency (pseudoneonatal adrenoleukodystrophy). *Endocrinology*. 2012; 153 (6): 2568-75.

- Engelen M, Kemp S, de Visser M, van Geel BM, Wanders RJ, Aubourg P, Poll-The BT. X-linked adrenoleukodystrophy (X-ALD): clinical presentation and guidelines for diagnosis, follow-up and management. *Orphanet J Rare Dis.* 2012; 7: 51.
- Engelen M, Schackmann MJ, Ofman R, Sanders RJ, Dijkstra IM, Houten SM, Fourcade S, Pujol A, Poll-The BT, Wanders RJ, Kemp S. Bezafibrate lowers very long-chain fatty acids in X-linked adrenoleukodystrophy fibroblasts by inhibiting fatty acid elongation. *J Inherit Metab Dis.* 2012; 35 (6): 1137-45.
- Farhoud MH, Nijtmans LG, Wanders RJ, Wessels HJ, Lasonder E, Janssen AJ, Rodenburg RR, van den Heuvel LP, Smeitink JA. Impaired ubiquitin-proteasome-mediated PGC-1 $\alpha$  protein turnover and induced mitochondrial biogenesis secondary to complex-I deficiency. *Proteomics.* 2012; 12 (9): 1349-62.
- Fuijkschot J, Theelen T, Seyger MM, van der Graaf M, de Groot IJ, Wevers RA, Wanders RJ, Waterham HR, Willemse MA. Sjögren-Larsson syndrome in clinical practice. *J Inherit Metab Dis.* 2012; 35 (6): 955-62.
- Garcia P, Rodrigues F, Valongo C, Salomons GS, Diogo L. Phenotypic variability in a portuguese family with x-linked creatine transport deficiency. *Pediatr Neurol.* 2012; 46 (1): 39-41.
- Habets DD, Schaper NC, Rogozinski H, van Spronsen FJ, van Rijn M, Bierau J, Bakker JA. Biochemical monitoring and management during pregnancy in patients with isovaleric aciduria is helpful to prevent metabolic decompensation. *JIMD Rep.* 2012; 3: 83-9.
- Halbach NS, Smeets EE, Bierau J, Keularts IM, Plasqui G, Julu PO, Engerström IW, Bakker JA, Curfs LM. Altered carbon dioxide metabolism and creatine abnormalities in rett syndrome. *JIMD Rep.* 2012; 3: 117-24.
- Hogeveen M, Blom HJ, den Heijer M. Maternal homocysteine and small-for-gestational-age offspring: systematic review and meta-analysis. *Am J Clin Nutr.* 2012; 95 (1): 130-6.
- Hollak CE, de Sonnaville ES, Cassiman D, Linthorst GE, Groener JE, Morava E, Wevers RA, Mannens M, Aerts JM, Meersseman W, Akkerman E, Niezen-Koning KE, Mulder MF, Visser G, Wijburg FA, Lefeber D, Poorthuis BJ. Acid sphingomyelinase (Asm) deficiency patients in The Netherlands and Belgium: Disease spectrum and natural course in attenuated patients. *Mol Genet Metab.* 2012; 107 (3): 526-33.
- Homma S, Thompson JL, Pullicino PM, Levin B, Freudenberger RS, Teerlink JR, Ammon SE, Graham S, Sacco RL, Mann DL, Mohr JP, Massie BM, Labovitz AJ, Anker SD, Lok DJ, Ponikowski P, Estol CJ, Lip GY, Di Tullio MR, Sanford AR, Mejia V, Gabriel AP, del Valle ML, Buchsbaum R; WARCEF Investigators. Warfarin and aspirin in patients with heart failure and sinus rhythm. *N Engl J Med.* 2012; 366 (20): 1859-69.
- Houten SM, Denis S, Argmann CA, Jia Y, Ferdinandusse S, Reddy JK, Wanders RJ. Peroxisomal L-bifunctional enzyme (Ehhadh) is essential for the production of medium-chain dicarboxylic acids. *J Lipid Res.* 2012; 53 (7): 1296-303.
- Kanzawa N, Shimozawa N, Wanders RJ, Ikeda K, Murakami Y, Waterham HR, Mukai S, Fujita M, Maeda Y, Taguchi R, Fujiki Y, Kinoshita T. Defective lipid remodeling of GPI anchors in peroxisomal disorders, Zellweger syndrome, and rhizomelic chondrodysplasia punctata. *J Lipid Res.* 2012; 53 (4): 653-63.
- Keller MA, Watschinger K, Lange K, Golderer G, Werner-Felmayer G, Hermetter A, Wanders RJ, Werner ER. Studying fatty aldehyde metabolism in living cells with pyrene-labeled compounds. *J Lipid Res.* 2012; 53 (7): 1410-6.
- Kranendijk M, Struys EA, Salomons GS, van der Knaap MS, Jakobs C. Progress in understanding 2-hydroxyglutaric acidurias. *J Inher Metab Dis.* 2012; 35 (4): 571-87.
- Loeffen YG, Biebuyck N, Wamelink MM, Jakobs C, Mulder MF, Tylki-Szymańska A, Fung CW, Valayannopoulos V, Bökenkamp A. Nephrological abnormalities in patients with transaldolase deficiency. *Nephrol Dial Transplant.* 2012; 27 (8): 3224-7.
- Makaryan V, Kulik W, Vaz FM, Allen C, Dror Y, Dale DC, Aprikyan AA. The cellular and molecular mechanisms for neutropenia in Barth syndrome. *Eur J Haematol.* 2012; 88 (3): 195-209.
- Marquardt G, Currier R, McHugh DM, Gavrilov D, Magera MJ, Matern D, et al. Enhanced interpretation of newborn screening results without analyte cutoff values. *Genet Med.* 2012; 14 (7): 648-55.
- McMillan HJ, Worthylake T, Schwartzentruber J, Gottlieb CC, Lawrence SE, Mackenzie A, Beaulieu CL, Mooyer PA, Forge Canada Consortium, Wanders RJ, Majewski J, Bulman DE, Geraghty MT, Ferdinandusse S, Boycott KM. Specific combination of compound heterozygous mutations in 17beta-hydroxysteroid dehydrogenase type 4 (HSD17B4) defines a new subtype of D-bifunctional protein deficiency. *Orphanet J Rare Dis.* 2012; 7 (1): 90.
- Mercimek-Mahmutoglu S, Dunbar M, Friesen A, Garret S, Hartnett C, Huh L, Sinclair G, Stockler S, Wellington S, Pouwels PJ, Salomons GS, Jakobs C. Evaluation of two year treatment outcome and limited impact of arginine restriction in a patient with GAMT deficiency. *Mol Genet Metab.* 2012; 105 (1): 155-8.
- Mercimek-Mahmutoglu S, Horvath GA, Coulter-Mackie M, Nelson T, Waters PJ, Sargent M, Struys E, Jakobs C, Stockler-Ipsiroglu S, Connolly MB. Profound neonatal hypoglycemia and lactic acidosis caused by pyridoxine-dependent epilepsy. *Pediatrics.* 2012; 129 (5): e1368-72.
- Mercimek-Mahmutoglu S, Sinclair G, van Dooren SJ, Kanhai W, Ashcraft P, Michel OJ, Nelson J, Betsalel OT, Sweetman L, Jakobs C, Salomons GS. Guanidinoacetate methyltransferase deficiency: First steps to newborn screening for a treatable neurometabolic disease. *Mol Genet Metab.* 2012; 107 (3): 433-7.
- Milh M, Pop A, Kanhai W, Villeneuve N, Cano A, Struys EA, Salomons GS, Chabrol B, Jakobs C. Atypical pyridoxine-dependent epilepsy due to a pseudoexon in ALDH7A1. *Mol Genet Metab.* 2012; 105 (4): 684-6.
- Mills PB, Footitt EJ, Ceyhan S, Waters PJ, Jakobs C, Clayton PT, Struys EA. Urinary AASA excretion is elevated in patients with molybdenum cofactor deficiency and isolated sulphite oxidase deficiency. *J Inher Metab Dis.* 2012; 35 (6): 1031-6.
- de Sain-van der Velden MGH, Rinaldo P, Elvers B, Henderson M, Walter JH, Prinsen BH, Nanda M, Verhoeven-Duif NM, Tom J. de Koning TJ, Peter van Hasselt P. The proline/citrulline ratio as a biomarker for OAT deficiency in early infancy. *JIMD Rep.* 2012; 6: 95-9.
- Ndika JD, Johnston K, Barkovich JA, Wirt MD, O'Neill P, Betsalel OT, Jakobs C, Salomons GS. Developmental progress and creatine restoration upon long-term creatine supplementation of a patient with arginine: glycine amidinotransferase deficiency. *Mol Genet Metab.* 2012; 106 (1): 48-54.

- Osaka H, Takagi A, Tsuyusaki Y, Wada T, Iai M, Yamashita S, Shimbo H, Saito H, Salomons GS, Jakobs C, Aida N, Toshihiro S, Kuhara T, Matsumoto N. Contiguous deletion of SLC6A8 and BAP31 in a patient with severe dystonia and sensorineural deafness. *Mol Genet Metab*. 2012; 106 (1): 43-7.
- Rocha MS, Teerlink T, Janssen MC, Kluijtmans LA, Smulders Y, Jakobs C, Tavares de Almeida I, Rivera I, Castro R, Blom HJ. Asymmetric dimethylarginine in adults with cystathionine  $\beta$ -synthase deficiency. *Atherosclerosis*. 2012; 222 (2): 509-11.
- Rombach SM, Aerts JM, Poorthuis BJ, Groener JE, Donker-Koopman W, Hendriks E, Mirzaian M, Kuiper S, Wijburg FA, Hollak CE, Linthorst GE. Long-term effect of antibodies against infused alpha-galactosidase A in Fabry disease on plasma and urinary (lyso)Gb3 reduction and treatment outcome. *PLoS One*. 2012; 7 (10): e47805.
- Rombach SM, van den Bogaard B, de Groot E, Groener JE, Poorthuis BJ, Linthorst GE, van den Born BJ, Hollak CE, Aerts JM. Vascular aspects of Fabry disease in relation to clinical manifestations and elevations in plasma globotriaosylsphingosine. *Hypertension*. 2012; 60 (4): 998-1005.
- Saini-Chohan HK, Mitchell RW, Vaz FM, Zelinski T, Hatch GM. Delineating the role of alterations in lipid metabolism to the pathogenesis of inherited skeletal and cardiac muscle disorders: thematic review series: genetics of human lipid diseases. *J Lipid Res*. 2012; 53 (1): 4-27.
- Sanchez-Masian DF, Artuch R, Mascort J, Jakobs C, Salomons G, Zamora A, Casado M, Fernandez M, Recio A, Lujan A. L-2-hydroxyglutaric aciduria in two female Yorkshire terriers. *J Am Anim Hosp Assoc*. 2012; 48 (5): 366-71.
- Schiff M, Blom HJ. Treatment of inherited homocystinurias. *Neuropediatrics*. 2012; 43 (6): 295-304.
- Semmler A, Frisch C, Smith D, Blom H, Linnebank M. The ratio of S-adenosylmethione and S-adenosyl-homocysteine is increased in the brains of newborn rats in a model of valproic acid teratogenicity. *Toxicology*. 2012; 293 (1-3): 132-3.
- Sipkens JA, Hahn NE, Blom HJ, Lougheed SM, Stehouwer CD, Rauwerda JA, Krijnen PA, van Hinsbergh VW, Niessen HW. S-Adenosylhomocysteine induces apoptosis and phosphatidylserine exposure in endothelial cells independent of homocysteine. *Atherosclerosis*. 2012; 221 (1): 48-54.
- Smith DE, Mendes MI, Kluijtmans LA, Janssen MC, Smulders YM, Blom HJ. A liquid chromatography mass spectrometry method for the measurement of cystathionine  $\beta$ -synthase activity in cell extracts. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2012; 911: 186-91.
- Smith DE, Smulders YM, Blom HJ, Popp J, Jessen F, Semmler A, Farkas M, Linnebank M. Determinants of the essential one-carbon metabolism metabolites, homocysteine, S-adenosylmethionine, S-adenosylhomocysteine and folate, in cerebrospinal fluid. *Clin Chem Lab Med*. 2012; 50 (9): 1641-7.
- Stobbe MD, Houten SM, van Kampen AH, Wanders RJ, Moerland PD. Improving the description of metabolic networks: the TCA cycle as example. *FASEB J*. 2012; 26 (9): 3625-36.
- Stryns EA, Salomons GS, Jakobs C. Pyridoxine afhankelijke epilepsie. *Ned Tijdschrift Klin Chem Labgeneesk*. 2012; 37: 63-4.
- Stryns EA, Bok LA, Emal D, Houterman S, Willemsen MA, Jakobs C. The measurement of urinary  $\Delta^1$ -piperideine-6-carboxylate, the alter ego of  $\alpha$ -amino adipic semialdehyde, in Antiquitin deficiency. *J Inher Metab Dis*. 2012; 35 (5): 909-16.
- Struys EA, Nota B, Bakkali A, Al Shahwan S, Salomons GS, Tabarki B. Pyridoxine-dependent epilepsy with elevated urinary  $\alpha$ -amino adipic semialdehyde in molybdenum cofactor deficiency. *Pediatrics*. 2012; 130 (6): e1716-9.
- Swart KM, van Schoor NM, Blom HJ, Smulders YM, Lips P. Homocysteine and the risk of nursing home admission and mortality in older persons. *Eur J Clin Nutr*. 2012; 66 (2): 188-95.
- Touw CM, Smit GP, de Vries M, de Klerk JB, Bosch AM, Visser G, Mulder MF, Rubio-Gozalbo ME, Elvers B, Niezen-Koning KE, Wanders RJ, Waterham HR, Reijngoud DJ, Derk TG. Risk stratification by residual enzyme activity after newborn screening for medium-chain acyl-CoA dehydrogenase deficiency: data from a cohort study. *Orphanet J Rare Dis*. 2012; 7: 30.
- Valayannopoulos V, Boddaert N, Chabli A, Barbier V, Desguerre I, Philippe A, Afenjar A, Mazzuca M, Cheillan D, Munich A, de Keyzer Y, Jakobs C, Salomons GS, de Lonlay P. Treatment by oral creatine, L-arginine and L-glycine in six severely affected patients with creatine transporter defect. *J Inher Metab Dis*. 2012; 35 (1): 151-7.
- van de Kamp JM, Pouwels PJ, Aarsen FK, ten Hoopen LW, Knol DL, de Klerk JB, de Coo IF, Huijmans JG, Jakobs C, van der Knaap MS, Salomons GS, Mancini GM. Long-term follow-up and treatment in nine boys with X-linked creatine transporter defect. *J Inher Metab Dis*. 2012; 35 (1): 141-9.
- van der Ham M, Albersen M, de Koning TJ, Visser G, Middendorp A, Bosma M, Verhoeven-Duif NM, de Sain-van der Velden MG. Quantification of vitamin B6 vitamers in human cerebrospinal fluid by ultra performance liquid chromatography-tandem mass spectrometry. *Anal Chim Acta*. 2012; 712: 108-14.
- van der Knaap MS, Wassmer E, Wolf NI, Ferreira P, Topcu M, Wanders RJ, Waterham HR, Ferdinandusse S. MRI as diagnostic tool in early-onset peroxisomal disorders. *Neurology*. 2012; 78 (17): 1304-8.
- van Karnebeek CD, Hartmann H, Jaggaumani S, Bok LA, Cheng B, Connolly M, Coughlin CR 2nd, Das AM, Gospe SM Jr, Jakobs C, van der Lee JH, Mercimek-Mahmutoglu S, Meyer U, Stryns E, Sinclair G, Van Hove J, Collet JP, Plecko BR, Stockler S. Lysine restricted diet for pyridoxine-dependent epilepsy: first evidence and future trials. *Mol Genet Metab*. 2012; 107 (3): 335-44.
- van Roermund CW, IJlst L, Majczak W, Waterham HR, Folkerts H, Wanders RJ, Hellingwerf KJ. Peroxisomal fatty acid uptake mechanism in *Saccharomyces cerevisiae*. *J Biol Chem*. 2012; 287 (24): 20144-53.
- van Weeghel M, te Brinke H, van Lenthe H, Kulik W, Minkler PE, Stoll MS, Sass JO, Janssen U, Stoffel W, Schwab KO, Wanders RJ, Hoppel CL, Houten SM. Functional redundancy of mitochondrial enoyl-CoA isomerasers in the oxidation of unsaturated fatty acids. *FASEB J*. 2012; 26 (10): 4316-26.
- Visser WF, Verhoeven-Duif NM, de Koning TJ. Identification of a human trans-3-hydroxy-L-proline dehydratase, the first characterized member of a novel family of proline racemase-like enzymes. *J Biol Chem*. 2012; 287 (26): 21654-62.
- Wamelink MMC, Stryns EA, Salomons GS, Jakobs C. Defecten in de pentose fosfaat route. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 71-73.
- Wanders RJ, Duran M, Loupatty FJ. Enzymology of the branched-chain amino acid oxidation disorders: the valine pathway. *J Inher Metab Dis*. 2012; 35 (1): 5-12.

Wanders RJ, Ferdinandusse S. Peroxisomes, peroxisomal diseases, and the hepatotoxicity induced by peroxisomal metabolites. *Curr Drug Metab.* 2012; 13 (10): 1401-11.

Wang P, Holst C, Wodzig WK, Andersen MR, Astrup A, van Baak MA, Larsen TM, Jebb SA, Kafatos A, Pfeiffer AF, Martinez JA, Handjieva-Darlenska T, Kunesova M, Viguerie N, Langin D, Saris WH, Mariman EC; Diogenes consortium. Circulating ACE is a predictor of weight loss maintenance not only in overweight and obese women, but also in men. *Int J Obes (Lond).* 2012; 36 (12): 1545-51.

Waterham HR, Wanders RJ. Metabolic functions and biogenesis of peroxisomes in health and disease. *Biochim Biophys Acta.* 2012; 1822 (9): 1325.

Wortmann SB, Vaz FM, Gardeitchik T, Vissers LE, Renkema GH, Schuurs-Hoeijmakers JH, Kulik W, Lammens M, Christin C, Kluijtmans LA, Rodenburg RJ, Nijtmans LG, Grünewald A, Klein C, Gerhold JM, Kozicz T, van Hasselt PM, Harakalova M, Kloosterman W, Barić I, Pronicka E, Ucar SK, Naess K, Singhalk KK, Krumina Z, Gilissen C, van Bokhoven H, Veltman JA, Smeitink JA, Lefeber DJ, Spelbrink JN, Wevers RA, Morava E, de Brouwer AP. Mutations in the phospholipid remodeling gene SERAC1 impair mitochondrial function and intracellular cholesterol trafficking and cause dystonia and deafness. *Nat Genet.* 2012; 44 (7): 797-802.

### Klinisch: Gynaecologie / obstetrie / perinatologie

Bergen NE, Jaddoe VW, Timmermans S, Hofman A, Lindemans J, Russcher H, Raat H, Steegers-Theunissen RP, Steegers EA. Homocysteine and folate concentrations in early pregnancy and the risk of adverse pregnancy outcomes: the Generation R Study. *BJOG.* 2012; 119 (6): 739-51.

Beurskens LW, de Jonge R, Schoonderwaldt EM, Tibboel D, Steegers-Theunissen RP. Biomarkers of the one-carbon pathway in association with congenital diaphragmatic hernia. *Birth Defects Res A Clin Mol Teratol.* 2012; 94 (7): 557-60.

Bliek BJ, Guzel C, de Klein A, Stingl C, Luider TM, Lindemans J, Steegers EA, Steegers-Theunissen RP. Peptide fingerprinting of folate-responsive proteins in human B lymphoblasts and orofacial clefting. *Eur J Clin Invest.* 2012; 42 (7): 738-50.

Bliek BJ, Steegers-Theunissen RP, Douven H, Lindemans J, Steegers EA, de Klein A. Comparable levels of folate-induced aneuploidy in B-lymphoblasts from oral-cleft patients and controls. *Mutat Res.* 2012; 741 (1-2): 76-80.

Coolman M, Timmermans S, de Groot CJ, Russcher H, Lindemans J, Hofman A, Geurts-Moespot AJ, Sweep FC, Jaddoe VV, Steegers EA. Angiogenic and fibrinolytic factors in blood during the first half of pregnancy and adverse pregnancy outcomes. *Obstet Gynecol.* 2012; 119 (6): 1190-200.

de Lange NM, Lancé MD, de Groot R, Beckers EA, Henskens YM, Scheepers HC. Obstetric hemorrhage and coagulation: an update. Thromboelastography, thromboelastometry, and conventional coagulation tests in the diagnosis and prediction of postpartum hemorrhage. *Obstet Gynecol Surv.* 2012; 67 (7): 426-35.

Gaugler-Senden IP, Tamsma JT, van der Bent C, Kusters R, Steegers EA, de Groot CJ. Angiogenic factors in women ten years after severe very early onset preeclampsia. *PLoS One.* 2012; 7 (8): e43637.

Janssens PMW. Organisatie van het fertilitetslaboratorium: bekende techniek samengehangend met herkenbare menselijke vragen. *Ned Tijdschr Klin Chem Labgeneesk* 2012; 37: 24-30.

Janssens PMW. Gameetdonatie: veranderingen en verschuivingen in een kwart eeuw in: 125 jaar vrouwengezondheidszorg. Jubileumboek NVOG, 2012, de Graaff en van Geijn, eds., blz. 106-110.

Kuipers RS, Luxwolda MF, Dijck-Brouwer DA, Muskiet FA. Fatty acid compositions of preterm and term colostrum, transitional and mature milks in a sub-Saharan population with high fish intakes. *Prostaglandins Leukot Essent Fatty Acids.* 2012; 86 (4-5): 201-7.

Kuipers RS, Luxwolda MF, Offringa PJ, Boersma ER, Dijck-Brouwer DA, Muskiet FA. Fetal intrauterine whole body linoleic, arachidonic and docosahexaenoic acid contents and accretion rates. *Prostaglandins Leukot Essent Fatty Acids.* 2012; 86 (1-2): 13-20.

Kuipers RS, Luxwolda MF, Offringa PJ, Boersma ER, Dijck-Brouwer DA, Muskiet FA. Gestational age dependent changes of the fetal brain, liver and adipose tissue fatty acid compositions in a population with high fish intakes. *Prostaglandins Leukot Essent Fatty Acids.* 2012; 86 (4-5): 189-99.

Kuipers RS, Luxwolda MF, Offringa PJ, Martini IA, Boersma ER, Dijck-Brouwer DA, Muskiet FA. Gestational age dependent content, composition and intrauterine accretion rates of fatty acids in fetal white adipose tissue. *Prostaglandins Leukot Essent Fatty Acids.* 2012; 86 (1-2): 39-49.

Lybol C, Centen DW, Thomas CM, ten Kate-Booij MJ, Verheijen RH, Sweep FC, Ottevanger PB, Massuger LF. Fatal cases of gestational trophoblastic neoplasia over four decades in the Netherlands: a retrospective cohort study. *BJOG.* 2012; 119 (12): 1465-72.

Lybol C, Sweep FC, Harvey R, Mitchell H, Short D, Thomas CM, Ottevanger PB, Savage PM, Massuger LF, Seckl MJ. Relapse rates after two versus three consolidation courses of methotrexate in the treatment of low-risk gestational trophoblastic neoplasia. *Gynecol Oncol.* 2012; 125 (3): 576-9.

Timmermans S, Steegers-Theunissen RP, Vujkovic M, den Breeijen H, Russcher H, Lindemans J, Mackenbach J, Hofman A, Lesaffre EE, Jaddoe VV, Steegers EA. The Mediterranean diet and fetal size parameters: the Generation R Study. *Br J Nutr.* 2012; 108 (8): 1399-409.

van den Hooven EH, de Kluizenaar Y, Pierik FH, Hofman A, van Ratingen SW, Zandveld PY, Lindemans J, Russcher H, Steegers EA, Miedema HM, Jaddoe VW. Chronic air pollution exposure during pregnancy and maternal and fetal C-reactive protein levels: the Generation R Study. *Environ Health Perspect.* 2012; 120 (5): 746-51.

van den Hooven EH, Pierik FH, de Kluizenaar Y, Hofman A, van Ratingen SW, Zandveld PY, Russcher H, Lindemans J, Miedema HM, Steegers EA, Jaddoe VW. Air pollution exposure and markers of placental growth and function: the generation R study. *Environ Health Perspect.* 2012; 120 (12): 1753-9.

van Mil NH, Tiemeier H, Bongers-Schokking JJ, Ghassabian A, Hofman A, Hooijkaas H, Jaddoe VW, de Muinck Keizer-Schrama SM, Steegers EA, Visser TJ, Visser W, Ross HA, Verhulst FC, de Rijke YB, Steegers-Theunissen RP. Low urinary iodine excretion during early pregnancy is associated with alterations in executive functioning in children. *J Nutr.* 2012; 142 (12): 2167-74.

Verdonk K, Visser W, Russcher H, Danser AH, Steegers EA, van den Meiracker AH. Differential diagnosis of preeclampsia: remember the soluble fms-like tyrosine kinase 1/placental growth factor ratio. *Hypertension.* 2012; 60 (4): 884-90.

## Klinisch: Hart- en vaatziekten

Muskiet FAJ, Muskiet MHA, Kuipers RS. Het faillissement van de verzadigd vethypothese van cardiovasculaire ziektes. Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 192-211.

van Diejen-Visser MP, Mingels AMA, Jacobs LHJ, Cardinaels EPM, Wodzig WKWH, Bekers O, Klinkenberg LJJ, Meex SJR. Troponin, the best there is! Ned Tijdschr Klin Chem Labgeneesk. 2012; 37: 15-8.

Bouman HJ, van Werkum JW, Rudez G, Hackeng CM, Leebeek FW, ten Cate H, ten Berg JM, de Maat MP. The relevance of P2Y (12)-receptor gene variation for the outcome of clopidogrel-treated patients undergoing elective coronary stent implantation: a clinical follow-up. Thromb Haemost. 2012; 107 (1): 189-91.

Bovenberg SA, Klop B, Alipour A, Martinez-Hervas S, Westzaan A, van de Geijn GJ, Janssen HW, Njo T, Birnie E, van Mechelen R, Rietveld AP, Elte JW, Castro Cabezas M. Erythrocyte-associated apolipoprotein B and its relationship with clinical and subclinical atherosclerosis. Eur J Clin Invest. 2012; 42 (4): 365-70.

Cardinaels EP, Mingels AM, Jacobs LH, Meex SJ, Bekers O, van Diejen-Visser MP. A comprehensive review of upper reference limits reported for (high-)sensitivity cardiac troponin assays: the challenges that lie ahead. Clin Chem Lab Med. 2012; 50 (5): 791-806.

Collinson PO, van Diejen-Visser MP, Pulkki K, Hammerer-Lercher A, Suvisaari J, Ravkilde J, Stavlenic-Rukavina A, Baum H, Laitinen P. Evidence-based laboratory medicine: how well do laboratories follow recommendations and guidelines? The cardiac marker guideline uptake in Europe (CARMA-GUE) Study. Clin Chem. 2012; 58 (1): 305-6.

Daamen MA, Hamers JP, Gorgels AP, Brunner-la Rocca HP, Tan FE, van Diejen-Visser MP, Schols JM. The prevalence and management of heart failure in Dutch nursing homes; design of a multi-centre cross-sectional study. BMC Geriatr. 2012; 12: 29.

Davids M, Ndika JD, Salomons GS, Blom HJ, Teerlink T. Promiscuous activity of arginine: glycine amidinotransferase is responsible for the synthesis of the novel cardiovascular risk factor homoarginine. FEBS Lett. 2012; 586 (20): 3653-7.

Davids M, Richir MC, Visser M, Ellger B, van den Berghe G, van Leeuwen PA, Teerlink T. Role of dimethylarginine dimethylaminohydrolase activity in regulation of tissue and plasma concentrations of asymmetric dimethylarginine in an animal model of prolonged critical illness. Metabolism. 2012; 61 (4): 482-90.

Davids M, van Hell AJ, Visser M, Nijveldt RJ, van Leeuwen PA, Teerlink T. Role of the human erythrocyte in generation and storage of asymmetric dimethylarginine. Am J Physiol Heart Circ Physiol. 2012; 302 (8): H1762-70.

de Boer RA, Verweij N, van Veldhuisen DJ, Westra HJ, Bakker SJ, Gansevoort RT, Muller Kobold AC, van Gilst WH, Franke L, Mateo Leach I, van der Harst P. A genome-wide association study of circulating galectin-3. PLoS One. 2012; 7 (10): e47385.

de Jager SC, Bongaerts BW, Weber M, Kraaijeveld AO, Rousch M, Dimmeler S, van Diejen-Visser MP, Cleutjens KB, Nelemans PJ, van Berkel TJ, Biessen EA. Chemokines CCL3/MIP1 $\alpha$ , CCL5/RANTES and CCL18/PARC are independent risk predictors of short-term mortality in patients with acute coronary syndromes. PLoS One. 2012; 7 (9): e45804.

Eurlings LW, Sanders-van Wijk S, van Kimmenade R, Osinsky A, van Helmond L, Vallinga M, Crijns HJ, van Diejen-Visser MP, Brunner-La Rocca HP, Pinto YM. Multimarker Strategy for Short-Term Risk Assessment in Patients With Dyspnea in the Emergency Department: The MARKED (Multi mARKer Emergency Dyspnea)-Risk Score. J Am Coll Cardiol. 2012; 60 (17): 1668-77.

Godschalk TC, Hackeng CM, ten Berg JM. Towards personalized medicine based on platelet function testing for stent thrombosis patients. Thrombosis. 2012; 2012: 617098.

Hanssen SJ, van de Poll MC, Houben AJ, Windsant IC, Snoeijs MG, Bekers O, Buurman WA, Jacobs MJ. Hemolysis compromises nitric oxide-dependent vasodilatory responses in patients undergoing major cardiovascular surgery. Thorac Cardiovasc Surg. 2012; 60 (4): 255-61.

Harmsze AM, van Werkum JW, Hackeng CM, Ruven HJ, Kelder JC, Bouman HJ, Breet NJ, ten Berg JM, Klungel OH, de Boer A, Deneer VH. The influence of CYP2C19\*2 and \*17 on on-treatment platelet reactivity and bleeding events in patients undergoing elective coronary stenting. Pharmacogenet Genomics. 2012; 22 (3): 169-75.

Hellenthal FA, Pulinx B, Welten RJ, Teijink JA, van Diejen-Visser MP, Wodzig WK, Schurink GW. Circulating biomarkers and abdominal aortic aneurysm size. J Surg Res. 2012; 176 (2): 672-8.

Hellenthal FA, ten Bosch JA, Pulinx B, Wodzig WK, de Haan MW, Prins MH, Welten RJ, Teijink JA, Schurink GW. Plasma levels of matrix metalloproteinase-9: a possible diagnostic marker of successful endovascular aneurysm repair. Eur J Vasc Endovasc Surg. 2012; 43 (2): 171-2.

Kats S, Brands R, Hamad MA, Seinen W, Scharnhorst V, Wulkan RW, Schönberger JP, van Oeveren W. Prophylactic treatment with alkaline phosphatase in cardiac surgery induces endogenous alkaline phosphatase release. Int J Artif Organs. 2012; 35 (2): 144-51.

Kavousi M, Elias-Smale S, Rutten JH, Leening MJ, Vliegenthart R, Verwoert GC, Krestin GP, Oudkerk M, de Maat MP, Leebeek FW, Mattace-Raso FU, Lindemans J, Hofman A, Steyerberg EW, van der Lugt A, van den Meiracker AH, Witteman JC. Evaluation of newer risk markers for coronary heart disease risk classification: a cohort study. Ann Intern Med. 2012; 156 (6): 438-44.

Klinkenberg LJ, Res PT, van Loon LJ, van Diejen-Visser MP, Meex SJ. Strong link between basal and exercise-induced cardiac troponin T levels: do both reflect risk? Int J Cardiol. 2012; 158 (1): 129-31.

Kuipers RS, Joordens JC, Muskiet FA. A multidisciplinary reconstruction of Palaeolithic nutrition that holds promise for the prevention and treatment of diseases of civilisation. Nutr Res Rev. 2012; 25 (1): 96-129.

Kurz K, Teerlink T, Sarcletti M, Weiss G, Zangerle R, Fuchs D. Asymmetric dimethylarginine concentrations decrease in patients with HIV infection under antiretroviral therapy. Antivir Ther. 2012; 17 (6): 1021-7.

Le Poole CY, van Ittersum FJ, Valentijn RM, Teerlink T, Lindholm B, Wee PM, Schalkwijk CG. 'NEPP' peritoneal dialysis regimen has beneficial effects on plasma CEL and 3-DG, but not pentosidine, CML, and MGO. Perit Dial Int. 2012; 32 (1): 45-54.

Mingels AM, Gorgels TP, van Diejen-Visser MP. [Cardiac troponin]. Ned Tijdschr Geneesk. 2012; 156 (42): A5044.

- Mingels AM, Joosen IA, Versteylen MO, Laufer EM, Winkens MH, Wildberger JE, van Diejen-Visser MP, Hofstra L. High-sensitivity cardiac troponin T: risk stratification tool in patients with symptoms of chest discomfort. *PLoS One*. 2012; 7 (4): e35059.
- Moesgaard SG, Klostergaard C, Zois NE, Teerlink T, Molin M, Falk T, Rasmussen CE, Luis Fuentes V, Jones ID, Olsen LH. Flow-mediated vasodilation measurements in cavalier king charles spaniels with increasing severity of myxomatous mitral valve disease. *J Vet Intern Med*. 2012; 26 (1): 61-8.
- Muskiet FA, Muskiet MH. Should dietary SFA be exchanged for linoleic acid? *Am J Clin Nutr*. 2012; 96 (4): 944-5; author reply 945-6.
- Nguy L, Nilsson H, Lundgren J, Johansson ME, Teerlink T, Scheffer PG, Guron G. Vascular function in rats with adenine-induced chronic renal failure. *Am J Physiol Regul Integr Comp Physiol*. 2012; 302 (12): R1426-35.
- Nur E, Brandjes DP, Teerlink T, Otten HM, Oude Elferink RP, Muskiet F, Evers LM, ten Cate H, Biemond BJ, Duits AJ, Schnog JJ; Curama study group. N-acetylcysteine reduces oxidative stress in sickle cell patients. *Ann Hematol*. 2012; 91 (7): 1097-105.
- Rademakers LM, Dewilde W, van de Kerkhof D. Early double stent thrombosis associated with clopidogrel hyporesponsiveness. *Neth Heart J*. 2012; 20 (1): 38-41.
- Riphagen II, van der Veer E, Muskiet FA, DeJongste MJ. Myopathy during statin therapy in the daily practice of an out-patient cardiology clinic: prevalence, predictors and relation with vitamin D. *Curr Med Res Opin*. 2012; 28 (7): 1247-52.
- Smit MD, Maass AH, De Jong AM, Muller Kobold AC, van Veldhuisen DJ, van Gelder IC. Role of inflammation in early atrial fibrillation recurrence. *Europace*. 2012; 14 (6): 810-7.
- van der Meijden PE, van Schilfgaarde M, van Oerle R, Renné T, ten Cate H, Spronk HM. Platelet- and erythrocyte-derived microparticles trigger thrombin generation via factor XIIa. *J Thromb Haemost*. 2012; 10 (7): 1355-62.
- van Wijk S, Jacobs L, Eurlings LW, van Kimmenade R, Lemmers R, Broos P, Bekers O, Prins MH, Crijns HJ, Pinto YM, van Diejen-Visser MP, Brunner-La Rocca HP. Troponin T measurements by high-sensitivity vs conventional assays for risk stratification in acute dyspnea. *Clin Chem*. 2012; 58 (1): 284-92.
- Visser M, Vermeulen MA, Richir MC, Teerlink T, Houdijk AP, Kostense PJ, Wisselink W, de Mol BA, van Leeuwen PA, Oudemans-van Straaten HM. Imbalance of arginine and asymmetric dimethylarginine is associated with markers of circulatory failure, organ failure and mortality in shock patients. *Br J Nutr*. 2012; 107 (10): 1458-65.
- Wodzig WKWH, Pulinx B, Bons JAP, Hellenthal FAMW, Schurink GWH, van Diejen-Visser MP. Proteomics as a tool for biomarker detection using SELDI-TOF-MS and 2-D DIGE. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 82-7.
- Klinisch: Hematologie**
- Achterbergh R, Vermeer HJ, Curtis BR, Porcelijn L, Aster RH, Deenik W, Daemen-Gubbels C. Thrombocytopenia in a nutshell. *Lancet*. 2012; 379 (9817): 776.
- Castel R, Tax MG, Droogendijk J, Leers MP, Beukers R, Levin MD, Sonneveld P, Berendes PB. The transferrin/log (ferritin) ratio: a new tool for the diagnosis of iron deficiency anemia. *Clin Chem Lab Med*. 2012; 50 (8): 1343-9.
- Douma JW, Wilting I, ten Berg MJ, den Breeijen JH, Huisman A, Egberts ACG, van Solinge WW. Associatie tussen clozapenegebruik en FL3-fluorescentie: een mogelijke biomarker voor therapie (on)trouw? *Pharmaceutisch Weekblad Wetenschappelijk Platform*. 2012; 6: a1210.
- Groeneveld KM, Heeres M, Leenen LP, Huisman A, Koenderman L. Immunophenotyping of posttraumatic neutrophils on a routine haematology analyser. *Mediators Inflamm*. 2012; 2012: 509513.
- Harteman JC, Groenendaal F, van Haastert IC, Liem KD, Stroink H, Bierings MB, Huisman A, de Vries LS. Atypical timing and presentation of periventricular haemorrhagic infarction in preterm infants: the role of thrombophilia. *Dev Med Child Neurol*. 2012; 54 (2): 140-7.
- Hoedemakers RMJ, Pruijt JFM, Hol S, Teunissen E, Martens H, Stam P, Melser R, te Velthuis H. Clinical comparison of new monoclonal antibody-based nephelometric assays for free light chain kappa and lambda to polyclonal antibody-based assays and immunofixation electrophoresis. *Clin Chem Lab Med*. 2012; 50 (3): 489-95.
- Hoffmann JJ. Red cell distribution width and mortality risk. *Clin Chim Acta*. 2012; 413: 824-5.
- Kloss-Brandstätter A, Erhart G, Lamina C, Meister B, Haun M, Coassin S, Seifert M, Klein-Franke A, Paulweber B, Kedenko L, Kollerits B, Swinkels DW, Vermeulen SH, Galesloot TE, Kronenberg F, Weiss G. Candidate gene sequencing of SL-C11A2 and TMPRSS6 in a family with severe anaemia: common SNPs, rare haplotypes, no causative mutation. *PLoS One*. 2012; 7 (4): e35015.
- Lam SW, Leenen LP, van Solinge WW, Hietbrink F, Huisman A. Comparison between the prognostic value of the white blood cell differential count and morphological parameters of neutrophils and lymphocytes in severely injured patients for 7-day in-hospital mortality. *Biomarkers*. 2012; 17 (7): 642-7.
- Newlin MK, Williams S, McNamara T, Tjalsma H, Swinkels DW, Haymes EM. The effects of acute exercise bouts on hepcidin in women. *Int J Sport Nutr Exerc Metab*. 2012; 22 (2): 79-88.
- Nur E, Brandjes DP, Teerlink T, Otten HM, Oude Elferink RP, Muskiet F, Evers LM, ten Cate H, Biemond BJ, Duits AJ, Schnog JJ; on behalf of the CURAMA study group. N-acetylcysteine reduces oxidative stress in sickle cell patients. *Ann Hematol*. 2012; 91 (7): 1097-105.
- Schotman HHM, Claassen ATPM, Slomp J. Erytrocyten-AUTOantistoffen bij zwak Rh D. *Tijdschr Bloedtransfusie*. 2012; 5: 119-122.
- Sim M, Dawson B, Landers G, Wiegerinck ET, Swinkels DW, Townsend MA, Trinder D, Peeling P. The effects of carbohydrate ingestion during endurance running on post-exercise inflammation and hepcidin levels. *Eur J Appl Physiol*. 2012; 112 (5): 1889-98.
- Tamminga RY, Doornbos ME, Muskiet FA, Koetse HA. Rhabdomyolysis in a child with Hemoglobin SE. *Pediatr Hematol Oncol*. 2012; 29 (3): 267-9.

van Holten TC, Roest M, Riphagen J, Jansen C, Naarding P, Adriaansen HJ, de Groot PhG, Remijn JA. Citalopram is a more potent platelet function inhibitor than paroxetine in a case-control study. *J Thromb Haemost*. 2012; 10 (6): 1177-9.

Wozniak M, Kruit A, Padmore R, Giulivi A, Bormanis J. Prothrombin complex concentrate for the urgent reversal of warfarin. Assessment of a standard dosing protocol. *Transfus Apher Sci*. 2012; 46 (3): 309-14.

### Klinisch: Interne geneeskunde

van der Weerd NC, Grooteman MP, Bots ML, van den Dorpel MA, den Hoedt CH, Mazairac AH, Nubé MJ, Penne EL, Gaillard CA, Wetzel JF, Wiegerinck ET, Swinkels DW, Blankenstein PJ, ter Wee PM. Hepcidin-25 in chronic hemodialysis patients is related to residual kidney function and not to treatment with erythropoiesis stimulating agents. *PLoS One*. 2012; 7 (7): e39783.

Anjarrez-Orduño N, Marasco E, Chung SA, Katz MS, Kiridly JF, Simpfendorfer KR, Freudenberg J, Ballard DH, Nashi E, Hopkins TJ, Cunningham Graham DS, Lee AT, Coenen MJ, Franke B, Swinkels DW, Graham RR, Kimberly RP, Gaffney PM, Vyse TJ, Behrens TW, Criswell LA, Diamond B, Gregersen PK. CSK regulatory polymorphism is associated with systemic lupus erythematosus and influences B-cell signaling and activation. *Nat Genet*. 2012; 44 (11): 1227-30.

Bieghs V, Van Gorp PJ, Wouters K, Hendrikx T, Gijbels MJ, van Bilsen M, Bakker J, Binder CJ, Lutjohann D, Staels B, Hofker MH, Shiri-Sverdlov R. LDL receptor knock-out mice are a physiological model particularly vulnerable to study the onset of inflammation in non-alcoholic fatty liver disease. *PLoS One*. 2012; 7 (1): e30668.

Bohne F, Martínez-Llordella M, Lozano JJ, Miquel R, Benítez C, Londoño MC, Manzia TM, Angelico R, Swinkels DW, Tjalsma H, López M, Abraldes JG, Bonaccorsi-Riani E, Jaeckel E, Taubert R, Pirenne J, Rimola A, Tisone G, Sánchez-Fueyo A. Intra-graft expression of genes involved in iron homeostasis predicts the development of operational tolerance in human liver transplantation. *J Clin Invest*. 2012; 122 (1): 368-82.

Bouamar R, Elens L, Shuker N, van Schaik RH, Weimar W, Hesselink DA, van Gelder T. Mycophenolic acid-related anaemia and leucopenia in renal transplant recipients are related to genetic polymorphisms in CYP2C8. *Transplantation*. 2012; 93 (10): e39-40.

Boxma PY, van den Berg E, Geleijnse JM, Laverman GD, Schurgers LJ, Vermeer C, Kema IP, Muskiet FA, Navis G, Bakker SJ, de Borst MH. Vitamin K intake and plasma desphospho-uncarboxylated matrix Gla-protein levels in kidney transplant recipients. *PLoS One*. 2012; 7 (10): e47991.

Bulatovic M, Heijstek MW, van Dijkhuizen EH, Wulffraat NM, Pluijm SM, de Jonge R. Prediction of clinical non-response to methotrexate treatment in juvenile idiopathic arthritis. *Ann Rheum Dis*. 2012; 71 (9): 1484-9.

de Boer H, Roelofsen A, Janssens PM. Antidiuretic hormone antagonist to reduce cystine stone formation. *Ann Intern Med*. 2012; 157 (6): 459-60.

de Jager CP, Wever PC, Gemen EF, Kusters R, van Gageldonk-Lafeber AB, van der Poll T, Laheij RJ. The neutrophil-lymphocyte count ratio in patients with community-acquired pneumonia. *PLoS One*. 2012; 7 (10): e46561.

de Jager CP, Wever PC, Gemen EF, van Oijen MG, van Gageldonk-Lafeber AB, Siersema PD, Kusters GC, Laheij RJ. Proton pump inhibitor therapy predisposes to community-acquired *Streptococcus pneumoniae* pneumonia. *Aliment Pharmacol Ther*. 2012; 36 (10): 941-9.

de Rotte MC, Bulatovic M, Heijstek MW, Jansen G, Heil SG, van Schaik RH, Wulffraat NM, de Jonge R. ABCB1 and ABCC3 gene polymorphisms are associated with first-year response to methotrexate in juvenile idiopathic arthritis. *J Rheumatol*. 2012; 39 (10): 2032-40.

Denters MJ, Deutekom M, Bossuyt PM, Stroobants AK, Fockens P, Dekker E. Lower risk of advanced neoplasia among patients with a previous negative result from a fecal test for colorectal cancer. *Gastroenterology*. 2012; 142 (3): 497-504.

Doorenbos CR, de Cuba MM, Vogt L, Kema IP, van den Born J, Gans RO, Navis G, de Borst MH. Antiproteinuric treatment reduces urinary loss of vitamin D-binding protein but does not affect vitamin D status in patients with chronic kidney disease. *J Steroid Biochem Mol Biol*. 2012; 128 (1-2): 56-61.

Drion I, Cobbaert C, Groenier KH, Weykamp C, Bilo HJ, Wetzel JF, Kleefstra N. Clinical evaluation of analytical variations in serum creatinine measurements: why laboratories should abandon Jaffe techniques. *BMC Nephrol*. 2012; 13: 133.

Elens L, Bouamar R, Hesselink DA, Haufroid V, van Gelder T, van Schaik RH. The new CYP3A4 intron 6 C>T polymorphism (CYP3A4\*22) is associated with an increased risk of delayed graft function and worse renal function in cyclosporine-treated kidney transplant patients. *Pharmacogenet Genomics*. 2012; 22 (5): 373-80.

Elens L, Hesselink DA, van Schaik RH, van Gelder T. Pharmacogenetics in kidney transplantation: recent updates and potential clinical applications. *Mol Diagn Ther*. 2012; 16 (6): 331-45.

Emans ME, Braam B, Diepenbroek A, van der Putten K, Cramer MJ, Wielders JP, Swinkels DW, Doevedans PA, Gaillard CA. Neutrophil gelatinase-associated lipocalin (NGAL) in chronic cardiorenal failure is correlated with endogenous erythropoietin levels and decreases in response to low-dose erythropoietin treatment. *Kidney Blood Press Res*. 2012; 36 (1): 344-54.

Enneman AW, van der Velde N, de Jonge R, Heil SG, Stolk L, Hofman A, Rivadeneira F, Zillikens MC, Uitterlinden AG, van Meurs JB. The association between plasma homocysteine levels, methylation capacity and incident osteoporotic fractures. *Bone*. 2012; 50 (6): 1401-5.

Gilissen LP, Wong DR, Engels LG, Bierau J, Bakker JA, Paulussen AD, Romberg-Camps MJ, Stronkhorst A, Bus P, Bos LP, Hooymans PM, Stockbrügger RW, Neef C, Masclee AA. Therapeutic drug monitoring of thiopurine metabolites in adult thiopurine tolerant IBD patients on maintenance therapy. *J Crohns Colitis*. 2012; 6 (6): 698-707.

Hoorn EJ, van Wolfswinkel ME, Hesselink DA, de Rijke YB, Koelewijn R, van Hellemond JJ, van Genderen PJ. Hyponatraemia in imported malaria: the pathophysiological role of vasoressin. *Malar J*. 2012; 11 (1): 26.

Hunfeld NG, Touw DJ, Mathot RA, van Schaik RH, Kuipers EJ. A comparison of the acid-inhibitory effects of esomeprazole and rabeprazole in relation to pharmacokinetics and CYP2C19 polymorphism. *Aliment Pharmacol Ther*. 2012; 35 (7): 810-8.

- Korthagen NM, van Moorsel CH, Barlo NP, Kazemier KM, Ruven HJ, Grutters JC. Association between variations in cell cycle genes and idiopathic pulmonary fibrosis. *PLoS One*. 2012; 7 (1): e30442.
- Korthagen NM, van Moorsel CH, Kazemier KM, Ruven HJ, Grutters JC. IL1RN genetic variations and risk of IPF: a meta-analysis and mRNA expression study. *Immunogenetics*. 2012; 64 (5): 371-7.
- Lemkes BA, Bähler L, Kamphuisen PW, Stroobants AK, van den Dool EJ, Hoekstra JB, Nieuwland R, Gerdes VE, Hollerman F. The influence of aspirin dose and glycemic control on platelet inhibition in patients with type 2 diabetes mellitus. *J Thromb Haemost*. 2012; 10 (4): 639-46.
- Loryan I, Lindqvist M, Johansson I, Hiratsuka M, van der Heiden I, van Schaik RH, Jakobsson J, Ingelman-Sundberg M. Influence of sex on propofol metabolism, a pilot study: implications for propofol anesthesia. *Eur J Clin Pharmacol*. 2012; 68 (4): 397-406.
- Lukens MV, de Mare A, Kerbert-Dreteler MJ, van den Bergh FA. Leaky cell syndrome: a rare cause of pseudohyperkalemia. *Ann Clin Biochem*. 2012; 49 (Pt 1): 97-100.
- Mutwa PR, Fillekes Q, Malgaz M, Tuyishimire D, Kraats RV, Boer KR, Burger DM, van Schaik RH, Muganga N, Geelen SP. Mid-dosing interval efavirenz plasma concentrations in HIV-1-infected children in Rwanda: treatment efficacy, tolerability, adherence, and the influence of CYP2B6 polymorphisms. *J Acquir Immune Defic Syndr*. 2012; 60 (4): 400-4.
- Noordam R, de Craen AJ, Pedram P, Maier AB, Mooijaart SP, van Pelt J, Feskens EJ, Streppel MT, Slagboom PE, Westendorp RG, Beekman M, van Heemst D. Levels of 25-hydroxyvitamin D in familial longevity: the Leiden Longevity Study. *CMAJ*. 2012; 184 (18): E963-8.
- de Rotte MCFJ, den Boer E, Bulatovic Calasan M, Heijstek MW, te Winkel ML, Heil SG, Lindemans J, Jansen G, Peters GJ, Kamphuis SSM, Pieters R, Tissing WJE, van den Heuvel-Ebrink MM, Hazes JMW, Wulffraat NM, de Jonge R. Personalized medicine of methotrexate therapy. *Ned Tijdschr Klin Chem Labgeneesk*. 2012; 37: 50-53.
- Peters HP, Rumjon A, Bansal SS, Laarakkers CM, van den Brand JA, Sarafidis P, Musto R, Malyszko J, Swinkels DW, Wetzels JF, Macdougall IC. Intra-individual variability of serum hepcidin-25 in haemodialysis patients using mass spectrometry and ELISA. *Nephrol Dial Transplant*. 2012; 27 (10): 3923-9.
- Rensen SS, Bieghs V, Xanthoulea S, Arfanti E, Bakker JA, Shiri-Sverdlov R, Hofker MH, Greve JW, Buurman WA. Neutrophil-derived myeloperoxidase aggravates non-alcoholic steatohepatitis in low-density lipoprotein receptor-deficient mice. *PLoS One*. 2012; 7 (12): e52411.
- Ronden RA, Houben AJ, Teerlink T, Bakker JA, Bierau J, Stehouwer CD, De Leeuw PW, Kroon AA. Reduced renal plasma clearance does not explain increased plasma asymmetric dimethylarginine in hypertensive subjects with mild to moderate renal insufficiency. *Am J Physiol Renal Physiol*. 2012; 303 (1): F149-56.
- Russcher H, Heil SG, Slobbe L, Lindemans J. Approaches to vitamin B12 deficiency. *Ned Tijdschr Geneesk*. 2012; 156 (1): A3595.
- Russel MG, Bokkers RPH, van den Bergh FAJTM. Noninvasive diagnostic tools for diagnosing and monitoring inflammatory bowel disease patients. *J Immunodiagnostics*. 2012; 1: 6-10.
- van de Vijver E, Schreuder AB, Cnossen WR, Muller Kobold AC, van Rheenen PF; North Netherlands Pediatric IBD Consortium. Safely ruling out inflammatory bowel disease in children and teenagers without referral for endoscopy. *Arch Dis Child*. 2012; 97 (12): 1014-8.
- van Gerven PW, van Boxtel MP, Ausems EE, Bekers O, Jolles J. Do apolipoprotein E genotype and educational attainment predict the rate of cognitive decline in normal aging? A 12-year follow-up of the Maastricht Aging Study. *Neuropsychology*. 2012; 26 (4): 459-72.
- van Wolfswinkel ME, Hesselink DA, Hoorn EJ, de Rijke YB, Koelewijn R, van Hellemond JJ, van Genderen PJ. Copeptin does not accurately predict disease severity in imported malaria. *Malar J*. 2012; 11 (1): 6.
- Vervloet MG, van Zuilen AD, Heijboer AC, ter Wee PM, Bots ML, Blankenstein PJ, Wetzels JF; MASTERPLAN group study. Fibroblast growth factor 23 is associated with proteinuria and smoking in chronic kidney disease: an analysis of the MASTERPLAN cohort. *BMC Nephrol*. 2012; 13: 20.
- Wiel A van de, Wielders JPM. The Bac (chus) experiment: blood alcohol concentrations after wine tasting. *Wine Studies* 2012; volume 2: e1.
- ### Klinisch: Neurologie / psychiatrie
- Aalbers MW, Klinkenberg S, Rijkers K, Verschuure P, Kessels A, Aldenkamp A, Vles J, Majolie M. The effects of vagus nerve stimulation on pro- and anti-inflammatory cytokines in children with refractory epilepsy: an exploratory study. *Neuroimmunomodulation*. 2012; 19 (6): 352-358.
- Aerts MB, Esselink RA, Abdo WF, Bloem BR, Verbeek MM. CSF alpha-synuclein does not differentiate between parkinsonian disorders. *Neurobiol Aging*. 2012; 33 (2): 430.e1-3.
- Bouwes A, Binnekade JM, Kuiper MA, Bosch FH, Zandstra DF, Toornvliet AC, Biemond HS, Kors BM, Koelman JH, Verbeek MM, Weinstein HC, Hijdra A, Horn J. Prognosis of coma after therapeutic hypothermia: a prospective cohort study. *Ann Neurol*. 2012; 71 (2): 206-12.
- Bruggink KA, Muller M, Kuiperij HB, Verbeek MM. Methods for analysis of amyloid- $\beta$  aggregates. *J Alzheimers Dis*. 2012; 28 (4): 735-58.
- Coppus AM, Schuur M, Vergeer J, Janssens AC, Oostra BA, Verbeek MM, van Duijn CM. Plasma beta amyloid and the risk of Alzheimer's disease in Down syndrome. *Neurobiol Aging*. 2012; 33 (9): 1988-94.
- Curcic-Blake B, Swart M, ter Horst GJ, Langers DR, Kema IP, Aleman A. Variation of the gene coding for DARPP-32 (PPP1R1B) and brain connectivity during associative emotional learning. *Neuroimage*. 2012; 59 (2): 1540-50.
- del Campo M, Mollenhauer B, Bertolotto A, Engelborghs S, Hampel H, Simonsen AH, Kapaki E, Kruse N, Le Bastard N, Lehmann S, Molinuevo JL, Parnetti L, Perret-Liaudet A, Sáez-Valero J, Saka E, Urbani A, Vanmechelen E, Verbeek M, Visser PJ, Teunissen C. Recommendations to standardize pre-analytical confounding factors in Alzheimer's and Parkinson's disease cerebrospinal fluid biomarkers: an update. *Biomark Med*. 2012; 6 (4): 419-30.
- Dobos N, de Vries EF, Kema IP, Patas K, Prins M, Nijholt IM, Dierckx RA, Korf J, den Boer JA, Luitjen PG, Eisel UL. The role of indoleamine 2,3-dioxygenase in a mouse model

- of neuroinflammation-induced depression. *J Alzheimers Dis.* 2012; 28 (4): 905-15.
- Fronczeck R, van Geest S, Fröhlich M, Overeem S, Roelandse FW, Lammers GJ, Swaab DF. Hypocretin (orexin) loss in Alzheimer's disease. *Neurobiol Aging.* 2012; 33 (8): 1642-50.
- Giltay EJ, Enter D, Zitman FG, Penninx BW, van Pelt J, Spinhoven P, Roelofs K. Salivary testosterone: associations with depression, anxiety disorders, and antidepressant use in a large cohort study. *J Psychosom Res.* 2012; 72 (3): 205-13.
- Herbert MK, Kuiperij HB, Verbeek MM. Optimisation of the quantification of glutamine synthetase and myelin basic protein in cerebrospinal fluid by a combined acidification and neutralisation protocol. *J Immunol Methods.* 2012; 381 (1-2): 1-8.
- Ibrahim-Verbaas CA, Zorkoltseva IV, Amin N, Schuur M, Cappus AM, Isaacs A, Aulchenko YS, Breteler MM, Ikram MA, Axenovich TI, Verbeek MM, van Swieten JC, Oostra BA, van Duijn CM. Linkage analysis for plasma amyloid beta levels in persons with hypertension implicates A $\beta$ -40 levels to presenilin 2. *Hum Genet.* 2012; 131 (12): 1869-76.
- Jansen C, Parchi P, Capellari S, Ibrahim-Verbaas CA, Schuur M, Strammiello R, Corrado P, Bishop MT, van Gool WA, Verbeek MM, Baas F, van Saane W, Spliet WG, Jansen GH, van Duijn CM, Rozemuller AJ. Human prion diseases in the Netherlands (1998-2009): clinical, genetic and molecular aspects. *PLoS One.* 2012; 7 (4): e36333.
- Knottnerus IL, Winckers K, Ten Cate H, Hackeng TM, Lodder J, Rouhl RP, Staals J, Govers-Riemslag JW, Bekers O, van Oostenbrugge RJ. Levels of heparin-releasable TFPI are increased in first-ever lacunar stroke patients. *Neurology.* 2012; 78 (7): 493-8.
- Kuiperij HB, Verbeek MM. Detection of tau forms in CSF requires sensitive techniques. *Neurobiol Aging.* 2012; 33 (8): 1841.
- Kuiperij HB, Verbeek MM. Diagnosis of progressive supranuclear palsy: can measurement of tau forms help? *Neurobiol Aging.* 2012; 33 (1): 204.e17-8.
- Leen WG, Willemse MA, Wevers RA, Verbeek MM. Cerebrospinal fluid glucose and lactate: age-specific reference values and implications for clinical practice. *PLoS One.* 2012; 7 (8): e42745.
- Luykx JJ, Vinkers CH, Bakker SC, Visser WF, van Boxmeer L, Strengman E, van Eijk KR, Lens JA, Borgdorff P, Keijzers P, Kappen TH, van Dongen EP, Bruins P, Verhoeven NM, de Koning TJ, Kahn RS, Ophoff RA. A common variant in ERBB4 regulates GABA concentrations in human cerebrospinal fluid. *Neuropsychopharmacology.* 2012; 37 (9): 2088-92.
- Mattsson N, Rosen E, Hansson O, Andreasen N, Parnetti L, Jonsson M, Herukka SK, van der Flier WM, Blankenstein MA, Ewers M, Rich K, Kaiser E, Verbeek MM, Olde Rikkert M, Tsolaki M, Mulugeta E, Aarsland D, Visser PJ, Schröder J, Marcusson J, de Leon M, Hampel H, Scheltens P, Wallin A, Eriksdotter-Jönsson M, Minthon L, Winblad B, Blennow K, Zetterberg H. Age and diagnostic performance of Alzheimer disease CSF biomarkers. *Neurology.* 2012; 78 (7): 468-76.
- Mattsson N, Zegers I, Andreasson U, Bjerke M, Blankenstein MA, Bowser R, Carrillo MC, Gobom J, Heath T, Jenkins R, Jeromin A, Kaplow J, Kidd D, Laterza OF, Lockhart A, Lunn MP, Martone RL, Mills K, Pannee J, Ratcliffe M, Shaw LM, Simon AJ, Soares H, Teunissen CE, Verbeek MM, Umek RM, Vanderstichele H, Zetterberg H, Blennow K, Portelius E. Reference measurement procedures for Alzheimer's disease cerebrospinal fluid biomarkers: definitions and approaches with focus on amyloid  $\beta$ 42. *Biomark Med.* 2012; 6 (4): 409-17.
- Out D, Bakermans-Kranenburg MJ, van Pelt J, Van IJzendoorn MH. Salivary  $\alpha$ -amylase and intended harsh caregiving in response to infant crying: evidence for physiological hyper-reactivity. *Child Maltreat.* 2012; 17 (4): 295-305.
- Pulinx B, Hupperts RM, Vogt MH, ten Kate J, van Diejen-Visser MP, Wodzig WK. Detection of differential protein expression in cerebrospinal fluid of patients with multiple sclerosis through two-dimensional differential in gel electrophoresis. *Clin Chem Lab Med.* 2012; 50 (9): 1693-5.
- Pulinx B, Hupperts RM, Vogt MH, Ten Kate J, van Diejen-Visser MP, Wodzig WK. Detection of differential protein expression in cerebrospinal fluid of patients with multiple sclerosis through two-dimensional differential in gel electrophoresis. *Clin Chem Lab Med.* 2012; 50 (9): 1693-5.
- Ramakers IH, Verhey FR, Scheltens P, Hampel H, Soininen H, Aalten P, Rikkert MO, Verbeek MM, et al. Anxiety is related to Alzheimer cerebrospinal fluid markers in subjects with mild cognitive impairment. *Psychol Med.* 2012; 7: 1-10.
- Rouwette M, Somers K, Govarts C, de Deyn PP, Hupperts R, van Wijmeersch B, de Jong BA, Verbeek MM, van Pesch V, Sindic C, Villar LM, Alvarez-Cermeño JC, Stinissen P, Somers V. Novel cerebrospinal fluid and serum autoantibody targets for clinically isolated syndrome. *J Neurochem.* 2012; 123 (4): 568-77.
- Schindhelm RK, Wondergem MJ, Admiraal J, Nap G, ten Boekel E, Hani L. A patient with a prolonged activated partial thromboplastin time and a deep intracerebral haemorrhage. *Case Rep Neurol.* 2012; 4 (2): 131-6.
- Slats D, Claassen JA, Spies PE, Borm G, Besse KT, van Aalst W, Tseng J, Sjögren MJ, Olde Rikkert MG, Verbeek MM. Hourly variability of cerebrospinal fluid biomarkers in Alzheimer's disease subjects and healthy older volunteers. *Neurobiol Aging.* 2012; 33 (4): 831.e1-9.
- Spies PE, Verbeek MM, van Groen T, Claassen JA. Reviewing reasons for the decreased CSF Abeta42 concentration in Alzheimer disease. *Front Biosci.* 2012; 17: 2024-34.
- Storoni M, Verbeek MM, Illes Z, Marignier R, Teunissen CE, Grabowska M, Confavreux C, Plant GT, Petzold A. Serum GFAP levels in optic neuropathies. *J Neurol Sci.* 2012; 317 (1-2): 117-22.
- Veen G, Giltay EJ, Vreeburg SA, Licht CM, Cobbaert CM, Zitman FG, Penninx BW. Determinants of salivary evening alpha-amylase in a large sample free of psychopathology. *Int J Psychophysiol.* 2012; 84 (1): 33-8.
- Verstraete E, Kuiperij HB, van Blitterswijk MM, Veldink JH, Schelhaas HJ, van den Berg LH, Verbeek MM. TDP-43 plasma levels are higher in amyotrophic lateral sclerosis. *Amyotroph Lateral Scler.* 2012; 13 (5): 446-51.
- Wassenberg T, Monnens L, Geurtz B, Wevers R, Verbeek M, Willemse M. The paradox of Hyperdopaminuria in Aromatic L-Amino Acid Deficiency explained. *JIMD reports.* 2012; 4: 39-45.

## Klinisch: Oncologie

Binkhorst L, van Gelder T, Loos WJ, de Jongh FE, Hamberg P, Moghaddam-Helmantel IM, de Jonge E, Jager A, Seynaeve C, van Schaik RH, Verweij J, Mathijssen RH. Effects of CYP Induction by Rifampicin on Tamoxifen Exposure. *Clin Pharmacol Ther.* 2012; 92 (1): 62-7.

de Graan AJ, Lancaster CS, Obaidat A, Hagenbuch B, Elens L, Friberg LE, de Brujin P, Hu S, Gibson AA, Bruun GH, Corydon TJ, Mikkelsen TS, Walker AL, Du G, Loos WJ, van Schaik RH, Baker SD, Mathijssen RH, Sparreboom A. Influence of polymorphic OATP1B-type carriers on the disposition of docetaxel. *Clin Cancer Res.* 2012; 18 (16): 4433-40.

de Jong RA, Toppen NL, Ten Hoor KA, Boezen HM, Kema IP, Hollema H, Nijman HW. Status of cellular immunity lacks prognostic significance in vulvar squamous carcinoma. *Gynecol Oncol.* 2012; 125 (1): 186-93.

de Vos FY, van Laarhoven HW, Laven JS, Themmen AP, Beex LV, Sweep CG, Seynaeve C, Jager A. Menopausal status and adjuvant hormonal therapy for breast cancer patients: a practical guideline. *Crit Rev Oncol Hematol.* 2012; 84 (2): 252-60.

Frasa MA, Koessmeier KT, Ahmadian MR, Braga VM. Illuminating the functional and structural repertoire of human TBC/RABGAPs. *Nat Rev Mol Cell Biol.* 2012; 13 (2): 67-73.

Lybol C, Ottevanger PB, Thomas CM, Sweep FC, Massuger LF. Centralised registration of gestational trophoblastic disease and trends in incidence. *Acta Oncol.* 2012; 51 (3): 415-6.

Lybol C, Westerdijk K, Sweep FC, Ottevanger PB, Massuger LF, Thomas CM. Human chorionic gonadotropin (hCG) regression nomograms for patients with high-risk gestational trophoblastic neoplasia treated with EMA/CO (etoposide, methotrexate, actinomycin D, cyclophosphamide and vincristine) chemotherapy. *Ann Oncol.* 2012; 23 (11): 2903-6.

Middelbeek J, Kuipers AJ, Henneman L, Visser D, Eidhof I, van Horssen R, Wieringa B, Canisius SV, Zwart W, Wessels LF, Sweep FC, Bult P, Span PN, van Leeuwen FN, Jalink K. TRPM7 is required for breast tumor cell metastasis. *Cancer Res.* 2012; 72 (16): 4250-61.

Noordermeer SM, Wennemers M, Bergevoet SM, van der Heijden A, Tönnissen E, Sweep FC, Jansen JH, Span PN, van der Reijden BA. Expression of the BRCA1 complex member BRE predicts disease free survival in breast cancer. *Breast Cancer Res Treat.* 2012; 135 (1): 125-33.

Schröder FH, Hugosson J, Roobol MJ, Tammela TL, Ciatto S, Nelen V, Kwiatkowski M, Lujan M, Lilja H, Zappa M, Denis LJ, Recker F, Määttänen L, Bangma CH, Aus G, Carlsson S, Villers A, Rebillard X, van der Kwast T, Kujala PM, Blijenberg BG, Stenman UH, Huber A, Taari K, Hakama M, Moss SM, de Koning HJ, Auvinen A; ERSPC Investigators. Prostate-cancer mortality at 11 years of follow-up. *N Engl J Med.* 2012; 366 (11): 981-90.

Seiz L, Dorn J, Kotzsch M, Walch A, Grebenchtchikov NI, Gkazepis A, Schmalfeldt B, Kiechle M, Bayani J, Diamandis EP, Langer R, Sweep FC, Schmitt M, Magdolen V. Stromal cell-associated expression of kallikrein-related peptidase 6 (KLK6) indicates poor prognosis of ovarian cancer patients. *Biol Chem.* 2012; 393 (5): 391-401.

Sokoll LJ, Chan DW, Klee GG, Roberts WL, van Schaik RH, Arockiasamy DA, Broyles DL, Carlson CM, Mizrahi IA, Pierson TB, Tam JE. Multi-center analytical performance evaluation of the Access Hybritech® p2PSA immunoassay. *Clin Chim Acta.* 2012; 413 (15-16): 1279-83.

Starmans MH, Lieuwes NG, Span PN, Haider S, Dubois L, Nguyen F, van Laarhoven HW, Sweep FC, Wouters BG, Boutros PC, Lambin P. Independent and functional validation of a multi-tumour-type proliferation signature. *Br J Cancer.* 2012; 107 (3): 508-15.

van der Sluis TM, Bui HN, Meuleman EJ, Heijboer AC, Hartman JF, van Adrichem N, Boevé E, de Ronde W, van Moorselaar RJ, Vis AN. Lower testosterone levels with luteinizing hormone-releasing hormone agonist therapy than with surgical castration: new insights attained by mass spectrometry. *J Urol.* 2012; 187 (5): 1601-7.

van der Sluis TM, Meuleman EJ, van Moorselaar RJ, Bui HN, Blankenstein MA, Heijboer AC, Vis AN. Intraprostatic testosterone and dihydrotestosterone. Part II: concentrations after androgen hormonal manipulation in men with benign prostatic hyperplasia and prostate cancer. *BJU Int.* 2012; 109 (2): 183-8.

Verbeek HH, Plukker JT, Koopmans KP, de Groot JW, Hofstra RM, Muller Kobold AC, van der Horst-Schrivers AN, Brouwers AH, Links TP. Clinical relevance of 18F-FDG PET and 18F-DOPA PET in recurrent medullary thyroid carcinoma. *J Nucl Med.* 2012; 53 (12): 1863-71.

Vercoulen Y, Guichelaar T, Meerding J, Emmelot M, Pingen M, Storm G, Coffer P, Sawitzki B, Martens A, Mutis T, Prakken B. Application of cultured human regulatory T-cells requires preclinical in-vivo evaluation. *J Allergy Clin Immunol.* 2012; 129 (3): 852-855.

Wennemers M, Bussink J, van den Beucken T, Sweep FC, Span PN. Regulation of TRIB3 mRNA and protein in breast cancer. *PLoS One.* 2012; 7 (11): e49439.

## Klinisch: Toxicologie

van Swelm RP, Laarakkers CM, Blous L, Peters JG, Blaney Davidson EN, van der Kraan PM, Swinkels DW, Masereeuw R, Russel FG. Acute acetaminophen intoxication leads to hepatic iron loading by decreased hepcidin synthesis. *Toxicol Sci.* 2012; 129 (1): 225-33.