

Publicaties der leden 2013

Analytisch: Hematologie

Ağar Ç, van den Dool EJ, Stroobants AK. Het effect van Orale Directe Inhibitors op routine hemostase screeningstesten. *Ned Tijdschr Hematol.* 2013; 306-12.

Alaarg A, Schiffelers RM, van Solinge WW, van Wijk R. Red blood cell vesiculation in hereditary hemolytic anemia. *Front Physiol.* 2013;4:365.

de Bie P, Schornagel WJ, van den Dool EJ, Bakker B, van Dam W, Heckman M, Ağar C, Sturk A, Stroobants AK. Laboratory evaluation of the Coasys® Plus C coagulation analyzer. *Thromb Res.* 2013;131(4):357-62.

de Vooght KM, Lau C, de Laat PP, van Wijk R, van Solinge WW, Schiffelers RM. Extracellular vesicles in the circulation: are erythrocyte microvesicles a confounder in the plasma haemoglobin assay? *Biochem Soc Trans.* 2013;41(1):288-92.

Dinkelaar J, Molenaar PJ, Ninivaggi M, de Laat B, Brinkman HJ, Leyte A. In vitro assessment, using thrombin generation, of the applicability of prothrombin complex concentrate as an antidote for Rivaroxaban. *J Thromb Haemost.* 2013;11(6):1111-8.

Fleming C, Brouwer R, Lindemans J, de Jonge R. Improved software on the Sysmex XE-5000 BF mode for counting leukocytes in cerebrospinal fluid. *Clin Chem Lab Med.* 2013;51(4):e61-3.

Grottke O, Rossaint R, Henskens Y, van Oerle R, Ten Cate H, Spronk HM. Thrombin generation capacity of prothrombin complex concentrate in an in vitro dilutional model. *PLoS One.* 2013;8(5):e64100.

Hoffmann JJ, van den Broek NM, Curvers J. Reference intervals of reticulated platelets and other platelet parameters and their associations. *Arch Pathol Lab Med.* 2013;137(11):1635-40.

Hoffmann JJ, Yu T. Howell-Jolly body interference in reticulocyte counts. *Clin Chem Lab Med.* 2013;51(12):e305-6.

Hoffmann JJ. Laboratory hematology in the history of Clinical Chemistry and Laboratory Medicine. *Clin Chem Lab Med.* 2013;51:119-27.

Hoffmann JJML. Measuring red blood cell distribution width (RDW). *Eur Ger Med.* 2013;4:198.

Kemperman H, van Solinge WW, Hol S, van der Spoel JJ, de Vooght KM. Reply: Concepts of arterial oxygen saturation in the presence of carboxyhemoglobin. *Am J Respir Crit Care Med.* 2013;188(6):750.

Kloos R, Bierings MB, van Solinge WW, Schutgens REG, van Wijk R. Zeldzame hereditaire enzymstoornissen van de rode bloedcel. *Ned Tijdschr Hematol.* 2013;10:54-64.

Klop B, van de Geijn GJ, Njo TL, Janssen HW, Rietveld AP, van Miltenburg A, Fernández-Sender L, Elte JW, Castro Cabezas M. Leukocyte cell population data (volume conductivity scatter) in postprandial leukocyte activation. *Int J Lab Hematol.* 2013;35(6):644-51.

Kortekaas KA, Lindeman JH, Reinders ME, Palmen M, Klautz RJ, de Groot PG, Roest M. Pre-existing endothelial cell activation predicts vasoplegia after mitral valve surgery. *Interact Cardiovasc Thorac Surg.* 2013;17(3):523-30.

Lancé MD, Henskens YM, Nelemans P, Theunissen MH, Oerle RV, Spronk HM, Marcus MA. Do blood collection methods influence whole-blood platelet function analysis? *Platelets.* 2013;24(4):275-81.

Lancé MD, Henskens YM. Effect of pneumatic tube transport on rotational thromboelastometry. *Br J Anaesth.* 2013;110(1):142.

Oostvogels R, Kemperman H, Hubeek I, Ter Braak EW. The importance of the osmolality gap in ethylene glycol intoxication. *BMJ.* 2013;347:f6904.

Roest M, van Holten TC, Fleurke GJ, Remijn JA. Platelet activation test in unprocessed blood (Pac-t-UB) to monitor platelet concentrates and whole blood of thrombocytopenic patients. *Transfus Med Hemother.* 2013;40(2):117-25.

Schaap CC, Hendriks JC, Kortman GA, Klaver SM, Kroon JJ, Laarakkers CM, Wiegerinck ET, Tjalsma H, Janssen MC, Swinkels DW. Diurnal rhythm rather than dietary iron mediates daily hepcidin variations. *Clin Chem.* 2013;59(3):527-35.

Sels JW, Rutten B, van Holten TC, Hillaert MA, Waltenberger J, Pijls NH, Pasterkamp G, de Groot PG, Roest M. The relationship between fractional flow reserve, platelet reactivity and platelet leukocyte complexes in stable coronary artery disease. *PLoS One.* 2013;8(12):e83198.

Starzyński Lipiński RR, Laarakkers CM, Tjalsma H, Swinkels DW, Pieszka M, Styś A, Mickiewicz M, Lipiski P. Iron supplementation in suckling piglets: how to correct iron deficiency anemia without affecting plasma hepcidin levels. *PLoS One*. 2013;8(5):e64022.

Stroobants AK. Laboratory measurement of Direct Oral AntiCoagulants (DOAC's). *Clotting Times*. 2013;3:27-8.

Terwijn M, van Putten WL, Kelder A, van der Velden VH, Brooimans RA, Pabst T, Maertens J, et al. High prognostic impact of flow cytometric minimal residual disease detection in acute myeloid leukemia: data from the HOVON/SAKK AML 42A study. *J Clin Oncol*. 2013;31(31):3889-97.

Urbanus RT, van der Wal DE, Koekman CA, Huisman A, van den Heuvel DJ, Gerritsen HC, Deckmyn H, Akkerman JW, Schutgens RE, Gitz E. Patient auto-antibodies induce platelet destruction signals via raft-associated glycoprotein Ib and Fc RIIa in immune thrombocytopenia. *Haematologica*. 2013;98(7):e70-2.

Vader P, Fens MH, Sachini N, van Oirschot BA, Andringa G, Egberts AC, Gaillard CA, Rasmussen JT, van Wijk R, van Solinge WW, Schiffelers RM. Taxol®-induced phosphatidylserine exposure and microvesicle formation in red blood cells is mediated by its vehicle Cremophor® EL. *Nanomedicine (Lond)*. 2013;8(7):1127-35.

van Haelst IM, Egberts AC, Doodeman HJ, van Solinge WW, Kalkman CJ, Bennis M, Traast HS, van Klei WA. Occurrence and determinants of poor response to short-term pre-operative erythropoietin treatment. *Acta Anaesthesiol Scand*. 2013;57(3):350-7.

van Holten TC, Waanders LF, de Groot PG, Vissers J, Hofer IE, Pasterkamp G, Prins MW, Roest M. Circulating biomarkers for predicting cardiovascular disease risk; a systematic review and comprehensive overview of meta-analyses. *PLoS One*. 2013;8(4):e62080.

van Rijn BB, Nijdam ME, Bruinse HW, Roest M, Uiterwaal CS, Grobbee DE, Bots ML, Franx A. Cardiovascular disease risk factors in women with a history of early-onset preeclampsia. *Obstet Gynecol*. 2013;121(5):1040-8.

van Rossum AP, Vlasveld LT, Castel A. Falsely elevated cobalamin concentration in multiple assays in a patient with pernicious anemia: a case study. *Clin Chem Lab Med*. 2013;51(9):e217-9.

van Zwieten R, François JJ, van Leeuwen K, van Wesel AC, van Bruggen R, van Solinge WW, Roos D, Verhoeven AJ, van Wijk R. Hereditary spherocytosis due to band 3 deficiency: 15 novel mutations in SLC4A1. *Am J Hematol*. 2013;88(2):159-60.

Voorhuis FT, Dieleman JM, de Vooght KM, van Dijk D, van Herwerden LA, Peelen LM, van Klei WA. Storage time of red blood cell concentrates and adverse outcomes after cardiac surgery: a cohort study. *Ann Hematol*. 2013;92(12):1701-6.

Wijten P, van Holten T, Woo LL, Bleijerveld OB, Roest M, Heck AJ, Scholten A. High precision platelet releasate definition by quantitative reversed protein profiling-brief report. *Arterioscler Thromb Vasc Biol*. 2013;33(7):1635-8.

Analytisch: Immunochemie

Buttler RM, Kruit A, Blankenstein MA, Heijboer AC. Measurement of dehydroepiandrosterone sulphate (DHEAS): a comparison of isotope-dilution liquid chromatography tandem mass spectrometry (ID-LC-MS/MS) and seven currently available immunoassays. *Clin Chim Acta*. 2013;424:22-6.

Boelen A, van Veen M, Verkerk PH, Diependaal G, Loeber G, Elvers B, Endert E. Measuring free thyroxine levels in neonatal heel-prick samples. *Clin Chim Acta*. 2013;423:51-5

Depreter B, Heijboer AC, Langlois MR. Accuracy of three automated 25-hydroxyvitamin D assays in hemodialysis patients. *Clin Chim Acta*. 2013;415:255-60.

Heijboer AC, Blankenstein MA, Hoenderop J, de Borst MH, Vervloet MG. NIGRAM consortium. Laboratory aspects of circulating X-Klotho. *Nephrol Dial Transplant*. 2013;28(9):2283-7.

Hillebrand JJ, Moens HB, Mulder AH. Changes in Farr radioimmunoassay and ELISA fluorescence immunoassay anti-dsDNA in relation to exacerbation of SLE. *Lupus*. 2013;22(11):1169-73.

Janssen MJ, Velmans MH, Willemsse N. Influence of sample type and delayed separation from cells on the measurement of B-type natriuretic peptide with the Architect system. *Clin Chem Lab Med*. 2013;51(10):e235-7.

Terwijn M, Blankenstein MA, Heijboer AC, van Schie A. Pregnancy detection by quantitative urine hCG analysis: the need for a lower cut-off. *Clin Chim Acta*. 2013;424:174.

Analytisch: Klinische chemie

Alipour A, Ribalta J, Njo TL, Janssen HW, Birnie E, van Miltenburg AJ, Elte JW, Castro Cabezas M. Trans-vessel gradient of myeloperoxidase in coronary artery disease. *Eur J Clin Invest*. 2013;43(9):920-5.

Broeren MA, Maas Y, Retera E, Arents NL. Anti-microbial susceptibility testing in 90 min by bacterial cell count monitoring. *Clin Microbiol Infect*. 2013;19(3):286-91.

- van Brummelen EMJ, Boesten LSM, de Vooght KMK. Gebruik van de Precision Xceed Pro Point of Care glucose stripmeting bij neonaten. *NedTijdschr Klin Chem Labgeneesk*. 2013;38:190-3.
- Bui HN, Blankenstein MA, Heijboer AC. Isotopically labelled testosterone derivatives as internal standards in liquid chromatography-tandem mass spectrometry. *Ann Clin Biochem*. 2013;50(3):275-6.
- den Boer E, Meesters RJ, van Zelst BD, Luider TM, Hazes JM, Heil SG, de Jonge R. Measuring methotrexate polyglutamates in red blood cells: a new LC-MS/MS-based method. *Anal Bioanal Chem*. 2013;405(5):1673-81.
- Gillis JM, Dunselman P, Jarausch J, de Jong N, Cobbaert CM. Preanalytical storage does not affect 99th percentile cardiac troponin T concentrations measured with a high-sensitivity assay. *Clin Chem*. 2013;59(2):442-3.
- Heiligers-Duckers C, Peters NA, van Dijck JJ, Hoeijmakers JM, Janssen MJ. Low vacuum and discard tubes reduce hemolysis in samples drawn from intravenous catheters. *Clin Biochem*. 2013;46(12):1142-4.
- ter Heine R, van Maarseveen EM, van der Westerlaken MML, Braun KPJ, Koudijs SM, ten Berg MJ. The quantitative effect of serum albumin, serum urea and valproic acid on unbound phenytoin concentrations in children. *J Child Neurol*. 2013; 29(6):803-10.
- Klop B, van de Geijn GJ, Bovenberg SA, van der Meulen N, Elte JW, Birnie E, Njo TL, Janssen HW, van Miltenburg A, Jukema JW, Cabezas MC. Erythrocyte-bound apolipoprotein B in relation to atherosclerosis, serum lipids and ABO blood group. *PLoS One*. 2013;8(9):e75573.
- Laarakkers CM(1), Wiegerinck ET, Klaver S, Kolodziejczyk M, Gille H, Hohlbaum AM, Tjalsma H, Swinkels DW. Improved mass spectrometry assay for plasma hepcidin: detection and characterization of a novel hepcidin isoform. *PLoS One*. 2013 Oct 4;8(10):e75518.
- Leenders M, Verdijk LB, van der Hoeven L, van Kranenburg J, Nilwik R, Wodzig WK, Senden JM, Keizer HA, van Loon LJ. Protein supplementation during resistance-type exercise training in the elderly. *Med Sci Sports Exerc*. 2013;45(3):542-52.
- Lenters-Westra E, Schindhelm RK, Bilo HJ, Slingerland RJ. Haemoglobin A1c: Historical overview and current concepts. *Diabetes Res Clin Pract*. 2013;99:75-84.
- Maas RP, Voets PJ, de Swart L, Swinkels DW. [Non-transferrin-bound iron: a promising biomarker in iron overload disorders]. *Ned Tijdschr Geneesk*. 2013;157(49):A6258.
- van Haard PMM, Nguyen Do Ngoc L, Witte G. Simple pre-analytical strategy on blood Glutathione preservation in multi-centre clinical trial setting. *Separation Science*. 2013
- Rao JU, Engelke UF, Rodenburg RJ, Wevers RA, Pacak K, Eisenhofer G, Qin N, Kusters B, Goudswaard AG, Lenders JW, Hermus AR, Mensenkamp AR, Kunt HP, Sweep FC, Timmers HJ. Genotype-specific abnormalities in mitochondrial function associate with distinct profiles of energy metabolism and catecholamine content in pheochromocytoma and paraganglioma *Clin Cancer Res*. 2013;19(14):3787-95.
- Schellings MW, Christianen K, de Wild P, Kuijper P. Mast cell count and morphology in the diagnosis of low-grade myelodysplastic syndromes. *J Clin Pathol*. 2013;66(12):1092-4.
- Tintu A, Rouwet E, Russcher H. Interference of ethylene glycol with (L)-lactate measurement is assay-dependent. *Ann Clin Biochem*. 2013;50(1):70-2.
- van den Broek I, Smit NP, Romijn FP, van der Laarse A, Deelder AM, van der Burgt YE, Cobbaert CM. Evaluation of interspecimen trypsin digestion efficiency prior to multiple reaction monitoring-based absolute protein quantification with native protein calibrators. *J Proteome Res*. 2013;12(12):5760-74.
- van Rossum HH, van Rossum AP, van Geenen EJ, Castel A. The one hour lactose tolerance test. *Clin Chem Lab Med*. 2013;51(9):e201-3.
- van Waes JA, Nathoe HM, de Graaff JC, Kemperman H, de Borst GJ, Peelen LM, van Klei WA; Cardiac Health After Surgery (CHASE) Investigators. Myocardial injury after noncardiac surgery and its association with short-term mortality. *Circulation*. 2013;127(23):2264-71.
- Weykamp C, Wielders JP, Helander A, Anton RF, Bianchi V, Jeppsson JO, Siebelder C, Whitfield JB, Schellenberg F. IFCC Working Group on Standardization of Carbohydrate-Deficient Transferrin (WG-CDT). Toward standardization of carbohydrate-deficient transferrin (CDT) measurements: III. Performance of native serum and serum spiked with disialotransferrin proves that harmonization of CDT assays is possible. *Clin Chem Lab Med*. 2013;51(5):991-6.
- Zalpuri S, Schonewille H, Middelburg R, van de Watering L, de Vooght K, Zimring J, van der Bom JG, Zwaginga JJ. Effect of storage of red blood cells on alloimmunization. *Transfusion*. 2013;53(11):2795-800.
- Zulfiqar M, Lin DD, van der Graaf M, Barker PB, Fahrner JA, Marie S, Morava E, de Boer L, Willemsen MA, Vining E, Horska A, Engelke U, Wevers RA, Maegawa GH. Novel proton MR spectroscopy findings in adenylosuccinate lyase deficiency. *J Magn Reson Imaging*. 2013;37(4):974-80.

Analytisch: Moleculaire technieken

Gregoor JG, van der Weide K, van der Weide J, van Megen HJ, Egberts AC, Heerdink ER. The association between CYP2D6 genotype and switching antipsychotic medication to clozapine. *Eur J Clin Pharmacol*. 2013;69(11):1927-32.

Heil SG. Epigenetic techniques in pharmacogenetics. *Methods Mol Biol*. 2013;1015:179-88.

Koch BC, van Schaik RH, van Gelder T, Mathijssen RH; Rotterdam Clinical Pharmacology-Pharmacogenetics Group (RCPPG). Doubt about the feasibility of preemptive genotyping. *Clin Pharmacol Ther*. 2013;93(3):233.

Mutsaers HA, Engelke UF, Wilmer MJ, Wetzels JF, Wevers RA, van den Heuvel LP, Hoenderop JG, Masereeuw R. Optimized metabolomic approach to identify uremic solutes in plasma of stage 3-4 chronic kidney disease patients. *PLoS One*. 2013;8(8):e71199.

Navis AC, Niclou SP, Fack F, Stieber D, van Lith S, Verrijp K, Wright A, et al. Increased mitochondrial activity in a novel IDH1-R132H mutant human oligodendroglioma xenograft model: in situ detection of 2-HG and X-KG. *Acta Neuropathol Commun*. 2013;1(1):18.

van Beek EM, Roelandse-Koop EA, Vijzelaar R, Yilmaz R, van Hoogstraten IM, Schreurs MW, Verheul AA, van Houte AJ, Kortlandt W. A multiplex assay to rapidly exclude HLA-DQ2.5 and HLA-DQ8 expression in patients at risk for celiac disease. *Clin Chem Lab Med*. 2013;51(6):1191-8.

Bedrijfsvoering: Dienstverlening

Geerts AFJ, de Koning FHP, de Vooght KMK, Egberts ACG, de Smet PAGM. Nierfunctiemeting bij ambulante oudere patienten in de openbare apotheek. *PW Wetenschappelijk Platform*. 2013;7:156-62.

Janssens PM, Wasser G. Managing laboratory test ordering through test frequency filtering. *Clin Chem Lab Med*. 2013;51:1207-15.

Bedrijfsvoering: Diversen

Eppens E, Roelofs-Thijssen M, de Jonge N, van Dongen-Lases E. National guideline for phlebotomy in the Netherlands. *Biochemica Medica*. 2013;23(1):A55.

Jacobs LH, Steuten LM, van 't Sant P, Kusters R. Cost-mini-misation in vitamin B12 deficiencies: expensive diagnostics can reduce spending. *Neth J Med*. 2013;71(5):274-5.

Mannesse CK, Vondeling AM, van Marum RJ, van Solinge WW, Egberts ACG, Jansen PAF. Prevalence of hyponatremia on geriatric wards compared to other settings over four decades: a systematic review. *Ageing Res Rev*. 2013;12:165-73.

Bedrijfsvoering: Kwaliteit / Automatisering / Statistiek

de Jonge N, Ballieux BE, Schenk PW, Cobbaert CM. Structured handoff at shift change in a clinical laboratory increases patient safety. *Clin Chem Lab Med*. 2013;51(6):e127-8.

Dijkstra IM, de Keijzer MH, van Loon D. Samenwerkende ziekenhuizen en gevolgen voor medische laboratoria: een voorbeeld van laboratoriumonderzoek voor een dialyseafdeling op afstand. *Ned Tijdschr Klin Chem Labgeneesk*. 2013;38:153-57.

Kot AC, de Jonge N. Design of a high quality and controlled process for a centralized phlebotomy unit. *Biochemica Medica*. 2013;23(1):A23-4.

Man WH, Ten Berg M, Wilting I, Huisman A, Cahn W, Douma JW, den Breeijen H, Heerdink ER, Egberts T, van Solinge W. Fluorescence of neutrophil granulocytes as a biomarker for clozapine use. *Eur Neuropsychopharmacol*. 2013;23(11):1408-13.

van Mourik MS, Troelstra A, van Solinge WW, Moons KG, Bonten MJ. Automated surveillance for healthcare-associated infections: opportunities for improvement. *Clin Infect Dis*. 2013;57(1):85-93.

Bedrijfsvoering: Point-of-care testing

Finfer S, Wernerman J, Preiser JC, Cass T, Desai T, Hovorka R, Joseph JJ, et al. Clinical review: Consensus recommendations on measurement of blood glucose and reporting glycemic control in critically ill adults. *Crit Care*. 2013;17(3):229.

Geerts AF, de Koning FH, de Vooght KM, Egberts AC, de Smet PA, van Solinge WW. Feasibility of point-of-care creatinine testing in community pharmacy to monitor drug therapy in ambulatory elderly patients. *J Clin Pharm Ther*. 2013;38(5):416-22.

Klinisch: Allergie / infectieziekten

Boonen KJ, Koldewijn EL, Arents NL, Raaymakers PA, Scharnhorst V. Urine flow cytometry as a primary screening method to exclude urinary tract infections. *World J Urol*. 2013;31(3):547-51.

Broeren MA, Maas Y, Retera E, Arents NL. Antimicrobial susceptibility testing in 90 min by bacterial cell count monitoring. *Clin Microbiol Infect*. 2013;19(3):286-91.

Hillebrand JJ, Miesen WM, Mulder AH. [Specific IgE testing in food allergies]. *Ned Tijdschr Geneesk*. 2013;157(28):A5988.

Jonker FA, Calis JC, Phiri K, Kraaijenhagen RJ, Brabin BJ, Faragher B, Wiegerinck ET, Tjalsma H, Swinkels DW, Boele van Hensbroek M. Low hepcidin levels in severely anemic malawian children with high incidence of infectious diseases and bone marrow iron deficiency. *PLoS One*. 2013;8(12):e78964.

Kox M, van den Berg MJ, van der Hoeven JG, Wienders JP, van der Ven AJ, Pickkers P. Vitamin D status is not associated with inflammatory cytokine levels during experimental human endotoxaemia. *Clin Exp Immunol.* 2013;171(2):231-6.

van Santen S, de Mast Q, Swinkels DW, van der Ven AJ. The iron link between malaria and invasive nontyphoid *Salmonella* infections. *Trends Parasitol.* 2013;29(5):220-7.

van Veen WJ, Dikkeschei LD, Roberts G, Brand PL. Predictive value of specific IgE for clinical peanut allergy in children: relationship with eczema, asthma, and setting (primary or secondary care). *Clin Transl Allergy.* 2013;3(1):34.

Wisaksana R, de Mast Q, Alisjahbana B, Jusuf H, Sudjana P, Indrati AR, Sumantri R, Swinkels D, van Crevel R, van der Ven A. Inverse relationship of serum hepcidin levels with CD4 cell counts in HIV-infected patients selected from an Indonesian prospective cohort study. *PLoS One.* 2013;8(11):e79904.

Klinisch: Endocrinologie

Muskiet FAJ, Schuitemaker GE, van der Veer E, Wienders JPM. Een kritische beschouwing van de aanbevelingen en de rationale van het Gezondheidsraad rapport 'Evaluatie van de voedingsnormen voor vitamine D'. *Ned Tijdschr Klin Chem Labgeneesk.* 2013;38:169-85.

Bongers-Schokking JJ, de Ridder MA, de Rijke YB, de Muinck Keizer-Schrama SM. Experience in treating congenital hypothyroidism: implications regarding free thyroxine and thyrotropin steady-state concentrations during optimal levothyroxine treatment. *Thyroid.* 2013;23(2):160-5.

Bongers-Schokking JJ, Resing WC, de Rijke YB, de Ridder MA, de Muinck Keizer-Schrama SM. Cognitive development in congenital hypothyroidism: is overtreatment a greater threat than undertreatment? *J Clin Endocrinol Metab.* 2013;98(11):4499-506.

Brands M, Swat M, Lammers NM, Sauerwein HP, Endert E, Ackermans MT, Verhoeven AJ, Serlie MJ. Effects of a hypercaloric diet on β -cell responsiveness in lean healthy men. *Clin Endocrinol (Oxf).* 2013;78(2):217-25.

Bui HN, Schagen SE, Klink DT, Delemarre-van de Waal HA, Blankenstein MA, Heijboer AC. Salivary testosterone in female-to-male transgender adolescents during treatment with intra-muscular injectable testosterone esters. *Steroids.* 2013;78(1):91-5.

Bui HN, Sluss PM, Blincko S, Knol DL, Blankenstein MA, Heijboer AC. Dynamics of serum testosterone during the menstrual cycle evaluated by daily measurements with an ID-LC-MS/MS method and a 2nd generation automated immunoassay. *Steroids.* 2013;78(1):96-101.

Buizert PJ, van Schoor NM, Simsek S, Lips P, Heijboer AC, den Heijer M, Deeg DJ, Eekhoff EM. PTH: a new target in arteriosclerosis? *J Clin Endocrinol Metab.* 2013;98(10):E1583-90.

Dankers AC, Roelofs MJ, Piersma AH, Sweep FC, Russel FG, van den Berg M, van Duursen MB, Masereeuw R. Endocrine disruptors differentially target ATP-binding cassette transporters in the blood-testis barrier and affect Leydig cell testosterone secretion in vitro. *Toxicol Sci.* 2013;136(2):382-91.

Dankers AC, Mutsaers HA, Dijkman HB, van den Heuvel LP, Hoenderop JG, Sweep FC, Russel FG, Masereeuw R. Hyperuricemia influences tryptophan metabolism via inhibition of multidrug resistance protein 4 (MRP4) and breast cancer resistance protein (BCRP). *Biochim Biophys Acta.* 2013;1832(10):1715-22.

de Jong M, Rotteveel J, Heijboer AC, Cranendonk A, Twisk JW, van Weissenbruch MM. Urine gonadotropin and estradiol levels in female very-low-birth-weight infants. *Early Hum Dev.* 2013;89(3):131-5.

de Jongh RT, Vervloet MG, Bravenboer N, Heijboer AC, den Heijer M, Lips P. [Chronic bone pain due to raised FGF23 production? The importance of determining phosphate levels.] *Ned Tijdschr Geneesk.* 2013;157(28):A5908.

de Koning PP, Figeo M, Endert E, Storoosum JG, Fliers E, Denys D. Deep brain stimulation for obsessive-compulsive disorder is associated with cortisol changes. *Psychoneuroendocrinology.* 2013;38(8):1455-9.

Deckers MM, de Jongh RT, Lips PT, Penninx BW, Milaneschi Y, Smit JH, van Schoor NM, Blankenstein MA, Heijboer AC. Prevalence of vitamin D deficiency and consequences for PTH reference values. *Clin Chim Acta.* 2013;426:41-5.

Dekkers T, Deinum J, Schultzekool LJ, Blondin D, Vonend O, Hermus AR, Peitzsch M, Rump LC, Antoch G, Sweep FC, Bornstein SR, Lenders JW, Willenberg HS, Eisenhofer G. Plasma metanephrine for assessing the selectivity of adrenal venous sampling. *Hypertension.* 2013;62(6):1152-7.

Dekkers T, Arntz MJ, van der Wilt GJ, Schultze Kool LJ, Sweep FC, Hermus AR, Lenders JW, Deinum J. Single versus duplicate blood samples in ACTH stimulated adrenal vein sampling. *Clin Chim Acta.* 2013;423:15-7.

Dreijerink KM, Kampschreur LM, Lentjes EG, Lokhorst B, Zelissen PM. Atypical hypocortisolism. *Endocr Pract.* 2013;19(5):e112-4.

Duvivier BM, Schaper NC, Bremers MA, van Crombrugge G, Menheere PP, Kars M, Savelberg HH. Minimal intensity physical activity (standing and walking) of longer duration improves insulin action and plasma lipids more than shorter periods of moderate to vigorous exercise (cycling) in sedentary subjects when energy expenditure is comparable. *PLoS One*. 2013;8(2):e55542.

Eisenhofer G, Lattke P, Herberg M, Siegert G, Qin N, Därr R, Hoyer J, Villringer A, Prejbisz A, Januszewicz A, Remaley A, Martucci V, Pacak K, Ross HA, Sweep FC, Lenders JW. Reference intervals for plasma free metanephrines with an age adjustment for normetanephrine for optimized laboratory testing of pheochromocytoma. *Ann Clin Biochem*. 2013;50(1):62-9.

Galesloot TE, Geurts-Moespot AJ, den Heijer M, Sweep FC, Fleming RE, Kiemeny LA, Vermeulen SH, Swinkels DW. Associations of common variants in HFE and TMPRSS6 with iron parameters are independent of serum hepcidin in a general population: a replication study. *J Med Genet*. 2013;50(9):593-8.

Heusser H, Tank J, Brinkmann J, Schmidt B, Menne J, Klein G, Bauersachs J, Haller H, Sweep FC, Diedrich A, Jordan J. Response to catheter-based renal nerve ablation and centrally generated sympathetic activity in difficult-to-control hypertensive patients. *Hypertension*. 2013;61(2):e9-10.

Heusser K, Tank J, Brinkmann J, Schmidt B, Menne J, Klein G, Bauersachs J, Haller H, Sweep FC, Diedrich A, Jordan J. Response to blood pressure and sympathetic nervous system response to renal denervation. *Hypertension*. 2013;61(2):e14.

Jordan J, Heusser K, Brinkmann J, Schmidt B, Menne J, Klein G, Bauersachs J, Haller H, Sweep FC, Diedrich A, Tank J. Response to catheter-based renal nerve ablation and centrally generated sympathetic activity in difficult-to-control hypertensive patients: prospective case series. *Hypertension*. 2013;61(2):e18.

Joustra SD, Schoenmakers N, Persani L, Campi I, Bonomi M, Radetti G, Beck-Peccoz P, et al. The IGSF1 deficiency syndrome: characteristics of male and female patients. *J Clin Endocrinol Metab*. 2013;98(12):4942-52.

Klaver EI, van Loon HC, Stienstra R, Links TP, Keers JC, Kema IP, Kobold AC, van der Klauw MM, Wolffenbuttel BH. Thyroid hormone status and health-related quality of life in the LifeLines cohort study. *Thyroid*. 2013;23(9):1066-73.

Klein RH, Alvarez-Jimenez R, Sukhai RN, Oostdijk W, Bakker B, Reeser HM, Ballieux BE, Hu P, Klaassen ES, Freijer J, Burggraaf J, Cohen AF, Wit JM. Pharmacokinetics and pharmacodynamics of orally administered clonidine: a model-based approach. *Horm Res Paediatr*. 2013;79(5):300-9.

Korevaar TI, Medici M, de Rijke YB, Visser W, de Muinck Keizer-Schrama SM, Jaddoe VW, Hofman A, Ross HA, Visser WE, Hooijkaas H, Steegers EA, Tiemeier H, Bongers-Schokking JJ, Visser TJ, Peeters RP. Ethnic differences in maternal thyroid parameters during pregnancy: the Generation R study. *J Clin Endocrinol Metab*. 2013;98(9):3678-86.

Korevaar TI, Schalekamp-Timmermans S, de Rijke YB, Visser WE, Visser W, de Muinck Keizer-Schrama SM, Hofman A, Ross HA, Hooijkaas H, Tiemeier H, Bongers-Schokking JJ, Jaddoe VW, Visser TJ, Steegers EA, Medici M, Peeters RP. Hypothyroxinemia and TPO-antibody positivity are risk factors for premature delivery: the generation R study. *J Clin Endocrinol Metab*. 2013;98(11):4382-90.

Luxwolda MF, Kuipers RS, Kema IP, van der Veer E, Dijck-Brouwer DA, Muskiet FA. Vitamin D status indicators in indigenous populations in East Africa. *Eur J Nutr*. 2013;52(3):1115-25.

Luykx JJ, Bakker SC, van Geloven N, Eijkemans MJ, Horvath S, Lentjes E, Boks MP, et al. Seasonal variation of serotonin turnover in human cerebrospinal fluid, depressive symptoms and the role of the 5-HTTLPR. *Transl Psychiatry*. 2013;3:e311.

Medici M, Timmermans S, Visser W, de Muinck Keizer-Schrama SM, Jaddoe VW, Hofman A, Hooijkaas H, de Rijke YB, Tiemeier H, Bongers-Schokking JJ, Visser TJ, Peeters RP, Steegers EA. Maternal thyroid hormone parameters during early pregnancy and birth weight: the Generation R Study. *J Clin Endocrinol Metab*. 2013;98(1):59-66.

Oonincx DG, van de Wal MD, Bosch G, Stumpel JB, Heijboer AC, van Leeuwen JP, Hendriks WH, Kik M. Blood vitamin D(3) metabolite concentrations of adult female bearded dragons (*Pogona vitticeps*) remain stable after ceasing UVb exposure. *Comp Biochem Physiol B Biochem Mol Biol*. 2013;165(3):196-200.

Osinga TE, van den Eijnden MH, Kema IP, Kerstens MN, Dullaart RP, de Jong WH, Sluiter WJ, Links TP, van der Horst-Schrivers AN. Unilateral and bilateral adrenalectomy for pheochromocytoma requires adjustment of urinary and plasma metanephrine reference ranges. *J Clin Endocrinol Metab*. 2013;98(3):1076-83.

Porcu E, Medici M, Pistis G, Volpato CB, Wilson SG, Cappola AR, Bos SD, Deelen J, et al. A meta-analysis of thyroid-related traits reveals novel loci and gender-specific differences in the regulation of thyroid function. *PLoS Genet*. 2013;9(2):e1003266.

Rao JU, Engelke UF, Rodenburg RJ, Wevers RA, Pacak K, Eisenhofer G, Qin N, et al. Genotype-specific abnormalities in mitochondrial function associate with distinct profiles of energy metabolism and catecholamine content in pheochromocytoma and paraganglioma. *Clin Cancer Res*. 2013;19(14):3787-95.

Raps M, Helmerhorst FM, Fleischer K, van Hylckama VA, Stegeman BH, Thomassen S, Rosendaal FR, Rosing J, Ballieux BE, van Vliet HA. Sex hormone-binding globulin as a marker for the thrombotic risk of hormonal contraceptives: reply to a rebuttal. *J Thromb Haemost.* 2013;11(2):396-397.

Raps M, Rosendaal F, Ballieux B, Rosing J, Thomassen S, Helmerhorst F, van Vliet H. Resistance to APC and SHBG levels during use of a four-phasic oral contraceptive containing dienogest and estradiol valerate: a randomized controlled trial. *J Thromb Haemost.* 2013;11(5):855-61.

Román GC, Ghassabian A, Bongers-Schokking JJ, Jaddoe VW, Hofman A, de Rijke YB, Verhulst FC, Tiemeier H. Association of gestational maternal hypothyroxinemia and increased autism risk. *Ann Neurol.* 2013;74(5):733-42.

Goorden SMI, Kooren JA, de Ronde W, Buijs MM. Less or more? Vervolgdiagnostiek naar aanleiding van afwijkende schildklierwaarden in de huisartsenpopulatie. *Ned Tijdschr Klin Chem Labgeneesk* 2013;38:132-3.

Schooneman MG, Vaz FM, Houten SM, Soeters MR. Acylcarnitines: reflecting or inflicting insulin resistance? *Diabetes.* 2013;62(1):1-8.

Shab-Bidar S, Bours SP, Geusens PP, van der Velde RY, Janssen MJ, van den Bergh JP. Suboptimal effect of different vitamin D3 supplementations and doses adapted to baseline serum 25(OH)D on achieved 25(OH)D levels in patients with a recent fracture: a prospective observational study. *Eur J Endocrinol.* 2013;169(5):597-604.

Smans L, Lentjes E, Hermus A, Zelissen P. Salivary cortisol day curves in assessing glucocorticoid replacement therapy in Addison's disease. *Hormones (Athens).* 2013;12(1):93-100.

Sohl E, de Jongh RT, Heijboer AC, Swart KM, Brouwer-Brolsma EM, Enneman AW, de Groot CP, van der Velde N, Dhonukshe-Rutten RA, Lips P, van Schoor NM. Vitamin D status is associated with physical performance: the results of three independent cohorts. *Osteoporos Int.* 2013;24(1):187-96.

Thijs AM, van Herpen CM, Sweep FC, Geurts-Moespot A, Smits P, van der Graaf WT, Rongen GA. Role of endogenous vascular endothelial growth factor in endothelium-dependent vasodilation in humans. *Hypertension.* 2013;61(5):1060-5.

van de Lagemaat M, Rotteveel J, Heijboer AC, Lafeber HN, van Weissenbruch MM. Growth in preterm infants until six months postterm: the role of insulin and IGF-I. *Horm Res Paediatr.* 2013;80(2):92-9.

van de Ven AC, Netea-Maier RT, Ross HA, van Herwaarden TA, Holewijn S, de Graaf J, Kiemeny BL, van Tienoven D, Wetzels JF, Smit JW, Sweep FC, Hermus AR, den Heijer M. Longitudinal trends in thyroid function in relation to iodine intake: ongoing changes of thyroid function despite adequate current iodine status. *Eur J Endocrinol.* 2013;170(1):49-54.

van den Bergh JP, Bouts ME, van der Veer E, van der Velde RY, Janssen MJ, Geusens PP, Winkens B, Oldenhof NJ, van Geel TA. Comparing tolerability and efficacy of generic versus brand alendronate: a randomized clinical study in postmenopausal women with a recent fracture. *PLoS One.* 2013;8(10):e78153.

van den Ouweland JM, Vogeser M, Bächer S. Vitamin D and metabolites measurement by tandem mass spectrometry. *Rev Endocr Metab Disord.* 2013;14(2):159-84.

van Dijk D, Plukker JT, Phan HT, Muller Kobold AC, van der Horst-Schrivers AN, Jansen L, Sluiter WJ, Brouwers AH, Links TP. 18-fluorodeoxyglucose positron emission tomography in the early diagnostic workup of differentiated thyroid cancer patients with a negative post-therapeutic iodine scan and detectable thyroglobulin. *Thyroid.* 2013;23(8):1003-9.

van Drongelen J, van Koppen A, Pertijs J, Gooi JH, Sweep FC, Lotgering FK, Spaanderman ME, Smits P. Impaired effect of relaxin on vasoconstrictor reactivity in spontaneous hypertensive rats. *Peptides.* 2013;49:41-8.

van Mullem AA, Chrysis D, Eythimiadou A, Chroni E, Tsatsoulis A, de Rijke YB, Visser WE, Visser TJ, Peeters RP. Clinical phenotype of a new type of thyroid hormone resistance caused by a mutation of the TR α 1 receptor: Consequences of LT4 treatment. *J Clin Endocrinol Metab.* 2013;98(7):3029-38.

Wang P, Menheere PP, Astrup A, Andersen MR, van Baak MA, Larsen TM, Jebb S, Kafatos A, Pfeiffer AF, Martinez JA, Handjieva-Darlenska T, Hlavaty P, Viguerie N, Langin D, Saris WH, Mariman EC; Diogenes consortium. Metabolic syndrome, circulating RBP4, testosterone, and SHBG predict weight regain at 6 months after weight loss in men. *Obesity (Silver Spring).* 2013;21(10):1997-2006.

Klinisch: Erfelijke stofwisselingsziekten

Albersen M, Bosma M, Knoers NV, de Ruiter BH, Diekman EF, de Ruijter J, Visser WF, de Koning TJ, Verhoeven-Duif NM. The intestine plays a substantial role in human vitamin B6 metabolism: a Caco-2 cell model. *PLoS One.* 2013;8(1):e54113.

Aslami H, Pulskens WP, Kuipers MT, Bos AP, van Kuilenburg ABP, Wanders RJA, Roelofsen J, Roelofs JJ, Kerindongo RP, Beurskens CJ, Schultz MJ, Kulik W, Weber NC, Juffermans NP. Hydrogen sulfide donor NAHS reduces organ injury in a rat model of pneumococcal pneumosepsis, associated with improved bio-energetic status. *PLoS One.* 2013;8(5):e63497.

Berendse K, Ebberink MS, Ijlst L, Poll-The BT, Wanders RJ, Waterham HR. Arginine improves peroxisome functioning in cells from patients with a mild peroxisome biogenesis disorder. *Orphanet J Rare Dis.* 2013;8(1):138.

De Marcos Lousa C, van Roermund CWT, Postis VL, Dietrich D, Kerr ID, Wanders RJA, Baldwin SA, Baker A, Theodoulou FL. Intrinsic acyl-CoA thioesterase activity of a peroxisomal ATP binding cassette transporter is required for transport and metabolism of fatty acids. *Proc Natl Acad Sci USA.* 2013;110(4):1279-84.

de Ru MH, van der Tol L, van Vlies N, Bigger BW, Hollak CE, Ijlst L, Kulik W, van Lenthe H, Saif MA, Wagemans T, van der Wal WM, Wanders RJ, Wijburg FA. Plasma and urinary levels of dermatan sulfate and heparan sulfate derived disaccharides after long-term enzyme replacement therapy (ERT) in MPS I: correlation with the timing of ERT and with total urinary excretion of glycosaminoglycans. *J Inherit Metab Dis.* 2013;36(2):247-55.

Delnooz CC, Wevers RA, Quadri M, Clayton PT, Mills PB, Tuschl K, Steenbergen EJ, Bonifati V, van de Warrenburg BP. Phenotypic variability in a dystonia family with mutations in the manganese transporter gene. *Mov Disord.* 2013;28(5):685-6.

Diekman EF, Boelen CC, Prinsen BH, Ijlst L, Duran M, de Koning TJ, Waterham HR, Wanders RJA, Wijburg FA, Visser G. Necrotizing enterocolitis and respiratory distress syndrome as first clinical presentation of mitochondrial trifunctional protein deficiency. *JIMD Rep.* 2013;7:1-6.

Dudek J, Cheng IF, Balleininger M, Vaz FM, Streckfuss-Bómeke K, Hübner D, Vukotic M, Wanders RJ, Rehling P, Guan K. Cardiolipin deficiency affects respiratory chain function and organization in an induced pluripotent stem cell model of Barth syndrome. *Stem Cell Res.* 2013;11(2):806-19.

Engelen M, Ofman R, Dijkgraaf M, van Geel B, de Visser M, Wanders R, Poll-The BT, Kemp S. Comment on the paper "Effect of statin treatment on adrenomyeloneuropathy with cerebral inflammation: A revisit". *Clin Neurol Neurosurg.* 2013;115(11):2401-2.

Esse R, Rocha MS, Barroso M, Florindo C, Teerlink T, Kok RM, Smulders YM, Rivera I, Leandro P, Koolwijk P, Castro R, Blom HJ, de Almeida IT. Protein arginine methylation is more prone to inhibition by s-adenosylhomocysteine than DNA methylation in vascular endothelial cells. *PLoS One.* 2013;8(2):e55483.

Eyaid W, Al Harbi T, Anazi S, Wamelink MM, Jakobs C, Al Salamah M, Al Balwi M, Alfadhel M, Alkuraya FS. Transaldolase deficiency: report of 12 new cases and further delineation of the phenotype. *J Inherit Metab Dis.* 2013;36(6):997-1004.

Farkas M, Keskitalo S, Smith DE, Bain N, Semmler A, Ineichen B, Smulders Y, Blom H, Kulic L, Linnebank M. Hyperhomocysteinemia in Alzheimer's disease: the hen and the egg? *J Alzheimers Dis.* 2013;33(4):1097-104.

Ferri L, Donati MA, Funghini S, Malvagia S, Catarzi S, Lugli L, Ragni L, Bertini E, Vaz FM, Cooper DN, Guerrini R, Morrone A. New clinical and molecular insights on Barth syndrome. *Orphanet J Rare Dis.* 2013;8(1):27.

Funke S, Gardeitchik T, Kouwenberg D, Mohamed M, Wortmann SB, Korsch E, Adamowicz M, Al-Gazali L, Wevers RA, Horvath A, Lefeber DJ, Morava E. Perinatal and early infantile symptoms in congenital disorders of glycosylation. *Am J Med Genet A.* 2013;161A(3):578-84.

Gonzalvez F, D'Aurelio M, Boutant M, Moustapha A, Puech JP, Landes T, Arnauné-Pelloquin L, Vial G, Taleux N, Slomianny C, Wanders RJA, Houtkooper RH, Bellenguer P, Møller IM, Gottlieb E, Vaz FM, Manfredi G, Petit PX. Barth syndrome: Cellular compensation of mitochondrial dysfunction and apoptosis inhibition due to changes in cardiolipin remodeling linked to tafazzin (TAZ) gene mutation. *Biochim Biophys Acta.* 2013;1832(8):1194-206.

Gronemeyer T, Wiese S, Ofman R, Bunse C, Pawlas M, Hayen H, Eisenacher M, Stephan C, Meyer HE, Waterham HR, Erdmann R, Wanders RJA, Warscheid B. The proteome of human liver peroxisomes: identification of five new peroxisomal constituents by a label-free quantitative proteomics survey. *PLoS One.* 2013;8(2):e57395.

Gubbels CS, Land JA, Evers JL, Bierau J, Menheere PP, Robben SG, Rubio-Gozalbo ME. Primary ovarian insufficiency in classic galactosemia: role of FSH dysfunction and timing of the lesion. *J Inherit Metab Dis.* 2013;36(1):29-34.

Harteman JC, Groenendaal F, Benders MJ, Huisman A, Blom HJ, de Vries LS. Role of thrombophilic factors in full-term infants with neonatal encephalopathy. *Pediatr Res.* 2013;73(1):80-6.

Hoehn WP, Lijmer JG, Duran M, Wanders RJ, van Beveren NJ, de Haan L. Red blood cell polyunsaturated fatty acids measured in red blood cells and schizophrenia: a meta-analysis. *Psychiatry Res.* 2013;207(1-2):1-12.

Hogeveen M, den Heijer M, Semmekrot BA, Sporken JM, Ueland PM, Blom HJ. Umbilical choline and related methylamines betaine and dimethylglycine in relation to birth weight. *Pediatr Res.* 2013;73(6):783-7.

- Houten SM, Herrema H, Te Brinke H, Denis S, Ruiten JP, van Dijk TH, Argmann CA, Ottenhoff R, Müller M, Groen AK, Kuipers F, Reijngoud DJ, Wanders RJ. Impaired amino acid metabolism contributes to fasting-induced hypoglycemia in fatty acid oxidation defects. *Hum Mol Genet.* 2013;22(25):5249-61.
- Houten SM, Te Brinke H, Denis S, Ruiten JP, Knecht AC, de Klerk JB, et al. Genetic basis of hyperlysinemia. *Orphanet J Rare Dis.* 2013;8:57.
- Huffnagel IC, Clur SA, Bams-Mengerink AM, Blom NA, Wanders RJA, Waterham HR, Poll-The BT. Rhizomelic chondrodysplasia punctata and cardiac pathology. *J Med Genet.* 2013;50(7):419-24.
- Imbard A, Benoist JF, Blom HJ. Neural tube defects, folic acid and methylation. *Int J Environ Res Public Health.* 2013;10(9):4352-89.
- Imbard A, Blom HJ, Schlemmer D, Barto R, Czerkiewicz I, Rigal O, Muller F, Benoist JF. Methylation metabolites in amniotic fluid depend on gestational age. *Prenat Diagn.* 2013;33(9):848-55.
- Jakobs BS, van den Heuvel LP, Smeets RJ, de Vries MC, Hien S, Schaible T, Smeitink JA, Wevers RA, Wortmann SB, Rodenburg RJ. A novel mutation in COQ2 leading to fatal infantile multisystem disease. *J Neurol Sci.* 2013;326(1-2):24-8.
- Jans JJ, de Sain-van der Velden MG, van Hasselt PM, van den Hurk DT, Vaz FM, Visser G, Verhoeven-Duif NM. Supplementation with a powdered blend of PUFAs normalizes DHA and AA levels in patients with PKU. *Mol Genet Metab.* 2013;109(2):121-4.
- Janssen MC, van Engelen B, Kapusta L, Lammens M, van Dijk M, Fischer J, van der Graaf M, Wevers RA, Fahrleitner M, Zimmermann R, Morava E. Symptomatic lipid storage in carriers for the PNPLA2 gene. *Eur J Hum Genet.* 2013;21(8):807-15.
- Joncquel-Chevalier Curt M, Cheillan D, Briand G, Salomons GS, Mention-Mulliez K, et al. Creatine and guanidinoacetate reference values in a French population. *Mol Genet Metab.* 2013;110(3):263-7.
- Jung AY, Botma A, Lute C, Blom HJ, Ueland PM, Kvalheim G, Midttun Ø, Nagengast F, Steegenga W, Kampman E. Plasma B vitamins and LINE-1 DNA methylation in leukocytes of patients with a history of colorectal adenomas. *Mol Nutr Food Res.* 2013;57(4):698-708.
- Kapusta L, Zucker N, Frenckel G, Medalion B, Ben Gal T, Birk E, Mandel H, et al. From discrete dilated cardiomyopathy to successful cardiac transplantation in congenital disorders of glycosylation due to dolichol kinase deficiency (DK1-CDG). *Heart Fail Rev.* 2013;18(2):187-96.
- Kuhn A, Engqvist MK, Jansen EE, Weber AP, Jakobs C, Maurino VG. D-2-hydroxyglutarate metabolism is linked to photorespiration in the shm1-1 mutant. *Plant Biol (Stuttg).* 2013;15(4):776-84.
- Langereis EJ, van den Berg IE, Halley DJ, Poorthuis BJ, Vaz FM, Wokke JH, Linthorst GE. Considering Fabry, but Diagnosing MPS I: Difficulties in the Diagnostic Process. *JIMD Rep.* 2013;9:117-20.
- Leen WG, de Wit CJ, Wevers RA, van Engelen BG, Kamsteeg EJ, Klepper J, Verbeek MM, Willemsen MA. Child Neurology: Differential diagnosis of a low CSF glucose in children and young adults. *Neurology.* 2013;81(24):e178-81.
- Leen WG, Wevers RA, Kamsteeg EJ, Scheffer H, Verbeek MM, Willemsen MA. Cerebrospinal Fluid Analysis in the Workup of GLUT1 Deficiency Syndrome: A Systematic Review. *JAMA Neurol.* 2013;70(11):1440-4.
- Lefevre SD, van Roermund CW, Wanders RJ, Veenhuis M, van der Klei IJ. The significance of peroxisome function in chronological aging of *Saccharomyces cerevisiae*. *Aging Cell.* 2013;12(5):784-93.
- Linszen M, Mohamed M, Wevers RA, Lefeber DJ, Morava E. Thrombotic complications in patients with PMM2-CDG. *Mol Genet Metab.* 2013;109(1):107-11.
- Luttmer R, Spijkerman AM, Kok RM, Jakobs C, Blom HJ, Serne EH, Dekker JM, Smulders YM. Metabolic syndrome components are associated with DNA hypomethylation. *Obes Res Clin Pract.* 2013;7(2):e89-e164.
- Marcadier JL, Smith AM, Pohl D, Schwartzentruber J, Al-Dirbashi OY, Majewski J, Ferdinandusse S, Wanders RJ, Bulman DE, Boycott KM, Chakraborty P, Geraghty MT. Mutations in ALDH6A1 encoding methylmalonate semialdehyde dehydrogenase are associated with dysmyelination and transient methylmalonic aciduria. *Orphanet J Rare Dis.* 2013;8(1):98.
- Mohamed M, Ashikov A, Guillard M, Robben JH, Schmidt S, van den Heuvel B, de Brouwer AP, Gerardy-Schahn R, Deen PM, Wevers RA, Lefeber DJ, Morava E. Intellectual disability and bleeding diathesis due to deficient CMP-sialic acid transport. *Neurology.* 2013;81(7):681-7.
- Nota B, Hamilton EM, Sie D, Ozturk S, van Dooren SJ, Ojeda MR, Jakobs C, et al. Novel cases of D-2-hydroxyglutaric aciduria with IDH1 or IDH2 mosaic mutations identified by amplicon deep sequencing. *J Med Genet.* 2013;50(11):754-9.

- Nota B, Struys EA, Pop A, Jansen EE, Fernandez Ojeda MR, Kanhai WA, Kranendijk M, et al. Deficiency in SLC25A1, encoding the mitochondrial citrate carrier, causes combined D-2- and L-2-hydroxyglutaric aciduria. *Am J Hum Genet.* 2013;92(4):627-31.
- Nouioua S, Cheillan D, Zaouidi S, Salomons GS, Amedjout N, Kessaci F, Boulahdour N, Hamadouche T, Tazir M. Creatine deficiency syndrome. A treatable myopathy due to arginine-glycine amidinotransferase (AGAT) deficiency. *Neuromuscul Disord.* 2013;23(8):670-4.
- Oliveira R, Pereira C, Rodrigues F, Alfaite C, Garcia P, Robalo C, Fineza I, Gonçalves O, Struys E, Salomons G, Jakobs C, Diogo L. Pyridoxine-dependent epilepsy due to antiquitin deficiency: achieving a favourable outcome. *Epileptic Disord.* 2013;15(4):400-6.
- Ramesh K, Sharma S, Kumar A, Salomons GS, van der Knaap MS, Gulati S. Infantile-onset Alexander disease: a genetically proven case with mild clinical course in a 6-year-old Indian boy. *J Child Neurol.* 2013;28(3):396-8.
- Sarper N, Zengin E, Jakobs C, Salomons GS, Mc Wamelink M, Ralser M, Kurt K, Kara B. Mild hemolytic anemia, progressive neuromotor retardation and fatal outcome: a disorder of glycolysis, triosephosphate isomerase deficiency. *Turk J Pediatr.* 2013;55(2):198-202.
- Segers K, Pierquin G, Gaillez S, Delbecque K, Retz M, Tebache M, Waterham H, Wanders R, Ferdinandusse S, Debray FG. Rapid prenatal diagnosis of fetal Zellweger syndrome by biochemical tests, complementation studies, and molecular analyses. *Prenat Diagn.* 2013;33(2):201-3.
- Semmler A, Prost JC, Smulders Y, Smith D, Blom H, Bigler L, Linnebank M. Methylation metabolism in sepsis and systemic inflammatory response syndrome. *Scand J Clin Lab Invest.* 2013;73(5):368-72.
- Smith DE, Hornstra JM, Kok RM, Blom HJ, Smulders YM. Folic acid supplementation does not reduce intracellular homocysteine, and may disturb intracellular one-carbon metabolism. *Clin Chem Lab Med.* 2013;51(8):1643-50.
- Smulders YM, den Heijer M, Blom HJ. [Homocysteine levels: measure or not?]. *Ned Tijdschr Geneesk.* 2013;157(44):A6265.
- Spilioti M, Evangeliou AE, Tramma D, Theodoridou Z, Metaxas S, Michailidi E, Bonti E, Frysira H, et al. Evidence for treatable inborn errors of metabolism in a cohort of 187 Greek patients with autism spectrum disorder (ASD). *Front Hum Neurosci.* 2013;7:858.
- Valayannopoulos V, Bakouh N, Mazzuca M, Nonnenmacher L, Hubert L, Makaci FL, Chabli A, et al. Functional and electrophysiological characterization of four non-truncating mutations responsible for creatine transporter (SLC6A8) deficiency syndrome. *J Inher Metab Dis.* 2013;36(1):103-12.
- van de Kamp JM, Betsalel OT, Mercimek-Mahmutoglu S, Abulhoul L, Grünewald S, Anselm I, et al. Phenotype and genotype in 101 males with X-linked creatine transporter deficiency. *J Med Genet.* 2013;50(7):463-72.
- van de Kamp JM, Jakobs C, Gibson KM, Salomons GS. New insights into creatine transporter deficiency: the importance of recycling creatine in the brain. *J Inher Metab Dis.* 2013;36(1):155-6.
- van Dijk SC, Smulders YM, Enneman AW, Swart KM, van Wijngaarden JP, Ham AC, et al. Homocysteine level is associated with aortic stiffness in elderly: cross-sectional results from the B-PROOF study. *J Hypertens.* 2013;31(5):952-9.
- van Meurs JB, Pare G, Schwartz SM, Hazra A, Tanaka T, Vermeulen SH, Cotlarciuc I, Yuan X, et al. Common genetic loci influencing plasma homocysteine concentrations and their effect on risk of coronary artery disease. *Am J Clin Nutr.* 2013;98(3):668-76.
- Violante S, IJlst L, Ruiten J, Koster J, van Lenthe H, Duran M, de Almeida IT, Wanders RJA, Houten SM, Ventura FV. Substrate specificity of human carnitine acetyltransferase: Implications for fatty acid and branched-chain amino acid metabolism. *Biochim Biophys Acta.* 2013;1832(6):773-9.
- Violante S, IJlst L, Te Brinke H, Koster J, Tavares de Almeida I, Wanders RJ, Ventura FV, Houten SM. Peroxisomes contribute to the acylcarnitine production when the carnitine shuttle is deficient. *Biochim Biophys Acta.* 2013;1831(9):1467-74.
- Violante S, IJlst L, Te Brinke H, Tavares de Almeida I, Wanders RJ, Ventura FV, Houten SM. Carnitine palmitoyltransferase 2 and carnitine/acylcarnitine translocase are involved in the mitochondrial synthesis and export of acylcarnitines. *FASEB J.* 2013;27(5):2039-44.
- Vogel KR, Pearl PL, Theodore WH, McCarter RC, Jakobs C, Gibson KM. Thirty years beyond discovery-clinical trials in succinic semialdehyde dehydrogenase deficiency, a disorder of GABA metabolism. *J Inher Metab Dis.* 2013;36(3):401-10.
- Wanders RJ. Peroxisomes in human health and disease: metabolic pathways, metabolite transport, interplay with other organelles and signal transduction. *Subcell Biochem.* 2013;69:23-44.

Wortmann SB, Duran M, Anikster Y, Barth PG, Sperl W, Zschocke J, Morava E, Wevers RA. Inborn errors of metabolism with 3-methylglutaconic aciduria as discriminative feature: proper classification and nomenclature. *J Inher Metab Dis*. 2013;36(6):923-8.

Wortmann SB, Kluijtmans LA, Rodenburg RJ, Sass JO, Nouws J, van Kaauwen EP, Kleefstra T, et al. 3-Methylglutaconic aciduria-lessons from 50 genes and 977 patients. *J Inher Metab Dis*. 2013;36(6):913-21.

Klinisch: Gynaecologie / obstetrie / perinatologie

Bómer AC, Mangold E, Tessmann P, Mossey PA, Steegers-Theunissen RP, Lindemans J, et al. Analysis of susceptibility loci for nonsyndromic orofacial clefting in a European trio sample. *Am J Med Genet A*. 2013;161(10):2545-9.

Beurskens LW, Schrijver LH, Tibboel D, Wildhagen MF, Knapen MF, Lindemans J, de Vries J, Steegers-Theunissen RP. Dietary vitamin A intake below the recommended daily intake during pregnancy and the risk of congenital diaphragmatic hernia in the offspring. *Birth Defects Res A Clin Mol Teratol*. 2013;97(1):60-6.

Bossema ER, Janssens PM, Landwehr F, Treucker RG, van Duinen K, Nap AW, Geenen R. A taxonomy of possible reasons for and against sperm donation. *Acta Obstet Gynecol Scand*. 2013;92(6):679-85.

Bouwland-Both MI, Steegers EA, Lindemans J, Russcher H, Hofman A, Geurts-Moespot AJ, Sweep FC, Jaddoe VW, Steegers-Theunissen RP. Maternal soluble fms-like tyrosine kinase-1, placental growth factor, plasminogen activator inhibitor-2, and folate concentrations and early fetal size: the Generation R study. *Am J Obstet Gynecol*. 2013;209(2):121.e1-11

Bouwland-Both MI, Steegers-Theunissen RP, Vujkovic M, Lesaffre EM, Mook-Kanamori DO, Hofman A, Lindemans J, Russcher H, Jaddoe VW, Steegers EA. A periconceptional energy-rich dietary pattern is associated with early fetal growth: the Generation R study. *BJOG*. 2013;120(4):435-45.

Rijvers CAH, Marzano S, Winkens B, Bakker JA, Kroon AA, Spaanderman MEA, Peeters LLH. Early-pregnancy asymmetric dimethylarginine (ADMA) levels in women prone to develop recurrent hypertension. *Hypertens Pregnancy*. 2013; 3(2):118-123

Cramer GE, Brouwer MA, Vader HL, de Boer MJ, Pop GA, Pop VJ, Verheugt FW. Highly sensitive cardiac troponin T and long-term mortality in a population of community-derived perimenopausal women: nested case-control study. *Heart*. 2013;99(8):528-33.

Deurloo KL, Linskens IH, Heymans MW, Heijboer AC, Blankenstein MA, van Vugt JM. ADAM12s and PP13 as first trimester screening markers for adverse pregnancy outcome. *Clin Chem Lab Med*. 2013;51(6):1279-84.

Lybol C, Sweep FC, Ottevanger PB, Massuger LF, Thomas CM. Linear regression of postevacuation serum human chorionic gonadotropin concentrations predicts postmolar gestational trophoblastic neoplasia. *Int J Gynecol Cancer*. 2013;23(6):1150-6.

Muskiet FA, Schaafsma A. Yes, we can define an infant's need from the composition of human milk as long as the breastmilk derives from mothers with healthy lifestyles. *Prostaglandins Leukot Essent Fatty Acids*. 2013;89(5):377.

Nelissen EC, Van Montfoort AP, Smits LJ, Menheere PP, Evers JL, Coonen E, Derhaag JG, Peeters LL, Coumans AB, Dumoulin JC. IVF culture medium affects human intrauterine growth as early as the second trimester of pregnancy. *Hum Reprod*. 2013;28(8):2067-74.

Scholten RR, Hopman MT, Sweep FC, Van de Vlugt MJ, Van Dijk AP, Oyen WJ, Lotgering FK, Spaanderman ME. Co-occurrence of cardiovascular and prothrombotic risk factors in women with a history of preeclampsia. *Obstet Gynecol*. 2013;121(1):97-105.

van der Zanden M, Hop-de Groot RJ, Sweep FC, Ross HA, den Heijer M, Spaanderman ME. Subclinical hypothyroidism after vascular complicated pregnancy. *Hypertens Pregnancy*. 2013;32(1):1-10.

van Santen S, Kroot JJ, Zijderveld G, Wiegerinck ET, Spaanderman ME, Swinkels DW. The iron regulatory hormone hepcidin is decreased in pregnancy: a prospective longitudinal study. *Clin Chem Lab Med*. 2013;51(7):1395-401.

Verhagen JM, Schrandt-Stumpel CT, Blezer MM, Weber JW, Schrandt JJ, Rubio-Gozalbo ME, Bakker JA, Stegmann AP, Vos YJ, Frints SG. Adducted thumbs: a clinical clue to genetic diagnosis. *Eur J Med Genet*. 2013;56(3):153-8

Klinisch: Hart- en vaatziekten

Ahlers SJ, Elens LL, van Gulik L, van Schaik RH, van Dongen EP, Bruins P, Tibboel D, Knibbe CA. The Val158Met poly-morphism of the COMT gene is associated with increased pain sensitivity in morphine-treated patients undergoing a painful procedure after cardiac surgery. *Br J Clin Pharmacol*. 2013;75(6):1506-15.

Alssema M, Rijkkelijkhuizen JM, Holst JJ, Teerlink T, Scheffer PG, Eekhoff EM, Gastaldelli A, Mari A, Hart LM, Nijpels G, Dekker JM. Preserved GLP-1 and exaggerated GIP secretion in type 2 diabetes and relationships with triglycerides and ALT. *Eur J Endocrinol*. 2013;169(4):421-30.

Assa S, Gansevoort RT, Westerhuis R, Kobold AC, Voors AA, de Jong PE, Bakker SJ, Franssen CF. Determinants and prognostic significance of an intra-dialysis rise of cardiac troponin I measured by sensitive assay in hemodialysis patients. *Clin Res Cardiol.* 2013;102(6):439-45.

Böing AN, Stap J, Hau CM, Afink GB, Ris-Stalpers C, Reits EA, Sturk A, van Noorden CJ, Nieuwland R. Active caspase-3 is removed from cells by release of caspase-3-enriched vesicles. *Biochim Biophys Acta.* 2013;1833(8):1844-52.

Boden H, Ahmed TA, Velders MA, van der Hoeven BL, Hoogslag GE, Bootsma M, le Cessie S, Cobbaert CM, Delgado V, van der Laarse A, Schalijs MJ. Peak and fixed-time high-sensitive troponin for prediction of infarct size, impaired left ventricular function, and adverse outcomes in patients with first ST-segment elevation myocardial infarction receiving percutaneous coronary intervention. *Am J Cardiol.* 2013;111(10):1387-93.

Carlström M, Brown RD, Yang T, Hezel M, Larsson E, Scheffer PG, Teerlink T, Lundberg JO, Persson AE. L-arginine or tempol supplementation improves renal and cardiovascular function in rats with reduced renal mass and chronic high salt intake. *Acta Physiol (Oxf).* 2013;207(4):732-41.

Cirera S, Moesgaard SG, Zois NE, Ravn N, Goetze JP, Cremer SE, Teerlink T, Leifsson PS, Hønge JL, Hasenkam JM, Olsen LH. Plasma proANP and SDMA and microRNAs are associated with chronic mitral regurgitation in a pig model. *Endocr Connect.* 2013;2(3):161-171.

Davids M, Peters JH, de Jong S, Teerlink T. Measurement of nitric oxide-related amino acids in serum and plasma: Effects of blood clotting and type of anticoagulant. *Clin Chim Acta.* 2013;421:164-7.

Davids M, Teerlink T. Plasma concentrations of arginine and asymmetric dimethylarginine do not reflect their intracellular concentrations in peripheral blood mononuclear cells. *Metabolism.* 2013;62(10):1455-61.

de Vries DK, Kortekaas KA, Tsikas D, Wijermars LG, van Noorden CJ, Suchy MT, Cobbaert CM, Klautz RJ, Schaapherder AF, Lindeman JH. Oxidative damage in clinical ischemia/reperfusion injury: a reappraisal. *Antioxid Redox Signal.* 2013;19(6):535-45.

Deracinois B, Pottiez G, Chafey P, Teerlink T, Camoin L, Davids M, Broussard C, Couraud PO, Dehouck MP, Cecchelli R, Karamanos Y, Flahaut C. Glial-cell-mediated re-induction of the blood-brain barrier phenotype in brain capillary endothelial cells: a differential gel electrophoresis study. *Proteomics.* 2013;13(7):1185-99.

Dullaart RP, van Pelt LJ, Kwakernaak AJ, Dikkeschei BD, van der Horst IC, Tio RA. Plasma lipoprotein-associated phospholipase A2 mass is elevated in STEMI compared to non-STEMI patients but does not discriminate between myocardial infarction and non-cardiac chest pain. *Clin Chim Acta.* 2013;424:136-40.

Esse R, Florindo C, Imbard A, Rocha MS, de Vriese AS, Smulders YM, Teerlink T, Tavares de Almeida I, Castro R, Blom HJ. Global protein and histone arginine methylation are affected in a tissue-specific manner in a rat model of diet-induced hyperhomocysteinemia. *Biochim Biophys Acta.* 2013;1832(10):1708-14.

Esse R, Rocha MS, Barroso M, Florindo C, Teerlink T, Kok RM, Smulders YM, Rivera I, Leandro P, Koolwijk P, Castro R, Blom HJ, de Almeida IT. Protein arginine methylation is more prone to inhibition by S-adenosylhomocysteine than DNA methylation in vascular endothelial cells. *Plos One.* 2013;8(2):e55483.

Geerse DA, van Berkel M, Vogels S, Kooman JP, Konings CJ, Scharnhorst V. Moderate elevations of high-sensitivity cardiac troponin I and B-type natriuretic peptide in chronic hemodialysis patients are associated with mortality. *Clin Chem Lab Med.* 2013;51(6):1321-8.

Klinkenberg LJ, Res PT, Haenen GR, Bast A, van Loon LJ, van Dieijen-Visser MP, Meex SJ. Effect of antioxidant supplementation on exercise-induced cardiac troponin release in cyclists: a randomized trial. *PLoS One.* 2013;8(11):e79280.

Kwakernaak AJ, Lambert G, Slagman MC, Waanders F, Laverman GD, Petrides F, Dikkeschei BD, Navis G, Dullaart RP. Proprotein convertase subtilisin-kexin type 9 is elevated in proteinuric subjects: relationship with lipoprotein response to antiproteinuric treatment. *Atherosclerosis.* 2013;226(2):459-65.

Later AF, Bruggemans EF, Romijn FP, van Pelt J, Klautz RJ. A comparative study of the immune modulating properties of antifibrinolytics in cardiac surgery. *Cytokine.* 2013;61(2):438-44.

le Poole CY, Schalkwijk CG, Teerlink T, Valentijn RM, Ter Wee PM, van Ittersum FJ. Higher plasma levels of von Willebrand factor and C-reactive protein during a peritoneal dialysis regimen with less glucose and glucose degradation products. *Perit Dial Int.* 2013;33(2):208-12.

Lind L, Ingelsson E, Kumar J, Syvänen AC, Axelsson T, Teerlink T. Genetic variation in the dimethylarginine dimethylaminohydrolase 1 gene (DDAH1) is related to asymmetric dimethylarginine (ADMA) levels, but not to endothelium-dependent vasodilation. *Vasc Med.* 2013;18(4):192-9.

Luijnenburg SE, Helbing WA, Moelker A, Kroft LJ, Groenink M, Roos-Hesselink JW, de Rijke YB, Hazekamp MG, Bogers AJ, Vliegen HW, Mulder BJ. 5-year serial follow-up of clinical condition and ventricular function in patients after repair of tetralogy of Fallot. *Int J Cardiol.* 2013;169(6):439-44.

Nguy L, Johansson ME, Grimberg E, Lundgren J, Teerlink T, Carlström M, Lundberg JO, Nilsson H, Guron G. Rats with adenine-induced chronic renal failure develop low-renin, salt-sensitive hypertension and increased aortic stiffness. *Am J Physiol Regul Integr Comp Physiol.* 2013;304(9):R744-52.

Nieuwland R, van der Pol E, Gardiner C, Sturk A. Platelet-derived microparticles Platelets, 3rd edition, Michelson editor, Elsevier 2013

Ruiz-Nunez B, Pruijboom L, Dijck-Brouwer DA, Muskiet FA. Lifestyle and nutritional imbalances associated with Western diseases: causes and consequences of chronic systemic low-grade inflammation in an evolutionary context. *J Nutr Biochem.* 2013;24(7):1183-201.

Segers FM, den Adel B, Bot I, van der Graaf LM, van der Veer EP, Gonzalez W, Raynal I, de Winther M, Wodzig WK, Poelmann RE, van Berkel TJ, van der Weerd L, Biessen EA. Scavenger receptor-AI-targeted iron oxide nanoparticles for in vivo MRI detection of atherosclerotic lesions. *Arterioscler Thromb Vasc Biol.* 2013;33(8):1812-9.

Streng AS, de Boer D, van der Velden J, van Diejen-Visser MP, Wodzig WK. Posttranslational modifications of cardiac troponin T: an overview. *J Mol Cell Cardiol.* 2013;63:47-56.

Teraa M, Sprengers RW, Westerweel PE, Gremmels H, Goumans MJ, Teerlink T, Moll FL, Verhaar MC; JUVENTAS study group. Bone marrow alterations and lower endothelial progenitor cell numbers in critical limb ischemia patients. *PLoS One.* 2013;8(1):e55592.

van der Heyden J, van Werkum J, Hackeng CM, Kelder JC, Breet NJ, Deneer VH, et al. High versus standard clopidogrel loading in patients undergoing carotid artery stenting prior to cardiac surgery to assess the number of microemboli detected with transcranial Doppler: results of the randomized IMPACT trial. *J Cardiovasc Surg (Torino).* 2013;54(3):337-47.

van der Laarse A, Cobbaert CM, Gorgels AP, Swenne CA. Will future troponin measurement overrule the ECG as the primary diagnostic tool in patients with acute coronary syndrome? *J Electrocardiol.* 2013;46(4):312-7.

van der Zwan LP, Davids M, Scheffer PG, Dekker JM, Stehouwer CD, Teerlink T. L-Homoarginine and L-arginine are antagonistically related to blood pressure in an elderly population: the Hoorn study. *J Hypertens.* 2013;31(6):1114-23.

Vinknes KJ, Dekker JM, Drevon CA, Refsum H, Nurk E, Nijpels G, Stehouwer CD, Teerlink T, Tell GS, Nygård O, Vollset SE, Ueland PM, Elshorbagy AK. Plasma sulfur amino acids and stearyl-CoA desaturase activity in two caucasian populations. *Prostaglandins Leukot Essent Fatty Acids.* 2013;89(5):297-303.

Yuana Y, Sturk A, Nieuwland R. Extracellular vesicles in physiological and pathological conditions. *Blood Rev.* 2013;27(1):31-9.

Zakhrabova-Zwiazauer OM, Verkerk AO, de Jong JS, Sturk A, Nieuwland R, Tan HL. Acetylsalicylic acid prevents platelet-induced proarrhythmic effects on intracellular Ca²⁺ homeostasis in ventricular myocytes. *Int J Cardiol.* 2013;167(1):303-5.

Demacker PNM. Een succesvolle doorstart? *Ned Tijdschr Klin Chem Labgeneesk* 2013; 38: 218-222

Klinisch: Hematologie

Ambaglio I, Malcovati L, Papaemmanuil E, Laarakkers CM, Della Porta MG, Gallia A, et al. Inappropriately low hepcidin levels in patients with myelodysplastic syndrome carrying a somatic mutation of SF3B1. *Haematologica.* 2013;98(3):420-3.

Baart AM, van Noord PA, Vergouwe Y, Moons KG, Swinkels DW, Wiegerinck ET, de Kort WL, Atsma F. High prevalence of subclinical iron deficiency in whole blood donors not deferred for low hemoglobin. *Transfusion.* 2013;53(8):1670-7.

Cuperus FC, Oosterwijk PR, Vos A, Remijn JA, van Dobbenburgh A, Bisseling TM. [Visceral leishmaniasis: not only a tropical disease]. *Ned Tijdschr Geneesk.* 2013;157(27):A5958.

Cvejic A, Haer-Wigman L, Stephens JC, Kostadima M, Smethurst PA, Frontini M, van den Akker E, et al. SMIM1 underlies the Vel blood group and influences red blood cell traits. *Nat Genet.* 2013;45(5):542-5.

de Weger VA, Kooren JA, Beeker A. Verworven hemofilie A met als presentatie een groot buikwand-hematoom. *Ned Tijdschr Hematol* 2013;10:103-8.

den Elzen WP, de Craen AJ, Wiegerinck ET, Westendorp RG, Swinkels DW, Gussekloo J. Plasma hepcidin levels and anemia in old age. The Leiden 85-Plus Study. *Haematologica.* 2013;98(3):448-54.

Eshuis R, Borgdorff PJ, Kortlandt W, Halma JJ, de Gast A. Quality of intraoperatively salvaged unwashed blood in hip arthroplasty. *Transfus Apher Sci.* 2013;48(2):207-11.

Goetze O, Schmitt J, Spliethoff K, Theurl I, Weiss G, Swinkels DW, Tjalsma H, Maggiorini M, et al. Adaptation of iron transport and metabolism to acute high-altitude hypoxia in mountaineers. *Hepatology.* 2013;58(6):2153-62.

Grottke O, Rossaint R, Henskens Y, van Oerle R, ten Cate H, Spronk HM. Thrombin generation capacity of prothrombin complex concentrate in an in vitro dilutional model. *PLoS One*. 2013;8(5):e64100.

Hamaker ME, Acampo T, Remijn JA, van Tuyl SA, Pronk A, van der Zaag ES, Paling HA, Smorenburg CH, de Rooij SE, van Munster BC. Diagnostic choices and clinical outcomes in octogenarians and nonagenarians with iron-deficiency anemia in the Netherlands. *J Am Geriatr Soc*. 2013;61(4):495-501.

Heiligers-Duckers C, Werner PT, van Drunen ME. [Reticulocytes in the diagnosis of anaemia]. *Ned Tijdschr Geneesk*. 2013;157(52):A6313.

Kuijper PH, Schellings MW, van de Kerkhof D, Nicolaes GA, Reitsma P, Halbertsma F, Dors N. Two novel mutations in the prothrombin gene identified in a patient with compound heterozygous type 1/2 prothrombin deficiency. *Haemophilia*. 2013;19(5):e304-6.

Leers MP, Keuren JF, Frissen ME, Huts M, Kragten JA, Jie KS. The pro- and anticoagulant role of blood-borne phagocytes in patients with acute coronary syndrome. *Thromb Haemost*. 2013;110(1):101-9.

Peffer K, den Heijer M, Holewijn S, de Graaf J, Swinkels DW, Verbeek AL, Atsma F. The effect of frequent whole blood donation on ferritin, hepcidin, and subclinical atherosclerosis. *Transfusion*. 2013;53(7):1468-74.

Prinzen L, Staal HM, Rouwette SJ, Beckers EA, ten Broeke RH, van Rhijn LW, Henskens YM. Triple red blood cell alloantibody formation after bone-allograft transplantation. *Am J Transplant*. 2013;13(1):229-31.

Schindhelm RK, Schoorl M, van Pelt J. Comment on: Hardikar et al. spuriously high prevalence of prediabetes diagnosed by HbA1c in young indians partly explained by hematological factors and iron deficiency anemia. *Diabetes Care* 2012;35:797-802. *Diabetes Care*. 2013;36(2):e23.

Schindhelm RK, ten Boekel E, Heima NE, van Schoor NM, Simsek S. Thyroid hormones and erythrocyte indices in a cohort of euthyroid older subjects. *Eur J Intern Med*. 2013;24(3):241-4.

Shalev H, Perez-Avraham G, Kapelushnik J, Levi I, Rabinovich A, Swinkels DW, Brasse-Lagnel C, Tamary H. High levels of soluble serum hemojuvelin in patients with congenital dyserythropoietic anemia type I. *Eur J Haematol*. 2013;90(1):31-6.

Sim M, Dawson B, Landers G, Swinkels DW, Tjalsma H, Trinder D, Peeling P. Effect of exercise modality and intensity on post-exercise interleukin-6 and hepcidin levels. *Int J Sport Nutr Exerc Metab*. 2013;23(2):178-86.

van Berkel M, Besselaar E, Kuijper P, Scharnhorst V. Instrument-dependent interference of Howell-Jolly bodies in reticulocyte enumeration. *Clin Chem Lab Med*. 2013;51(6):e137-9.

Klinisch: Interne geneeskunde

Dijkstra IM, Koene HR, Deneer VHM, Eland IA, Wakelkamp IMMJ. Overmatig laxeermiddelgebruik: consequenties en klinisch chemische laboratoriumdiagnostiek. *Ned Tijdschr Klin Chem Labgeneesk*. 2013;38:158-63.

Baumgartner S, Mensink RP, den Hartog G, Bast A, Bekers O, Husche C, Lütjohann D, Plat J. Oxyphytosterol formation in humans: identification of high vs. low oxidizers. *Biochem Pharmacol*. 2013;86(1):19-25.

Choong E, Loryan I, Lindqvist M, Nordling Å, el Bouazzaoui S, van Schaik RH, Johansson I, Jakobsson J, Ingelman-Sundberg M. Sex difference in formation of propofol metabolites: a replication study. *Basic Clin Pharmacol Toxicol*. 2013;113(2):126-31.

De Boeck K, Kent L, Davies J, Derichs N, Amaral M, Rowe SM, Middleton P, de Jonge H, et al; European cystic fibrosis society clinical trial network standardisation committee. CFTR biomarkers: time for promotion to surrogate end-point. *Eur Respir J*. 2013;41(1):203-16.

de Geus HR, Betjes MG, van Schaik RH, Groeneveld JA. Plasma NGAL similarly predicts acute kidney injury in sepsis and nonsepsis. *Biomark Med*. 2013;7(3):415-21.

de Geus HR, Fortrie G, Betjes MG, van Schaik RH, Groeneveld AJ. Time of injury affects urinary biomarker predictive values for acute kidney injury in critically ill, non-septic patients. *BMC Nephrol*. 2013;14(1):273.

de Graaff LC, van Schaik RH, van Gelder T. A clinical approach to pharmacogenetics. *Neth J Med*. 2013;71(3):145-52.

de Keyser CE, Becker ML, Uitterlinden AG, Hofman A, Lous JJ, Elens L, Visser LE, van Schaik RH, Stricker BH. Genetic variation in the PPARA gene is associated with simvastatin-mediated cholesterol reduction in the Rotterdam Study. *Pharmacogenomics*. 2013;14(11):1295-304.

de Mutsert R, den Heijer M, Rabelink TJ, Smit JW, Romijn JA, Jukema JW, de Roos A, Cobbaert CM, Kloppenburg M, le Cessie S, Middeldorp S, Rosendaal FR. The Netherlands Epidemiology of Obesity (NEO) study: study design and data collection. *Eur J Epidemiol*. 2013;28(6):513-23.

- de Rotte MC, de Jong PH, Pluijm SM, Calasan MB, Barendregt PJ, van Zeben D, van der Lubbe PA, de Sonnaville PB, Lindemans J, Hazes JM, de Jonge R. Association of low baseline levels of erythrocyte folate with treatment non-response at three months in rheumatoid arthritis patients receiving methotrexate. *Arthritis Rheum.* 2013;65(11):2803-13.
- Deneer VH, van Schaik RH. Evidence based drug dosing and pharmacotherapeutic recommendations per genotype. *Methods Mol Biol.* 2013;1015:345-54.
- Elens L, Nieuweboer AJ, Clarke SJ, Charles KA, de Graan AJ, Haufroid V, van Gelder T, Mathijssen RH, van Schaik RH. Impact of POR*28 on the clinical pharmacokinetics of CYP3A phenotyping probes midazolam and erythromycin. *Pharmacogenet Genomics.* 2013;23(3):148-55.
- Elens L, Capron A, van Schaik RH, De Meyer M, De Pauw L, Eddour DC, Latinne D, Wallemacq P, Mourad M, Haufroid V. Impact of CYP3A4*22 allele on tacrolimus pharmacokinetics in early period after renal transplantation: toward updated genotype-based dosage guidelines. *Ther Drug Monit.* 2013;35(5):608-16.
- Elens L, Hesselink DA, van Schaik RH, van Gelder T. The CYP3A4*22 allele affects the predictive value of a pharmacogenetic algorithm predicting tacrolimus predose concentrations. *Br J Clin Pharmacol.* 2013;75(6):1545-7.
- Elens L, Nieuweboer A, Clarke SJ, Charles KA, de Graan AJ, Haufroid V, Mathijssen RH, van Schaik RH. CYP3A4 intron 6 C>T SNP (CYP3A4*22) encodes lower CYP3A4 activity in cancer patients, as measured with probes midazolam and erythromycin. *Pharmacogenomics.* 2013;14(2):137-49.
- Elens L, Sombogaard F, Hesselink DA, van Schaik RH, van Gelder T. Single-nucleotide polymorphisms in P450 oxidoreductase and peroxisome proliferator-activated receptor- α are associated with the development of new-onset diabetes after transplantation in kidney transplant recipients treated with tacrolimus. *Pharmacogenet Genomics.* 2013;23(12):649-57.
- Elens L, van Gelder T, Hesselink DA, Haufroid V, van Schaik RH. CYP3A4*22: promising newly identified CYP3A4 variant allele for personalizing pharmacotherapy. *Pharmacogenomics.* 2013;14(1):47-62.
- Gijsen VM, van Schaik RH, Elens L, Soldin OP, Soldin SJ, Koren G, de Wildt SN. CYP3A4*22 and CYP3A combined genotypes both correlate with tacrolimus disposition in pediatric heart transplant recipients. *Pharmacogenomics.* 2013;14(9):1027-36.
- Glubb DM, Paugh SW, van Schaik RH, Innocenti F. A guide to the current web-based resources in pharmacogenomics. *Methods Mol Biol.* 2013;1015:293-310.
- Goorden SM, Buffart TE, Bakker A, Buijs MM. [Liver disorders in adults: ALT and AST]. *Ned Tijdschr Geneesk.* 2013;157(43):A6443.
- Hamer HM, Wall BT, Kiskini A, de Lange A, Groen BB, Bakker JA, Gijsen AP, Verdijk LB, van Loon LJ. Carbohydrate co-ingestion with protein does not further augment post-prandial muscle protein accretion in older men. *Nutr Metab (Lond).* 2013;10(1):15.
- Kiskini A, Hamer HM, Wall BT, Groen BB, de Lange A, Bakker JA, Senden JM, Verdijk LB, van Loon LJ. The muscle protein synthetic response to the combined ingestion of protein and carbohydrate is not impaired in healthy older men. *Age (Dordr).* 2013;35(6):2389-98.
- Kleinnijenhuis J, van der Molen RG, Franssen PM, Berden JH, van der Meer JW, Jacobs JF. Anti-ribosomal P antibodies as a single serological marker in SLE: lupus in disguise. *Scand J Rheumatol.* 2013;42(2):165-6.
- Kwakernaak AJ, Lambert G, Muller Kobold AC, Dullaart RP. Adiposity blunts the positive relationship of thyrotropin with proprotein convertase subtilisin-kexin type 9 levels in euthyroid subjects. *Thyroid.* 2013;23(2):166-72.
- Herpers R, van Rossum AP, Vlasveld LTh, Castel A. Laboratorium diagnostiek bij verdenking op laag-gradige neuro-endocriene (carcinoïd) tumoren. *Ned Tijdschr Klin Chem Labgeneesk.* 2013;38:206-211.
- Martines AM, Masereeuw R, Tjalsma H, Hoenderop JG, Wetzels JF, Swinkels DW. Iron metabolism in the pathogenesis of iron-induced kidney injury. *Nat Rev Nephrol.* 2013;9(7):385-98.
- Moretti D, van Doorn GM, Swinkels DW, Melse-Boonstra A. Relevance of dietary iron intake and bioavailability in the management of HFE hemochromatosis: a systematic review. *Am J Clin Nutr.* 2013;98(2):468-79.
- Mura E, Govoni S, Racchi M, Carossa V, Ranzani GN, Allegri M, van Schaik RH. Consequences of the 118A>G polymorphism in the OPRM1 gene: translation from bench to bedside? *J Pain Res.* 2013;6:331-53.
- Peters HP, Laarakkers CM, Pickkers P, Masereeuw R, Boerman OC, Eek A, Cornelissen EA, Swinkels DW, Wetzels JF. Tubular reabsorption and local production of urine hepcidin-25. *BMC Nephrol.* 2013;14:70.
- Prinzen L, Keulemans JC, Bekers O. [The diagnostic benefits of lipase values in acute pancreatitis]. *Ned Tijdschr Geneesk.* 2013;157(35):A6432.
- Remels AH, Gosker HR, Bakker J, Guttridge DC, Schols AM, Langen RC. Regulation of skeletal muscle oxidative phenotype by classical NF-KB signalling. *Biochim Biophys Acta.* 2013;1832(8):1313-25.

Roelofs-Thijssen MA, Schreuder MF, Hogeveen M, van Herwaarden AE. Reliable laboratory urinalysis results using a new standardised urine collection device. *Clin Biochem.* 2013;46(13-14):1252-6.

Romme EA, Rutten EP, Smeenk FW, Spruit MA, Menheere PP, Wouters EF. Vitamin D status is associated with bone mineral density and functional exercise capacity in patients with chronic obstructive pulmonary disease. *Ann Med.* 2013;45(1):91-6.

Scheffer PG, Schindhelm RK, van Verschuer VM, Groenemeijer M, Simsek S, Smulders YM, Nanayakkara PW. No effect of atorvastatin and simvastatin on oxidative stress in patients at high risk for cardiovascular disease. *Neth J Med.* 2013;71(7):359-65.

Seehase M, Houthuizen P, Jellema RK, Collins JJ, Bekers O, Breuer J, Kramer BW. Propofol administration to the fetal-maternal unit reduces cardiac injury in late-preterm lambs subjected to severe prenatal asphyxia and cardiac arrest. *Pediatr Res.* 2013;73(4 Pt 1):427-34.

Snoeijs MG, Pulinx B, van Dieijen-Visser MP, Buurman WA, van Heurn LW, Wodzig WK. Characterization of the perfusate proteome of human donor kidneys. *Ann Clin Biochem.* 2013;50(Pt 2):140-6.

Vafadari R, Bouamar R, Hesselink DA, Kraaijeveld R, van Schaik RH, Weimar W, Baan CC, van Gelder T. Genetic polymorphisms in ABCB1 influence the pharmacodynamics of tacrolimus. *Ther Drug Monit.* 2013;35(4):459-65.

van de Wier B, Balk JM, Haenen GR, Giamouridis D, Bakker JA, Bast BC, den Hartog GJ, Koek GH, Bast A. Elevated citrate levels in non-alcoholic fatty liver disease: the potential of citrate to promote radical production. *FEBS Lett.* 2013;587(15):2461-6.

van der Weerd NC, Grooteman MP, Bots ML, van den Dorpel MA, den Hoedt CH, Mazairac AH, Nubé MJ, Penne EL, Wetzels JF, Wiegerinck ET, Swinkels DW, Blankestijn PJ, Ter Wee PM; CONTRAST Investigators. Hepcidin-25 is related to cardiovascular events in chronic haemodialysis patients. *Nephrol Dial Transplant.* 2013;28(12):3062-71.

van Schaik RH. New challenges for pharmacogenomics. *Drug Metabol Drug Interact.* 2013;28(4):191-2.

van Zwam M, Wetzels JF, Willems HL. Als je creatinine laat bepalen, dan ook altijd ureum? *Ned Tijdschr Geneesk.* 2013;157(46):A6357

Wester M, Simonis F, Gerritsen KG, Boer WH, Wodzig WK, Kooman JP, Joles JA. A regenerable potassium and phosphate sorbent system to enhance dialysis efficacy and device portability: an in vitro study. *Nephrol Dial Transplant.* 2013;28(9):2364-71.

Wijnen PA, Verschakelen JA, Bast A, Bekers O, Drent M. Diffuse alveolar hemorrhage in coumarin users: a fibrosing interstitial pneumonia trigger? *Lung.* 2013;191(1):53-9.

Wijnia JW, Wienders JP, Lips P, van de Wiel A, Mulder CL, Nieuwenhuis KG. Is vitamin D deficiency a confounder in alcoholic skeletal muscle myopathy? *Alcohol Clin Exp Res.* 2013;37 Suppl 1:E209-15.

Wlazlo N, van Greevenbroek MM, Curvers J, Schoon EJ, Friederich P, Twisk JW, Bravenboer B, Stehouwer CD. Diabetes mellitus at the time of diagnosis of cirrhosis is associated with higher incidence of spontaneous bacterial peritonitis, but not with increased mortality. *Clin Sci (Lond).* 2013;125(7):341-8.

Klinisch: Neurologie / psychiatrie

Beckerman H, Blikman LJ, Heine M, Malekzadeh A, Teunissen CE, Busmann JB, Kwakkel G, van Meeteren J, de Groot V; TREFAMS-ACE study group. The effectiveness of aerobic training, cognitive behavioural therapy, and energy conservation management in treating MS-related fatigue: the design of the TREFAMS-ACE programme. *Trials.* 2013;14:250.

Bruggink KA, Jongbloed W, Biemans EA, Veerhuis R, Claassen JA, Kuiperij HB, Verbeek MM. Amyloid-beta oligomer detection by ELISA in cerebrospinal fluid and brain tissue. *Anal Biochem.* 2013;433(2):112-20.

Duits FH, Kester MI, Scheffer PG, Blankenstein MA, Scheltens P, Teunissen CE, van der Flier WM. Increase in cerebrospinal fluid F2-isoprostanes is related to cognitive decline in APOE ε4 carriers. *J Alzheimers Dis.* 2013;36(3):563-70.

Gnanapavan S, Grant D, Morant S, Furby J, Hayton T, Teunissen CE, Leoni V, Marta M, Brenner R, Palace J, Miller DH, Kapoor R, Giovannoni G. Biomarker report from the phase II lamotrigine trial in secondary progressive MS - neurofilament as a surrogate of disease progression. *PLoS One.* 2013;8(8):e70019.

Huijts M, van Oostenbrugge RJ, Rouhl RP, Menheere P, Duits A. Effects of vitamin B12 supplementation on cognition, depression, and fatigue in patients with lacunar stroke. *Int Psychogeriatr.* 2013;25(3):508-10.

Jongbloed W, Kester MI, van der Flier WM, Veerhuis R, Scheltens P, Blankenstein MA, Teunissen CE. Discriminatory and predictive capabilities of enzyme-linked immunosorbent assay and multiplex platforms in a longitudinal Alzheimer's disease study. *Alzheimers Dement.* 2013;9(3):276-83.

- Kroksveen AC, Aasebø E, Vethe H, Van Pesch V, Franciotta D, Teunissen CE, Ulvik RJ, Vedeler C, Myhr KM, Barsnes H, Berven FS. Discovery and initial verification of differentially abundant proteins between multiple sclerosis patients and controls using iTRAQ and SID-SRM. *J Proteomics*. 2013;78:312-25.
- Leen WG, de Wit CJ, Wevers RA, van Engelen BG, Kamsteeg EJ, Klepper J, Verbeek MM, Willemsen MA. Child Neurology: Differential diagnosis of a low CSF glucose in children and young adults. *Neurology*. 2013;81(24):e178-81
- Leen WG, Mewasingh L, Verbeek MM, Kamsteeg EJ, van de Warrenburg BP, Willemsen MA. Movement disorders in GLUT1 deficiency syndrome respond to the modified Atkins diet. *Mov Disord*. 2013;28(10):1439-42.
- Malekzadeh A, Teunissen C. Recent progress in omics-driven analysis of MS to unravel pathological mechanisms. *Expert Rev Neurother*. 2013;13(9):1001-16.
- Mattsson N, Andreasson U, Persson S, Carrillo MC, Collins S, Chalbot S, Cutler N, et al; Alzheimer's Association QC Program Work Group. CSF biomarker variability in the Alzheimer's Association quality control program. *Alzheimers Dement*. 2013;9(3):251-61.
- Melief J, de Wit SJ, van Eden CG, Teunissen C, Hamann J, Uitdehaag BM, Swaab D, Huitinga I. HPA axis activity in multiple sclerosis correlates with disease severity, lesion type and gene expression in normal-appearing white matter. *Acta Neuropathol*. 2013;126(2):237-49.
- Ossenkoppele R, Prins ND, Pijnenburg YA, Lemstra AW, van der Flier WM, Adriaanse SF, et al. Impact of molecular imaging on the diagnostic process in a memory clinic. *Alzheimers Dement*. 2013;9(4):414-21.
- Peelen E, Thewissen M, Knippenberg S, Smolders J, Muris AH, Menheere P, Tervaert JW, Hupperts R, Damoiseaux J. Fraction of IL-10+ and IL-17+ CD8 T cells is increased in MS patients in remission and during a relapse, but is not influenced by immune modulators. *J Neuroimmunol*. 2013;258(1-2):77-84.
- Peper JS, Mandl RC, Braams BR, de Water E, Heijboer AC, Koolschijn PC, Crone EA. Delay discounting and frontostriatal fiber tracts: a combined DTI and MTR study on impulsive choices in healthy young adults. *Cereb Cortex*. 2013;23(7):1695-702.
- Pluk H, van Hoeve BJ, van Dooren SH, Stammen-Vogelzang J, van der Heijden A, Schelhaas HJ, Verbeek MM, et al. Auto-antibodies to cytosolic 5'-nucleotidase 1A in inclusion body myositis. *Ann Neurol*. 2013;73(3):397-407.
- Prestia A, Caroli A, van der Flier WM, Ossenkoppele R, Van Berckel B, Barkhof F, Teunissen CE, Wall AE, Carter SF, Schöll M, Choo IH, Nordberg A, Scheltens P, Frisoni GB. Prediction of dementia in MCI patients based on core diagnostic markers for Alzheimer disease. *Neurology*. 2013;80(11):1048-56.
- Ramakers IH, Verhey FR, Scheltens P, Hampel H, Soininen H, Aalten P, Rikkert MO, Verbeek MM, Spuru L, Blennow K, Trojanowski JQ, Shaw LM, Visser PJ; Alzheimer's Disease Neuroimaging Initiative and DESCRIP Investigators. Anxiety is related to Alzheimer cerebrospinal fluid markers in subjects with mild cognitive impairment. *Psychol Med*. 2013;43(5):911-20.
- Schade van Westrum S, Dekker L, de Haan R, Endert E, Ginjaar I, de Visser M, van der Kooi A. Brain natriuretic peptide is not predictive of dilated cardiomyopathy in Becker and Duchenne muscular dystrophy patients and carriers. *BMC Neurol*. 2013;13:88.
- Slats D, Claassen JA, Verbeek MM, Overeem S. Reciprocal interactions between sleep, circadian rhythms and Alzheimer's disease: focus on the role of hypocretin and melatonin. *Ageing Res Rev*. 2013;12(1):188-200.
- Spies PE, Claassen JA, Peer PG, Blankenstein MA, Teunissen CE, Scheltens P, van der Flier WM, Olde Rikkert MG, Verbeek MM. A prediction model to calculate probability of Alzheimer's disease using cerebrospinal fluid biomarkers. *Alzheimers Dement*. 2013;9(3):262-8.
- Teunissen C, Menge T, Altintas A, Álvarez-Cermeño JC, Bertolotto A, Berven FS, Brundin L, et al. Consensus definitions and application guidelines for control groups in cerebrospinal fluid biomarker studies in multiple sclerosis. *Mult Scler*. 2013;19(13):1802-9.
- van Dijk KD, Jongbloed W, Heijst JA, Teunissen CE, Groenewegen HJ, Berendse HW, van de Berg WD, Veerhuis R. Cerebrospinal fluid and plasma clusterin levels in Parkinson's disease. *Parkinsonism Relat Disord*. 2013;19(12):1079-83.
- van Harten AC, Smits LL, Teunissen CE, Visser PJ, Koene T, Blankenstein MA, Scheltens P, van der Flier WM. Preclinical AD predicts decline in memory and executive functions in subjective complaints. *Neurology*. 2013;81(16):1409-16.
- van Harten AC, Visser PJ, Pijnenburg YA, Teunissen CE, Blankenstein MA, Scheltens P, van der Flier WM. Cerebrospinal fluid AB42 is the best predictor of clinical progression in patients with subjective complaints. *Alzheimers Dement*. 2013;9(5):481-7.

Vanderstichele HM, Shaw L, Vandijck M, Jeromin A, Zetterberg H, Blennow K, Teunissen C, Engelborghs S. Alzheimer disease biomarker testing in cerebrospinal fluid: a method to harmonize assay platforms in the absence of an absolute reference standard. *Clin Chem*. 2013;59(4):710-2.

Veen G, Giltay EJ, Licht CM, Vreeburg SA, Cobbaert CM, Penninx BW, Zitman FG. Evening salivary alpha-amylase, major depressive disorder, and antidepressant use in the Netherlands Study of Depression and Anxiety (NESDA). *Psychiatry Res*. 2013;208(1):41-6.

Vogel DY, Vereyken EJ, Glim JE, Heijnen PD, Moeton M, van der Valk P, Amor S, Teunissen CE, van Horssen J, Dijkstra CD. Macrophages in inflammatory multiple sclerosis lesions have an intermediate activation status. *J Neuroinflammation*. 2013;10:35.

Klinisch: Oncologie

Aarntzen EH, De Vries IJ, Lesterhuis WJ, Schuurhuis D, Jacobs JF, Bol K, Schreiber G, Mus R, et al. Targeting CD4(+) T-helper cells improves the induction of anti-tumor responses in dendritic cell-based vaccination. *Cancer Res*. 2013;73(1):19-29.

Beelen K, Opdam M, Severson TM, Koornstra RH, Vincent AD, Hauptmann M, van Schaik RH, Berns EM, Vermorken JB, van Diest PJ, Linn SC. CYP2C19 2 predicts substantial tamoxifen benefit in postmenopausal breast cancer patients randomized between adjuvant tamoxifen and no systemic treatment. *Breast Cancer Res Treat*. 2013;139(3):649-55.

Brouwer IA, Geleijnse JM, Klaasen VM, Smit LA, Giltay EJ, de Goede J, Heijboer AC, Kromhout D, Katan MB. Effect of alpha linolenic acid supplementation on serum prostate specific antigen (PSA): results from the alpha omega trial. *PLoS One*. 2013;8(12):e81519.

Carroll B, Mohd-Naim N, Maximiano F, Frasa MA, McCormack J, Finelli M, Thoresen SB, Perdios L, Daigaku R, Francis RE, Futter C, Dikic I, Braga VM. The TBC/RabGAP Armus coordinates Rac1 and Rab7 functions during autophagy. *Dev Cell*. 2013;25(1):15-28.

Verberne CJ, de Jong WH, Grossmann I, de Bock GH, Wiggers T, Kema IP, Muller Kobold A. Tumor markers in finding recurrent disease in colorectal cancer: a diagnostic review. *J Mol Biochem*. 2013; 2(1).

de Graan AJ, Elens L, Smid M, Martens JW, Sparreboom A, Nieuweboer AJ, Friberg LE, Elbouazzaoui S, Wiemer EA, van der Holt B, Verweij J, van Schaik RH, Mathijssen RH. A pharmacogenetic predictive model for paclitaxel clearance based on the DMET platform. *Clin Cancer Res*. 2013;19(18):5210-7.

de Graan AJ, Elens L, Sprowl JA, Sparreboom A, Friberg LE, van der Holt B, de Raaf PJ, de Bruijn P, Engels FK, Eskens FA, Wiemer EA, Verweij J, Mathijssen RH, van Schaik RH. CYP3A4*22 genotype and systemic exposure affect paclitaxel-induced neurotoxicity. *Clin Cancer Res*. 2013;19(12):3316-24.

Dezentjé VO, van Schaik RH, Vletter-Bogaartz JM, van der Straaten T, Wessels JA, Kranenbarg EM, Berns EM, Seynaeve C, Putter H, van de Velde CJ, Nortier JW, Gelderblom H, Guchelaar HJ. CYP2D6 genotype in relation to tamoxifen efficacy in a Dutch cohort of the tamoxifen exemestane adjuvant multi-national (TEAM) trial. *Breast Cancer Res Treat*. 2013;140(2):363-73.

Hamid AR, Pfeiffer MJ, Verhaegh GW, Schaafsma E, Brandt A, Sweep FC, Sedelaar JP, Schalken JA. Aldo-keto reductase family 1 member C3 (AKR1C3) is a biomarker and therapeutic target for castration-resistant prostate cancer. *Mol Med*. 2013;18:1449-55.

Harbeck N, Schmitt M, Meisner C, Friedel C, Untch M, Schmidt M, Sweep CG, et al; Chemo-N 0 Study Group. Ten-year analysis of the prospective multicentre Chemo-N0 trial validates American Society of Clinical Oncology (ASCO)-recommended biomarkers uPA and PAI-1 for therapy decision making in node-negative breast cancer patients. *Eur J Cancer*. 2013;49(8):1825-35.

Heijmen L, Punt CJ, Ter Voert EG, de Geus-Oei LF, Heerschap A, Bussink J, Sweep CG, Zerbi V, Oyen WJ, Span PN, Boerman O, van Laarhoven HW. Monitoring the effects of bevacizumab beyond progression in a murine colorectal cancer model: a functional imaging approach. *Invest New Drugs*. 2013;31(4):881-90.

Heijmen L, Ter Voert EE, Nagtegaal ID, Span P, Bussink J, Punt CJ, de Wilt JH, Sweep FC, Heerschap A, van Laarhoven HW. Diffusion-weighted MR imaging in liver metastases of colorectal cancer: reproducibility and biological validation. *Eur Radiol*. 2013;23(3):748-56.

Lehner A, Magdolen V, Schuster T, Kotsch M, Kiechle M, Meindl A, Sweep FC, Span PN, Gross E. Downregulation of serine protease HTRA1 is associated with poor survival in breast cancer. *PLoS One*. 2013;8(4):e60359.

Lybol C, Thomas CM, Blanken EA, Sweep FC, Verheijen RH, Westermann AM, Boere IA, Reyners AK, Massuger LF, van Hoesel RQ, Ottevanger PB. Comparing cisplatin-based combination chemotherapy with EMA/CO chemotherapy for the treatment of high risk gestational trophoblastic neoplasia. *Eur J Cancer*. 2013;49(4):860-7.

Nagelkerke A, Bussink J, van der Kogel AJ, Sweep FC, Span PN. The PERK/ATF4/LAMP3-arm of the unfolded protein response affects radioresistance by interfering with the DNA damage response. *Radiother Oncol*. 2013;108(3):415-21.

Nagelkerke A, Bussink J, Sweep FC, Span PN. Generation of multicellular tumor spheroids of breast cancer cells: how to go three-dimensional. *Anal Biochem*. 2013;437(1):17-9.

Ramirez-Ardila DE, Helmijr JC, Look MP, Lurkin I, Ruigrok-Ritstier K, van Laere S, Dirix L, Sweep FC, Span PN, Linn SC, Foekens JA, Sleijfer S, Berns EM, Jansen MP. Hotspot mutations in PIK3CA associate with first-line treatment outcome for aromatase inhibitors but not for tamoxifen. *Breast Cancer Res Treat*. 2013;139(1):39-49.

van de Schootbrugge C, van Asten F, Nagtegaal ID, Versleijen-Jonkers YM, van Laarhoven HW, Roeffen MH, Sweep FC, Bussink J, Kaanders JH, Pruijn GJ, Boelens WC, Span PN. α B-crystallin expression is correlated with phospho-ERK1/2 expression in human breast cancer. *Int J Biol Markers*. 2013;28(4):e365-70.

van de Schootbrugge C, Bussink J, Span PN, Sweep FC, Grénman R, Stegeman H, Pruijn GJ, Kaanders JH, Boelens WC. XB-crystallin stimulates VEGF secretion and tumor cell migration and correlates with enhanced distant metastasis in head and neck squamous cell carcinoma. *BMC Cancer*. 2013;13:128.

van der Sluis TM, van Moorselaar RJ, Meuleman EJ, ter Haar RW, Bui HN, Heijboer AC, Vis AN. Relationship between body mass index and serum testosterone concentration in patients receiving luteinizing hormone-releasing hormone agonist therapy for prostate cancer. *Urology*. 2013;81(5):1005-9.

Wennemers M, Stegeman H, Bussink J, Versleijen-Jonkers YM, van Laarhoven HW, Raleigh JA, Varia MA, Sweep FC, Span PN. Hypoxia regulation of phosphokinases and the prognostic value of pAKT in breast cancer. *Int J Biol Markers*. 2013;28(2):151-60.

Wevers KP, Kruijff S, Speijers MJ, Bastiaannet E, Muller Kobold AC, Hoekstra HJ. S-100B: a stronger prognostic biomarker than LDH in stage IIIB-C melanoma. *Ann Surg Oncol*. 2013;20(8):2772-9.

Klinisch: Toxicologie

Joosten H, Drion I, Boogerd KJ, van der Pijl EV, Slingerland RJ, Slaets JP, Jansen TJ, Schwantje O, Gans RO, Bilo HJ. Optimising drug prescribing and dispensing in subjects at risk for drug errors due to renal impairment: improving drug safety in primary healthcare by low eGFR alerts. *BMJ Open* 2013;3(1): pii: e002068.