

Publicaties der leden 1995

Klinische (Bio)chemie en Methodologie

Lipiden

Baadenhuijsen H, Demacker PNM, Hessels M, Boerma GJM, Penders TJ, Weykamp CW, Willems JL. Testing the accuracy of total cholesterol assays in an external quality-control program. Effect of adding sucrose to lyophilized control sera compared with use of fresh or frozen sera. *Clin Chem* 1995; 41: 724-730.

Blankestijn PJ, Vos PF, Rabelink TJ, Rijn HJM van, Jansen H, Koomans HA. High-flux dialysis membranes improve lipid profile in chronic hemodialysis patients. *J Am Soc Nephrol* 1995; 5: 1703-1708.

Blom HJ, Kleinvelde HA, Boers GHJ, Demacker PNM, Hak-Lemmers HLM, Te Poele- Pothoff MTWB, Trijbels JMF. Lipid peroxidation and susceptibility of low-density lipoprotein to in vitro oxidation in hyperhomocysteinaemia. *Eur J Clin Invest* 1995; 25: 149-154.

Boerma GJM. "Cholesterol - determination in blood" Encyclopedia of Analytical Science; 708-714. Townshend & Worsford Eds. 1995. London, Academic Press. ISBN 012 2267001

Cobbaert C, Broodman I, Swart R, Hoogerbrugge N. Performance of a direct, immunoseparation based LDL-cholesterol method compared to Friedewald calculation and a polyvinyl sulphate precipitation method. *Eur J Clin Chem Clin Biochem* 1995; 33: 417-424.

Gray RGF, Green A, Cole T, Davidson V, Giles M, Schutgens RBH, Wanders RJA. A misdiagnosis of x-linked adrenoleucodystrophy in cultured chorionic villus cells by the measurement of very long chain fatty acids. *Prenatal Diagnosis* 1995; 15: 4486-4490.

Hingh YCM de, Meyer J, Fischer JC, Berger R, Smeitink JAM, Op den Kamp JAF. Direct measurement of lipid peroxidation in submitochondrial particles. *Biochem* 1995; 34: 12755 - 12760.

Kleinvelde HA, Hak-Lemmers HLM, Hectors MPC, de Fouw NJ, Demacker PNM, Stalenhoef AFH. Vitamin E and fatty acid intervention does not attenuate the progression of atherosclerosis in Watanabe heritable hyperlipidemic rabbits. *Arterioscler Thromb Vasc Biol* 1995; 15: 290-297.

Muskiet FAJ, Beusekom CM van, Boersma ER, Okken A. Lange keten meervoudig onverzadigde vetzuren in de perinatale periode. *Ned Tijdschr Klin Chem* 1995; 20: 43-50.

Pekelharing HLM, Kleinvelde HA, Bouma BN, Rijn HJM van. Structural and functional aspects of the carbohydrate moieties of apolipoprotein(a), apolipoprotein B-100 and plasminogen. *Clin Chem Enzym Comms* 1995; 6: 329-343.

Pekelharing HLM, Aalders NL, Visser GHA, Doormaal JJ van, Bouma BN, Kleinvelde HA, Rijn HJM van. Method-dependent increase in lipoprotein(a) in insulin-dependent diabetes mellitus during pregnancy. *Metabolism* 1995; 44: 1606-1611.

Ponjee GAE, Janssen GME, van Wersch JWJ. Long-term physical exercise and lipoprotein(a) levels in a previously sedentary male and female population. *Ann Clin Biochem* 1995; 32: 181-185.

Ponjee GAE et al. Long-term exercise, serum lipids and lipoproteins. *Eur J Clin Chem Clin Biochem*, 1995; 33: 121-126.

Westerveld HE, Kock LAW, Rijn HJM van, Erkelens DW, Bruin TWA de. 17-β-estradiol improves postprandial lipid metabolism in postmenopausal women. *J Clin Endocrinol Metabolism* 1995; 80: 249-253.

Enzymen

Andy V, Horvath P, Wanders RJA. Aminoxy acetic acid: a selective inhibitor of alanine: glyoxylate aminotransferase and its use in the diagnosis of primary hyperoxaluria type I. *Clin Chim Acta* 1995; 243: 105-114.

Engbersen AMT, Franken DG, Boers GHJ, Stevens EMB, Trijbels JMF, Blom HJ. Thermolabile 5,10-methylenetetrahydrofolate reductase as a cause of mild hyperhomocysteinemia. *Am J Hum Genet* 1995; 56: 142-150.

Kleinvelde HA, Voorbij HAM, Rijn HJM van. Rapid and easy determination of immunoglobulin class and light chain type of anti-lactate dehydrogenase antibodies in macro-lactate dehydrogenase. *Eur J Clin Chem Clin Biochem* 1995; 33: 441-442.

IJlst L, Usikubo S, Kamijo T, Hashimoto T, Ruiter JPN, Klerk JBC de, Wanders RJA. Long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency: high frequency of the G1528C mutation with no apparent correlation with the clinical phenotype. *J Inher Metab Dis* 1995; 18: 241-244.

Nijtmans LGJ, Barth PG, Lincke CR, Galen MJM van, Zwart R, Klement P, Bolhuis PA, Ruitenberg W. Wanders RJA, Bogert C van den. Altered kinetics of cytochrome c oxidase in a patient with severe mitochondrial encephalomyopathy. *Biochim Biophys Acta* 1995; 1270: 193-201.

Roermund CWT van, Berg M van den, Wanders RJA. Localization of peroxisomal 3-oxoacyl-CoA thiolase in particles of varied density in rat liver: implications for peroxisome biogenesis. *Biochim Biophys Acta* 1995; 1245: 348-358.

Seppen J, Jansen PLM, Oude Elferink RPJ. Immunoaffinity purification and reconstitution of the human bilirubin/phenol UDP-glucuronosyltransferase family. *Protein Express Purificat* 1995; 6: 149-154.

Ventura FV, Ruiter JPN, IJlst L, Almeida IT, Wanders RJA. Inhibition of oxidative phosphorylation by palmitoyl-CoA in digitonin permeabilized fibroblasts: implications for long-chain fatty acid β-oxidation disorders. *Biochim Biophys Acta* 1995; 1272: 14-20.

Wanders RJA, Ofman R, Romeijn GJ, Schutgens RBH, Mooijer PAW, Dekker C, Bosch H van den. Measurement of dihydroxyacetone-phosphate acyltransferase (DHAPAT) in chorionic villous samples, blood cells and cultured cells. *J Inher Metab Dis* 1995; 18: 90-100.

Wanders RJA, Roermund CWT van, Schor DSM, Brink HJ ten, Jakobs C. Phytanic acid oxidation in man: identification of a new enzyme catalysing the formation of 2-ketophytanic acid from 2-hydroxyphytanic acid and its deficiency in the Zellweger syndrome. *J Inher Metab Dis* 1995; 18: 201-203.

Wanders RJA, Mooyer P. D-2-hydroxyglutaric acidaemia: identification of a new enzyme, D-2-hydroxyglutarate dehydrogenase, localized in mitochondria. *J Inher Metab Dis* 1995; 18: 194-196.

Eiwitten

Cornelissen J, Wanders RJA, Gennip AH van, Bogert C van den, Voute PA, Kuilenburg ABP van. Meta-iodobenzylguanidine inhibits complex I and III of the respiratory chain in the human cell line molt-4. *Bioch Pharmac* 1995; 49: 471-477.

Gerrits MI, Thijssen JHH, Rijn HJM van. Determination of the bone resorption markers pyridinoline and deoxypyridinoline in urine, with special attention to the stability of these components. *Clin Chem* 1995; 41: 571-574.

Graauw de W, Lisdonk E van de, Bosch W van de, Hoogen H van de, Gerwen van, Willems JL. Screening for microalbuminuria in first morning urine samples: evaluation of a dipstick test in general practice. *Diabetic Medicine* 1995; 12: 657-663.

Keijzer MH de, Kant GD, Bergh van den FAJTM, Vermes I. Enige ervaringen met de bepaling van koolhydraatdeficiënt transferrine in serum. *Ned Tijdschr Klin Chem* 1995; 20: 207-208.

Lems WF, Jacobs JWG, Rijn HJM van, Bijlsma JWJ. Changes in calcium and bone metabolism during treatment with low dose prednisone in young, healthy, male volunteers. *Clin Rheumatol* 1995; 14: 420-424.

Scheven BAA, Veen MJ van der, Damen CA, Lafeber FPJG, Rijn HJM van, Bijlsma JWJ, Duursma SA. Effects of methotrexate on human osteoblasts in vitro: Modulation by 1,25-dihydroxyvitamin D₃. *J Bone Miner Res* 1995; 10: 874-880.

Suijlen JDE van, Lijster de-Raad J de, Toorenbergen AW van. Evaluatie van het ALK Magic Lite SQ allergiesysteem. *Ned Tijdschr Klin Chem* 1995; 20: 96-103.

Wanders RJA, Dekker C, Ofman R, Schutgens RBH, Mooijer P. Immunoblot analysis of peroxisomal proteins in liver and fibroblasts from patients. *J Inher Metab Dis* 1995; 18: 101-112.

Zaman GJR, Lankelma J, Tellingen O van, Beijnen J, Dekker H, Paulusma C, Oude Elferink RPJ, Baas F, Borst P. Role of glutathione in the export of compounds from cells by the multidrug-resistance-associated protein. *Proc Natl Acad Sci* 1995; 92: 7690-7694.

Elektrolyten

Schreuder HWR, Visser DM, Zuithoff-Rijntjes JGM, Schutgens RBH, Griffioen RW, Nierop JC van, Tamiau JA JM, Berends F. De zweettest bij cystic fibrosis; een vergelijking tussen de klassieke Gibson-Cooke-methode en de Macrōduct conductivity analyser. *Tijdschr Kindergeneesk* 1995; 63: 157-161.

Schröder CH, Swinkels DW, Verschuur R, Willems HL, Monnens LAH. Studies with pre-treatment of milk with calcium acetate to reduce the phosphate content. *Eur J Pediat* 1995; 154: 689.

Willems JL, Huijgen HJ, Ingen HE van, Vis P, Lemmers J, Geven WB, Sanders GTB. Magnesium onderzoek in ontwikkeling. *Ned Tijdschr Klin Chem* 1995; 20: 55-63.

Willems JL, Kruse J Geven WB, Vis A, Monnens LAH. Defibrillation essential in the assay of ionized magnesium in mononuclear cells. *J Clin Chem Clin Biochem* 1995; 33: 103-104.

Endocrinologie

Blaauw G, Koudstaal J, Blankenstein MA, Debets-Te Baerts M, Gijzen AHJ. Progestin receptors in meningioma. Comparison of cytosolic assays with immunocytochemical identification in cryostat and paraffin sections. *Acta Neurochir* 1995; 134: 83-87.

Blankenstein MA, Koehorst SGA, Kallen CJH van der, Jacobs HM, Spriel AB van, Donker GH, Verlaat JW van't, Blaauw G, Thijssen JHH. Oestrogen receptor independent expression of progestin receptors in human meningioma - A review. *J Steroid Biochem Molec Biol* 1995; 53: 361-365.

Bruhn TO, Rondeel JMM, Bolduc TG, Jackson IMD. Thyrotropin-releasing hormone gene expression in cultured anterior pituitary cells: role of gender. *Neuroendocrinol* 1995; 61: 77-84.

Dullaart RPF, Ubels FL, Hoogenberg K, Smit AJ, Pratt JJ, Muntinga JHJ, Sluiter WJ, Wolthers BG. Alterations in cortisol metabolism in insulin-dependent diabetes mellitus: Relationship with metabolic control and estimated blood volume and effect of angiotensin converting enzyme inhibition. *JCEM* 1995; 80: 3002-3008.

Haasteren GAC van, Linkels E, Klootwijk W, Toor H van, Rondeel JMM, Themmen APN, Jong FH de, Valentijn K, Vaudry H, Bauer K, Visser TJ, Greef WJ de. Starvation-induced changes in the hypothalamic content of prothyrotrophin-releasing hormone (proTRH) mRNA and the hypothalamic release of proTRH-derived peptides: role of the adrenal gland. *J Endocrinol* 1995; 145: 143-153.

Kema IP, Schoots CJF, Okken A, Gidding CEM, Okken A, Aarnoudse JG, Muskiet FAJ. N-Methyladrenaline: age dependent urinary excretion, perinatal organ content and relation with 'classical' catecholamines. *Clin Chim Acta* 1995; 238: 137-150.

Klootwijk W, Vaessen LMB, Bernard BF, Rondeel JMM, Greef WJ de, Visser TJ. Production and characterization of monoclonal and polyclonal antibodies against thyrotropin-releasing hormone. *Hybridoma* 1995; 14: 285-290.

Muskiet FAJ, Klis FRM van der, Saleh AEC, Jonxis JHP. De vitamine D-osteoporose connectie. *Ned Tijdschr Klin Chem* 1995; 20: 32-37.

Oosting JD. Klinisch chemische aspecten van parenterale voeding. *Ned Tijdschr Klin Chem* 1995; 4: 198-202.

Poll T van der, Zee KJ van, Endert E, Coyle SM, Stiles DM, Pribble JP, Catalano MA, Moldawer LL, Lowry SF. Interleukin-1 receptor blockade does not affect endotoxin-induced changes in plasma thyroid hormone and thyrotropin concentrations in man. *J Clin Endocrinol Metab* 1995; 80: 1341-1346.

Rondeel JMM, Klootwijk W, Linkels E, Haasteren GAC van, Greef WJ de, Visser TJ. Regulation of thyrotropin-releasing hormone in the posterior pituitary. *Neuroendocrinol* 1995; 61: 421-429.

Rondeel JMM, Klootwijk W, Linkels E, Haasteren GAC van, Greef WJ de, Visser TJ. Regulation of the TRH-like peptide pyroglutamyl-glutamyl-prolineamide in the rat anterior pituitary gland. *J Endocrinol* 1995; 145: 43-49.

Rondeel JMM, Klootwijk W, Linkels E, Jeucken PHM, Allaerts W, Hofland LJ, Everts ME, Kramer P, Jong FH de, Haasteren GAC van, Cockle SM, Visser TJ, Greef WJ de. Further studies on the regulation, localization and function of the TRH-like peptide pyroglutamyl-glutamyl-prolineamide in the rat anterior pituitary gland. *J Endocrinol* 1995; 146: 293-300.

Westerhuis LWJJM, Venekamp WJRR. Falsely high serum free thyroxin concentration measured with Amerlite MAB-FT4. *Clin Chem* 1995; 41: 633-634.

Tumormarkers

Blankenstein MA. Biochemical assessment of tissue prognostic factors in breast cancer. *Ned Tijdschr Klin Chem* 1995; 20: 305-311.

Blijenberg BG, Eman I, Boevé ER, Mössner E, Uhl W. The analytical and clinical performance of the new Boehringer Mannheim Enzymun-Test® PSA assay. *Eur J Clin Chem Clin Biochem* 1995; 33: 383-392.

Blijenberg BG, Kessler AC, Uhl W. Multicentre evaluation of a new fully automated enzyme immuno-assay for total prostate-specific antigen. *Eur J Clin Chem Clin Biochem* 1995; 33: 965-973.

Bossens MMF, Straalen JP van, Reijke ThM, Kurth KH, Sanders GTB. Kinetics of prostate-specific antigen after manipulation of the prostate. *Eur J Cancer* 1995; 31A: 682-685.

Deprés-Brunner P, Itzhaki M, Bakker PJM, Hoek FJ, Veenhof KHN, Wit R de. The usefulness of CA15.3, mucin-like carcinoma-associated antigen and carcinoembryonic antigen in determining the clinical course in patients with metastatic breast cancer. *J Cancer Res Clin Oncol* 1995; 121: 419-422.

Gennip AH van, Lenthe H van, Abeling NGGM, Bakker HD, Kuilenburg ABP. Combined deficiencies of NADPH- and NADPH-dependent dihydropyrimidine dehydrogenases, a new finding in a family with thymine-uraciluria. *J Inher Metab Dis* 1995; 18: 185-188.

Kema IP, Vries EGE de, Muskiet FAJ. Klinisch chemische aspecten van carcinoïd tumoren. *Analyse* 1995; 50: 98-104.

Slingerland RJ, Gennip AH van, Bodlaender JM, Voute PA, Kuilenburg ABP van. Quantitative analysis of the pyrimidine metabolism in pheochromocytoma PC-12 cells. *Eur J Biochem* 1995; 233: 538-453.

Hematologie

Hoffmann JJML, Janssen WCM, Hegedus HY von. Flow cytometric phenotyping of platelet HPA-1a antigen: donor screening for a case of neonatal allo-immune thrombocytopenia due to anti-HPA-1a antibodies. *Immunohematol* 1995; 11: 125-128.

Mercelina-Roumans PEAM, Breukers R, Ubachs JMH, Wersch JWJ van. Cord blood cells and indices: smoking-related differences between the sexes. *Acta Paediatr* 1995; 84: 371-374.

Mercelina-Roumans PEAM, Ubachs JMH, Wersch JWJ van. Platelet count and platelet indices in smoking and nonsmoking women during normal pregnancy. *Eur J Clin Chem Clin Biochem* 1995; 33: 267-269.

Mercelina-Roumans PEAM, Ubachs JMH, Wersch JWJ van. The reticulocyte count and its subfractions' enumeration with an automated reticulocyte counter in smoking and non-smoking females. *Eur J Clin Chem Clin Biochem* 1995; 33: 263-265.

Zwieten R van, Bolscher BGJM, Schouten-van Meeteren AYN, Hoffmann JJML, Roos D. Bepaling van spectrine in erytrocyten: een belangrijk hulpmiddel bij de diagnostiek van hereditaire sferocytose. *Ned Tijdschr Geneesk* 1995; 139: 2256-2261.

Stolling

De Jonge N, Woudstra M, Maartense E, Ponjee GAE. High plasma antithrombin levels in acute hepatitis A. *Scand J Gastroenterol* 1995; 30: 95-96.

Duijnhoven EM van, Lustermans FAT, Wersch JWJ van. Het gebruik van hemostaseparameters voor vaststelling van metastasering bij patiënten met colorectale kanker vergeleken met CEA, alkalische fosfatase en LDH. In: *Trombose, Atherosclerose en Ontsteking; diagnostiek, preventie en behandeling anno 1994*. ISBN 90-802643-1-8 1995: 166-167.

Ermens AAM, Wild P de, Vader HL, Graaf F van der. Evaluation of four agglutination assays for measurement of ristocetin cofactor activity (RCA). *Clin Chem* 1995; 41: 510-514.

Hennis BC, Boheemen PA van, Wakabayashi S, Koide T, Hoffmann JJML, Kievit P, Dooijwaard G, Jansen JG, Kluft C. Identification and genetic analysis of a common molecular variant of histidine-rich glycoprotein with a difference of 2 kD in apparent molecular weight. *Thrombos Haemostas* 1995; 74: 1491-1496.

Logmans A, Schoenmakers CCH, Haensel SM, Koolhoven I, Trimbos JB van, Lent M, Ingen HE van. High tissue factor concentration in the omentum, a possible cause of its hemostatic properties. *Eur J Clin Invest* 1995; 26: 82-83.

Niessen RWLM, Pfaffendorf BA, Sturk A, Lamping RJ, Schaap MCL, Hack CE, Peters M. The influence of insulin, β -estradiol, dexamethasone and thyroid hormone on the secretion of coagulant and anticoagulant proteins by HepG2 cells. *Thrombos Haemostas* 1995; 74: 686-692.

Schaap MCL, Sturk A. Detectie en klinische relevante van geactiveerde bloedplaatjes. *Ned Tijdschr Klin Chem* 1995; 20: 26-31.

Veldhuyzen van Zanten GO, Odink HF, Wersch JWJ van. Fibrinogen of patients with peripheral arterial disease of the lower extremities. In: *Trombose, Atherosclerose en Ontsteking; diagnostiek, preventie en behandeling anno 1994*. ISBN 90-802643-1-8 1995: 144-147.

Vreken P, Niessen RWLM, Peters M, Schaap MCL, Zuithoff-Rijntjes JGM, Sturk A. A point mutation in an invariant splice acceptor site results in a decreased mRNA level in a patient with severe coagulation factor XIII subunit a deficiency. *Thrombos Haemostas* 1995; 74: 584-589.

Vrij AA, Mazee HA, Lustermans FAT, Wersch JWJ van. Coagulation and fibrinolysis in polymyalgia rheumatica and giant cell arteritis. In: *Trombose, Atherosclerose en Ontsteking; diagnostiek, preventie en behandeling anno 1994*. ISBN 90-802643-1-8 1995: 139-142.

Toxicologie

Aerts LAGJM van, Poirot CM, Herberts CA, Blom HJ, Abreu RA de, Trijbels JMF, Eskes TKAB, Copius Peereboom-Stegeman JJJ, Noordhoek J. Development of methionine synthase, cystathione- β -synthase and S-adenosyl-homocysteine hydrolase during gestation in rats. *J Reprod Fertil* 1995; 103: 227-232.

Aldenhof YBJ, van Kroonenburgh MJPG, Zimny SVM, Menheere PPCA, Koole LH. A new amphiphilic host molecule for ^{99m}Tc . Specific imaging of the hepatobiliary system in a rabbit model. *J Chem Soc Chem Comm* 1995; 523-524.

Diejen-Visser van MP. Antilichamen als reagens. Leerboek voor het HLO-onderwijs, Heron Reeks. Bohn Stafleu Van Lochem, 1995, ISBN 90-313-1888-4.

Engelen JGM van, Kčzić S, Haan W de, Opdam JJJ, Wolff FA de. Determination of 2,5-hexanedione, a metabolite of *n*-hexane, in urine: evaluation and application of three analytical methods. *J Chromatogr B* 1995; 667: 233-244.

Heijink E, Bolhuis PA, Wolff FA de. Sensitivity to 2,5-hexanedione of neurofilaments in neuroblastoma cell line SK-N-SH increases during differentiation. *J Neuropath Exp Neur* 1995; 541: 82-90.

Kuijpers EAP, Hartigh J den, Savelkoul TJ, Wolff FA de. A method for the simultaneous identification and quantification of five superwarfarin rodenticides in human serum. *J Anal Toxicol* 1995; 19: 557-562.

Slikkerve A, Helmich RB, Voet GB van der, Wolff FA de. Absorption of bismuth from several bismuth compounds during *in vivo* perfusion of rat small intestine. *J Pharm Sci* 1995; 84 4: 512-515.

Voet GB van der, Wolff FA de. Metals. In: *Side Effects of Drugs Annual* 18 (Aronson JK and Boxtel CJ van eds.). Amsterdam, Elsevier Science B.V. 1995; chapter 23: 240-244.

Wolff FA de, Bruyn GW. Cycad toxicity. In: De Wolff FA ed. *Intoxications of the Nervous System, part II* (Vinken & Bruyn's Handbook of Clinical Neurology. Vol. 65) Amsterdam: Elsevier 1995; chapter 2: 21-24.

Wolff FA de, Pennings EJM. Mushrooms and hallucinogens: neurotoxicological aspects. In: De Wolff FA ed. *Intoxications of the Nervous System, part II* (Vinken & Bruyn's Handbook of Clinical Neurology. Vol. 65) Amsterdam: Elsevier 1995; chapter 4: 35-60.

Wolff FA de. Antimony and health. *BMJ* 1995; 310: 1216-1217.

Wolff FA de. Onderkenning van chronische intoxicatie in de huisartsenpraktijk. In: Persijn J.P. (red.): *Handboek voor diagnostiek in de eerste lijn*. SAN Haarlem. ISBN 90-70644-13-4 1994; H 17.4: 556-562.

Wolff FA de, Kęzić S, Engelen JGM van, Monster AC. Bio-monitoring and absorption of industrial chemicals: the challenge of organic solvents. In: Thomas H, Hess R and Waechter F (eds): *Toxicology of industrial compounds*. Taylor & Francis, London. ISBN 0-7484-0239-X, 1994; 1: 3-12.

Geneesmiddelen

Hollander AAMJ, Rooij J van, Lentjes EGWM, Arbouw F, Bree JB van, Schoemaker RC, Es LA van, Woude FJ van der, Cohen AF. The effect of grapefruit juice on cyclosporine and prednisone metabolism in transplant patients. *Clin Pharmacol Ther* 1995; 57: 318-324.

Kaasjager KAH, Rijn HJM van, Koomans HA, Rabelink TJ. Interactions of Nifedipine with the renovascular effects of endothelin in humans. *J Pharmacol Exp Ther* 1995; 275: 306.

Moleculaire biologie

Berg IET van den, Beurden EACM van, Malingré HEM, Ploos van Amstel HK, Poll-The BT, Smeitink JAM, Lamers WH, Berger R. X-linked liver phosphorylase kinase deficiency is associated with mutations in the human liver phosphorylase kinase α subunit. *Am J Hum Genet* 1995; 56: 381 - 387.

Elgersma Y, Roermund CWT van, Wanders RJA, Tabak HF. Peroxisomal and mitochondrial carnitine acetyltransferases of *saccharomyces cerevisiae* are encoded by a single gene. *EMBO J* 1995; 14: 3472-3479.

Frosst P, Blom HJ, Milos R, Goyette P, Sheppard CA, Matthews RG, Boers GHJ, Heijer M den, Kluijtmans LAJ, Heuvel LP van den, Rozen R. Identification of a candidate genetic risk factor for vascular disease: A common mutation at the methylenetetrahydrofolate reductase locus. *Nat Genet* 1995; 10: 111-113.

Fukao T, Song X-Q, Yamaguchi S, Orii T, Wanders RJA, Poll-The BT, Hashimoto T. Mitochondrial acetoacetyl-coenzyme a thiolase gene: a novel 68-bp deletion involving 3' splice site of intron 7, causing exon 8 skipping in a caucasian patient with β -ketothiolase deficiency. *Human Mutation* 1995; 5: 94-96.

Kate J ten. Molecular biological tools in the diagnosis and prognosis of mammary carcinoma. *Ned Tijdschr Klin Chem* 1995; 20: 311-314.

Kemp S, Ligtenberg MJL, Geel BM van, Barth PG, Sarde C-O, Oost BA van, Bolhuis PA. Two intronic mutations in the adrenoleukodystrophy gene. *Human Mutation* 1995; 6: 272-273.

Kusters R, Lentzen G, Eppens E, Geel A van, Weijden CC van der, Wintermeyer W, Luirink J. The functioning of the SRP receptor FtsY in protein-targeting in *E. coli* is correlated with its ability to bind and hydrolyse GTP. *FEBS Lett.* 1995; 372: 253-258.

Ligtenberg MJL, Kemp S, Sarde C-O, Geel BJ van, Kleijer WJ, Barth PG, Mandel J-L, Oost BA van, Bolhuis PA. Spectrum of mutations in the gene encoding the adrenoleukodystrophy protein. *Am J Hum Genet* 1995; 56: 44-50.

Mol JA, Henzen-Logmans SC, Hageman Ph, Misdorp W, Blankenstein MA, Rijnberk A. Expression of the gene encoding growth hormone in the human mammary gland. *J Clin Endocrinol Metab* 1995; 80: 3094-3096.

Motley A, Lumb MJ, Oatey PB, Jennings PR, Zoysa PA De, Wanders RJA, Tabak HF, Danpure ChJ. Mammalian alanine/glyoxylate aminotransferase 1 is imported into peroxisomes and context specificity of the mammalian PTS1 motif and implications for the peroxisome-to-mitochondrion mistargeting of AFT in primary hyperoxaluria type 1. *J Cell Biol* 1995; 131: 95-109.

Nijtmans LGJ, Klement P, Housteck J, Bogert C van den. Assembly of mitochondrial ATP synthase in cultured human cells: implications for mitochondrial diseases. *Biochim Biophys Acta* 1995; 1272: 190-198.

Piosik PA, Groeningen M van, Ponne NJ, Bolhuis PA, Baas F. RC3/neurogranin structure and expression in the caprine brain in relation to congenital hypothyroidism. *Molecular Brain Research* 1995; 29: 119-130.

Put NJM van der, Steegers-Theunissen RPM, Frosst P, Trijbels JMF, Eskes TKAB, Heuvel LP van den, Mariman ECM, Heijer M den, Rozen R, Blom HJ. Mutated methylenetetrahydrofolate reductase as a risk-factor for spina bifida. *Lancet* 1995; 346: 1070-1071.

Spelbrink JN, Bogert C van den. The pre-mRNA of nuclear respiratory factor 1, a regulator of mitochondrial biogenesis, is alternatively spliced in human tissues and cell lines. *Human Mol Genet* 1995; 4: 1591-1596.

Steffens-Nakken HM, Zwart GJM, Bergh FAJTM van den. Validation of Allele-Specific Polymerase Chain Reaction for DNA Typing of HLA-B27. *Clin Chem* 1995; 41: 687-692.

Valent Q, Kendall DA, High S, Kusters R, Oudega B, Luirink J. Early events in preprotein recognition in *E. coli*: interaction of SRP and trigger factor with nascent polypeptides. *EMBO J* 1995; 14: 5494-5505.

Vermes I, Haanen C, Steffens-Nakken H, Reutelingsperger C. A novel assay for apoptosis: Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V. *J Immunol Meth* 1995; 184: 39-51.

Wanders RJA, Denis S, Ruiter JPN, Schutgens RBH, Roermund CWT van, Jacobs BS. Measurement of peroxisomal fatty acid β -oxidation in cultured human skin fibroblasts. *J Inher Metab Dis* 1995; 18: 113-124.

Diversen

- Barth PG, Martinez M, Apkarian P, Haverkort EB, Wanders RJA, Schutgens RBH. Disorders of peroxisome biogenesis: classification and treatment. In: Functions and biogenesis of peroxisomes in relation to human disease. Amsterdam: KNAW. Tweede reeks, deel 95, 1995: 201-226.
- Bosch H van den, Zomer AWM, Gelsema WJ, Wanders RJA, Schutgens RBH. Ether phospholipid biosynthesis: an overview. In: Functions and biogenesis of peroxisomes in relation to human disease. Amsterdam: KNAW. Tweede reeks, deel 95, 1995: 75-93.
- Dicke H, Swinkels DW. Testen op occult bloed in faeces: achtergrond en dieetvoorstel. Ned Tijdschr Diëtisten 1995; 126 - 131.
- Doelman CJA, Sant P van 't, Swinkels DW. Inventarisatie van de opleiding tot klinisch chemicus en arts klinische chemie. Ned Tijdschr Klin Chem 1995; 20: 249-252.
- Dorhout B, Velde RJ te, Ferwerda H, Kingma AW, Hoog E de, Muskiet FAJ. *In vivo* growth inhibition of L1210 leukemia by 4-amidinoindan-1-one 2'-amidinohydrazone (CGP 48664A), a new inhibitor of S-adenosylmethionine decarboxylase. Int J Cancer 1995; 61: 214-217.
- Dorhout B, Velde RJ te, Ferwerda H, Kingma AW, Hoog E de, Muskiet FAJ. *In vivo* effects of 4-amidinoindan-1-one 2'-amidinohydrazone (CGP 48664A) and α -difluoromethylornithine (DFMO) on L1210 growth, cell-cycle phase distribution and polyamine contents. Int J Cancer 1995; 62: 738-742.
- Gerrits MI, Thijssen JHH, Rijn HJM van. Determination of pyridinoline and deoxypyridinoline in urine, with special attention to retaining their stability. Clin Chem 1995; 41: 571-574.
- Jakobs C, Schweitzer S, Dorland B. Galactitol in galactosemia. Eur J Pediatr 1995; 154: S50 - S52.
- Keuzenkamp-Jansen CW, Abreu RA de, Bokkerink JPM, Trijbels JMF. Determination of extracellular and intracellular thiopurines and methylthiopurines with HPLC. J Chromatogr B 1995; 672: 53-61.
- Lentjes EGWM, Lindeman JHN, Bent W van der, Berger HM. Measured versus calculated latent iron binding capacity in plasma of newborns. Ann Clin Biochem 1995; 32: 478-481.
- Lutter R, Bruinier B, Hol BEA, Krouwels FH, Out ThA, Jansen HM. Physical interaction between lung epithelial cells and T lymphocytes. In: Mestecky J et al, editors. Advances in Mucosal Immunology. New York: Plenum Press, 1995: 257.
- Muskiet FAJ, Dorhout B. Manipulatie van tumoreelkinetiek met polyamine synthese-remmers. Ned Tijdschr Klin Chem 1995; 20: 233-238.
- Muskiet FAJ, Dorhout B, Berg GA van den, Hessels J. Investigation of polyamine metabolism by high-performance liquid chromatographic and gas chromatographic profiling methods. J Chromatogr B 1995; 667: 189-198.
- Oosting JD, Visser FJ, Schellekens APM. Bepalingen met de ACS: 180TM direct uit de bloedafnamebuis. Ned Tijdschr Klin Chem 1995; 4: 212-216.
- Poole-Pothoff MTWB te, Berg M van den, Franken DG, Boers GHJ, Jacobs C, Kroon IFI de, Eskes TKAB, Trijbels JMF, Blom HJ. Three different methods for the determination of total homocysteine in plasma. Ann Clin Biochem 1995; 32: 218-220.
- Reddingius RE, Schröder CH, Willems HL, Lelieveld M, Kohler BEM, Krediet RT, Monnens LAH. Measurement of peritoneal fluid handling in children on CAPD using dextran 70. Nephrol Dial Transplant 1995; 10: 866-870.
- Roels F, Espeel M, Mandel H, Poggi F, Smeitink JAM, Toorman J, Kerckaert I, Poll-The BT, Schutgens RBH, Wanders RJA, Hashimoto T, Saudubray JM. Cell and tissue heterogeneity in peroxisomal patients. In: Functions and biogenesis of peroxisomes in relation to human disease. Amsterdam: KNAW. Tweede reeks, deel 95, 1995: 271-294.
- Roermund CWT van, Elgersma Y, Singh N, Wanders RJA, Tabak HF. The membrane of peroxisomes in *saccharomyces cerevisiae* is impermeable to NAD(H) and acetyl-CoA under *in vivo* conditions. EMBO J 1995; 14: 3480-3486.
- Sakkers RJB, Valkema R, Wijn JR de, Lentjes EGWM, Blitterswijk CA van, Rozing PM. The intramedullary hydraulic pressure tolerance of the human femur. Clin Orthopaedics Related Res 1995; 311: 183-189.
- Schutgens R H, Wanders RJA. Peroxisomale ziekten. Ned Tijdschr Klin Chem 1995; 20: 13-20.
- Straaten HWM van, Blom HJ, Peeters MCE, Rousseau AMJ, Cole KJ, Seller MJ. Dietary methionine does not reduce penetrance in curly tail mouse but causes a phenotype-specific decrease in embryonic growth. J Nutr 1995; 125: 2733-2740.
- Volmer M, Wolthers BG, Muskiet FAJ, Slik W van der. Een drietal voorbeelden waarbij chemometrie als hulpmiddel voor de evaluatie van klinisch-chemische en hematologische gegevens wordt gebruikt. Ned Tijdschr Klin Chem 1995; 20: 239-245.
- Wanders RJA, Schutgens RBH, Tabak HF, eds. Functions and biogenesis of peroxisomes in relation to human disease. Amsterdam: KNAW. Tweede reeks, deel 95, 1995.
- Wevers RA, Engelke U, Abeling NGGM, Abreu RA de, Berg GB van den, Heerschap A. ¹H-NMR spectroscopic in lichaamsvloeistoffen en leucocyten. Ned Tijdschr Klin Chem 1995; 20: 3-9.
- Weykamp CW, Penders TJ, Baardenhuijsen H, Muskiet FAJ, Martina W, Slik W van der. Vitamin C and glycohemoglobin. Clin Chem 1995; 41: 713-716.

Klinische studies

Maligniteiten

- Bangma CH, Blijenberg BG, Schröder FH. Single and serial PSA determinations in detection and follow-up of prostate cancer. Eur Urol Update Ser 1995; 4: 2-7.
- Bangma CH, Blijenberg BG, Schröder FH. Prostate-specific antigen: its clinical use and application in screening for prostate cancer. Scand J Clin Lab Invest 1995; 55: Suppl 221: 35-44.
- Bangma CH, Kranse R, Blijenberg BG, Schröder FH. The value of screening tests in the detection of prostate cancer. Part II: Retrospective analysis of free/total prostate-specific antigen ratio, age-specific reference ranges, and PSA density. Urology 1995; 46: 779-784.
- Bangma CH, Kranse R, Blijenberg BG, Schröder FH. The value of screening tests in the detection of prostate cancer. Part I: Results of a retrospective evaluation of 1726 men. Urology 1995; 46: 773-778.
- Berg AA van den, Lenthe H van, Kipp JBA, Korte D de, Kuilenburg ABP van, Gennip AH van. Cytidine triphosphate (CTP) synthetase activity during cell cycle progression in normal and malignant T-lymphocytic cells. Eur J Cancer 1995; 31A: 108-112.
- Berg AA van, Mooyer PAQ, Lenthe H van, Stet EH, Abreu RA de, Kuilenburg ABP van, Gennip AH van. The IMP dehydrogenase inhibitor mycophenolic acid antagonizes the CTP synthetase inhibitor 3-deazauridine in molt-3 human leukemia cells: a central role for phosphoribosyl pyrophosphate. Bioch Pharmacol 1995; 50: 1095-1098.

Cornelissen J, Wanders RJA, Bogerd C van den, Kuilenburg ABP, Elzinga L, Voûte PA, Gennip AH van. Meta-iodobenzylguanidine (MIBG) inhibits malate and succinate driven mitochondrial ATP synthesis in the human neuroblastoma cell line SK-N-BE(2c). *Eur J Cancer* 1995; 31A: 582-586.

Ierssel GJHM van, Vries J de, Mieremet-Ooms MAC, Zon AM van der, Kate J ten, Lamers CBHW, Verspaget HW. c-H-ras oncogene transfection does not affect NK cell sensitivity of human colorectal carcinoma cell lines. *Anticancer Res* 1995; 15: 349-352.

Keuzenkamp-Jansen CW, Bökkerink JPM, Abreu RA de, Trijbels JMF. High-dose 6-mercaptopurine infusions and tumor lysis syndrome. *Leukemia Res* 1995; 19: 489-490.

Keuzenkamp-Jansen CW, Bökkerink JPM, Trijbels JMF, Heijden MAH van de, Abreu RA de. Intracellular pharmacology and biochemistry of methotrexate and 6-mercaptopurine in childhood acute lymphoblastic leukemia. In: Purine and Pyrimidine Metabolism in Man VIII. Sahota A, Taylor MW eds. Plenum Publishing Corp, New York 1995; 115-118.

Stet EH, Abreu RA de, Bökkerink JPM, Lambooy LHJ, Vogels-Mentink TM, Keizer-Garritsen JJ, Trijbels FJM. Reversal of methylmercaptopurine ribonucleoside cytotoxicity by purine ribonucleosides and adenine. *Biochem Pharmacol* 1995; 49: 49-56.

Stet EH, Abreu RA de, Bökkerink JPM, Trijbels JMF. Studies on 6-mercaptopurine cytotoxicity in Molt F4 human malignant T-lymphoblasts. *Nucleosides Nucleotides* 1995; 14: 665-669.

Thijssen JHH, Blankenstein MA. Hormony sterydowe y ryzyko raka gruczolowutkowego. *Ginekol Prakt* 1995; 5: 9-12.

Verhagen A, Go KG, Visser GM, Blankenstein MA, Vaalburg W. Presence of progesterone receptors in arachnoid granulations and in the lining of arachnoid cysts. Its relevance to expression of progesterone receptors in meningiomas. *Br J Neurosurg* 1995; 9: 47-50.

Allergie

Ermens AAM, Mol S, Vader HL. Latexallergie; een toenemend probleem. *Ned Tijdschr Tandheelkd* 1995; 102: 7-8.

Ermens AAM, Mol S, Vader HL. Latexallergie, een toenemend probleem. *Tijdschr Ned Ver Mondhygiënisten* 1995; 2: 69-70.

Graaf-in 't Veld T de, Garrelds IM, Toorenbergen AW van, Mulder PG, Gerth van Wijk R, Boegheim JP. Effect of topical levocabastine on nasal response to allergen challenge and nasal hyperreactivity in perennial rhinitis. *Ann Allergy Immunol* 1995; 75: 261-266.

Graaf-In't Veld C de, Garrelds IM, Jansen APH, Toorenbergen AW van, Mulder PGH, Meeuwis J, Gerth van Wijk R. Effect of intranasal fluticasone propionate on the immediate and late allergic reaction and nasal hyperreactivity in patients with a house dust mite allergy. *Clin Exp Allergy* 1995; 25: 966-973.

Jansen A, Vermeulen A, Toorenbergen AW van, Dieges PH. Occupational asthma in horticulture caused by lathyrus odoratus. *Allergy Proc* 1995; 16: 135-139.

Out TA, Hol BEA, Krouwels FH, Lutter R, Jansen HM. Properties of T lymphocytes from the airways of patients with asthma. Cytokine production and modulation by histamine. *Chest* 1995; 107: 161s-162s.

Weber JA, Griffioen RW, Pael R. The predictive values of phadiatop¹ and phadiatop pediatric¹ in young children. *J Clin Ligand Assay* 1995; 18: 112-116.

Neurologie

Engelen BGM van, Weemaes CMR, Renier WO, Bakkeren JAJM, Borm GF, Strengers PFW. A dysbalanced immune system in cryptogenic Lennox-Gastaut Syndrome. *Scand J Immunol* 1995; 41: 209-213.

Gabreëls-Festen AAWM, Bolhuis PA, Hoogendojk JE, Valentijn LJ, Eshuis EJHM, Gabreëls FJM. Charcot-Marie-Tooth disease type 1A: morphological phenotype of the 17p duplication versus PMP22 point mutations. *Acta Neuropathol* 1995; 90: 645-649.

Gool WA van, Hoogerwaard EM, Kuiper MA, Portegies P, Bolhuis PA. Prionziekten: een nieuwe klasse neurodegeneratieve aandoeningen. *Ned Tijdschr Geneesk* 1995; 139: 606.

Gool WA van, Hensels GW, Hoogerwaard EM, Wiezer JHA, Wesseling P, Bolhuis PA. Hypokinesia and presenile dementia in a Dutch family with a novel insertion in the prion protein gene. *Brain* 1995; 118: 1565-1571.

Gool WA van, Kuiper MA, Walstra GJM, Wolters E Ch, Bolhuis PA. Concentrations of amyloid β protein in cerebrospinal fluid of patients with Alzheimer's disease. *Ann Neurol* 1995; 37: 277-279.

Haan A de, Koudijs JCM, Wevers RA, Wieringa B. The effects of MM-Creatine Kinase deficiency on sustained force production of mouse fast skeletal muscle. *Exp Physiol* 1995; 80: 491-494.

Heijink E, Piet M Sc, Bolhuis PA, Wolff FA de. Sensitivity to 2,5-hexanedione of neurofilaments in neuroblastoma cell line SK-N-SH increases during differentiation. *J Neuropathol Exp Neurol* 1995; 54: 82-90.

Jong THR de, Hiel JAP, Spek JAN van der, Lamers KJB. 'Cerebrale loopneus': rhinorrhoea cerebrospinalis. *Ned Tijdschr Geneesk* 1995; 39: 80-83.

Kempen GMJ van, Janjua R, Roos RAC. Effect of disease and drug treatment on blood serotonin and monoamine oxidase B activity in Parkinson's disease. *Clin Neurol Neurosur* 1995; 97: 131-133.

Kempen GJM van. Serotonine in de neurologie en de psychiatrie. *Ned Tijdschr Geneesk* 1995; 139: 2084-2088.

Lamers KJB, Jong JGN de, Jongen PJH, Kock-Jansen MJH, Teunissen MA, Prudon-Rosmulder EMW. Cerebrospinal fluid free kappa light chains versus IgG findings in neurological disorders: qualitative and quantitative measurement. *J Neuropathol Immunol* 1995; 62: 19-25.

Lamers KJB, Engelen BGM van, Gabreëls FJM, Hommes OR, Borm GF, Wevers RA. Cerebrospinal neuron-specific enolase, S-100 and myelin basic protein in neurological disorders. *Acta Neurol Scand* 1995; 92: 247-251.

Lamers KJB, Wevers RA. Cerebrospinal fluid diagnostics: Biochemical and clinical aspects. *Klin Biochem Metab (Czech)* 1995; 3: 63-75.

Lamers KJB, Gabreëls FJM, Renier WO, Wevers RA, Doesburg WH. Fasting studies in cerebrospinal fluid and blood in children with epilepsy of unknown origin. *Epilepsy Research* 1995; 21: 59-63.

Oostra RJ, Galen MJM van, Bolhuis PA, Bleeker-Wagemakers EM, Bogert C van den. The mitochondrial DNA mutation ND6*14,484C associated with leber hereditary optic neuropathy, leads to deficiency of complex I of the respiratory chain. *Bioch Bioph Research Commun* 1995; 215: 1001-1005.

Oostra RJ, Bolhuis PA, Wijburg FA, Bleeker-Wagemakers EM. Leber-opticusatrofie; een mitochondriaal overervende ziekte. *Ned Tijdschr Geneesk* 1995; 139: 1327-1330.

Slot HMJ, Overweg-Plandsoen WCG, Bakker HD, Abeling NGGM, Tamminga P, Barth PG, Gennip AH van. Molybdenum-Cofactor Deficiency: an easily missed cause of neonatal convulsions. In: Stockman JA, editor. *The Year Book of Pediatrics*. Mosby, 1995; 213-215.

Tuit A, Panhuysen G, Koppeschaar H, Fekkes D, Pijl H, Frölich M, Krabbe P, Everaerd W. Stress, serotonergic function, and mood in users of oral contraceptives. *Psychoneur Endocrinol* 1995; 20: 323-334.

Valentijn LJ, Ouvrier RA, Bosch NHA van den, Bolhuis PA, Baas F, Nicholson GA. Déjerine-Sottas neuropathy is associated with a De Novo PMP22 mutation. *Human Mutation* 1995; 5: 76-80.

Wijburg FA, Bogert C van den, Visser M de, Oostra RJ, Bakker HD, Bolhuis PA. Ziekten veroorzaakt door mitochondriale DNA-mutaties. *Ned Tijdschr Geneeskde* 1995; 139: 1322-1326.

Wijker M, Ligtenberg MJL, Schouten F, Defesche JC, Pals G, Bolhuis PA, Ropers HH, Hulsebos ThJM, Menko FH, Oost BA van, Serena Lungarotti M, Arwert F. The gene for hereditary bullous dystrophy, x-linked macular type, maps to the Xq27.3 region. *Am J Hum Genet* 1995; 56: 1096-1100.

Hart- en vaatziekten

Baur LHB, Schipperhey JJ, Laarse A van der, Souverijn JHM, Frölich M, De Groot A, Voogd PJ, Vroom TFFP, Manger Cats V, Keirse MJNC, Bruschke AVG. Combining salicylate and enalapril in patients with coronary artery disease and heart failure. *Br Heart J* 1995; 73: 227-236.

Berg M van den, Boers GHJ, Franken DG, Blom HJ, Kamp GJ van, Jakobs C, Rauwerda JA, Kluft C, Stehouwer CDA. Hyperhomocysteinemia and endothelial dysfunction in young patients with peripheral arterial occlusive disease. *Eur J Clin Invest* 1995; 25: 176-181.

Blom HJ, Boers GHJ, Eskes TKAB, Trijbels JMF. Hyperhomocysteinemia. *Ned Tijdschr Klin Chem* 1995; 20: 20-26.

Cobbaert C, Deprost L, Mulder P, Rombaut K, Gijsels G, Kesteloot H. Pubertal serum Lp(a) and its correlates in Belgian Schoolchildren. *Int J Epidemiol* 1995; 24: 78-87.

Dikkeschei LD. Lp(a): a possible link between lipids and fibrinolysis? *Diabetic Nephropathy* 1994; 276-294.

Heijer M den, Blom HJ, Gerrits WBJ, Rosendaal FR, Bos GMJ. Hyperhomocysteinemia: a risk factor for recurrent venous thrombosis. *Lancet* 1995; 345: 882-885.

Heijer M den, Blom HJ, Bos GMJ, Rosendaal FR, Haak HL, Wyermans PW, Gerrits WBJ. Hyperhomocysteinemia is een risicofactor voor veneuze trombose. *Trommibus* 1995; 23: 17-19.

Jukema JW, Bruschke AVG, Boven AJ van, Reiber JHC, Bal ET, Zwintzman AH, Jansen H, Boerma GJM, Rappard FM van, Lie KI, on behalf of the REGRESS study group. Effects of lipid lowering by pravastatin on progression and regression of coronary artery disease in symptomatic men with normal to moderately elevated serum cholesterol levels. The Regression Growth Evaluation Statin Study (REGRESS). *Circulation* 1995; 91: 2528-2540.

Lamers KJB, Jong de JGN, Jongen PJH, Kock-Jansen MJH, Teunissen MA, Prudon - Rosmulder EMW. Cerebrospinal fluid free kappa light chains versus IgG findings in neurological disorders: qualitative and quantitative measurements. *J Neuroimmunol* 1995; 62: 19-25.

Michels R, Hoffmann H, Windeler J, Barth H, Hopkins G. A double-blind multicenter comparison of the efficacy and safety of saruplase and urokinase in the treatment of acute myocardial infarction. Report of the SUTAMI study group. *J Thrombos Thrombolys* 1995; 2: 117-124.

Nieuwenhoven FA van, Kleine AH, Wodzig KWH, Hermens WTH, Kragten HA, Maessen JG, Punt CD, Diejen-Visser van MP, Vusse GJ van der, Glatz JFC. Discrimination between myocardial and skeletal muscle injury by assessment of the plasma ratio of myoglobin over fatty acid-binding protein. *Circulation* 1995; 92: 2848-54.

Tebbe U, Windeler J, Boesl I, Hoffmann H, Wojcik J, Ashmawy M, Schwartz ER, Loewis of Menar P von, Rosemeyer P, Hopkins G, Barth H on behalf of the LIMITS study group. Thrombolysis with recombinant unglycosylated single-chain urokinase-type plasminogen activator (Saruplase) in acute myocardial infarction: influence of heparin on early patency rate (LIMITS study). *J Am Coll Cardiol* 1995; 26: 365-373.

Winter RJ de, Koster RW, Sturk A, Sanders GT. Value of myoglobin, troponin T, and CK-MB mass in ruling out an acute myocardial infarction in the emergency room. *Circulation* 1995; 92: 3401-3407.

Interne geneeskunde

Anker JN van den, Groot R de, Broerse HM, Sauer PJJ, Heijden BJ van der, Hop WCJ, Lindemans J. Assessment of glomerular filtration rate in preterm infants by serum creatinine: comparison with inulin clearance. *Pediatrics* 1995; 96: 1156-1158.

Bakker AJ, Koolemay MJW, Vlies B van, Gorgels JPMC, Smits R, Tijssen JGP, Haagen FDM. Exclusion of acute myocardial infarction: the value of measuring creatine kinase slope. *Eur J Clin Chem Clin Biochem* 1995; 33: 351-363.

Berg G van der, Frölich M, Veldhuis JD, Roelfsema F. Combined amplification of the pulsatile and basal modes of adrenocorticotropin and cortisol secretion in patients with Cushing's disease: Evidence for decreased responsiveness of the adrenal glands. *J Clin Endocrinol Metabol* 1995; 80: 3750-3757.

Beukeveld GJJ, Bijleveld CMA, Kuipers F, Kreeftenberg HG, Huizinga JR, Velde K te, Wolthers BG. Evaluation and clinical application of the Enterotest® for the determination of human biliary porphyrin composition. *Eur J Clin Chem Clin Biochem* 1995; 33: 453-462.

Beukeveld GJJ, Wolthers BG. Cholestyramine orally administered to patients with erythropoietic protoporphyrina (EPP) results in urinary excretion of protoporphyrin: to be explained by the Herbst-Volkheimer effect? *Clin Chim Acta* 1995; 233: 119-126.

Blauw GJ, Westendorp RGJ, Simons M, Chang PC, Frölich M, Meinders AE. β -adrenergic receptors contribute to hypoxemia induced vasodilatation in man. *Br J Clin Pharmacol* 1995; 40: 453-458.

Blauw GJ, Westendorp RGJ, Srivastava N, Burggraaf K, Frölich M, Simons R, Cohen AF, Meinders AE. Hypoxia-induced arterial endothelin does not influence peripheral vascular tone. *J Cardiovasc Pharmacol* 1995; 26: s242-s243.

Bongaerts G, Tolboom J, Naber T, Bakkeren J, Severijnen R, Willem H. D-Lactic acidemia and aciduria in pediatric and adults patients with a short bowel. *Clin Chem* 1995; 41: 107-110.

Bosma PJ, Chowdhury JR, Bakker C, Gantla S, Boer A de, Oostra BA, Lindhout D, Tijtgat GNJ, Jansen PLM, Oude Elferink RPJ, Chowdhury NR. The genetic basis of the reduced expression of bilirubin UDP-glucuronosyltransferase 1 in Gilbert's syndrome. *N Engl J Med* 1995; 333: 1171-1175.

Bruno MJ, Hoek FJ, Delzenne B, Leeuwen DJ van, Schteingart CD, Hofmann AF, Tijtgat GNJ. Simultaneous assessments of exocrine pancreatic function by cholesterin-(¹⁴C)octanoate breath test and measurement of plasma p-aminobenzoic acid. *Clin Chem* 1995; 41: 599-604.

- Burg MPM van, Guicherit OR, Frölich M, Gooszen HG. Insulinotropic effects of cholecystokinin, gastric inhibitory polypeptide and glucagon-like peptide-1 during perfusion of short-term cultured canine isolated islets. *Regulat Peptid* 1995; 60: 61-68.
- Burg MPM van de, Suylichem PTR van, Guicherit OR, Frölich M, Lemkes HHPJ, Gooszen HG. Glycemic control mechanisms after canine islet autografting. *Transpl Proc* 1995; 27: 3187-3188.
- Delaporte E, Piérard E, Wolthers BG, Desreumaux P, Janin A, Cortot A, Piette F, Bergoend H. Interferon- α in combination with corticosteroids improves systemic mast-cell disease. *British J Dermatol* 1995; 132: 479-482.
- Doelman CJA, Bilo HJG, Dikkeschei LD, Voorst tot Voorst E van, Ballegooie E van, Miedema K. Prognostische factoren voor het ontstaan van complicaties bij diabetes mellitus. *Ned Tijdschrift Klin Chem* 1995; 20: 50-55.
- Elburg RM van, Overbeek FM van, Wolthers BG, Uil JJ, Mulder CJJ, Heymans HSA. De suikerresorptietest. Een nieuw en simpel hulpmiddel bij de diagnostiek van Coeliakie? *Analyse* 1995; 50: 54-57.
- Genderen PJJ van, Michiels JJ, Strik R van, Lindemans J, Vliet HHDM van. Platelet consumption in erythromelalgia: reversal by aspirin. *Thromb Haemostasis* 1995; 73: 210-214.
- Haanen C, Vermes I. Apoptosis and inflammation. *Mediat Inflamm* 1995; 4: 5-15.
- Haraldsdottir V, Haanen C, Kalsbeek-Batenburg E, Olthuis FMFG. S-Phase Cells of the Lymphoplasmocytic Compartment in Hyperdiploid Multiple Myeloma Are Diploid Cells. *Cytometry* 1995; 21: 203-210.
- Haraldsson A, Tiddens HAWM, Fiselier T, Bakkeren JAJM, Weemaes CMR. Altered immunoglobulin concentrations and light chain ratios in juvenile onset mixed corrective tissue disease. *Clin Rheumatol* 1995; 14: 51-54.
- Heikens J, Fliers E, Endert E, Ackermans M, Montfrans G van. Liquorice-induced hypertension - a new understanding of an old disease: a case report and brief review. *Neth J Med* 1995; 47: 230-234.
- Landman JO, Schweitzer DH, Frölich M, Hamdy NAT, Papapoulos SE. Recovery of serum calcium concentrations following acute hypocalcemia in patients with osteoporosis on long-term oral therapy with the bisphosphonate pamidronate. *J Clin Endocrinol Metab* 1995; 80: 524-528.
- Oei SG, Derkx J, Weusten JJ, Lentjes EGWM, Helmerhorst FM. A case of 16-ene-synthetase deficiency in male pseudohermaphroditism due to combined 17 α -hydroxylase/1,20-lyase deficiency. *Eur J Endocrinol* 1995; 132: 281-285.
- Oude Elferink RPJ, Groen AK. The role of mdr2 P-glycoprotein in biliary lipid secretion. Cross-talk between cancer research and biliary physiology. *J Hepatol* 1995; 23: 617-625.
- Roos AN, Westendorp RGJ, Brand R, Souverijn JHM, Frölich M, Meinders AE. Predictive value of tetrapolar body impedance measurements for hydration status in critically ill patients. *Intensive Care Med* 1995; 21: 125-131.
- Schoonbrood DFM, Out ThA, Lutter R, Reimert CM, Overveld FJ van, Jansen HM. Plasma protein leakage and local secretion of proteins assessed in sputum in asthma and COPD. The effect of inhaled corticosteroids. *Clin Chim Acta* 1995; 240: 163-178.
- Smeets HJ, Kievit J, Harinck HIJ, Frölich MF, Hermans J. Differential effects of counterregulatory stress hormones on serum albumin concentrations and protein catabolism in healthy volunteers. *Nutrition* 1995; 11: 423-427.
- Swinkels DW, Willems JL, Dijk BA van. Acute hemodialyse door koude-agglutinen: een vorm van immuungemedieerde hemolytische anemie veroorzaakt door auto-antistoffen. *Ned Tijdschr Klin Chem* 1995; 20: 162-166.
- Swinkels DW Wentink JRM. Acute auto-immun hemolytische anemie veroorzaakt door koude-agglutinen: een bloedklonterend ziektebeeld. *Ned Tijdschr Klin Chem* 1995; 20: 167-170.
- Vermes I, Beishuizen A, Hampsink RM, Haanen C. Dissociation of plasma adrenocorticotropin and cortisol levels in critically ill patients: Possible role of endothelin and atrial natriuretic hormone. *J Clin Endocrinol Metab* 1995; 80: 1238-1242.
- Vermes I, Bergh FAJTM van den, Sluijs Veer G van der, Grose WFA, Olthuis FMFG, Haanen C. Onderzoek naar de groeikinetiek van niet-kleinellig longcarcinoom in relatie met bcl-2 oncogen expressie. *Ned Tijdschr Klin Chem* 1995; 20: 38-43.
- Zonderland ML, Erich WBM, Kortlandt W, Thijssen JHH, Erkelens DW. Lipids and apoproteins in relation to participation in organized sport activities and pubertal development in boys. *Am J Hum Biol* 1995; 7: 321 - 327.
- ### Metabole stoornissen
- Abeling NGGM, Gennip AH van, Bakker HD, Heerschap A, Engelke U, Wevers RA. Diagnosis of a new case of trimethylaminuria using direct proton NMR spectroscopy of urine. *J Inher Metab Dis* 1995; 18: 182-184.
- Bakker HD, Bogert C van den, Scholte HR, Jeneson JAL, Ruitenberg W, Gennip AH van. Deficiëntie van de adenine-nucleotide-translocator in spierweefsel: een mitochondriale ziekte, behandeld met vitamine E. *Ned Tijdschr Geneesk* 1995; 139: 1341-1344.
- Bentlage HACM, Janssen AJM, Chomyn A, Attardi G, Walker JE, Schägger H, Sengers RCA, Trijbels JMF. Multiple deficiencies of mitochondrial DNA- and nuclear-encoded subunits of respiratory NADH dehydrogenase detected with peptide- and subunit-specific antibodies in mitochondrial myopathies. *Biochim Biophys Acta* 1995; 1234: 63-73.
- Bentlage H, Coo R de, Laak H ter, Sengers R, Trijbels F, Ruitenberg W, Schlote W, Pfeiffer K, Gencic S, Jagow G von, Schägger H. Human diseases with defects in oxidative phosphorylation: I. Decreased amounts of assembled oxidative phosphorylation complexes in mitochondrial encephalomyopathies. *Eur J Biochem* 1995; 227: 909-915.
- Cruijsberg JRM, Wevers RA, Engelen BGM van, Pinckers A, Spreeken A van, Tolboom JJM. Ocular and systemic manifestations of cerebrotendinous xanthomatosis. *Am J Ophthalmol* 1995; 120: 597-604.
- Duran M. Erfelijke stofwisselingsziekten. Persijn JP, (ed.). SAN-handboek voor diagnostiek in de eerste lijn. Haarlem 1995; 370 - 381.
- Espeel M, Mandel H, Poggi F, Smeitink JAM, Wanders RJA, Kerckaert I, Schutgens RBH, Saudubray J-M, Poll-The B-T, Roels F. Peroxisome mosaicism in the livers of peroxisomal deficiency patients. *Hepatology* 1995; 22: 497-504.
- Godfried MH, Romijn JA, Poll T van der, Weverling GJ, Corssmit EPM, Endert E, Eeftink Schattenkerk JK, Sauerwein HP. Soluble receptors for tumor necrosis factor are markers for clinical course but not for major metabolic changes in human immunodeficiency virus infection. *Metabolism* 1995; 44: 1564-1569.
- Goez H, Meiron D, Horowitz J, Schutgens RBH, Wanders RJA, Berant M, Mandel H. Infantile refsum disease: neonatal cholestatic jaundice presentation of a peroxisomal disorder. *J Pedr Gastroenterol Nutrition* 1995; 20: 98-101.

- Hageman AT, Gabreëls FJ, Jong JG de, Gabreëls-Festen AA, Berg CJ van den, Oost BA van, Wevers RA. Clinical symptoms of adult metachromatic leukodystrophy and arylsulfatase pseudodeficiency. *Arch Neurol* 1995; 52: 408-413.
- Hoffmann GF, Böhles HJ, Burlina A, Duran M, Herwig J, Lehnert W, Leonard JV, Muntau A, Plecko-Starting FK, Superti-Furga A, Trefz FK, Christensen E. Early signs and course of disease of glutaryl-CoA dehydrogenase deficiency. *J Inher Metab Dis* 1995; 18: 173-176.
- Houwen RHJ, Juyn J, Hoogenraad TU, Ploos van Amstel JK, Berger R. H714Q mutation in Wilson disease is associated with late, neurological presentation. *J Med Genet* 1995; 32: 480-482.
- Jakobs C, Verhoeven NM, Brink HJ ten, Knaap MS van der, Klerk JBC de, Huijmans JGM, Wanders RJA, Duran M. Clinical and biochemical aspects of L-2-hydroxyglutaric and D-2-hydroxyglutaric aciduria. *Enzym Prot* 1995; 48: 123 - 124.
- Kluijtmans LAJ, Blom HJ, Boers GHJ, Oost BA van, Trijbels JMF, Heuvel LPWJ van den. Two novel missense mutations in the cystathionine β -synthase gene in homocystinuric patients. *Hum Genet* 1995; 96: 249-250.
- Kroos MA, Kraan M van der, Diggelen OP van, Kleijer WJ, Reuser AJJ, Boogaard MJ van den, Ausems MGEM, Ploos van Amstel HK, Poenaru L, Nicolino M, Wevers RA. Glycogen storage disease type II: frequency of three common mutant alleles and their associated clinical phenotypes studied in 121 patients. *J Med Genet* 1995; 32: 836-837.
- Leenders RG, Jong JG de, Wevers RA. Extraction and purification of gangliosides from plasma and fibroblasts before analysing by thin layer chromatography. *Ann Clin Biochem* 1995; 32: 68-73.
- Lier RW van, Kole BJ, Brevoord JCD, Gennip AH van, Bakker HD. Dihydropyrimidine-dehydrogenase-deficiëntie: een stoornis in de pyrimidinstofwisseling. *Tijdschr Kindergeesk* 1995; 63: 237-242.
- Luyten JA, Wenink PW, Steenberg-Spanjers GC, Wevers RA, Ploos van Amstel HK, Jong JG de, Heuvel LP van den. Metachromatic leukodystrophy: a 12-bp deletion in exon 2 of the arylsulfatase A gene in a late infantile variant. *Hum Genet* 1995; 96: 357-360.
- Meinsma R, Fernandez-Salgueiro P, Kuilenburg ABP van, Gennip AH van, Gonzalez FJ. Human polymorphism in drug metabolism: mutation in the dihydropyrimidine dehydrogenase gene results in exon skipping and thymine uracilurea. *DNA Cell Biol* 1995; 14: 1-6.
- Mourmans J, Bakkeren J, Jong J de, Wevers R, Diggelen OP van, Snormala T, Baumgartner R, Wendel U. Isolated (biotin-resistant) 3-methylcrotonyl-CoA carboxylase deficiency: four sibs devoid of pathology. *J Inher Metab Dis* 1995; 18: 643-645.
- Niezen-Koning KE, Spronsen FJ van, IJlst L, Wanders RJA, Brivet M, Duran M, Reijngoud DJ, Heymans HSA, Smit GPA. A patient with lethal cardiomyopathy and a carnitineacylcarnitine translocase deficiency. *J Inher Metab Dis* 1995; 18: 230 - 232.
- Nyhan WL, Shelton GD, Jakobs C, Holmes B, Bowe C, Curry CJR, Vance C, Duran M, Sweetman L. D-2-hydroxyglutaric aciduria. *J Child Neuro* 1995; 10: 137-142.
- Onkenhout P, Venizelos V, Poel PFH van der, Heuvel MPM van den, Poorthuis BJHM. Identification and quantification of intermediates of unsaturated fatty acid metabolism in plasma of patients with fatty acid oxidation disorders. *Clin Chem* 1995; 41; 1467-1474.
- Poll-The BT, Smeitink JAM, Bergman AJIW, Dorland L, Berger R, Duran M. Erfelijke stofwisselingsstoornissen met neurologische manifestaties: klinisch chemische oriëntatie. *Tijdsch Kindergeneesk* 1995; 63: 20 - 24.
- Schutgens RBH, Barth PG, Geel BM van, Wanders RJA. Peroxisomal disorders: classification, diagnosis and treatment. *Metabolic Encephalopathies* 1995;13:129-40.
- Vervoort R, Islam MR, Sly W, Chabas A, Wevers R, Jong J de, Liebaers I, Lissens W. A pseudodeficiency allele (D152N) of the human beta-glucuronidase gene. *Am J Hum Genet* 1995; 57: 798-804.
- Wanders RJA, Schutgens RBH, Barth PG van. Peroxisomal disorders: a review. *J Neuropathol Exp Neurol* 1995; 54: 726-739.
- Wendel U, Ruitenberg W, Bentlage HACM, Sengers RCA, Trijbels JMF. Neonatal De Toni-Debré-Fanconi syndrome due to a defect in complex III of the respiratory chain. *Eur J Pediatr* 1995; 154: 915-918.
- Wendel U, Bakkeren J, Jong J de, Bongaerts G. Glutaric aciduria mediated by gut bacteria. *J Inher Metab Dis* 1995; 18: 358-359.
- Wevers RA, Engelke U, Heerschap A. Standardized method for high-resolution ^1H -NMR of cerebrospinal fluid. *Clin Chem* 1995; 41: 744-751.
- Wevers RA, Engelke U, Heerschap A. High-resolution ^1H -NMR spectroscopy of blood plasma for metabolic studies. *Clin Chem* 1995; 41: 1054-1056.
- Wijburg FA, Reitsma WCC, Slooff MJA, Spronsen FJ van, Koetsier HA, Reijngoud DJ, Smit GPA, Berger R, Bijleveld CMA. Liver transplantation in tyrosinaemia type I: the Groningen experience . *J Inher Metab Dis* 1995; 18: 115 - 118.
- Yufeng G, Wang H, Boer AM, Wevers RA, Bruijn AM de, Groener JEM, Hollak CEM, Aerts JMG, Galjaard H, Diggelen OP van. Elevated plasma chitotriosidase activity in various lysosomal storage disorders. *J Inher Metab Dis* 1995; 18: 717-722.

Gynaecologie en obstetrie

- Buul BJA van, Steegers EAP, Jongsma HW, Rijkema AL, Eskes TKAB, Thomas CMG, Baadenhuijsen H, Hein PR. Dietary sodium restriction in the prophylaxis of hypertensive disorders of pregnancy: effects on the intake of other nutrients. *Am J Clin Nutr* 1995; 62: 49-57.
- Carnielli VP, Luijendijk IHT, Beek RHT van, Boerma GJM, Degenhart HJ, Sauer PJ. Effect of dietary triacylglycerol fatty acid positional distribution on plasma lipid classes and their fatty acid composition in preterm infants. *Am J Clin Nutr* 1995; 62: 776-781.
- Duvekot J, Cheriex EC, Pieters FAA, Menheere PPCA, Schouten HJA, Peeters LLH. Maternal volume homeostasis in early pregnancy in relation to fetal growth restriction. *Obstet Gynaecol* 1995; 85: 361-367.
- Steegers-Theunissen RPM, Boers GHJ, Blom HJ, Nijhuis JG, Thomas CMG, Trijbels JMF, Borm GF, Eskes TKAB. Neural-tube defects and elevated homocysteine levels in amniotic fluid. *Am J Obstet Gynecol* 1995; 172: 1436-1441.
- Wersch JWJ van, Peters C, Ubachs JMH. Haemostasis in benign and malignant gynaecological tumours: a pilot study. *Eur J Clin Chem Clin Biochem* 1995; 33: 225-229.
- Wouters MGAJ, Moorrees MTEC, Mooren MJ van der, Blom HJ, Boers GHJ, Schellekens LA, Thomas CMG, Eskes TKAB. Plasma homocysteine and menopausal status. *Eur J Clin Invest* 1995; 25: 801-805.
- Zonneveld P van, Koppeschaar HPF, Bruin TWA de, Vroom ThM, Blankenstein MA, Vroonhoven ThJMV van. A patient with a progesterone producing adrenal adenoma who presented with primary amenorrhoea. *Gynec Endocrinol* 1995; 9: 189-194.

Diversen

Boersma ER, Muskiet FAJ, Huisman M, Lanting CI, Beusekom CM van, Fidler V, Nijdam D, Touwen BCL. Samenstelling voeding belangrijk voor groei en ontwikkeling zuigeling. Voeding 1995; 56: 5-10.

Breda E van, Menheere PPCA, Geurten P, Keizer HA. Steroid drug delivery in endocrine and metabolic research: evaluation of three models. Horm Metab Res 1995; 27: 436-437.

Bredius RGM, Out TA, Weening RS. Functionele eigenschappen van IgG-subklasse-antistoffen in de antibacteriële afweer. Tijdschr Kindergeneesk 1995; 63: 209-214.

Bredius RGM, Derkx BHF, Fijen CAP, Weening RS, Winkel JGJ van de, Out TA. Fc γ RIIa (CD32) allotype R131 as a risk factor for fulminant meningococcal septic shock. In: Caragol I, Espanol T, Fontan G, Matamoros N, eds. Progress in immune deficiency V. Springer-Verlag Ibérica: 191-194.

Fijnvandraat K, Derkx B, Peters M, Bijlmer R, Sturk A, Prins MH, Deventer SJH van, Cate JW ten. Coagulation activation and tissue necrosis in meningococcal septic shock: severely reduced protein C levels predict a high mortality. Thrombos Haemostas 1995; 73: 15-20.

Heller M, Marta RF, Sturk A, Maiztegui JI, Hack CE, Cate JW ten, Molinas FC. Early markers of blood coagulation and fibrinolysis activation in Argentine hemorrhagic fever. Thrombos Haemostas 1995; 73: 368-373.

Huisman M, Eerenstein SEJ, Koopman-Esseboom C, Brouwer M, Fidler V, Muskiet FAJ, Sauer PJJ, Boersma ER. Perinatal exposure to polychlorinated biphenyls and dioxins through dietary intake. Chemosphere 1995; 31: 4273-4287.

Lindeman JHN, Lentjes EGWM, Berger HM. Diminished protection against copper-induced lipid peroxidation by cord blood plasma of preterm and term infants. J Parenteral and Enteral Nutrition 1995; 19: 373-375.

Pop VJM, Vries E de, Baar AL van, Waelkens JJ, Rooy HAM de, Horsten M, Donkers MM, Komproe IH, Son MM van, Vader HL. Maternal thyroid peroxidase antibodies during pregnancy: a marker of impaired child development? J Clin Endocrinol Metab 1995; 80: 3561-3566.

Reddingius RE, Schröder CH, Daha MR, Willems HL, Koster AM, Monnens LAH. Complement in serum and dialysate in children on continuous ambulatory peritoneal dialysis. Peri Dial Int 1995; 15: 49-53.

Roos W, Eymann E, Duppenthaler J, Wodzig KWH, Pelsers M, Glatz JFC. Monoclonal antibodies to human heart fatty acid-binding protein. J Immunol Meth 1995; 183: 149-153.

Steverink PJGM, Sturk A, Rutten VPMG, Wagenaar-Hilbers JPA, Klein WR, Velden MA van der. Endotoxin, interleukin-6 and tumor necrosis factor concentrations in equine acute abdominal disease: relation to clinical outcome. J Endotoxin Res 1995; 2: 289-299.

Vader HL, Dollekens KW, Rooy HAM de. Trisomie-21 en schildklierfunctiestoornissen. Ned Tijdschr v Artsen in de Zorg voor Verst Gehand 1995; 13: 10-13.

Wolthers BG, Kraan GPB, Molen JC van der, Nagel GT, Rouwe CW, Lenting F, Boersma ER. Urinary steroid profiling of a newborn suffering from pseudohypoaldosteronism. Clin Chim Acta 1995; 236: 33-43.

Woltwil HA, Beusekom CM van, Siemensma AD, Polman HA, Muskiet FAJ, Okken A. Erythrocyte and plasma cholesterol ester long-chain polyunsaturated fatty acids of low-birth-weight babies fed preterm formula with and without ribonucleotides: comparison with human milk. Am J Clin Nutr 1995; 62: 943-949.

Zwienen J van, Leeuwen S van, Linden C van der, Hendriks Th, Doelman C, Miedema K, et al. The plasma total antioxidant status and lipofuscin levels in patients undergoing coronary artery bypass grafting. Proceedings 8th European Congress of Intensive Medicine. Monduzzi Editore S.p.A. Bologna 1995; 573-577.

Kwaliteitsbewaking, data-handeling, referentie-waarden en statistiek

Blijenberg BG, Brouwer HJ, Baadenhuijsen, Boerma GJM. Creatinine and surveys: an assessment. Eur J Clin Chem Clin Biochem 1995; 33: 855-858.

Boer NC den. Die Akkreditierung medizinischer Labors in Holland. Diagnostik Digest 1995; 5: 6-8.

Gend JMWA van, Pelt J van. Het Limburgse regionale programma voor kwaliteitsbewaking van hemocytometrie en drie-en vijfpopulatie differentiatie. Ned Tijdschr Klin Chem 1995; 20: 159-161.

Haas FJLM. Gestabiliseerd controlemateriaal. Ned Tijdschr Klin Chem 1995; 20: 151-156.

Jongh-Leuvenink J de, Haas FJLM, Smit JW, Leur van JJCM, Denissen A, Dongen CAJM van. Vergelijking van regionale en landelijke rondzendende. Ned Tijdschr Klin Chem 1995; 20: 147-150.

Pekelharing JM, Frölich M, Miedema K, Noordhoek KHN, Ottolander GJH den, Wersch JWJ van. Handboek Klinisch Chemische Tests 1995.

Sanders GTB, Kelly AM, Breuer J, Mocarelli P. The role of European Communities Confederation of Clinical Chemistry (EC4) in the harmonisation of Clinical Chemistry in the European Union. Eur J Clin Chem Clin Biochem 1995; 33: 947-948.

Schutgens RBH. Molecular medicine for the 21st century. TEM 1995; 6: 286-288.

Stöckl D, Baadenhuijsen H, Fraser CG, Libeer JC, Hyltoft-Petersen P, Ricos C. Desirable routine analytical goals for quantities assayed in serum. Eur J Clin Chem Clin Biochem 1995; 33: 157-169.

Tersmette KWF, Dinant GJ, Wersch JWJ van. De Accutrend glucose-cholesterolmeter getoetst in de huisartsenpraktijk vergeleken met laboratoriumbepalingen. Ned Tijdschr Geneesk 1995; 39: 1638-1642.

Weykamp CW, Penders ThJ, Miedema K, Muskiet FAJ, Slik W van der. Standardization of glycohemoglobin results and reference values in whole blood studied in 103 laboratories using 20 methods. Clin Chem 1995; 41: 82-86.

Dissertaties

Bangma CH. Prostate-specific antigen and ultrasonography in detection and follow-up of prostate carcinoma. Rotterdam, 1995. Promotor: Prof. Dr. F.H. Schröder. Co-promotor: Dr. B.G. Blijenberg.

Berg IET van den. Structural and molecular-biological characterization of isoforms of phosphorylase kinase - (type: A). Utrecht, 1995. Promotor(es): Prof. Dr. R. Berger, Prof. Dr. W.H. Lamers.

Beusekom CM van. Lipids, carbohydrates and micronutrients in the perinatal period. Long chain polyunsaturated fatty acids, myoinositol, vitamin E and polyamines in neonatal nutrition, Rijksuniversiteit Groningen, 1995. Promotores: Prof. Dr. W. van der Slik, Prof. Dr. E.R. Boersma. Co-promotor: Dr. F.A.J. Muskiet.

- Buysman S. The influence of CD3/T cell receptor monoclonal antibodies on leukocyte adhesion to endothelium. Academisch proefschrift, Amsterdam, 1995.
- Hoek YY van der. Lipoprotein (a) structure/function analysis and metabolism. Universiteit van Amsterdam 1995. Promotor: Prof. Dr. J.W. ten Cate. Co-promotores: Dr. J.J.P. Kastelein, Dr. M.L. Koschinsky.
- Suijlen JDE van. The persuit of quality in clinical chemistry. Rotterdam, 1995. Promotor: Prof. Dr. H.G. van Eijk. Co-promotor: Dr. J. Lindemans.
- Ponjee GAE. Effects of physical exercise on coronary risk factors; coagulation, fibrinolysis and lipid levels. Maastricht, 1995. ISBN: 90-9008063-5.
- Roelen CAM. The influence of growth hormone on high affinity plasma growth hormone-binding protein, Utrecht, 1995. Promotor: Prof. Dr. J.H.H. Thijssen. Co-promotores: Dr. M.A. Blankenstein and Dr. H.P.F. Koppeschaar.
- Tabuchi N. Blood activation and impaired hemostasis in cardiac surgery, Amsterdam, 1995. Co-promotor: Prof. Dr. A. Sturk.
- Weykamp CW. Glycohemoglobin. Quality assessment and improvement. Little brother helping you. Rijksuniversiteit Groningen, 1995. Promotor: Prof. Dr. W. van der Slik. Referenten: Dr. F.A.J. Muskiet, Dr. Th. J. Penders.