

Publicaties der leden 1997

Klinische (Bio)chemie en Methodologie

Lipiden

Broer J, Doormaal JJ van, May JF, Muskiet FAJ, Bemelmans WJE. Mediterranean voeding in Oost-Groningen. Het MARGARIN-onderzoek. Voedingsvoorlichting of α -linoleenzuurrijke margarine. Voeding 1997; 58: 8-11.

Demacker PNM, Hessels M, Toenhake - Dijkstra H, Baadenhuijsen H. Precipitation methods for high density lipoprotein cholesterol measurement compared, and final evaluation under routine operating conditions of a method with a low sample-to-reagent ratio. Clin Chem 1997; 43: 663-668.

Hoek YY van der. Lipoproteïne (a): een risicofactor voor hart- en vaatziekten? Tijdschrift Belgische Vereniging Laboratorium Technologen. 1997; 24: 307-314.

Hoek YY van der. Lipoproteïne (a): een risicofactor voor hart- en vaatziekten? Ned Tijdschr Klin Chem 1997; 22: 180-183.

Hoek YY van der, Wanders RJA, Ende AE van den, Kraft HG, Gabel BR, Kastelein JJ, Koschinsky ML. Lipoprotein[a] is not present in the plasma of patients with some peroxisomal disorders. J Lipid Res 1997; 38: 1612-1619.

Mc Namara JR, Teng Leary E, Ceriotti F, Cobbaert C, Cole T, Hassemer DJ, Nakamura M, et al. Status of lipid and lipoprotein standardization. Clin Chem 1997; 43: 1306-1310.

Mol MJTM, Rijke YB de, Demacker PNM, Stalenhoef AFH. Plasma levels of lipid and cholesterol oxidation products and cytokines in diabetes mellitus and cigarette smoking: effects of vitamin E treatment. Atherosclerosis 1997; 129: 169-176.

Nauck M, März W, Jarausch J, Cobbaert C, Sägers A, Bernard D, Delanghe J, et al. Multicenter evaluation of a homogeneous assay for HDL-cholesterol without sample pretreatment. Clin Chem 1997; 43: 1622-29.

Sealy MJ, Muskiet FAJ, Martini IA, Volmer M, Boersma ER, Bijleveld CMA, Vonk RJ, Verkade HJ. Essentiële vetzuurdeficiëntie bij pediatrische patiënten. Tijdschr Kindergeneesk 1997; 65: 144-150.

Smit EN, Dijkstra JM, Schnater TA, Seerat E, Kazi BM, Muskiet FAJ, Boersma ER. Effects of malnutrition on the erythrocyte fatty acid composition and plasma vitamin E levels of Pakistani children. Acta Paediatr 1997; 86: 690-695.

Stroes E, Bruin T de, Valk H de, Erkelens W, Banga J-D, Rijn H van, Koomans H, Rabelink T. NO activity in familial combined hyperlipidemia: potential role of cholesterol remnants. Cardiovasc Res 1997; 36: 445-452.

Enzymen

Cobben NAM, Drent M, Schols AMWJ, Lamers RJS, Wouters EFM, Dieijen-Visser MP van. Serum lactate dehydrogenase and its isoenzyme pattern in ex-coalminers. Resp Med 1997; 91: 616-623.

Cobben NAM, Belle AF van, Pennings HJ, Mulder PGH, Dieijen-Visser MP van, Wouters EFM, Drent M. Diagnostic value of lactate dehydrogenase isoenzyme pattern in pleural effusions. Eur J Clin Chem Clin Biochem 1997; 35: 523-528.

Kuilenburg ABP van, Blom MJ, Lenthe H van, Mul E, Gennip AH van. The activity of dihydropyrimidine dehydrogenase in human blood cells. J Inher Metab Dis 1997; 20: 331-334.

Kuilenburg ABP van, Lenthe H van, Wanders RJA, Gennip AH van. Subcellular localization of dihydropyrimidine dehydrogenase. Biol Chem 1997; 378: 1047-1053.

Eiwitten

Enomoto DNH, Schellekens PTA, Yong S-L, Berge IJM ten, Mekkes JR, Bos JD. Extracorporeal photochemotherapy (photopheresis) induces apoptosis in lymphocytes: a possible mechanism of action of PUVA therapy. Photochem Photobiol 1997; 65: 177-180.

Ermens AAM, Bayens AJM, Van Gemert ACM, Van Duijnhoven JLP. Simple dot-blot method evaluated for detection of antibodies against extractable nuclear antigens. Clin Chem 1997; 43: 2420-2422.

Focht SJ, Snyder BS, Beard JL, Gelder W van, Williams LR, Connor JR. Regional distribution of iron, transferrin, ferritin, and oxidatively-modified proteins in young and aged Fischer 344 rat brains. Neurosci 1997; 79: 255-261.

Gelder W van, Cleton-Soeteman MI, Huijskes-Heins MIE, Run PRWA van, Eijk HG van. Transcytosis of 6.6-nm gold-labeled transferrin: an ultrastructural study in cultured porcine blood-brain barrier endothelial cells. Brain Res 1997; 746: 105-116.

Janssens PMW, Kuiper S, de Vries IH, Willems JL, Klasen I, Oosterwijk M van, Paardekooper J. Coating in vitro of erythrocytes with Tamm Horsfall-Protein. Clin Chim Acta 1997; 258: 179-192.

Song X-Q, Fukao T, Mitchell GA, Kossovskaja-Bratinoja S, Ugarte M, Wanders RJA, et al. Succinyl-CoA:3-ketoacid coenzyme A transferase (SCOT): development of an antibody to human SCOT and diagnostic use in hereditary SCOT deficiency. Biochim Biophys Acta 1997; 1360: 151-156.

Vogel L, Schoonbrood D, Geluk F, Hoek F, Bresser P, Out T, Jansen H, Dankert J, Alphen L van. Iron-binding proteins in sputum of chronic bronchitis patients with *Haemophilus influenzae* infections. Eur Respir J 1997; 10: 2327-2333.

Vroege R de, Rutten PMMJ, Kalkman C, Out TA, Jansen PGMM, Eijssman L, Mol BJM de, et al. Biocompatibility of three different membrane oxygenators: effects on complement, neutrophil and monocyte activation. Perfusion 1997; 12: 369-375.

Electrolyten

Dumoulin JCM, Wissen LCP van, Menheere PPCA, Michiels AHJC, Geraedts JPM, Evers JLH. Taurine acts as an osmolyte in human and mouse oocytes and embryos. *Biol Reproduct* 1997; 56: 739-744.

Huijgen HJ, Ingen HE van, Sanders R, Gaffar FR, Oosting J, Sanders GTB. Precision of the magnesium determination in mononuclear blood cells and erythrocytes. *Clin Biochem* 1997; 30: 203-208.

Kampelmacher MJ, Kesteren RG van, Winckers EKA. Instrumental variability of respiratory blood gases among different blood gas analysers in different laboratories. *Eur Respir J* 1997; 10: 1341-1344.

Sanders R, Huijgen HJ, Sanders GTB. Storage of serum for the determination of ionized magnesium. *Eur J Clin Chem Clin Biochem* 1997; 35: 735-736.

Smeenk FWJM, Janssen JDJ, Arends BJ, Harff GA, Bosch JA van den, Schönberger JPAM, Postmus PE. Effects of four different methods of sampling arterial blood and storage time on gas tensions and shunt calculation in the 100% oxygen test. *Eur Respir J* 1997; 10: 910-913.

Water C van de, Helversteijn WTh, Souverijn JHM. The serum icteric-index as a tool to correct the influence of bilirubin on the uric acid and magnesium analyses on the Hitachi 747 analyser. *Ann Clin Biochem* 1997; 34: 556-558.

Endocrinologie

Go KC, Blankenstein MA, Vroom TM, Blaauw EH, Dijk F, Hollema H, Verhagen A. Progesterone receptors in arachnoid cysts, An Immunocytochemical study in 2 cases. *Acta Neurochir* 1997; 139: 349-354.

Hulst KL van, Born W, Muff R, Oosterwijk C, Blankenstein MA, Lips CJM, Fischer JA, Hoepfner JWM. Biologically active human islet amyloid polypeptide/amylin in transgenic mice. *Eur J Endocrinol* 1997; 136: 107-113.

John WG, Braconnier F, Miedema K, Aulesa C, Piras G. Evaluation of the Menarini Arkray HA8140 hemoglobin A_{1c} analyser. *Clin Chem* 1997; 43: 968-975.

Kobold U, Jeppsson JO, Dülfer T, Finke A, Helzel W, Miedema K. A candidate reference method for hemoglobin A_{1c} based on peptide mapping. *Clin Chem* 1997; 43: 1944-1951.

Lems WF, Jacobs WG, Bijlsma JWJ, Croone A, Haanen HCM, Houben HHML, Gerrits MI, Rijn HJM van. Effect of sodium fluoride on the prevention of corticosteroid-induced osteoporosis. *Osteoporos Int* 1997; 7: 575-582.

Lentjes EGWM, Romijn FPTHM, Moolenaar AJ. Isotope effect in the binding of tritium and ¹⁴C-labelled cortisol to corticosteroid-binding-globulin in serum. *J Steroid Biochem Molec Biol* 1997; 60: 255-260.

Miedema K. Electrospray mass spectrometry for measurement of glycohemoglobin. *Clin Chem* 1997; 43: 705-707.

Moeniralam HS, Endert E, Lanschot JJB van, Sauerwein HP, Romijn JA. Blunted cortisol response after administration of corticotropin releasing hormone in endotoxemic dogs. *J Endocrinol Invest* 1997; 20: 476-481.

Mulder C, Schutter EMJ, Uxem WIM van, Kamp GJ van. The stability of human Urinary Gonadotropin Peptide. *Tumor Biology* 1997; 18: 274-277.

Prins J, Leus FR, Hoek YY van der, Kastelein JJP, Bouma BN, Rijn HJM van. The identification and significance of a Thr->Pro Polymorphism in kringle IV Type 8 of Apolipoprotein(a) Thrombosis Haemostasis 1997; 77: 949-954.

Smulders YM, Rakic M, Stehouwer CDA, Weijers RNM, Slaats EH, Silberbusch J. Determinants of progression of microalbuminuria in patients with NIDDM. *Diabetes Care* 1997; 6: 999-1005.

Smulders YM, Eeden AE van, Stehouwer CDA, Weijers RNM, Slaats EH, Silberbusch J. Can reduction in hypertriglyceridaemia slow progression of microalbuminuria in patients with non-insulin-dependent-diabetes mellitus? *Eur J Clin Invest* 1997; 27: 997-1002.

Toornvliet AC, Pijl H, Frölich M, Westendorp RGJ, Meinders AE. Insulin and leptin concentrations in obese humans during long-term weight loss. *Neth J Medicine* 1997; 51: 96-102.

Weijers RNM, Goldschmidt HMJ, Silberbusch J. Vascular complications in relation to ethnicity in non-insulin-dependent diabetes mellitus. *Eur J Clin Invest* 1997; 27: 182-188.

Tumor markers

Blankenstein MA. Biochemical assessment of tissue prognostic factors in breast cancer. *The Breast* 1997; 6: 31-37.

Blankenstein MA. The need for further characterization of prostate-specific antigen and its use in the management of prostate cancer. *Ned Tijdschr Klin Chemie* 1997; 22: 219-221.

Blijenberg BG, Bangma CH, Kranse R, Eman I, Schröder FH. Analytical evaluation of the New Prostatus™ PSA free/total assay for prostate-specific antigen as part of a screening study for prostate cancer. *Eur J Clin Chem Clin Biochem* 1997; 35: 111-114.

Bon GG, Mensdorff-Pouilly S von, Kenemans P, Kamp GJ van, Verstraeten RA, Hilgers J, Meijer S, Vermorken JB. Clinical and technical evaluation of ACS™ BR serum assay of MUC1 gene-derived glycoprotein in breast cancer; and comparison with CA 15-3 assays. *Clin Chem* 1997; 43: 585-593.

Bonfrer JMG, Korse LM, Verstraeten RA, Kamp GJ van, Hart GAM, Kenemans P. Clinical evaluation of the Byk LIA-mat CA 125 II assay: discussion of a reference value. *Clin Chem* 1997; 43: 491-497.

Caricasole A, Schaik RHN van, Zeinstra LM, Wierikx CDJ, Looijenga LHJ, Oosterhuis JW, Pera MF, et al. Analysis of the response of human embryonal carcinoma cells to activin A. In: Inhibin, activin and follistatin: Regulatory functions in system and cell biology. Eds. Aono T, Sugino H, Vale WW. Springer-Verlag, New York 1997, 308-311.

Hoefkens P, Higgins EM, Ward RJ, Eijk HG van. Isoforms of transferrin in Psoriasis patients abusing alcohol. *Alcohol Alcoholism* 1997; 32: 195-199.

Jong FH de, Schaik RHN van, Wierikx CDJ, Winter JP de, Looijenga LHJ, Oosterhuis JW, Caricasole A, et al. Expression of inhibin subunits, follistatin and activin receptors in normal testicular cells and testicular tumors. In: Inhibin, activin and follistatin: Regulatory functions in system and cell biology. Eds. Aono T, Sugino H, Vale WW. Springer-Verlag, New York 1997, 76-84.

Paul MA, Visser JJ, Mulder C, Kamp GJ van, Cuesta MA, Meijer S. The use of biliary CEA measurement in the diagnosis of recurrent colorectal cancer. *Eur J Surg Oncol* 1997; 23: 419-423.

Schaik RHN van, Wierikx CDJ, Looijenga LHJ, Oosterhuis JW, Jong FH de. Human testicular germ cell tumours express inhibin subunits, activin receptors and follistatin mRNAs. *Brit J Cancer* 1997; 76: 1191-1198.

Schutter EMJ, Mulder C, Kamp GJ van, Kenemans P. The -core fragment of human Chorionic Gonadotropin: biochemical background and clinical application. *Anti-cancer Res* 1997; 17: 1255-1272.

Hematologie

Bartels PCM, Schoorl M, Lombarts AJPF. Screening for EDTA-dependent deviations in platelet counts and abnormalities in platelet distribution histograms in pseudothrombocytopenia. *Scand J Clin Lab Invest* 1997; 57: 629-636.

Bartels PCM, Schoorl M. Mean Corpuscular Volume-dependent deviations in red blood cell distribution width between Sysmex NE-8000 and SF-3000. *Eur J Chem Clin Biochem* 1997; 35: 549-550.

Bartels PCM, Schoorl M, Willekens FLA. Evaluation of Sysmex SF-3000 performance concerning interpretive morphology flagging of the leucocyte differential count. *Clin Lab Haem* 1997; 19: 187-190.

Dijs FPL van der, Klis FRM van der, Muskiet FD, Muskiet FAJ. Serum calcium and vitamin D status of patients with sickle cell disease in Curaçao. *Ann Clin Biochem* 1997; 34: 170-172.

Duijnhoven JLP van, Treskes M. Invloed van hyperglycemie op de bepaling van het MCV. *Tijdschr Belgische Vereniging Laboratorium Technologen* 1997; 24: 20-32.

Hoefkens P, Huijskes-Heins MIE, Jeu-Jaspars CMH de, Noort WL van, Eijk HG van. Influence of transferrin glycans on receptor binding and iron-donation. *Glycoconj J* 1997; 14: 289-295.

Hoffmann JJML, Janssen WCM. HLA-B27 phenotyping with flow cytometry: further improvement by multiple monoclonal antibodies. *Clin Chem* 1997; 43: 1975-1981.

Kuiper-Kramer EPA, Raan J van, Eijk HG van. A New Assay for Soluble Transferrin Receptors in Serum: time for Standardisation. *Eur J Clin Chem Clin Biochem* 1997; 35: 793.

Kuiper-Kramer PA, Huisman CMS, Molen-Sinke J van der, Abbes A, Eijk HG van. The expression of transferrin receptors on erythroblasts in anemia of chronic disease, myelodysplastic syndromes and iron deficiency. *Acta Haematol* 1997; 97: 127-131.

Meer W van der, Swinkels DW, Willems JL. The characterisation of leukemias with the Sysmex NE-8000. *Acta Haematol* 1997; 98: 195-198.

Nieuwland R, Sturk A. Gebruik van flowcytometrie om de activatiestatus van bloedplaatjes te evalueren. *Tijdschr Belgische vereniging van laboratorium technologen* 1997; 24: 409-419.

Pronk-Admiraal CJ, Alphen van-Jager JM de, Herruer MH. Regionale uniformering van hematologische referentie-waarden *Ned Tijdschr Klin Chem* 1997; 22: 191-193.

Pronk-Admiraal CJ, Bartels PCM. Eosinophil Protein X concentration is dependent on Eosinophil Concentration. *Eur J Clin Chem Clin Biochem* 1997; 35: 351-354.

Swinkels DW, Cooreman MP, Solinge WW van. Hereditaire hemochromatose: recente ontwikkelingen in de diagnostiek. *Ned Tijdschr Geneesk* 1997; 141: 1373-1374.

Stolling

Haas FJLM, Sterkenburg-Kamp BM van, Scheepers WAMM. Proteïn C Pathway screeningstest. Thrombose, Atherosclerose en Ontsteking, 10^e Amstol Symposium, ISBN 90-802643-2-6 1997; 9: 145-151.

Oosting JD, Hoffmann JJML. Evaluation of an automated photometric fibrinogen assay. *Blood Coag Fibrinol* 1997; 8: 321-326.

Toxicologie

Bosch JA, Pennings EJM, Wolff FA de. Psycho-actieve paddestoel- & plantproducten. Rapport vervaardigd in opdracht van het Ministerie van VWS 1997; ISBN 90-803882-1-1.

Flanagan RJ, Braithwaite RA, Brown SS, Widdop B, Wolff FA de. Eléments de toxicologie analytique. Organisation mondiale de la Santé Genève 1997; ISBN 92 4 254458 2.

Kei S, Mahieu K, Monster AC, Wolff FA de. Dermal absorption of vaporous and liquid 2-methoxyethanol and 2-ethoxyethanol in volunteers. *Occup Environ Med* 1997; 54: 38-43.

Kom JFM de, Dissels HMH, Voet GB van der, Wolff FA de. Serum aluminium levels of workers in the bauxite mines. *Clin Toxicol* 1997; 35: 645-651.

Konijn KZ, Pennings EJM, Wolff FA de. XTC klinische en toxicologische aspecten. Rapport vervaardigd in opdracht van het Ministerie van VWS 1997; ISBN 90-9010615-4.

Pennings EJM, Verkes RJ, Koning FJ de, Bommelé JJM, Jansen GSIM, Vermeij P. Tranylcypromine intoxication with malignant hyperthermia, delirium, and thrombocytopenia. *J Clin Psychopharm* 1997; 17: 430-432.

Pennings EJM, Tiller M, Bindels AJG, Vermeij P, Wolff FA de. An unexpected intoxication with analgesic from abroad. *Ned Tijdschr Klin Chem* 1997; 22: 59-60.

Schuurs AHB, Wolff FA de. Relatie tussen kwik en de ziekte van Alzheimer? *Ned Tijdschr Tandheelkunde* 1997; 104: 219-222.

Velzeboer SCJM, Frenkel J, Wolff FA de. A hypertensive toddler. *Lancet* 1997; 349: 1810.

Voet GB van der, Wolff FA de. Metals. In: Side effects of Drugs. Annual 20 (JD Aronson and CJ van Boxtel eds.). Elsevier Amsterdam, chapter 22; 1997: 207-218.

Geneesmiddelen; pharmakinetica

Bruno MJ, Borm JJJ, Hoek FJ, Delzenne B, Hofmann AF, Goeij JJM de, Royen EA van, et al. Comparative effects of enteric-coated pancreatin microsphere therapy after conventional and pylorus-preserving pancreatoduodenectomy. *Br J Surg* 1997; 84: 952-956.

Dorhout B, Faassen A van, Beusekom CM van, Kingma AW, Hoog E de, Nagel GT, Karrenbeld A, Boersma ER, Muskiet FAJ. Oral administration of deuterium-labelled polyamines to suckling rat pups: luminal uptake, metabolic fate and effects on gastrointestinal maturation. *Br J Nutr* 1997; 78: 639-654.

Dorhout B, Kingma AW, Hoog E de, Muskiet FAJ. Simultaneous determination of polyamines, N-acetylated polyamines and the polyamine analogues BE-3-3-3 and BE-4-4-4-4 by capillary gas chromatography with nitrogen-phosphorus detection. *J Chromatogr Biomed Appl* 1997; 700: 23-30.

Dorhout B, Odink MFG, Hoog E de, Kingma AW, Veer E van der, Muskiet FAJ. 4-Amidinoindan-1-one 2-amidinohydrazone (CGP 48664A) exerts *in vitro* growth inhibitory effects that are not only related to S-adenosylmethionine decarboxylase (SAMdc) inhibition. *Biochim Biophys Acta* 1997; 1335: 144-152.

Lems WF, Jacobs JWJ, Bijlsma JWJ, Veen GJM van, Houben HHML, Haanen HCM, Gerrits MI, Rijn HJM van. Is addition of sodium fluoride to cyclical etidronate beneficial in the treatment of corticosteroid induced osteoporosis? *Ann Rheum Dis* 1997; 56: 357-363.

Veefkind AH. Geneesmiddeleninteracties met speciale aandacht voor het cytochroom-P450-systeem. *Tijdschr Psychiatrie* 1997; 39: 712-720.

Moleculaire biologie

Bikker H, Baas F, Vijlder JJM de. Molecular analysis of mutated thyroid peroxidase detected in patients with total iodide organification defects. *J Clin Endocr Metab* 1997; 82: 649-653.

Blom HJ. Mutated 5,10-methylenetetrahydrofolate reductase and moderate hyperhomocysteinemia. *Conceptuur* 1997; 14: 32-34.

Hoek YY van der, Lingenhel A, Kraft HG, Defesche JC, Kastelein JJP Utermann G. Sib-pair analysis detects elevated Lp(a) levels and large variation of Lp(a) concentrations in subjects with familial defective ApoB. *J Clin Invest* 1997; 99: 2269-2273.

Huizing M, Iacobazzi V, IJlst L, Savelkoul P, Ruitenbeek W, Heuvel L van den, Indiveri C, et al. Cloning of the human carnitine-acylcarnitine carrier cDNA and identification of the molecular defect in a patient. *Am J Hum Genet* 1997; 61: 1239-1245.

Kluijtmans LAJ, Boers GHJ, Trijbels JMF, Lith-Zanders HMA van, Heuvel LPWJ van den, Blom HJ. A common 844ins68 insertion variant in the cystathionine β -synthase gene. *Biochem Mol Med* 1997; 62: 23-25.

Prins J, Leus FR, Hoek YY van der, Kastelein JJP, Rijn HJM van. The identification and significance of the Thr6Pro polymorphism in kringle IV type 8 of apolipoprotein(a). *Thromb Haem* 1997; 77: 949-954.

Put NMJ van der, Molen EF van der, Kluijtmans LAJ, Heil SG, Trijbels JMF, Eskes TKAB, Oppenraaij-Emmerzaal D van, Banerjee R, Blom HJ. Sequence analysis of the coding region of human methionine synthase: relevance to hyperhomocysteinemia in neural-tube defects and vascular disease. *Q J Med* 1997; 90: 511-517.

Put NMJ van der, Thomas CMG, Eskes TKAB, Trijbels JMF, Steegers-Theunissen RPM, Mariman ECM, Graaf-Hess A de, Smeitink JAM, Blom HJ. Altered folate and vitamin B12 metabolism in families with spina bifida offspring. *Q J Med* 1997; 90: 505-510.

Put NMJ van der, Eskes TKAB, Blom HJ. Is the common 677C6T mutation in the methylenetetrahydrofolate reductase gene a risk factor for neural tube defects? A meta-analysis. *Q J Med* 1997; 90: 111-115.

Verrijt CEH, Kroos MJ, Verhoeven AJM, Eijk HG van. Transferrin in cultured term human cytotrophoblast cells: Synthesis and heterogeneity. *Mol Cell Biochem* 1997; 173: 177-181.

Verrijt CEH, Kroos MJ, Noort WL van, Eijk HG van, Dijk JP van. Binding of human isotransferrin variants to microvillous and basal membrane vesicles from human term placenta. *Placenta* 1997; 18: 71-77.

Visser M, Sijmons CC, Bras J, Arceci RJ, Godfried M, Valentijn LJ, Voûte LJ, Baas F. Allelotype of pediatric rhabdomyosarcoma. *Oncogene* 1997; 15: 1309-1314.

Vreken P, Kuilenburg ABP van, Meinsma R, Gennip AH van. Identification of novel point mutations in the dihydropyrimidine dehydrogenase gene. *J Inher Metab Dis* 1997; 20: 335-338.

Wu Ch-G, Hoek FJ, Groenink M, Reitsma PH, Deventer SJH van, Shamuleau RAFM. Correlation of repressed transcription of α -tocopherol transfer protein with serum α -tocopherol during hepatocarcinogenesis. *Int J Cancer* 1997; 71: 686-690.

Diversen

Beckers ALD, Bruijn WC de, Cleton-Soeteman MI, Eijk HG van, Gelsema ES. New Developments and Applications in Quantitative Electron Spectroscopic Imaging of Iron in Human Liver Biopsies. *Micron* 1997; 28: 349-359.

Blijenberg BG, Vliet M van, Zwang L. Validation of a natural urinary stone data based infrared library searching system with artificial survey samples. *Eur J Clin Chem Clin Biochem* 1997; 35: 625-630.

Daemen JWHC, Oomen APA, Janssen MA, Schoot L van de, Kreef BK van, Heineman E, Kootstra G. Glutathione s-transferase as predictor of functional outcome in transplantation of machine-preserved non-heart-beating donor kidneys. *Transplantation* 1997; 63: 89-93.

Focht SJ, Snyder BS, Beard JL, Gelder W van, Williams LR, Connor JR. Regional distribution of iron, transferrin, ferritin and oxidatively modified proteins in young and aged Fisher 344 rat brains. *Neuroscience* 1997; 79: 255-261.

Gerritsen WBM, Aarts LPHJ, Morshuis WJ, Haas FJLM. Indices of oxidative stress in urine of patients undergoing coronary artery bypass grafting. *Eur J Clin Chem Clin Biochem* 1997; 35: 737-742.

Giesendorf BAJ, Blom HJ, Trijbels JMF. Nieuwe ontwikkelingen in de automatisering van moleculaire diagnostiek: mutatie-analyse. *Ned Tijdschr Klin Chem* 1997; 22: 215-218.

Gustafson LA, Jumelle-Laclau MN, Woerkom GM van, Kuilenburg ABP van, Meijer AJ. Cell swelling and glycogen metabolism in hepatocytes from fasted rats. *Biochim Biophys Acta* 1997; 1318: 184-190.

Houterman S, Faassen A van, Ocké MC, Habets LHM, Dieijen-Visser MP van, Bueno-de-Mesquita BH, Janknegt RA. Is urinary sulfate a biomarker for the intake of animal protein and meat? *Cancer Letters* 1997; 114 : 295-296.

Keijzer MH de, Jakobs BS, Brandts RW, Hofst MTW, Trijbels JMF, Smeitink JAM. Rapid and reliable measurement of highly elevated blood ammonia concentrations in children. *Eur J Clin Chem Clin Biochem* 1997; 35: 853-854.

Keijzer MH de, Brandts RW. Flowcytometrie op het urine-laboratorium: de Sysmex UF-100. Tijdschr Belgische Vereniging Laboratorium Technologen 1997; 24: 433-440.

Keijzer MH de, Brandts RW. Ammoniumbepaling in enkelvoud? Ned Tijdschr Klin Chem 1997; 22: 56.

Keijzer MH de, Brandts RW. Flowcytometrie op het urine-laboratorium: De Sysmex UF-100. Ned Tijdschr Klin Chem 1997; 22:184-188.

Kemperman H, Wijnands YM, Roos E. Alpha V Integrins on HT-29 colon carcinoma cells: adhesion to fibronectin is mediated solely by small amounts of alphaVbeta6, and alphaVbeta5 is codistributed with actin fibers. Exp Cell Res 1997; 234: 156-164.

Kievit JK, Oomen APA, Janssen MA, Kreel BK van, Heine-man E, Kootstra G. Viability assessment of non-heart-beating donor kidneys by alpha glutathione s-transferase in the machine perfusate. Transplantat Proc 1997; 29: 1381-1383.

Martens JWM, Winter JP de, Timmerman MA, McLuskey A, Schaik RHN van, Themmen, APN, Jong FH de. Inhibin interferes with activin signalling at the level of the activin receptor complex in chinese hamster ovary cells. Endocrinol 1997; 138: 2928-2936.

Mulder AB, Blom NR, van der Meer J, Halie MR, Smit JW. A simple procedure for in situ immunolabeling, embedding and sectioning of layers of cultured endothelial and smooth muscle cells, appropriate to both light and electron microscopy. Biotech Histochem 1997; 72: 45-48.

Nieuwland R, Sturk A. Flowcytometrische detectie van micropartikels. Ned Tijdschr Klin Chem 1997; 22: 207-214.

Tébar M, Uilenbroek JThJ, Kramer P, Schaik RHN van, Wierikx CDJ, Ruiz A, Jong FH de Sanchez-Criado JE. Effects of progesterone on the secondary surge of follicle-stimulating hormone in the rat. Biol Reproduction 1997; 57: 77-84.

Teerlink T, Hennekes MWT, Mulder C, Brulez HFH. Determination of dimethylamine in biological samples by high-performance liquid chromatography. J Chromatogr-Biomed Applications 1997; 691: 269-276.

Tomasini R, Kema IP, Muskiet FAJ, Meiborg G, Staal MJ, Go KG. Catecholaminergic development of fetal rat ventral mesencephalon: Characterization by high-performance liquid chromatography with electrochemical detection and immunohistochemistry. Exp Neurology 1997; 145: 434-441.

Ueland PM, Refsum H, Blom HJ, Malinow MR. Assessment of homocysteine. Diagnostics of vascular diseases. Principles Technology 1997; 218-225.

Vermes I, Haanen C, Richel DJ, Schaafsma MR, Kalsbeek-Batenburg E, Reutelingsperger CPM. Apoptosis and secondary necrosis of lymphocytes in culture. Acta Haematol 1997; 98: 8-13.

Vermes I, Haanen C, Reutelinsperger CPM. Apoptosis - the genetically controlled physiological cell death: biochemistry and measurement. Ned Tijdschr Klin Chem 1997; 22: 43-50.

Klinische studies

Maligniteiten

Bangma CH, Kranse R, Blijenberg BG, Schröder FH. The free-to-total serum prostate specific antigen ratio for staging prostate carcinoma. J Urol 1997; 157: 544-547.

Bangma CH, Kranse R, Blijenberg BG, Schröder FH. Free and total prostate-specific antigen in a screened population. Brit J Urol 1997; 79: 756-762.

Bangma CH, Rietbergen JBW, Kranse R, Blijenberg BG, Petterson K, Schröder FH. The free-to-total prostate specific antigen ratio improves the specificity of prostate specific antigen in screening for prostate cancer in the general population. J Urol 1997; 157: 2191-2196.

Berendsen CL, Peters WHM, Scheffer PG, Bouman AA, Boven E, Newling DWW. Glutathione S-transferase activity and subunit composition in transitional cell cancer and mucosa of the human bladder. Urology 1997; 49: 644-651.

Bree R de, Roos JC, Plaizier MABD, Quak JJ, Kamp GJ van, Hollander W den, Snow GB, Dongen GAMS van. Selection of monoclonal antibody E48 IgG or U36 IgG for adjuvant radioimmunotherapy in head and neck cancer patients. Br J Cancer 1997; 75: 1049-1060.

Cornelissen J, Kuilenburg ABP van, Voûte PA, Gennip AH van. MIBG causes oxidative stress and up-regulation of anti-oxidant enzymes in the human neuroblastoma cell line SK-N-BE(2C). Int J Cancer 1997; 72: 1-5.

Feller N, Hoekman K, Kuiper CM, Linn SC, Verheul HMW, Wolthers BG, Popp-Snijders C, Pinedo HM. A patient with adrenocortical carcinoma: characterization of its biological activity and drug resistance profile. Clin Cancer Res 1997; 3: 389-394.

Fernhout F, Dinkelaar RB, Hagemeyer A, Groeneveld K, Kammen E van, Dongen JJM van. Four siblings with B-cell chronic lymphocytic leukemia. Leukemia 1997; 11: 2060-2065.

Gorgels WJMJ, Graaf Y van der, Blankenstein MA, Collette HJA, Erkelens DW, Banga JD. Urinary sex hormone excretions in premenopausal women and coronary disease risk: A nested case-referent study in the DOM cohort. J Clin Epidemiol 1997; 50: 275-281.

Guchelaar HJ, Vermes A, Vermes I, Haanen C. Apoptosis: molecular mechanisms and implications for cancer chemotherapy. Pharm World Sci 1997; 19: 119-125.

Jong PC de, Ven JW van de, Nortier HW, Maitimu-Smeele I, Donker TH, Thijssen JHH, Slee PH, Blankenstein MA. Inhibition of breast cancer tissue aromatase activity and estrogen concentrations by the third generation aromatase inhibitor vorozole. Cancer Res 1997; 57: 2109-2111.

Kok JB de, Solinge WW van, Ruers TJM, Roelofs RHWM, Muijen GNP van, Willems JL, Swinkels DW. Detection of tumor DNA in serum of colorectal cancer patients. Scand J Clin Lab Invest 1997; 57: 601-604.

Kool M, Haas M de, Scheffer GL, Scheper RJ, Eijck MJT van, Juijn JA, Baas F, et al. Analysis of expression of *cMOAT* (*MRP2*), *MRP3*, *MRP4* and *MRP5* homologs of the multidrug resistance-associated protein gene (*MRP1*), in human cancer cell lines. *Cancer Res* 1997; 57: 3537-3547.

Nobels FRE, Kwekkeboom DJ, Coopmans W, Schoenmakers CHH, Lindemans J, Herder WW de, Krenning EP, Bouillon R, Lamberts SWJ. Chromogranin A as serum marker for neuroendocrine neoplasia: comparison with NSE and the subunit of glycoprotein hormones. *J Clin Endocrinol Metab* 1997; 82: 2622-2628.

Ong F, Hermans J, Noordijk EM, Wijermans PW, Seelen PJ, Kieviet W de, Gerrits WB, Kluin PM, Kluin-Nelemans JC. A population-based registry on paraproteinaemia in The Netherlands. *Br J Haematol* 1997; 99: 914-920.

Ong F, Hermans J, Noordijk EM, Kieviet W de, Wijermans PW, Seelen PJ, Snijder S, Oostindier MJ, Kluin-Nelemans JC. Developing a population-based registry for patients with paraproteinemias or multiple myeloma. *J Clin Epidemiol* 1997; 50: 909-915.

Ong F, Hermans J, Noordijk EM, Kieviet W de, Seelen PJ, Wijermans PW, Kluin-Nelemans JC. Development of a "Myeloma Risk Score" Using a Population-Based Registry on Paraproteinemia and Myeloma. *Leukemia Lymphoma* 1997; 27: 495-501.

Thijssen JHH. Oestrogens, progestins and breast proliferation. *Zentralbl Gynakol* 1997; 119: s43-s47.

Wodzig KWH, Beijleveld LJJ, Damoiseaux JGMC, Arends JW, Breda Vriesman PJC van. Malignant neoplasms in cyclosporin A-induced autoimmunity (CyA-A1). *Int J Cancer* 1997; 72: 530-535.

Allergie

Bos JC, Grooteman MPC, Houte AJ van, Schoorl M, Limbeek J van, Nubé MJ. Low polymorphonuclear cell degranulation during citrate anticoagulation: a comparison between citrate and heparin dialysis. *Nephrol Dial Transplant* 1997; 12: 1387-1393.

Bresser P, Alphen L van, Habets FJM, Hart AAM, Dankert J, Jansen HM, Lutter R. Persisting *Haemophilus influenzae* strains induce lower levels of interleukin-6 and interleukin-8 in H292 lung epithelial cells than nonpersisting strains. *Eur Respir J* 1997; 10: 2319-2326.

Graaf-in't Veld C de, Garrelds IM, Toorenenbergen AW van, Gerth van Wijk R. Nasal responsiveness to allergen and histamine in patients with perennial rhinitis with and without a late phase response. *Thorax* 1997; 52: 143-148.

Grooteman MPC, Nubé MJ, Daha MR, Limbeek J van, Deuren M van, Schoorl M, Bet P M, Houte AJ van. Cytokine profiles during clinical high-flux dialysis: no evidence for cytokine generation by circulating monocytes. *J Am Soc Nephrol* 1997; 8: 1745-1754.

Grooteman MPC, Bos JC, Houte AJ van, Limbeek J van, Schoorl M, Nubé MJ. Mechanisms of intra-dialyser granulocyte activation: a sequential dialyzer elution study. *Nephrol Dial Transplant* 1997; 12: 492-499.

Gysel D van, Oranje AP, Vermeiden I, Lijster de Raadt J de, Mulder PG, Toorenenbergen AW van. Value of urinary N-methylhistamine measurements in childhood mastocytosis. *J Am Acad Dermatol* 1996; 35: 556-558.

Kleinjan A, Godthelp T, Toorenenbergen AW van, Fokkens WJ. Allergen binding to specific IgE in the nasal mucosa of allergic patients. *J Allergy Clin Immunol* 1997; 99: 515-521.

Krouwels FH, Nocher RET, Snoek M, Lutter R, Zee JS van der, Weller FR, Jansen HMK, Out TA. Immunocytochemical and flow cytofluorimetric detection of intracellular IL-4, IL-5 and IFN- γ : applications using blood- and airway-derived cells. *J Immunol Methods* 1997; 203: 89-101.

Loman S, Radi J, Jansen HM, Out TA, Lutter R. Vectorial transcytosis of dimeric IgA by the Calu-3 human lung epithelial cell line: upregulation by IFN- γ . *Am J Physiol* 1997; 272.

Pater-Huijsen FL de, Riemer MJ de, Reijneke RMR, Pompen M, Lutter R, Jansen HM, Out TA. Human mast cells modulate proliferation and cytokine production by CD8+ T lymphocytes. *Int Arch Allergy Immunol* 1997; 113: 287-288.

Pater-Huijsen FL de, Pompen M, Jansen HM, Out TA. Products from mast cells influence T lymphocyte proliferation and cytokine production - relevant to allergic asthma? *Immun Letters* 1997; 57: 47-51.

Pompen M, Jansen HM, Out TA, Lutter R. Mediators produced by airway epithelial cells influence proliferation and differentiation of immature mast cells. *Int Arch Allergy Immunol* 1997; 113: 363-365.

Schoonbrood DFM, Out TA, Hart AAM, Habets FJM, Roos CM, Jansen HM. Nedocromil sodium in obstructive airways disease: effect on symptoms and plasma protein leakage in sputum. *Eur Respir J* 1997; 10: 1500-1506.

Neurologie en psychiatrie

Ballering LAP, Steffens-Nakken HM, Esselink RAJ, de Vos RAI, Jansen Steur ENH, Vermes I. ApoE genotyping van formaline-gefixeerd paraffine-ingebeld hersenweefsel. *Ned Tijdschr Klin Chem* 1997; 22: 15-19.

Ballering LAP, Steffens-Nakken HM, Esselink RAJ, de Vos RAI, Jansen Steur ENH, Vermes I. Apolipoprotein E genotyping in patients with neurodegenerative diseases. *Clin Biochem* 1997; 30: 405-411.

Dionisi-Vici C, Ruitenbeek W, Fariello G, Bentlage H, Wanders RJA, Schägger H, Bosman C, et al. New familial mitochondrial encephalopathy with macrocephaly, cardiomyopathy, and complex I deficiency. *Ann Neurol* 1997; 42: 661-665.

Holopainen I, Heinonen O, Pulkki K, Nantö-Salonen K, Haataja L, Holme EJA, Gennip AH van. Lapsen status epilepticus - virtsanäytteestä geenivirheeseen. *Duodecim* 1997; 113: 1040-1043.

Jobsis GJ, Weber JW, Barth PG, Keizers H, Baas F, Schooneveld MJ van, Hilten JJ van, et al. Autosomal dominant cerebellar ataxia with retinal degeneration (ADCA II): clinical and neuropathological findings in two pedigrees and genetic linkage to 3p12-p2.1. *J Neurol Neurosurg Psych* 1997; 62: 367-371.

Jongen PJH, Lamers KJB, Doesburg WH, Lemmens WAJG, Hommes OR. Cerebrospinal fluid analysis differentiates between relapsing-remitting and secondary progressive multiple sclerosis. *J Neurol Neurosurg Psych* 1997; 63: 446-451.

Nooijen PTGA, Schoonderwaldt HC, Wevers RA, Hommes OR, Lamers KJB. Neuron-specific enolase, S-100 protein, myelin basic protein and lactate in CSF in dementia. *Dement Geriatr Cogn Disord* 1997; 8: 169-173.

Ramaekers VTh, Bosman B, Jansen GA, Wanders RJA. Increased plasma malondialdehyde associated with cerebellar structural defects. *Arch Dis Child* 1997; 77: 231-234.

Hart- en vaatziekten

Bots ML, Launer LJ, Lindemans J, Hofman A, Grobbee DE. Homocysteine, atherosclerosis and prevalent cardiovascular disease in the elderly: The Rotterdam study. *J Int Med* 1997; 242: 339-347.

Bree A de, Verschuren WMM, Blom HJ. Genetische factoren, voeding en hart- en vaatziekten. Homocysteïne, een mogelijk gunstig effect van foliumzuur? *Voeding* 1997; 58: 22-25.

Brouwer DAJ, Leerink CB, Steward HN, Kroon TAJ, Suverkropp GHJ, Römer JWPh, Volmer M, Muskiet FAJ. Lipids, apolipoprotein-E genotypes and other risk factors of patients with coronary artery disease in Curaçao. *W Indian Med J* 1997; 46: 47-52.

Brouwer DAJ, Dijks FPL van der, Leerink CB, Steward HN, Kroon TAJ, Suverkropp GHJ, Römer JWPh, Doormaal JJ van, Muskiet FAJ. The dietary fatty acids of patients with coronary artery disease and controls in Curaçao. Implications for primary and secondary prevention. *W Indian Med J* 1997; 47: 53-56.

Cobbaert C, Jukema W, Zwinderman AH, Withagen AJAM, Lindemans J, Bruschke AVG. Modulation of lipoprotein(a) atherogenicity by HDL cholesterol levels in middle-aged men with symptomatic coronary artery disease and normal to moderately elevated serum cholesterol. *JACC* 1997; 30: 1491-1499.

Cobbaert C, Mulder P, Lindemans J, Kesteloot H. Serum Lp(a) levels in African Aboriginal Pygmies and Bantus, compared to Caucasian and Asian population samples. *J Clin Epidemiol* 1997; 50: 1045-1053.

Cobbaert C, Hermens W, Kint PP, Klootwijk PJ, Werf F van de, Simoons ML. Thrombolysis-induced coronary reperfusion causes acute and massive interstitial release of muscle cell proteins. *Cardiovascular Research* 1997; 33: 147-155.

Dissel JT van, Verspaget HW, Feuth HJM, Frölich M. Metallo-thionein free radical scavenger and cardiovascular morbidity. *Eur Heart J* 1997; 18: 1678.

Glatz JFC, Vusse GJ van der, Maessen JG, Dieijen-Visser MP van, Hermens WT. Fatty acid-binding protein as marker of muscle injury: Experimental findings and clinical application. *Acta Anaesthesiol Scand* 1997; 41 : 292-294.

Hoffmann JJML, Hofhuis WJD. Een kind met ernstige Factor II deficiëntie. In: Cate JW ten (Ed.) *Trombose, atherosclerose en ontsteking*. Leiden, Stichting Amstol 1997; 185-188.

Jansen GA, Wanders RJA. Plasmalogens and oxidative stress: evidence against a major role of plasmalogens in protection against the superoxide anion radical. *J Inher Metab Dis* 1997; 20: 85-94.

Kesteloot H, Ndam ECN, Kowo M, Njoya O, Cobbaert C, Sasaki S, Seghers V. Serum lipid levels in a Pygmy and Bantu population sample from Cameroon. *Nutr Metab Cardiovasc Dis* 1997; 7: 383-387.

Kluijtmans LAJ, Kastelein JJP, Lindemans J, Boers GHJ, Heil SG, Bruschke AVG, Jukema JW, et al Thermolabile methylenetetrahydrofolate reductase in coronary artery disease. *Circulation* 1997; 96: 2573-2577.

Kragten JA, Hermens WTH, Dieijen-Visser MP van. Cumulative troponin T release after acute myocardial infarction. *Eur J Clin Chem Clin Biochem* 1997; 35: 459-467.

Kragten JA, Hermens WT, Dieijen-Visser MP van. Uvolňování srdečního troponinu T do plazmy po akutním infarktu myokardu: pouze frakční recovery v porovnání s enzymy. *Klin Biochem Metab* 1997; 5: 71-79.

Mooren MJ van der, Demacker PNM, Blom HJ, Rijke YB de, Rolland R. The effect of sequential three-monthly hormone replacement therapy on several cardiovascular risk estimators in postmenopausal women. *Fertility Sterility* 1997; 67: 67-73.

Niessen RWLM, Lamping RJ, Jansen PM, Prins MH, Peters M, Taylor Jr FB, Vijlder JJM de, Cate JW ten, Hack CE, Sturk A. Antithrombin acts as a negative acute phase protein as established with studies on HepG2 cells and in baboons. *Thromb Haemost* 1997; 78: 1088-1092.

Nieuwland R, Berckmans RJ, Rotteveel-Eijkman RC, Maquelin KN, Roozendaal KJ, Jansen PGM, Have K ten, Eijssman L, Hack CE, Sturk A. Cell-derived microparticles generated in patients during cardiopulmonary bypass are highly procoagulant. *Circulation* 1997; 96: 3534-3541.

Nijpels G, Popp-Snijders C, Kostense PJ, Bouter LM, Heine RJ. Cardiovascular risk factors prior to the development of non-insulin-dependent diabetes mellitus in persons with impaired glucose tolerance: The Hoorn Study. *J Clin Epidemiol* 1997; 50: 1003-1009.

Rosén SB, Sturk A. Activated protein C resistance - A major risk factor for thrombosis. *Eur J Clin Chem Clin Biochem* 1997; 35: 501-516.

Stroes E, Kastelein J, Cosentino F, Erkelens W, Wever R, Koomans H, Luscher T, Rabelink T. Tetrahydrobiopterin restores endothelial function in hypercholesterolemia. *J Clin Invest* 1997; 99: 41-46.

Velthuis H te, Baufreton C, Jansen PGM, Thijs CM, Hack CE, Sturk A, Wildevuur CRH, Loisanse DY. Heparin coating of extracorporeal circuits inhibits contact activation during cardiac operations. *J Thorac Cardiovasc Surg* 1997; 114: 117-122.

Verhoef P, Kok FJ, Kluijtmans LAJ, Blom HJ, Refsum H, Ueland PM, Kruyssen DACM. The 677C6T mutation in the methylenetetrahydrofolate reductase gene: associations with plasma total homocysteine levels and risk of coronary atherosclerotic disease. *Atherosclerosis* 1997; 132: 105-113.

Weijenberg MP, Feskens EJ, Souverein JHM, Kromhout D. Serum albumin, coronary heart disease risk, and mortality in an elderly cohort. *Epidemiology* 1997; 8: 87-92.

Wever RMF, Dam T van, Rijn HJ van, Groot F de, Rabelink TJ. Tetrahydrobiopterin regulates superoxide and nitric oxide generation by recombinant endothelial nitric oxide synthase. *Biochem Biophys Res Commun* 1997; 237: 340-344.

Winter RJ de, Koster RW, Straalen JP van, Gorgels PMC, Hoek F, Sanders GT. Critical difference between serial measurements of CK-MB mass to detect myocardial damage. *Clin Chem* 1997; 43: 338-343.

Wodzig KWH, Kragten JA, Hermens WT, Glatz JFC, Dieijen-Visser MP van. Estimation of myocardial infarct size from plasma myoglobin or fatty acid-binding protein. Influence of renal function. *Eur J Clin Chem Clin Biochem* 1997; 35: 191-198.

Interne geneeskunde

- Bergh FAJTM van den, Mulder AM, Bernelot Moens HJ, Koopman RJJ. Een patiënte met multipole symmetrische lipomatose en sterk verhoogde ACE-activiteit. *Ned Tijdschr Klin Chem* 1997; 22: 61.
- Berg G van den, Pincus SM, Veldhuis JD, Frölich M, Roelfsema F. Greater disorderliness of ACTH and cortisol release accompanies pituitary-dependent Cushing's disease. *Eur J Endoc* 1997; 136: 394-400.
- Bongaerts GPA, Tolboom JJM, Naber AHJ, Bakkeren JAJ, Severijen RSVM, Willems JL. Lactobacillus: Flora in short bowel syndrome. *Digest Dis Sci* 1997; 42: 1611-1612.
- Brussaard HE, Gevers Leuven JA, Frölich M, Kluft C, Krans HMJ. Short-term oestrogen replacement therapy improves insulin resistance, lipids and fibrinolysis in postmenopausal women with NIDDM. *Diabetologia* 1997; 40: 843-849.
- Castro Cabezas M, Loon D van, Hiep HJ de, Meuwissen OJHTh. Een patiënt met een onbegrepen lage concentratie 'high-density'-lipoproteïnecholesterol. *Ned Tijdschr Geneesk* 1997; 141: 200-202.
- Corssmit EPM, Heijligenberg R, Hack CE, Endert E, Sauerwein HP, Romijn JA. Effects of interferon-alpha (IFN- α) administration on leucocytes in healthy humans. *Clin Exp Immunol* 1997; 107: 359-363.
- Dekker E, Romijn JA, Moeniralam HS, Waruiru C, Ackermans MT, Timmer JG, Endert E, et al. The influence of alanine infusion on glucose production in 'malnourished' African children with falciparum malaria. *Q J Med* 1997; 90: 455-460.
- Eddes EH, Masclee AAM, Gooszen HG, Frölich M, Lamers CBHW. Effect of duodenum-preserving resection of the head of the pancreas on endocrine and exocrine pancreatic function in patients with chronic pancreatitis. *Amer J Surg* 1997; 174: 387-392.
- Elbers JMH, Asscheman H, Seidell JC, Frölich M, Meinders AE, Gooren LJG. Reversal of the sex difference in serum leptin levels upon cross-sex hormone administration in transsexuals. *J Clin Endoc Metab* 1997; 82: 3267-3270.
- Gielkens HAJ, Verkijk M, Frölich M, Lamers CBHW, Masclee AAM. Is the effect of acute hyperglycaemia on interdigestive antroduodenal motility and small-bowel transit mediated by insulin? *Eur J Clin Invest* 1997; 27: 703 - 710.
- Heijligenberg R, Romijn JA, Klein S, Endert E, Sauerwein HP. Lipolytic sensitivity to catecholamines in patients with human immunodeficiency virus infection. *Am J Clin Nutr* 1997; 66: 633-638.
- Hoogeveen EK, Kostense PJ, Jakobs C, Bouter LM, Heine RJ, Stehouwer CDA. Does metformin increase the serum total homocysteine level in non-insulin-dependent diabetes mellitus? *J Intern Med* 1997; 242: 389-394.
- Jacobs MAJM, Salobir B, Popp-Snijders C, Ader H, Heine RJ. Counterregulatory hormone responses to and symptoms during hypoglycaemia induced by porcine, human regular insulin and Lys(B28), Pro(B29) human insulin analogue (insulin Lispro) in healthy male volunteers. *Diabetic Medicine* 1997; 14: 248-257.
- Jansen ThWJ, Oers CAJM van, Kamp GJ van, Voorde BJ ten, Woude LHV van der, Hollander AP. Coronary heart disease risk indicators, aerobic power, and physical activity in men with spinal cord injuries. *Arch Phys Med Rehabil* 1997; 78: 697-705.
- Janssen MMJ, Casteleijn S, Devillé W, Popp-Snijders C, Roach P, Heine RJ. Nighttime insulin kinetics and glycemic control in type 1 diabetes patients following administration of an intermediate-acting lispro preparation. *Diabetes Care* 1997; 20: 1870-1873.
- Janssen YJH, Frölich M, Deurenberg P, Roelfsema F. Serum leptin levels during recombinant human GH therapy in adults with GH deficiency. *Eur J Endocrin* 1997; 137: 650-654.
- Janssen YJH, Frölich M, Roelfsema F. A low starting dose of genotropin in growth hormone deficient adults. *J Clin Endocrinol Metab* 1997; 82: 129-135.
- Koopman G, Wever PC, Ramkema MD, Bellot F, Reiss P, Keehnen RMJ, Berge IJM ten, et al. Expression of granzyme B of cytotoxic T lymphocytes in the lymph nodes of HIV-infected patients. *Aids Res Human Retroviruses* 1997; 13: 227-233.
- Kuijk WHM, Mulder AW, Peels CH, Harff GA, Leunissen KML. Influence of changes in ionized calcium on cardiovascular reactivity during hemodialysis. *Clin Nephrol* 1997; 47: 190-196.
- Kusters R, Jansen RW, Bergh FAJTM van den. Een onverklaarde vals-positieve Plasmodium falciparum-uitslag. *Ned Tijdschr Klin Chem* 1997; 22: 57-58.
- Lam WF, Masclee AA, Boer SY de, Souverein JHM, Lamers CBHW. Effect of acute hyperglycemia on basal and cholecystokinin stimulated exocrine pancreatic secretion in humans. *Life Sci* 1997; 60: 2183-2190.
- Lambalk CB, de Boer L, Schoute E, Popp-Snijders C, Schoemaker J. Postmenopausal and chronological age have divergent effects on pituitary and hypothalamic function in episodic gonadotrophin secretion. *Clin Endocrinology* 1997; 46: 439-443.
- Lentjes EGWM, Griep EN, Boersma JW, Romijn FPTHM, Kloet ER de. Glucocorticoid receptors, fibromyalgia and low back pain. *Psychoneuroend* 1997; 22: 603-614.
- Mijatovic V, Kenemans P, Netelenbos JC, Peters-Muller ERA, Kamp GJ van, Voetberg GA, Weijer PHM van de, Mooren MJ van der. Oral 17 β -oestradiol continuously combined with dydrogesterone lowers serum lipoprotein(a) concentrations in healthy postmenopausal women. *J Clin Endocrinol Metab* 1997; 82: 3543-3547.
- Naber THJ de, Schermer T, Bree de A, Nusteling K, Eggink L, Kruimel JW, Bakkeren J, Heereveld H van, Katan MB. Prevalence of malnutrition in nonsurgical hospitalized patients and its association with disease complications. *Am J Clin Nutr* 1997; 66:1232-1239.
- Naber THJ de, Bree A de, Schermer TRJ, Bakkeren J, Bär B, Wild G de, Katan MB. Specificity of indexes of malnutrition when applied to apparently healthy people: the effect of age. *Am J Clin Nutr* 1997; 65: 1721-1725.
- Oudemans-van Straaten HM, Hoek FJ, Deventer SJH van. Gastrointestinal permeability in cardiac surgery patients, the interpretation of dual-sugar absorption studies. *Inten Care Med* 1997; 23: 1101-1102.
- Paulusma CC, Kool M, Bosma PJ, Scheffer GL, Borg F ter, Scheper RJ, Tytgat GNJ, et al. A mutation in the human canalicular multispecific organic anion transporter gene causes Dubin-Johnson syndrome. *Hepato* 1997; 25: 1539-1542.
- Pelt J van. Koolhydraat-deficiënt transferrine: een nieuwe biochemische marker voor chronisch overmatig alcoholgebruik. *Ned Tijdschr Geneesk* 1997; 141: 773-777.

- Pijl JW van der, Woude FJ van der, Geelhoed-Duijvestijn PHLM, Frölich M, Meer FJM van der, Lemkes HHPI, Es LA van. Danaparoid sodium lowers proteinuria in diabetic nephropathy. *J Am Soc Nephrol* 1997; 8: 456-462.
- Rijks LJM, Boer GJ, Endert E, Bruin K de, Janssen AGM, Royen EA van. The Z-isomer of 11 β -Methoxy-17 α -[¹²⁵I] iodovinylestradiol is a promising radioligand for estrogen receptor imaging in human breast cancer. *Nucl Med Biol* 1997; 24: 65-75.
- Roelen CAM, Koppeschaar HPF, Vries WR de, Snel YE, Doerga ME, Zelissen PM, Thijssen JHH, Blankenstein MA. Visceral adipose tissue is associated with circulating high affinity growth hormone-binding protein. *J Clin Endocrinol Metab* 1997; 82: 760-764.
- Roelen CAM, de Vries WR de, Koppeschaar HPF, Vervoorn C, Thijssen JHH, Blankenstein MA. Plasma insulin-like-growth factor-I and high affinity growth hormone-binding protein levels increase after two weeks of strenuous physical training. *Int J Sports Med* 1997; 18: 238-241.
- Roosendaal R, Kuipers EJ, Buitenwerf J, Uffelen C van, Meuwissen SGM, Kamp GJ van, Vandenbroucke-Grauls CMJE. *Helicobacter pylori* and the birth cohort effect: Evidence of a continuous decrease of infection rates in childhood. *Am J Gastroenterol* 1997; 92: 1480-1482.
- Sels JPJE, Nauta JJP, Menheere PPCA, Wolffenbuttel BHR, Nieuwenhuijzen Kruseman AC. Miglitol (Bay m 1099) has no extraintestinal effects on glucose control in healthy volunteers. *Br J Clin Pharmacol* 1996; 42: 503-506.
- Smulders RA, Aarsen M, Teerlink T, Vries PMJM de, Kamp GJ van, Donker AJM, Stehouwer CDA. Haemodynamic and biochemical responses to L-arginine and L-lysine infusions in normal subjects. L-arginine-induced vasodilatation cannot be explained by non-specific effects of cationic amino acids. *Clin Sci* 1997; 92: 367-374.
- Spooren PFMJ, Gans ROB, Ader HJ, Vermes I, Donker AJM. Urinary excretion rate during angiotensin II infusion in microalbuminuric patients with insulin and non-insulin-dependent diabetes mellitus. *Nephrol Dial Transplant* 1997; 12: 281-285.
- Toornvliet AC, Pijl H, Tuinburg JC, Elte-de Wever BM, Pieters MSM, Frölich M, Onkenhout W, Meinders AE. Psychological and metabolic responses of carbohydrate craving obese patients to carbohydrate, fat and protein-rich meals. *Int J Obesity* 1997; 21: 860-864.
- Vecht J, Gielkens HAJ, Frölich M, Lamers CBHW, Masclee AAM. Vasoactive substances in early dumping syndrome: effects of dumping provocation with and without octreotide. *Eur J Clin Invest* 1997; 27: 680-684.
- Weijtens O, Sluijs FA van der, Schoemaker RC, Lentjes EGWM, Cohen AF, Romijn FPHTM, Meurs JC van. Peribulbar corticosteroid injection: vitreal and serum concentrations after dexamethasone disodium phosphate injection. *Am J Ophthalmol* 1997; 123 : 358-363.
- Westendorp RGJ, Blauw GJ, Frölich M, Simons R. Hypoxic syncope. *Aviat Space Environ Med* 1997; 68: 410-414.
- Westendorp RGJ, Langermans JAM, Huizinga TWJ, Verweij CL, Sturk A. Genetic influence on cytokine production in meningococcal disease. *Lancet* 1997; 349: 1912-1913.
- Wodzig KWH, Pelsers MMAL, Vusse GJ van der, Roos W, Glatz JFC. One-step enzyme-linked immunosorbent assay (ELISA) for plasma fatty acid-binding protein. *Ann Clin Biochem* 1997; 34 : 263-268.
- Zaanen HCT van, Romijn JA, Sauerwein HP, Lokhorst HM, Warnaar SO, Aarden LA, Endert E, et al. Modulation of chronic excessive interleukin-6 production in multiple myeloma does not affect thyroid hormone concentrations. *Metabolism* 1997; 46: 1343-1348.

Stoornissen in het intermediaire metabolisme

Assmann B, Hoffmann GF, Wagner L, Brautigam C, Seyberth HW, Duran M, van Kuilenburg ABP, Wevers R, van Gennip AH. Dihydropyrimidinase deficiency and congenital microvillous atrophy: coincidence or genetic relation? *J Inher Metab Dis* 1997; 20: 681-688.

Benders AAGM, Oosterhof A, Wevers RA, Veerkamp JH. Excitation-contraction coupling of cultured human skeletal muscle cells and the relation between resting cytosolic Ca²⁺ and excitability. *Cell Calcium* 1997; 21: 81-91.

Boot RG, Hollak CEM, Verhoek M, Sloof P, Poorthuis BJHM, Kleyer WJ, Wevers RA, et al. Glucocerebrosidase genotype of Gaucher patients in The Netherlands: limitations in prognostic value. *Hum Mutat* 1997; 10: 348-358.

Casals N, Pié J, Casale CH, Zapater N, Ribers A, Castro-Cago M, Rodriguez-Segade S, Wanders RJA et al. A two-base deletion in exon 6 of the 3-hydroxy-3-methylglutaryl coenzyme A lyase (HL) gene producing the skipping of exons 5 and 6 determines 3-hydroxy-3-methylglutaric aciduria. *J Lipid Res* 1997; 38: 2303.

Cerone R, Caruso U, Barabino A, Gatti R, Jakobs C, Jacquemyn I, Marescau B, Deyn PP de. Hyperargininemia: pre-natal diagnosis and treatment from birth. In: *Guanidino Compounds in Biology & Medicine: II*; Deyn PP de, Marescau B, Qureshi A, Mori A (Eds); John Libbey & Comp Ltd Londen 1997: 71-76.

Cheo DL, Ruven HJT, Meira LB, Hammer RE, Burns DK, Tappe NJ, Zeeland AA van, et al. Characterization of defective nucleotide excision repair in XPC mutant mice. *Mut Res* 1997; 374: 1-9.

Christensen E, Anker Pedersen S, Leth H, Jacobs C, Schutgens RBH, Wanders RJA. A new peroxisomal β -oxidation disorder in twin neonates: Defective oxidation of both cerotic and pristanic acids. *J Inher Metab Dis* 1997; 20: 658-664.

Cornelissen J, Kuilenburg ABP van, Voûte PA, Gennip AH van. The effect of the neuroblastoma-seeking agent *meta*-iodobenzylguanidine (MIBG) on NADH-driven superoxide formation and NADH-driven lipid peroxidation in beef heart submitochondrial particles. *Eur J Cancer* 1997; 33: 421-424.

Cornelissen J, Kuilenburg ABP van, Elzinga L, Kley AJ van der, Voûte PA, Gennip AH van. Hyperbaric oxygen enhances the effects of *meta*-iodobenzylguanidine (MIBG) on energy metabolism and lipid peroxidation in the human neuroblastoma cell line SK-N-BE (2C). *Anticancer Res* 1997; 17: 259-264.

Cornelissen J, Tytgat GAM, Brug M van den, Kuilenburg ABP van, Voûte PA, Gennip AH van. Menadione inhibits MIBG uptake in two neuroendocrine cell lines. *J Neuro-Oncol* 1997; 31: 147-151.

- Cornelissen J, Belzen R van, Gennip AH van, Voûte PA, Kuilenburg ABP van. Specification of the inhibitory action of MIBG on the respiratory chain by EPR scanning. *Anticancer Res* 1997; 17: 265-268.
- Costa CG, Struys EA, Bootsma A, Brink HJ ten, Dorland L, Tavares de Almeida I, Duran M, Jakobs C. Quantitative analysis of plasma acylcarnitines using gas chromatography chemical ionization mass fragmentography. *J Lipid Res* 1997; 38: 173-182.
- Dekker E, Hellerstein MK, Romijn JA, Neese RA, Peshu N, Endert E, Marsh K, Sauerwein HP. Glucose homeostasis in children with falciparum malaria: precursor supply limits gluconeogenesis and glucose production. *J Clin Endocrinol Metab* 1997; 82: 2514-2521.
- Deklerk JBC, Huijmans JGM, Stroink H, Robben SGF, Jakobs C, Duran M. L-2-hydroxyglutaric aciduria - clinical heterogeneity versus biochemical homogeneity in a sibship. *Neuropediatr* 1997; 28: 314-317.
- Deyn PP de, Marescau B, Qureshi IA, Cederbaum SD, Lambert M, Cerone R, Chamoles N, et al. Hyperargininemia: a treatable inborn error of metabolism? In: *Guanidino Compounds in Biology & Medicine: II*; Deyn PP de, Marescau B, Qureshi A, Mori A (Eds); John Libbey & Comp Ltd Londen 1997: 53-69.
- Endo F, Kubo S, Awata H, Kiwaki K, Katoh H, Kanegae Y, Saito I, et al. Complete rescue of lethal albino c^{14CoS} mice by null mutation of 4-hydroxyphenylpyruvate dioxygenase and induction of apoptosis of hepatocytes in these mice by in vivo retrieval of the tyrosine catabolic pathway. *J Biol Chem* 1997; 39: 24426-24432.
- Flott-Rahmel B, Falter C, Schluff P, Fingerhut R, Christensen E, Jakobs C, Musshoff U, et al. Nerve cell lesions caused by 3-hydroxyglutaric acid: a possible mechanism for neurodegeneration in glutaric acidemia I. *J Inher Metab Dis* 1997; 20: 387-390.
- Fowler B, Schutgens RBH, Rosenblatt DS, Smit GPA, Lindemans J. Folate-responsive homocystinuria and megaloblastic anaemia in a female patient with functional methionine synthase deficiency (cblE disease). *J Inher Met Dis* 1997; 20: 731-741.
- Geel BM van, Assies J, Wanders RJA, Barth PG. X linked adrenoleukodystrophy: clinical presentation, diagnosis, and therapy. *J Neurol Neurosurg Psych* 1997; 63: 4-14.
- Geelen MJH, Bijleveld C, Velasco G, Wanders RJA, Gruzmán M. Studies on the intracellular localization of acetyl-CoA carboxylase. *Biochem Biophys Res Comm* 1997; 233: 253-257.
- Gennip AH van, Abeling NGGM, Vreken P, Kuilenburg ABP van. Inherited and secondary disorders of pyrimidine metabolism. *Paths to Pyrimidines* 1996; 34-40.
- Gennip AH van, Abeling NGGM, Vreken P, Kuilenburg ABP van. Genetic metabolic disease of pyrimidine metabolism: implications for diagnosis and treatment. *Int Pediatr* 1997; 12: 28-33.
- Gennip AH van, Mandel H, Stroomer LEM, Cruchten AG van. Effect of allopurinol on the xanthinuria in a patient with molybdenum cofactor deficiency. *Purine and Pyrimidine Metabolism in Man VIII*, Sahota A, Taylor M, ed. Plenum Press, New York, 1995.
- Gennip AH van, Lenthe H van, Abeling NGGM, Scholten EG, Kuilenburg ABP van. Inhibition of β -ureidopropionase by propionate may contribute to the neurological complications in patients with propionic acidemia. *J Inher Metab Dis* 1997; 20: 379-382.
- Gennip AH van, Abeling NGGM, Vreken P, Kuilenburg ABP van. Inborn errors of pyrimidine degradation: Clinical, biochemical and molecular aspects. *J Inher Metab Dis* 1997; 20: 203-213.
- Gennip AH van, Abreu RA de, Lenthe H van, Bakkeren J, Rotteveel J, Vreken P, Kuilenburg ABP van. Dihydropyrimidinase deficiency: confirmation of the enzyme defect in dihydropyrimidinuria. *J Inher Metab Dis* 1997; 20: 339-342.
- Gibson KM, Christensen E, Jakobs C, Fowler B, Clarke MA, Hammersen G, Raab K, et al. The clinical phenotype of succinic semialdehyde dehydrogenase deficiency (4-hydroxybutyric aciduria): case reports of 23 new patients. *Pediatr* 1997; 99: 567-574.
- Gibson KM, Doskey AE, Rabier D, Jakobs C, Morlat C. Differing clinical presentation of succinic semialdehyde dehydrogenase deficiency in adolescent siblings from Lifu Island, New Caledonia. *J Inher Metab Dis* 1997; 20: 370-374.
- Girós M, Roels F, Prats J, Ruiz M, Ribes A, Espeel M, Wanders RJA, et al. Long survival in a case of peroxisomal biogenesis disorder with peroxisome mosaicism in the liver. *Annals New York Academy of Sciences* 1997: 747-749.
- Grünewald S, Bakkeren J, Wanders RJA, Wendel U. Neonatal lethal mitochondrial trifunctional protein deficiency mimicking a respiratory chain defect. *J Inher Metab Dis* 1997; 20: 835-836.
- Grunsvan EG van, Wanders RJA. Genetic heterogeneity in patients with a disorder of peroxisomal β -oxidation: a complementation study based on pristanic acid β -oxidation suggesting different enzyme defects. *J Inher Metab Dis* 1997; 20: 437-440.
- Grunsvan EG van, Roermund CWT van, Denis S, Wanders RJA. Complementation analysis of fibroblasts from peroxisomal fatty acid oxidation deficient patients shows high frequency of bifunctional enzyme deficiency plus intragenic complementation: unequivocal evidence for differential defects in the same enzyme protein. *Biochem Biophys Res Comm* 1997; 235: 176-179.
- Heymans HSA, Wanders RJA. Rhizomelic chondrodysplasia punctata. *Handbook Clin Neurol* 1997; 22: 525-533.
- Hollak CEM, Corssmit PH, Aerts JMFG, Endert E, Sauerwein HP, Romijn JA, Oers MHJ van. Differential effects of enzyme supplementation therapy on manifestations of Type 1 Gaucher Disease. *Am J Med* 1997; 103: 185-191.
- Holopainen I, Pulkki K, Heinonen OJ, Nääntö-Salonen K, Hataaja L, Greter J, Holme E, Kuilenburg ABP van, Vreken P, Gennip AH van. Partial epilepsy in a girl with a symptom-free sister: first two Finnish patients with dihydropyrimidine dehydrogenase deficiency. *J Inher Metab Dis* 1997; 20: 719-720.
- Hoogeveen EK, Kostense PJ, Jakobs C, Bouter LM, Heine RJ, Stehouwer CDA. Does metformin increase the serum total homocysteine level in non-insulin-dependent diabetes mellitus? *J Intern Med* 1997; 242: 389-394.
- IJlst L, Oostheim W, Ruiten JPN, Wanders RJA. Molecular basis of long-chain 3-hydroxyacyl-CoA dehydrogenase deficiency: identification of two new mutations. *J Inher Metab Dis* 1997; 20: 420-422.

- Jaeken J, Artigas J, Barone R, Fiumara A, de Koning TJ, Poll-The BT, et al. Phosphomannomutase deficiency is the main cause of carbohydrate deficient glycoprotein syndrome with type I isoelectrofocusing pattern of serum sialotransferrins. *J Inher Metab Dis* 1997; 20: 447-449.
- Jakobs C, Kneer J, Martin D, Boulloche J, Brivet M, Poll-The BT, Saudubray JM. In vivo stable isotope studies in three patients affected with mitochondrial fatty acid oxidation disorders: limited diagnostic use of 1-¹³C fatty acid breath test using bolus technique. *Eur J Pediatr* 1997; 156: s78-s82.
- Jansen GA, Mihalik SJ, Watkins PA, Moser HW, Jakobs C, Heijmans HSA, Wanders RJA. Phytanoyl-CoA hydroxylase is not only deficient in classical Refsum disease but also in rhizomelic chondrodysplasia punctata. *J Inher Metab Dis* 1997; 20: 444-446.
- Jansen GA, Ofman R, Ferdinandusse S, IJlst L, Muijsers TO, Skjeldal OH, Jakobs C, et al. Refsum disease is caused by mutations in the phytanoyl-CoA hydroxylase gene. *Nature Genet* 1997; 17: 190-193.
- Jansen GA, Wanders RA, Watkins PA, Mihalik SJ. Phytanoyl-Coenzyme a hydroxylase deficiency - the enzyme defect in Refsum's disease. *New Eng J Med* 1997; 337: 133-134.
- Jansen GA, Mihalik SJ, Watkins PA, Moser HW, Jakobs C, Heymans HSA, Wanders RJA. Phytanoyl-CoA hydroxylase is not only deficient in classical Refsum disease but also in rhizomelic chondrodysplasia punctata. *J Inher Metab Dis* 1997; 20: 444-446.
- Jira PE, de Jong JGN, Janssen-Zijlstra FSM, Wendel U, Wevers RA. Pitfalls in measuring plasma cholesterol in the Smith-Lemli-Opitz syndrome. *Clin Chem* 1997; 43: 129-33.
- Jira PE, Jong JGN de, Metz M de, Aalfs CM, Hennekam RCM, Wanders RJA, Smeitink JAM, Wevers RA. Het Smith-Lemli-Opitz syndroom: een stoornis in de cholesterol biosynthese. *Ned Tijdschr Klin Chem* 1997; 22: 175-179.
- Jira P, Wevers RA, de Jong J, Rubio-Gozalbo E, Smeitink J. New treatment strategy for Smith-Lemli-Opitz syndrome. *Lancet* 1997; 349: 1222.
- Klerk JBC de, Huijman JGM, Stroink H, Robben SGF, Jakobs C, Duran M. L-2-hydroxyglutaric aciduria - clinical heterogeneity versus biochemical homogeneity in a sibship. *Neuropediatr* 1997; 28: 314-317.
- Kuilenburg ABP van, Vreken P, Beex LVAM, Meinsma R, Lenthe H van, Abreu RA de, Gennip AH van. Heterozygosity for a point mutation in an invariant splice donor site of dihydropyrimidine dehydrogenase and severe 5-fluorouracil related toxicity. *Eur J Cancer* 1997; 33: 2258-2264.
- Kuilenburg ABP van, Elzinga L, Verschuur AC, Berg AA van den, Slingerland RJ, Gennip AH van. Determination of CTP synthetase activity in crude cell homogenates by a fast and sensitive non-radiochemical assay using anion-exchange high-performance liquid chromatography. *J Chromatogr B* 1997; 693: 287-295.
- Kvittingen EA, Spangen S, Lindemans J, Fowler B. Methionine synthase deficiency without megaloblastic anemia. *Eur J Pediatr* 1997; 156: 925-930.
- Molen EF van der, Hiipakka MJ, Lith-Zanders H van, Boers GHJ, Heuvel LPWJ van den, Monnens LAH, Blom HJ. Homocysteine metabolism in endothelial cells of a patient homozygous for cystathionine β-synthase (CS) deficiency. *Thromb Haemost* 1997; 78: 827-833.
- Motley AM, Hetteema EH, Hogenhout EM, Brites P, Asbroek ALMA ten, Wijburg FA, Baas F, Heijmans HSA, Tabak F, Wanders RJA, Distel B. Rhizomelic chondrodysplasia punctata is a peroxisomal protein targeting disease caused by a non-functional PTS2 receptor. *Nature Genetics* 1997; 15: 377-380.
- Mourmans J, Wendel U, Bentlage HACM, Trijbels JMF, Smeitink JAM, De Coo IFM, Gabreëls FJM, Sengers RCA, Ruitenbeek W. Clinical heterogeneity in respiratory chain complex III deficiency in childhood. *J Neurol Sci* 1997; 149: 111-117.
- Mullenders LHF, Hoffen A van, Vreeswijk MPG, Ruven H-J, Vrieling H, Zeeland AA van. Ultraviolet-induced photolesions: repair and mutagenesis. *Recent Results in Cancer Res* 1997; 143: 89-98.
- Putman CWM, Rotteveel JJ, Wevers RA, van Gennip AH, Bakkeren JAJM, de Abreu RA. Dihydropyrimidinase deficiency, a progressive neurological disorder? *Neuropediatr* 1997; 28: 106-110.
- Rooij A van, Nijenhuis AA, Wijburg FA, Schutgens RBH. Highly increased CSF concentrations of cholesterol precursors in Smith-Lemli-Opitz syndrome. *J Inher Metab Dis* 1997; 20: 578-580.
- Rubio-Gozalbo ME, Ruitenbeek W, Bentlage HACM, Schägger H, Sengers RCA, Trijbels JMF, Laak ter HJ, et al. Favourable clinical course in an infant with severe deficiency of complex III of the respiratory chain combined with less severe deficiencies of complexes I, II and IV. *Eur J Pediatr* 1997; 156: 931-934.
- Schulze A, Hess T, Wevers R, Mayatepek E, Bachert P, Marescau B, Knopp MV, et al. Creatine deficiency syndrome caused by guanidinoacetate methyltransferase deficiency: Diagnostic tools for a new inborn error of metabolism. *J Pediatr* 1997; 131: 626-631.
- Schutgens RBH, Wanders RJA. Laboratory diagnosis of peroxisomal disorders. In: *Organelle Diseases, Clinical features, diagnosis, pathogenesis and management*. Applegarth DE, Dimmick JE, Hall JG (eds), Chapman and Hall Medical, London, 1997: 193-209.
- Silva MFB, Ruitenbeek W, IJlst L, Jakobs C, Duran M, Tavares de Almeida I, Wanders RJA. Valproate inhibits the mitochondrial pyruvate-driven oxidative phosphorylation *in vitro*. *J Inher Metab Dis* 1997; 20: 397-400.
- Slingerland RJ, Gennip AH van, Bodlaender JM, Voûte PA, Kuilenburg ABP van. *In-situ* cytidine-deaminase activity and chromosome 1P deletion in human neuroblastoma cells. *Anticancer Res* 1997; 17: 457-460.
- Stöckler S, Marescau B, Deyn PP de, Trijbels JMF, Hanefeld F. Guanidino compounds in guanidinoacetate methyltransferase deficiency, a new inborn error of creatine synthesis. *Metabolism* 1997; 46: 1189-1193.
- Trijbels JMF, Ruitenbeek W, Huizing M, Wendel U, Smeitink JAM, Sengers RCA. Defects in the mitochondrial energy metabolism outside the respiratory chain and the pyruvate dehydrogenase complex. *Mol Cell Biochem* 1997; 174: 243-247.
- Tyni T, Palotie A, Vinikka L, Valanne L, Salo M, Döbeln U von, Jackson S, Wanders RJA et al. Long-chain 3-hydroxyacyl-coenzyme A dehydrogenase deficiency with the G1528 mutation: clinical presentation of thirteen patients. *J Pediatr* 1997; 130: 67-76.

- Tytgat GAM, Cornelissen J, Brug M van den, Kuilenburg ABP van, Voûte PA, Kley AJ van der, Gennip AH van. HBO and the uptake and retention of [¹²⁵I] MIBG in human platelets and two neuroendocrine cell lines. *Anticancer Res* 1997; 17: 1209-1212.
- Valk-de Roo GW de, Netelenbos JC, Peters-Muller IRA, Voetberg GA, Weijer PHM van de, Bouman AA, Popp-Snijders C, Kenemans P. Continuously combined hormone replacement therapy and bone turnover: the influence of hydrogesterone dose, smoking and initial degree of bone turnover. *Maturitas* 1997; 28: 153-162.
- Ventura FV, Costa CG, IJlst L, Dorland L, Duran M, Jakobs C, Tavares de Almeida I, Wanders RJA. Broad specificity of carnitine palmitoyltransferase II towards long-chain acyl-CoA β -oxidation intermediates and its practical approach to the synthesis of various long-chain acylcarnitines. *J Inher Metab Dis* 1997; 20: 423-426.
- Verhoeven NM, Schor DSM, Jansen GA, Kok RM, Brink HJ ten, Wanders RJA, Jakobs C. Formation of 2,3-pristanic acid and 3-hydroxypristanic acid from pristanic acid in human liver. *J Inher Metab Dis* 1997; 20: 441-443.
- Verhoeven NM, Schor DSM, Brink HJ ten, Wanders RJA, Jakobs C. Resolution of the phytanic acid α -oxidation pathway: identification of pristanal as product of the decarboxylation of 2-hydroxyphytanoyl-CoA. *Biochem Biophys Res Commun* 1997; 237: 33-36.
- Verhoeven NM, Schor DSM, Previs SF, Brunengraber H, Jakobs C. Stable isotope studies of phytanic acid α -oxidation: in vivo production of formic acid. *Eur J Pediatr* 1997; 156: s83-s87.
- Verhoeven NM, Schor DSM, Roe CR, Wanders RJA, Jakobs C. Phytanic acid α -oxidation in peroxisomal disorders: Studies in cultured human fibroblasts. *Biochim Biophys Acta* 1997; 1361: 281-286.
- Verhoeven NM, Wanders RJA, Schor DSM, Jansen GA, Jakobs C. Phytanic acid α -oxidation: decarboxylation of 2-hydroxyphytanoyl-CoA to pristanic acid in human liver. *J Lipid Res* 1997; 38: 2062-2070.
- Verleur N, Hettema EW, Roermund CWT van, Tabak HF, Wanders RJA. Transport of activated fatty acids by the peroxisomal ATP-binding-cassette transporter Pxa2 in a semi-intact yeast cell system. *Eur J Biochem* 1997; 249: 657-661.
- Verleur N, Elgersma Y, Roermund CWT van, Tabak HF, Wanders RJA. Cytosolic aspartate aminotransferase encoded by the AAT2 gene is targeted to the peroxisomes in oleate-grown *Saccharomyces cerevisiae*. *Eur J Biochem* 1997; 247: 972-980.
- Vervoort R, Buist NRM, Kleijer WJ, Wevers R, Fryns J-P, Liebaers I, Lissens W. Molecular analysis of the beta-glucuronidase gene: novel mutations in mucopolysaccharidosis type VII and heterogeneity of the polyadenylation region. *Hum Genet* 1997; 99: 462-468.
- Vreken P, Kuilenburg ABP van, Meinsma R, Gennip AH van. Dihydropyrimidine dehydrogenase (DPD) deficiency: identification and expression of missense mutations C29R, R886H and R235W. *Hum Genet* 1997; 101: 333-338.
- Vreken P, Kuilenburg ABP van, Meinsma R, Abreu RA de, Gennip AH van. Identification of a four-base deletion (delTCAT₂₉₆₋₂₉₉) in the dihydropyrimidine dehydrogenase gene with variable clinical expression. *Hum Genet* 1997; 100: 263-265.
- Wanders RJA, Vilarinho L, Hartung HP, Hoffmann GF, Mooijer PAW, Jansen GA, Huijman JGM, et al. L-2-Hydroxyglutaric aciduria: normal L-2-hydroxyglutarate dehydrogenase activity in liver from two new patients. *J Inher Metab Dis* 1997; 20: 725-726.
- Wanders RJA, Schutgens RBH, Tabak HJ. Functions and biogenesis of peroxisomes. In: *Organelle Diseases*, Applegarth DA, Dimmick JE, Hall JG (eds), Chapman and Hall, London, 1997: 147-167.
- Wanders RJA, Jansen G, Roermund CWT van, Denis S, Schutgens RBH, Jakobs BS. Metabolic aspects of peroxisomal disorders. *Ann NY Acad Sci* 1997: 450-460.
- Wanders RJA, Romeijn GJ, Wijburg F, Hennekam RCM, de Jong J, Wevers RA, Dacremont G. Smith-Lemli-Opitz syndrome: Deficient Delta 7-reductase activity in cultured skin fibroblasts and chorionic villus fibroblasts and its application to pre- and postnatal detection. *J Inher Metab Dis* 1997; 20: 432-436.
- Wanders RJA, Denis S, Wouters F, Wirtz KWA, Seedorf U. Sterol carrier protein (X-SCPx) is a peroxisomal branched-chain β -keto thioase specifically reacting with 3-oxo-pristanoyl-CoA: a new, unique role for SCPx in branched-chain fatty acid metabolism in peroxisomes. *Biochem Biophys Res Commun* 1997; 236: 565-569.
- Wanders RJA, Heymans HSA, Schutgens RBH, Barth PG. Generalized peroxisomal disorders and disorders of peroxisomal fatty acid oxidation. *Handbook Clin Neurol* 1997; 22: 505-524.
- Wevers RA, Engelke U, Rotteveel JJ, Heerschap A, Jong JGN de, Abeling NGGM, Gennip AH van, Abreu RA de. ¹H NMR spectroscopy of body fluids in patients with inborn errors of purine and pyrimidine metabolism. *J Inher Metab Dis* 1997; 20: 345-350.

Gynaecologie en obstetrie

- Haafte M van, Donker GH, Sie-Go DM, Haspels AA, Thijssen JHH. Biochemical and histological effects of vaginal estriol and estradiol applications on the endometrium, myometrium and vagina of postmenopausal women. *Gynecol Endocrinol* 1997; 11: 175-185.
- Janssens PMW. Safety during sperm banking. *Human Reproduction* 1997; 12: 2579.
- Konijnenberg A, Stokkers EW, Post JAM van der, Schaap MCL, Boer K, Bleker OP, Sturk A. Extensive platelet activation in preeclampsia compared with normal pregnancy: Enhanced expression of cell adhesion molecules. *Am J Obstet Gynecol* 1997; 176: 461-469.
- Konijnenberg A, Post JAM van der, Mol BW, Schaap MCL, Lazarov R, Boer K, Bleker OP, Sturk A. Can flow cytometric detection of platelet activation early in pregnancy predict the occurrence of preeclampsia? A prospective study. *Am J Obstet Gynecol* 1997; 177: 434-442.
- Mooren MJ van der, Rijke YB de, Demacker PNM, Rolland R, Blom HJ. The effect of sequential three-monthly hormone replacement therapy on several cardiovascular risk-estimators in postmenopausal women. *Fertil Steril* 1997; 67: 67-73.
- Nelen WLDM, Molen EF van der, Blom HJ, Heil SG, Steegers EAP, Eskes TKAB. Recurrent early pregnancy loss and genetic-related disturbances in folate and homocysteine metabolism. *Brit J Hosp Med* 1997; 58: 511-513.

Nelen WLDM, Steegers EAP, Eskes TKAB, Blom HJ. Genetic risk factor for unexplained recurrent early pregnancy loss. *Lancet* 1997; 350: 861.

Oosterhuis GJE, Michgelsen HWB, Vermes I. Assessment of ovarian reserve. *J Clin Ligand Assay* 1997; 20: 316-324.

Thijssen JHH. Progestins and bone. *Zentralbl Gynakol* 1997; 119: s70-s74.

Vries JIP de, Dekker GA, Huijgens PC, Jakobs C, Blomberg BME, Geijn HP van. Hyperhomocysteinaemia and protein S deficiency in complicated pregnancies. *Br J Obstet Gynaecol* 1997; 104: 1248-1254.

Wanders RJA, Vilarinho L, Hartung HP, Hoffmann GF, Mooijer PAW, Jansen GA, Jakobs C, et al. L-2-hydroxyglutaric aciduria: normal L-2-hydroxyglutarate dehydrogenase activity in liver from two new patients. *J Inher Metab Dis* 1997; 20: 725-726.

Diversen

Burg MPM van der, Frölich M, Gooszen GH. Glucoseregulatie na transplantatie van eilandjes van Langerhans in de hond. *Ned Tijdschr Klin Chem* 1997; 22: 20-28.

Burg MPM van der, Suylichem PTR van, Guicherit OR, Frölich M, Lemkes HHPJ, Gooszen HG. Glucoregulation after canine islet transplantation: contribution of insulin secretory capacity, insulin action, and the entero-insular axis. *Cell Transpl* 1997; 6: 497-503.

Moeniralam HZ, Bemelman WA, Endert E, Koopmans R, Sauerwein HP, Romijn JA. The decrease in nonsplenic interleukin-6 (IL-6) production after splenectomy indicates the existence of a positive feedback loop of IL-6 production during endotoxemia in dogs. *Infection Immunity* 1997; 2299-2305.

Moeniralam HS, Bemelman WA, Romijn JA, Endert E, Ackermans MT, Lanschot JJB van, Hermsen RC, Sauerwein HP. Origin of endotoxemia influences the metabolic response to endotoxin in dogs. *J Surg Res* 1997; 73: 47-53.

Piosik PA, Groenigen M van, Doorn J van, Baas F, Vijlder JJM de. Effects of maternal thyroid status on thyroid hormones and growth in congenitally, hypothyroid goat fetuses during second half of gestation. *Endocrinol* 1997; 138: 5-11.

Walk TLM, Schröder CH, Reddingius RE, Lelivelt M, Monens LAH, Willems JL. Measurement of KT/V in a pediatric peritoneal dialysis population. *Periton Dialysis Int* 1997; 17: 175-178.

Kwaliteitsbewaking, data handling, referentiewaarden en statistiek

Bookelman H. De venapunctie: a BIG problem? *Medisch Contact* 1997; 52: 1512.

Bookelman H. De Wet op het bevolkingsonderzoek. Slagboom voor klinisch chemische laboratoriumdiagnostiek. *Medisch Contact* 1997; 52: 559-560.

Bookelman H. Wettelijke regels en de klinische chemie: het gebruik van patientengegevens en het nader gebruik van lichaamsmateriaal. *Ned Tijdschr Klin Chem* 1997; 22: 273-277.

Cobbaert C, Arentsen JC, Mulder P, Hoogerbrugge N, Lindemans J. Significance of various parameters derived from biological variability of lipoprotein(a), homocysteine, cysteine and total anti-oxidant status. *Clin Chem* 1997; 43: 1958-1964.

Dieijen-Visser MP van. *Klinische Chemie*. Hfd. 17. Het Medisch Jaar 1997. Redactie: Es JC van, Vreeman JN, Leeuw PW de, Verstaete M. Uitgeverij Bohn Stafleu Van Loghum. Houtens/Diegem.

Gratama JW, Kraan J, Adriaansen H, Hooibrink B, Levering W, Reinders P, Beemd MWM van den, et al. Reduction of interlaboratory variability in flow cytometric immunophenotyping by standardization of instrument set-up and calibration and standard list mode data analysis. *Cytometry* 1997; 30: 10-22.

Heeren JJ, Dam DA van, Kloet K de, Bartels PCM. *Klinische Chemie in Nederland: 50 jaar NVKC*. Nederlandse Vereniging voor Klinische Chemie, Utrecht 1997.

Hekking M, Lindemans J, Gelsema ES. A computer program for constructing multivariate reference models. *Comp Meth Progr Biomed* 1997; 53: 191-200.

Huijgen HJ, Sanders GTB, Koster RW, Vreeken J, Bossuyt PMM. The clinical value of lactate dehydrogenase in serum: a quantitative review. *Eur J Clin Chem Clin Bioch* 1997; 35: 569-579.

Kratochvila J, Budina M, Baadenhuijsen H, Moshkin A, Legenstein E, Kaiser E, Friedecky B, et al. "Ocean to ocean project". A transcontinental external quality assessment trial in clinical chemistry realized throughout Eurasia. *Eur J Clin Chem Clin* 1997; 927-935.

Kroot LAJ, Schols JMGA, Verhoef NJ. Bloedtransfusie in verpleeghuizen. *Tijdschr Verpleeghuisgeneeskde* 1997; 4: 6-8.

Kusters R, Pronk-Admiraal C, Leyte A. *Klinische Chemie: duidelijke taken, duidelijke toekomst*. *Ned Tijdschr Klin Chem* 1997; 22: 266-267.

Rondeel JMM, Opdorp AHB van, Dinkelaar RB. Application of a computer program to exclude additional unexpected antibodies. *Transfusion* 1997; 37: 298-303.

Sanders GT, Kelly AM, Breuer J, Kohse KP, Mocarelli P, Sachs Ch. The European Register for Clinical Chemists. *Eur J Clin Chem Clin Biochem* 1997; 35: 795-796.

Sanders GTB, Dijkman JHM, Sturk A, Jansen RTP. Laboratoriumonderzoek virtueel gecentraliseerd ten behoeve van patiënt én geneesmiddelenonderzoek. *Ned Tijdschr Geneesk* 1997; 141: 234-236.

Sanders GTB, Kelly AM, Breuer PJ, Kohse KP, Mocarelli P, Sachs Ch. Das Europäische register für klinische chemiker. *DG Kli Chem Mitteilungen* 1997; 28: 29-37.

Smithuis LOMJ. Een probleemgeoriënteerd aanvraagformulier voor laboratoriumonderzoek ten behoeve van huisartsen. *Smithuis LOMJ. Tijdschrift voor Praktijk Evaluatie* 1997; 17: 104-114.

Willems JL, Keijzer MH de. Klinische chemie op weg naar het derde millennium; een toekomstverwachting bezien vanuit de regio Gelre. *Ned Tijdschr Klin Chem* 1997; 22: 222-224.

Zwamborn-Hanssen AMN, Bijlsma JB, Hennekam EFAM, Lindhout D, Beemer FA, Bakker E, Kleijer WJ, France HF de, Die-Smulders CEM de, Duran M, Gennip AH van, et al. The Dutch uniform multicenter registration system for genetic disorders and malformation syndromes. *Am J Med Gen* 1997; 70: 444-447.

Dissertaties

Cobbaert CM. The elusive lp(a) lipoprotein: a cardiovascular risk factor after all? Rotterdam, 1997. Promotor: Prof. Dr H.G. van Eijk. Co-promotor: Dr. J. Lindemans.

Dorhout B. Interference with polyamine homeostasis. Applications in oncology and neonatology, Groningen, 1997. Promotor: Prof. Dr. W. van der Slik. Copromotor: Dr. F.A.J. Muskiet.

Heijer M den. Hyperhomocysteinemia and venous trombosis. Leiden, 1997. Promotor: prof. dr. E. Briët. Co-promotores: Dr. H.J. Blom, Dr. G.M.J. Bos.

Konijnenberg A. Platelet activation in preeclampsia and other clinical conditions. Universiteit van Amsterdam, 1997. Promo-

toren: Prof. Dr. O.P. Bleker, Prof. Dr. A. Sturk. Co-promotoren: Dr. K. Boer.

Valk HW de. Magnesium in medicine observations and interventions. Utrecht, 1997. Promotor: Prof. E.W. Erkelens. Copromotor: Dr. H.J.M. van Rijn.

Woltil HA. Early nutrition of low birthweight infants. LCP-UFA metabolism, growth and development, Groningen, 1997. Promotor: Prof. Dr. A. Okken. Copromotor: Dr. F.A.J. Muskiet.

Dankwoord

De redactie dankt Juanita Cartigny voor haar inspanningen bij de totstandkoming van het overzicht "Publicaties der leden 1997".