

Publicaties der leden 1998

Klinische (Bio)chemie en Methodologie

Lipiden

Bredie SJH, Kiemeny LA, Haan AFJ de, Demacker PNM, Stalenhoef AFH. Genetics of elevated apolipoprotein-B and dense LDL in familial combined hyperlipidemia. *Atherosclerosis* XI, Jacotot D, Mathé D and Fruchart JC. 1998. Elsevier Science (Singapore) Pte Ltd pp 801-808.

Bont N de, Netea MG, Rovers C, Smilde T, Demacker PNM, Meer JWM van der, Stalenhoef AFH. LPL-induced cytokine production and expression of LPS-receptors by peripheral blood mononuclear cells of patients with familial hypercholesterolemia and the effect of HMG-CoA reductase inhibitors. *Atherosclerosis* 1998; 139: 147-152.

Cobbaert C, Griffioen P, Lindemans J. On the relation of LipoproTM. LP(a)-cholesterol to LP(a) mass and apo (a) allele size. *Clin Lab* 1998; 44: 751-752.

Cobbaert C, Zwang L, Ceriotti F, Modenese A, Cremer P, Herrmann W, Hoss G, et al. Reference Standardization and triglyceride interference of a new homogenous HDL-cholesterol assay compared with a former chemical precipitation assay. *Clin Chem* 1998; 44: 779-789.

Demacker PNM, Bredie SJH, Vogelaar JM, Hectors MPC, Heijst P van, Stuyt PMJ, Stalenhoef AFH. J-VLDL accumulation in familial dysbetalipoproteinemia is associated with increased exchange or diffusion of chylomicron lipids to apo B-100 containing triglyceride-rich lipoproteins. *Atherosclerosis* 1998; 138: 301-312.

Demacker PNM, Bredie SJH, Hectors MPC, Stalenhoef AFH. Fat loading experiments with the vitamins A and E suggest that in postprandial lipemia transfer/diffusion of chylomicron lipids to VLDL contributes to J-VLDL accumulation. *Atherosclerosis* 1998 (Suppl 1); 141: S109-S113.

Frijters CMG, Tuijn CJ, Hoek FJ, Groen AK, Oude Elferink RPJ, Zegers BN. Reversed-phase liquid chromatographic method for the determination of 7-nitrobenz-2-oxa-1, 3-diazol-4-yl-labelled lipid analogues. *J Chromatogr B* 1998; 710: 9-16.

Netea MG, Bont N de, Demacker PNM, Kullberg BJ, Jacobs LEH, Verver-Jansen TJG, Stalenhoef AFH, Meer JWM van der. Lipoprotein(a) inhibits lipopolysaccharide-induced tumor necrosis factor alpha production by human mononuclear cells. *Infection and Immunity* 1998; 66: 2365-2367.

Netea MG, Demacker PNM, Verver TJG, Jacobs L, Kullberg BJ, Stalenhoef AFH, Meer JWM van der. The low density lipoprotein (LDL) subfractions are more potent than buoyant LDL for binding and neutralisation of lipopolysaccharide. *J Endotox Res* 1998; 4: 40x-413.

Rovers C, Netea MG, Bont N de, Demacker PNM, Jacobs C, Kullberg BJ, Meer JWM van der, Stalenhoef AFH. LPS-induced cytokine production and expression of J-2 integrins and CD-14 by peripheral blood mononuclear cells of patients with homozygous familial hypercholesterolemia. *Atherosclerosis* 1998; 141: 99-105.

Sain-van der Velden MG de, Reijngoud DJ, Kaysen GA, Gadellaa MM, Voorbij H, Stellaard F, Koomans HA, Rabelink TJ. Evidence for increased synthesis of lipoprotein(a) in the nephrotic syndrome. *J Am Soc Nephrol* 1998; 9: 1474-1481.

Schalkwijk CG, Vermeer MA, Verzijl N, Stehouwer CDA, Koppele J te, Princen HMG, Hinsbergh VWM van. Modification of low density lipoprotein by methylglyoxal alters its physico-chemical and biological properties: in J.O'Brien, H.N. Nursten, M.J.C. Crabbe, I.M. Ames (Eds.), *The Maillard reaction in food and medicine*. Royal Society of Chemistry, Cambridge. 1998: 285-290.

Schalkwijk CG, Vermeer M, Stehouwer CDA, Koppele J te, Princen HMG, Hinsbergh VWM van. Effect of methylglyoxal in the physico-chemical and biological properties of low density lipoprotein. *Biochim Biophys Acta* 1998; 1394: 187-198.

Scheffer PG, Bakker SJL, Heine RJ, Teerlink T. Measurement of low density lipoprotein in whole plasma and serum by high performance gel-filtration chromatography using a specific fluorescent lipid probe. *Clin Chem* 1998; 44: 2148-2151.

Suh-Hang Hank-Juo, Bredie SJH, Kiemeny A, Demacker PNM, Stalenhoef AFH. A common genetic mechanism determines plasma apolipoprotein B levels and dense LDL subfraction distribution in familial combined hyperlipidemia. *Am J Hum Genet* 1998; 63: 586-594.

Verhoeven NM, Roe DS, Kok RM, Wanders RJA, Jakobs C, Roe ChR. Phytanic acid and pristanic acid are oxidized by sequential peroxisomal and mitochondrial reactions in cultured fibroblasts. *J Lip Res* 1998; 39: 66-74.

Verhoeven NM, Wanders RJA, Poll-The BT, Saudubray JM, Jakobs C. The metabolism of phytanic acid and pristanic acid in man: A review. *J Inher Metab Dis* 1998; 21: 697-728.

Vreken P, Lint AEM van, Bootsma AH, Overmars H, Wanders RJA, Gennip AH van. Rapid stable isotope dilution analysis of very-long-chain fatty acids, pristanic acid and phytanic acid using gas chromatography-electron impact mass spectrometry. *J Chromatogr B Biomed Sci Appl* 1998; 713: 281-287.

Enzymen

Abeling NGGM, Gennip AH van, Cruchten AG van, Overmars H, Brunner HG. Monoamine oxidase A deficiency: biogenic amine metabolites in random urine samples. *J Neural Transm* 1998; [Suppl] 52: 9-15.

Abeling NGGM, Gennip AH van, Barth PG, Cruchten A van, Westra M, Wijburg FA. Aromatic L-amino acid decarboxylase deficiency: a new case with a mild clinical presentation and unexpected laboratory findings. *J Inher Metab Dis* 1998; 21: 240-242.

Drent M, Cobben NAM, Dieijen-Visser MP van, Braat SHJ, Wouters EFM. Serum lactate dehydrogenase activity: indicator of the development of pneumonitis induced by amiodarone. *Eur Heart J* 1998; 19: 969-970.

- Franck PHF, Steen G, Lombarts AJPF, Souverijn JHM, Wermeskerken RKA van. Multicenter harmonization of common enzyme results by fresh patient-pool sera. *Clin Chem* 1998; 44: 614-621.
- Grunsvan EG van, Berkel E van, IJst L, Vreken P, Klerk JBC, Adamski J, Lemonde H, et al. Peroxisomal D-hydroxyacyl-CoA dehydrogenase deficiency: resolution of the enzyme defect and its molecular basis in bifunctional protein deficiency. *Proc Natl Acad Sci USA* 1998; 95: 2128-2133.
- Kuilenburg ABP van, Elzinga L, Gennip AH van. Kinetic properties of CTP synthetase from HL-60 cells. *Purine and Pyrimidine Metabolism in Man IX* 1998; 255-258.
- Kuilenburg ABP van, Lenthe H van, Wanders RJA, Gennip AH van. Subcellular localization of dihydropyrimidine dehydrogenase. *Purine and Pyrimidine Metabolism in Man IX* 1998; 817-821.
- Kuilenburg ABP van, Poorter RL, Peters GJ, Gennip AH van, Lenthe H van, Stroomer AEM, Smid K, et al. No circadian variation of dihydropyrimidine dehydrogenase uridine phosphorylase, b-alanine, and 5-fluorouracil during continuous infusion of 5-fluorouracil. *Purine and Pyrimidine Metabolism in Man IX* 1998; 811-816.
- Kuilenburg ABP van, Lenthe H van, Blom MJ, Mul EPJ, Gennip AH van. The activity of dihydropyrimidine dehydrogenase in human blood cells. *Purine and Pyrimidine Metabolism in Man IX* 1998; 823-826.
- Mulder L, Mooren J van der, Demacker PNM, Peters WHM. Effects of hormone replacement therapy on plasma glutathione S-transferase A1-1 levels in healthy postmenopausal women. *Clin Chem* 1998; 44: 666-667.
- Roermund CWT van, Hettema EW, Kal AJ, Berg M van den, Tabak HF, Wanders RJA. Peroxisomal β -oxidation of polyunsaturated fatty acids in *Saccharomyces cerevisiae*: isocitrate dehydrogenase provides NADPH for reduction of double bonds at even positions. *EMBO J* 1998; 17: 677-687.
- Sain-van der Velden MG de, Rabelink TJ, Reijngoud DJ, Gadellaa MM, Voorbij HA, Stellaard F, Kaysen GA. Plasma alpha 2 macroglobulin is increased in nephrotic patients as a result of increased synthesis alone. *Kidney Int* 1998; 54: 530-535.
- Sain-van der Velden MG de, Kaysen GA, Barrett HA, Stellaard F, Gadellaa MM, Voorbij HA, Reijngoud DJ, Rabelink TJ. Increased VLDL in nephrotic patients results from a decreased catabolism while increased LDL results from increased synthesis. *Kidney Int* 1998; 53: 994-1001.
- Stroes E, Hijmering M, Zandvoort M van, Wever R, Rabelink TJ, Faassen EE van. Origin of superoxide production by endothelial nitric oxide synthase. *FEBS Lett* 1998; 438: 161-164.
- Swaanenburg JCJM, DeJongste MJL, Volmer M, Kema I. Analytical aspects of the automated CKMB1,2 and CKMM1,2,3 isoform determination and its relation to other biochemical markers. *Scand J Clin Lab Invest* 1998; 58: 167-176.
- Ventura FV, IJst L, Ruiter J, Ofman R, Costa CG, Jakobs C, Duran M. Carnitine palmitoyl-transferase II specificity towards β -oxidation intermediates evidence for a reverse carnitine cycle in mitochondria. *Eur J Biochem* 1998; 253: 614-618.
- Verhoeven NM, Jakobs C, Carney G, Somers MP, Wanders RJA, Rizzo WB. Involvement of microsomal fatty aldehyde dehydrogenase in the α -oxidation of phytanic acid. *FEBS Letters* 1998; 429: 225-228.
- Vet ECJM, IJst L, Oostheim W, Wanders RJA, Bosch H van den. Alkyl-dihydroxyacetone-phosphate synthase. *J Biol Chem* 1998; 273: 10296-10303.
- Wanders RJA, Denis S, Ruiter JPN, IJst L, Dacremont G. 2,6-Dimethylheptanoyl-CoA is a specific substrate for long-chain acyl-CoA dehydrogenase (LCAD): evidence for a major role of LCAD in branched-chain fatty acid oxidation. *Biochim Biophys Acta* 1998; 1393: 35-40.

Eiwitten

Arndt T, Kropf J, Brandt R, Gressner AM, Hackler R, Herold M, Pelt J van, Mårtensson O, Salzmann K, Velmans MH. CD-Tect-RIA and CD-Tect-EIA for determination of serum carbohydrate-deficient transferrin compared. *Alcohol Alcoholism* 1998; 33: 639-645.

Gelder W van, Huijskes-Heins MIE, Cleton-Soeteman MI, Dijk JP van, Eijk HG van. Iron Uptake in Blood-Brain Barrier Endothelial Cells Cultured in Iron-Depleted and Iron-Enriched Media. *J Neurochem* 1998; 71: 1134-1140.

Grunsvan EG van, Berkel E van, Lemonde H, Clayton PT, Wanders RJA. Bifunctional protein deficiency: complementation within the same group suggesting differential enzyme defects and clues to the underlying basis. *J Inher Metab Dis* 1998; 21: 298-301.

Henskens Y, Winter J de, Pekelharing M, Ponjee G. Detection and identification of monoclonal gammopathies by capillary electrophoresis. *Clin Chem* 1998; 44: 1184-1190.

Klasen IS, Kat Angelino C de, Baadenhuijsen H. Wat is er mis met de meting van ceruloplasmine? Stand van zaken na herstandaardisatie. *Ned Tijdschr Klin Chem* 1998; 23: 140-145.

Kolb AM, Lentjes EGWM, Smit NPM, Schothorst A, Vermeer BJ, Pavel S. Determination of pheomelanin by measurement of aminohydroxyphenylalanine isomers with high-performance liquid chromatography. *Anal Biochem* 1997; 252: 293-298.

Linden MW van der, Huizinga TWJ, Stoeken DJ, Sturk A, Westendorp RGJ. Determination of tumour necrosis factor- α and interleukin-10 production in a whole blood stimulation system: assessment of laboratory error and individual variation. *J Immunol Methods* 1998; 218: 63-71.

Pelt J van. De eerste ervaringen met een semi-geautomatiseerde bepaling van koolhydraat-deficiënt transferrine. *Ned Tijdschr Klin Chem* 1998; 23: 138-140.

Roelandse FWC, Zwart N van der, Didden JH, Loon J van, Souverijn JHM. Detection of CSF leakage by isoelectric focusing on polyacrylamide gel, direct immunofixation of transferrins, and silver staining. *Clin Chem* 1998; 44: 351-353.

Roelandse FWC, Amons R, Braak EP ter, Nieuwland R, Loon J van, Souverijn JHM. The high alkaline fraction on isoelectric focusing of cerebrospinal fluid is cystatin C. *J Neurosci* 1998; 157: 105-108.

Sain-van der Velden MG de, Kaysen GA, Meer K de, Stellaard F, Voorbij HA, Reijngoud DJ, Rabelink TJ, Koomans HA. Proportionate increase of fibrinogen and albumin synthesis in nephrotic patients: measurements with stable isotopes. *Kidney Int* 1998; 53: 181-188.

Schouten Y, Winter RJ de, Gorgels PM, Koster RW, Adams R, Sanders GT. Clinical evaluation of the CARDIAC STATus™, a rapid immunochromatographic assay for simultaneous detection of elevated concentrations of CK-MB and myoglobin in whole blood. *Clin Chem Lab Med* 1998; 36: 469-473.

Smit NPM, Kolb RM, Lentjes EGWM, Noz KC, Meulen H van der, Koerten HK, Vermeer B-J, Pavel S. Variations in melanin formation by cultured melanocytes from different skin types. *Arch Dermatol Res* 1998; 290: 342-349.

Verrijt CEH, Kroos MJ, Huijskes-Heins MIE, Eijk HG van, Dijk JP van. Non-transferrin iron uptake by trophoblast cells in culture. Significance of a NADH-dependent ferrireductase. *Placenta* 1998; 19: 525-530.

Vreken P, Rusch H, Huijben K, Wevers RA. Anion-exchange chromatography versus isoelectric focusing of transferrin in diagnosing the carbohydrate-deficient glycoprotein syndrome. *J Inher Metab Dis* 1998; 21: 447-448.

Vreken P, Rooij A van, Denis S, Grunsvan EG van, Cuebas DA, Wanders RJA. Sensitive analysis of serum 3α , 7α , 12α , 24-tetrahydroxy- 5β -cholestan-26 oic acid diastereomers using gas chromatography-mass spectrometry and its application in peroxisomal D-bifunctional protein deficiency. *J Lip Res* 1998; 39: 2452-2458.

Elektrolyten

Kluijtmans LAJ, Boers GHJ, Verbruggen B, Trijbels JMF, Novakova IRO, Blom HJ. Homozygous cystathionine β -synthase deficiency, combined with Factor V-Leiden or thermolabile methylene-tetrahydrofolate reductase in the risk of venous thrombosis. *Blood* 1998; 91: 2015-2018.

Prins J, Hoek YY van der, Biesheuvel TH, Leus FR, Rijn HJM van, Kastelein JJP. The Functional and clinical significance of the met thr substitution in kringle IV type 10 of apolipoprotein(a). *Thromb Res* 1998; 90: 125-130.

Valk de HW, Rijn HJM van, Wiolders JPM, Kooman HA. Effect of an increase in the plasma potassium concentration on renal magnesium handling in healthy volunteers. *Nephrology Dialysis Transplantation* 1998; 13: 53-58.

Water C van de, Helversteyn WTh, Souverijn JHM. The serum icterus-index as a tool to correct the influence of bilirubin on the uric acid and magnesium analyses on the Hitachi 747 analyser. *Ann Clin Biochem* 1998; 34: 556-558.

Endocrinologie

Berg G van der, Pincus SM, Frölich M, Veldhuis JD, Roelfsema F. Reduced disorderliness of growth hormone release in biochemically inactive acromegaly after pituitary surgery. *Eur J Endocrinol* 1998; 138: 164-169.

Berg G van der, Dulken H van, Frölich M, Meinders AE, Roelfsema F. Can intra-operative GH measurement in acromegalic subjects predict completeness of surgery? *Clin Endocrinol* 1998; 49: 45-51.

Boer H de, Blok GJ, Popp-Snijders C, Sips A, Lips P, Veen EA van der. Intestinal calcium absorption and bone metabolism in young adult men with childhood-onset growth hormone deficiency. *J Bone Mineral Res* 1998; 13: 245-252.

Chel VGM, Ooms ME, Popp-Snijders C, Pavel S, Schothorst AA, Meulemans CCE, Lips P. Ultraviolet irradiation corrects vitamin D deficiency and suppresses secondary hyperparathyroidism in the elderly. *J Bone Mineral Res* 1998; 13: 1238-1242.

Derksen JG, Brolmann HA, Wiegerinck MA, Vader HL, Heintz AP. The effect of hysterectomy and endometrial ablation on follicle stimulating hormone (FSH) levels up to 1 year after surgery. *Maturitas* 1998; 29: 133-138.

Diekman MJM, Demacker PNM, Kastelein JJP, Stalenhoef AFH, Wiersinga WM. Increased oxidizability of low density lipoproteins in hypothyroidism. *J Clin Endocrin Metabolism* 1998; 83: 1752-1755.

Dongen HPA van, Kerkhof GA, Souverijn JHM. Absence of seasonal variation in the phase of the endogenous circadian rhythm in humans. *Chronobiol Int* 1998; 15: 623-632.

Finke A, Kobold U, Hölzel W, Weykamp C, Miedema K, Jeppsson J-O. Preparation of a candidate primary reference material for the international standardisation of HbA_{1c} determinations. *Clin Chem Lab Med* 1998; 36: 299-308.

Gerrits MI, Vecht-Hart M, Oldenhave A, Thijssen JHH. Comparison of urinary bone resorption markers in women of 40-70 years; day-to-day and long term variation in individual subjects. *Maturitas* 1998; 30: 247-56.

Gielkens HAJ, Lam WF, Coenraad M, Frölich M, Oostayen JA van, Lamers CBHW, Masclee AAM. Effect of insulin on basal and cholecystokinin-stimulated gallbladder motility in humans. *J Hepatol* 1998; 28: 595-602.

Giltay EJ, Popp-Snijders C, Schaardenburg D van, Dekker-Saeyns BJ, Gooren LJG, Dijkmans BAC. Serum testosterone levels are not elevated in patients with ankylosing spondylitis. *J Rheumatol* 1998; 25: 2389-2394.

Giltay EJ, Verhoeven AC, Schaardenburg D van, Popp-Snijders C, Boers M, Gooren LJG. Serum dehydroepiandrosterone sulphate levels in patients with early rheumatoid arthritis: positive association with C-reactive protein, but not with HLA-DR genotype. *Br J Rheumatol* 1998; 37: 1254-1256.

Grootenhuis PA, Mooy JM, Kostense PJ, Popp-Snijders C, Bouter LM, Heine J. Dissimilar association of conventional immuno-reactive versus specific insulin with cardiovascular risk factors: a consequence of proinsulinaemia? *Diabetes Res Clin Practice* 1998; 40: 81-90.

Janssen YJH, Hamdy NAT, Frölich M, Roelfsema F. Skeletal effects of two years of treatment with low physiological doses of recombinant human growth hormone (GH) in patients with adult-onset GH deficiency. *J Clin Endocrinol Med* 1998; 83: 2143-2148.

Jeppsson J-O, Kobold U, Hölzel W, Finke A, Miedema K. Standardization of Hemoglobin A_{1c}. *Clin Chem* 1998; 44: 1068-1069.

Kanc K, Janssen MMJ, Keulen ETP, Jacobs MAJM, Popp-Snijders C, Snoek FJ, Heine RJ. Substitution of night-time continuous subcutaneous insulin infusion therapy for bedtime NPH insulin in a multiple injection regimen improves counter-regulatory hormonal responses and warning symptoms of hypoglycaemia in IDDM. *Diabetologia* 1998; 41: 322-329.

Kesteren PJM van, Kooistra T, Lansink M, Kamp GJ van, Asscheman H, Gooren LJG, Emeis JJ, Vischer UM, Stehouwer CDA. The effects of sex steroids on plasma levels of marker proteins of endothelial cell functioning. *Thromb Haemost* 1998; 79: 1029-1033.

Koopmans SJ, Frölich M, Gribnau EH, Westendorp RGJ, DeFronzo RA. Effect of hyperinsulinemia on plasma leptin concentrations and food intake in rats. *Am J Physiol* 1998; 998: 1001.

Lam WF, Masclee AAM, Muller ESM, Souverijn JHM, Lamers CBHW. Effect of acute hyperglycemia on basal and bombesin-stimulated pancreaticobiliary secretion in humans. *Pancreas* 1998; 17: 201-207.

Lambalk CB, Boomsma DI, Boer L de, Koning CH de, Schoute E, Popp-Snijders C, Schoemaker J. Increased levels and pulsatility of follicle-stimulating hormone in mothers of hereditary dizygotic twins. *J Clin Endocrinol Metab* 1998; 83: 481-486.

Langendonk JG, Pijl H, Toornvliet AC, Burggraaf J, Frölich M, Schoemaker RC, Doornbos J, Cohen AF, Meinders AE. Circadian rhythm of plasma leptin levels in upper and lower body obese women: Influence of body fat distribution and weight loss. *J Clin Endocr Metab* 1998; 83: 1706-1712.

Nijland EA, Strasburger CJ, Popp-Snijders C, Wal PS van der, Veen EA van der. A five day treatment with daily subcutaneous injections of growth hormone-releasing peptide-2 causes response attenuation and does not stimulate insulin-like growth factor I secretion in healthy young men. *Eur J Endocrinol* 1998; 139: 395-401.

Smets YFC, Pijl JW van der, Frölich M, Ringers J, Fijter JW de, Lemkes HHPJ. Insulin secretory capacity and peripheral sensitivity after pancreas-kidney transplantation estimated by CIGMA. *Transplant P* 1998; 30: 623.

Szymczak J, Milewicz A, Thijssen JHH, Blankenstein MA, Daroszewski J. Concentration of sex steroids in adipose tissue after menopause. *Steroids* 1998; 63: 319-21.

Tack CJJ, Smits P, Demacker PNM, Stalenhoef AFH. Troglitazone decreases the presence of small dense LDL and increases the resistance of LDL to oxidation in insulin resistance/obesity. *Diabetic Care*, 1998; 21: 796-799.

Wagemans AMA, Fiolet JFBM, Linden ES van der, Menheere PPCA. Osteoporosis and intellectual disability: is there any relation? *J Intell Dis Res* 1998; 42: 370-374.

Zandberg P, Peters JLM, Demacker PNM, Smit MJ, Reeder EG de, Meuleman DG. Tibolol prevents atherosclerotic lesion formation in cholesterol-fed ovariectomized rabbits. *Arterioscl Thromb Vasc Biol* 1998; 18: 1844-1854.

Tumor markers

Blijenberg BG, Roobol M, Schröder FH. Analytical Issues on Prostate-Specific Antigen in Relation to Prostate Cancer Screening. *Clin Biochem* 1998; 31: 633-639.

Blijenberg BG, Zelst B van, Schröder FH. Standaardisatie van de bepaling van PSA: stand van zaken anno 1997. *Ned Tijdschr Klin Chem* 1998; 23: 8-12.

Caricasole AAD, Schaik RHN van, Zeinstra LM, Wierix CDJ, Gulp RJHLM van, Pol M van, Looijenga LHJ, Oosterhuis JW, et al. Human growth-differentiation factor 3 (hGDF3): developmental regulation in human teratocarcinoma cell lines and expression in primary testicular germ cell tumours. *Oncogene* 1998; 16: 95-103.

Koehorst SGA, Spapens MED, Sprong M, Kallen CJH van der, Verlaat JW van 't, Blaauw G, Thijssen JHH, Blankenstein MA. Progesterone receptor synthesis in human meningiomas: relation to the estrogen induced proteins pS2 and Cathepsin-D and influence of epidermal growth factor, forskolin and phorbol ester in vitro. *Int J Biol Markers* 1998; 13: 16-23.

Uilenbroek JThJ, Durlinger ALL, Tébar M, Kramer P, Schaik RHN van, Wierix CDJ, Jong FH de. Temporal changes in inhibin alpha, beta A and beta B subunit mRNAs during atresia of preovulatory follicles in the rat. *J Endocrinol* 1998; 159: 331-340.

Hematologie

Bartels PCM, Peetoom JJ, Schoorl M. Gestoorde erythropoiese en biochemische afwijkingen bij psychogeriatrische patiënten. *Tijdsch Gerontol Geriatr* 1998; 29: 19-23.

Harthoorn-Lasthuizen EJ, Lindemans J, Langenhuijsen MM. Combined use of erythrocyte zinc protoporphyrin and mean corpuscular volume in differentiation of thalassaemic from iron deficiency anaemia. *Eur J Hematol* 1998; 60: 245-251.

Hoffmann JJML. Inleiding hematologie; Erythrocyten; Witte bloedcellen (delen 1, 2 en 3) In: Hoffmann JJML, Akkerman JWN, Nieuwenhuis HK, Overbeeke MAM (Eds.) *Hematologie* (Heron reeks) Houten/Diegem: Bohn, Stafleu Van Loghum 1998; pp. 1-172; 194-196; 351-355. (ISBN 90 313 2716 6)

Janssen WCM, Hoffmann JJML. The effect of interchannel compensation on the precision of DNA analysis by two-color flow cytometry. *Laboratory Hematology* 1998; 4: 204-206.

Keijzer MH de, Swinkels DW, Meer W van der. Thrombocytopenia and giant platelets without major haemorrhagic complications in a pregnant patient. *Ann Clin Biochem* 1998; 35: 678-680.

Kuijper PHM, Gallardo Torres HI, Houben LAMJ, Lammers JWJ, Zwaginga JJ, Koenderman L. P-selectin and MAC-1 mediate monocyte rolling and adhesion to ECM-bound platelets under flow conditions. *J Leukoc Biol* 1998; 64: 467-473.

Kuijper PHM, Gallardo Torres HI, Lammers JWJ, Sixma JJ, Koenderman L, Zwaginga JJ. Platelet associated fibrinogen and ICAM-2 induce firm adhesion of neutrophils under flow conditions. *Thromb Haemost* 1998; 80: 443-448.

Meer W van der, Swinkels DW, Willems JL. Automatische detectie van blasten door de Sysmex NE-8000: een vergelijking met de H*1 Technicon. *Ned Tijdschr Klin Chem* 1998; 23: 12-14.

Mercelina LFE, Brink PRG, Wersch JWJ van. Leucocyte count and leucocyte differential in patients with early stage breast cancer. *Sysmex J Int* 1998; 8: 38-40.

Vuurst H van der, Hendriks M, Lapetina EG, Willigen G van, Akkerman JW. *Thromb Haemost* 1998; 79: 1014-1020.

Stolling

Akkerman JWN, Harthoorn-Lasthuizen EJ, Hoffmann JJML. Laboratoriumdiagnostiek van hemostase en trombose. *Ned Tijdschr Klin Chem* 1998; 23: 55-57.

Jonge E de, Levi M, Berends F, Ende A van den, Cate JW ten, Stoutenbeek CP. Impaired haemostasis by intravenous administration of a gelatin-based plasma expander in human subjects. *Thromb Haemost* 1998; 79: 286-290.

Olde Rikkert MGM, Hof MA van 't, Baadenhuijsen H, Hoefnagels WHL. Individuality and responsiveness of biochemical indices of dehydration in hospitalized elderly patients. *Age Ageing* 1998; 27: 311-319.

Ouden M den, Ubachs JMH, Stoot JEGM, Wersch JWJ van. Thrombin-antithrombin III and D-dimer plasma levels in patients with benign or malignant ovarian tumours. *Scand J Clin Lab Invest* 1998; 58: 555-560.

Spronsen DJ van, Oosting JD, Hoffmann JJML, Breed WPM. Factor V inhibitor associated with cold agglutinin disease. *Annals Hematol* 1998; 76: 49-50.

Toxicologie

Kuilenburg ABP van, Vreken P, Beex LVAM, Abreu RA De, Gennip AH van. Severe 5-fluorouracil toxicity caused by reduced dihydropyrimidine dehydrogenase activity due to heterozygosity for a G @ A point mutation. *J Inher Metab Dis* 1998; 21: 280-284.

Geneesmiddelen; farmacinetica

Guchelaar H-J, Vermes I, Koopmans RP, Reutelingsperger CPM, Haanen C. Apoptosis- and necrosis-inducing potential of cladribine, cytarabine, cisplatin, and 5-fluorouracil in vitro: a quantitative pharmacodynamic model. *Cancer Chemother Pharmacol* 1998; 42: 77-83.

McLeod HL, Collie-Duguid ESR, Vreken P, Johnson MR, Wei X, Sapone A, Diasio RB, et al. Nomenclature for human DPYD alleles. *Pharmacogenetics* 1998; 8: 455-459.

Steijns LSW, Weide J van der. Ultrarapid drug metabolism: PCR-based detection of *CYP2D6* gene duplication. *Clin Chem* 1998; 44: 914-917.

Weide J van der, Boer HJ de, Steijns LSW, Weelden MJM van. Het verloop van serumspiegels van flufenazine, zuclopentixol, haloperidol en perfenazine bij toediening in depotvorm. Relatie tussen spiegelverloop en klinisch functioneren. *Cobo-bulletin* 1998; 31: 26-35.

Weide J van der, Steijns LSW. Detectie van het niet-functionele *CYP2D6**6 allel door middel van hybridisatie met allel-specifieke oligonucleotide probes: diagnostiek van vertraagd geneesmiddelmetabolisme. *Ned Tijdschr Klin Chem* 1998; 23: 245-248.

Moleculaire biologie

Blom HJ. Mutated 5,10-methylenetetrahydrofolate reductase and moderate hyperhomocysteinaemia. *Eur J Pediatr* 1998; 157: S131-S134.

Gaustadnes M, Kluijtmans LAJ, Jensen OK, Rasmussen K, Heil SG, Kraus JP, Blom HJ, Ingerslev J, Rudiger N. Detection of a novel deletion in the cystathionine β -synthase (CBS) gene using an improved genomic DNA based method. *Febs Lett* 1998; 431: 175-179.

Giesendorf BAJ, Vet JAM, Tyagi S, Mensink EJBM, Trijbels JMF, Blom HJ. Molecular beacons: a new approach for semi-automated mutation analysis. *Clin Chem* 1998; 44: 482-486.

Giesendorf BAJ, Vet JAM, Tyagi S, Mensink EJBM, Trijbels JMF, Blom HJ. Allel-discriminerende fluorescerende probes voor (semi)geautomatiseerde mutatie detectie in de hyperhomocysteïnemie. *Ned Tijdsch Geneesk* 1998; 142: 495-495.

Hamajima N, Kouwaki M, Vreken P, Matsuda K, Sumi S, Imaeda M, Ohba S, et al. Dihydropyrimidinase deficiency: structural organization, chromosomal localization, and mutation analysis of the human dihydropyrimidinase gene. *Am J Hum Genet* 1998; 63: 717-726.

Heil SG, Giesendorf BAJ, Trijbels JMF, Blom HJ. Volledig geautomatiseerde isolatie van DNA uit bloed met behulp van een pipetteerrobot. *Ned Tijdsch Klin Chem* 1998; 23: 58-61.

Heuvel PWJ van de, Luiten B, Smeitink JAM, Rijk van Andel JF de, Steenbergen-Spanjers GCH, Janssen RJT, Wevers RA. A common point mutation in the Tyrosine hydroxylase gene in autosomal recessive L-Dopa responsive dystonia (DRD) in the dutch population. *Hum Genet* 1998; 102: 644-646.

Hoffer MJV, Bredie SJH, Snieder H, Reymer PWA, Demacker PNM, Havekes LM, Boomsma DI, Stalenhoef AFH, Frants RR, Kastelein JJP. Gender-related association between the -93T/G/D(N) haplotyping of the lipoprotein lipase gene and elevated lipid levels in familial combined hyperlipidemia. *Atherosclerosis* 1998; 138: 91-99.

Iacobazzi V, Naglieri MA, Stanley CA, Wanders RJA, Palmieri F. The structure and organization of the human carnitine/acylcarnitine translocase (CAC¹) gene². *Biochem Biophys Res Comm* 1998; 252: 770-774.

Ibdah JA, Tein I, Dionisi-Vici C, Bennett MJ, IJst L, Gibson B, Wanders RJA et al. Mild trifunction protein deficiency is associated with progressive neuropathy and myopathy and suggests a novel genotype-phenotype correlation. *J Clin Invest* 1998; 102: 1193-1199.

Kinoshita N, Ghaedi K, Shimozaawa N, Wanders RJA, Matsuzonot Y, Imanaka T, Okumoto K et al. Newly identified Chinese hamster ovary cell mutants are defective in biogenesis of peroxisomal membrane vesicles (peroxisomal ghosts), representing a novel complementation group in mammals. *J Biol Chem* 1998; 273: 24122-24130.

Kluijtmans LAJ, Heijer M den, Reitsma PH, Heil SG, Blom HJ, Rosendaal FR. Thermolabile methylenetetrahydrofolate reductase and factor V Leiden in the risk of deep-vein thrombosis. *Thromb Haemostasis* 1998; 79: 254-258.

Kok JB de, Hendriks JCM, Solinge WW van, Willems JL, Mensink EJ, Swinkels DW. Use of Real-Time Quantitative PCR to Compare DNA Isolation Methods. *Clin Chem* 1998; 44: 2201-2204.

Kok JB de, Hendriks JCM, Solinge WW van, Willems HL, Mensink EJ, Swinkels DW. Standardizing PCR based diagnostics with real time quantitative PCR. A comparison between isolation characteristics of different DNA isolation methods. *Clin Chem* 1998; 44: 2201-2204.

Ofman R, Hetteema EH, Hogenhout EM, Caruso U, Muijsers AO, Wanders RJA. Acyl-CoA:dihydroxyacetonephosphate acyltransferase: cloning of the human cDNA and resolution of the molecular basis in rhizomelic chondrodysplasia punctata type 2. *Hum Mol Gen* 1998; 7: 847-853.

Overbeeke R, Steffen-Nakken H, Vermes I, Reutelingsperger C, Haanen C. Early features of apoptosis detected by four different flow cytometry assays. *Apoptosis* 1998; 3: 115-121.

Swinkels DW. Detectie van tumorspecifiek DNA in feces en bloed van patiënten met een colorectumcarcinoom. *Ned Tijdschr Klin Chem* 1998; 23: 193-194.

Valk HW de, Bianchi R, Rijn HJM van, Erkelens DW. Acute exogenous elevation of plasma free fatty acids does not influence the plasma magnesium concentration. *Clin Chem Lab Med* 1998; 36: 115-117.

Vaz FM, Gool S van, Ofman R, IJst L, Wanders RJA. Carnitine biosynthesis: identification of the cDNA encoding human (-)butyrobetaine hydroxylase. *Biochem Biophys Res Comm* 1998; 250: 506-510.

Vermes I, Haanen C. Apoptosis: the programmed cell death and its challenge for clinical chemistry. *Clin Exp Lab Med* 1998; 25: 58-65.

Vermes I, Haanen C, Reutelingsperger CPM. Molecular biology of apoptosis and programmed cell death. In: *Molecular Biology of Free Radicals in Human Diseases*. Edited by OI Aruoma and B Halliwell, OICA International, 1998. ISBN 976-8056-15-0.

Vermes I, Haanen C, Reutelingsperger C. Apoptosis (programmed cell death): Implications for clinical chemistry. *Eur J Lab Med* 1998; 1-13.

Verzijl HTFM, Engelen BGM van, Luyten JAFM, Steenbergen GCH, Heuvel LPWJ van den, Laak HJ ter, Padberg GW, Wevers RA. Genetic characteristics of myoadenylate deaminase deficiency. *Ann Neurol* 1998; 44: 140-143.

Wanders RJA. A happier sequel to Lorenzo's Oil? Pharmacological manipulation of gene expression brings new hope to the treatment of X-linked adrenoleukodystrophy. *Nature Medicine* 1998; 4: 1245-1246.

Waterham HR, Wijburg FA, Hennekam RCM, Vreken P, Poll-The BT, Dorland L, Duran M, Jira PE, Smeitink JAM, Wevers RA, Wanders RA. Smith-Lemli-Opitz syndrome is caused by mutations in the 7-dehydrocholesterol reductase gene. *Am J Hum Genet* 1998; 63: 329-338.

Weber B, Kamp JJP van de, Kleijer WJ, Guo X-H, Blanch L, Diggelen OP van, Wevers RA, Poorthuis BJHM, Hopwood JJ. Identification of a common mutation (R245H) in Sanfilippo A patients from the Netherlands. *J Inher Metab Dis* 1998; 21: 416-422.

Weide J van der, Steijns LSW. Polymorfisme van apolipoproteïne E, "1-antichymotrypsine en presenilin-1 genen en de ziekte van Alzheimer. *Ned Tijdschr Klin Chem* 1998; 23: 51-54.

Diversen

Acker BAC van, Hulswé KWE, Wagenmakers AJM, Deutz NEP, Kreef BK van, Halliday D, Matthews DE, Soeters PB, Meyenfeldt MF von. Absence of glutamine isotopic steady state: implications for the assessment of whole-body glutamine production rate. *Clin Science* 1998; 95: 339-346.

Ackermans TM, Ruiter AFC, Endert E. Determination of Glycerol Concentrations and Glycerol Isotopic Enrichments in Human Plasma by Gas Chromatography/Mass Spectrometry. *Anal Biochem* 1998; 258: 80-86.

Baadenhuijsen H, Weykamp CW. Moet er een Chem-1 'poule' worden ingericht in de Combi-enquete 'competitie'? *Ned Tijdschr Klin Chem* 1998; 23: 158-160.

Baadenhuijsen H. Workshop Algemene Chemie. *Ned Tijdschr Klin Chem* 1998; 23: 264-265.

Beekvelt M van, Colier WJNM, Engelen BGM van, Hopman MTE, Wevers RA, Oeseburg B. Validation of measurement protocols to assess oxygen consumption and blood flow in the human forearm by near infrared spectroscopy. *Proceedings of SPIE* 1998; 3194: 133-144.

Deuren M van, Netea MG, Hijmans A, Demacker PNM, Neeleman C, Sauerwijn RW, Bartelink AKM, Meer JWM van der. Posttranscriptional down-regulation of tumor necrosis factor-I and interleukin-1J production in acute meningococcal infections. *J Infect Diseases* 1998; 177: 1401-1405.

Doorn LJ van, Henskens YMC, Vreede R, Herbrink P, Ponjee G, Krimpen K van, Quint W, Scherpenisse J. Detectie en typing van *Helicobacter pylori* infecties. *Medisch Journaal Delft* 1998.

Hoek FJ, Verburg F, Abeling NGGM. Analytical evaluation of the Abbott Imx™ homocysteine assay at the Academic Medical Center Amsterdam, The Netherlands and comparison to

HPLC. In: Schröder G, ed. Imx™ homocysteine, European Evaluations. Abbott Diagnostics Education Services. 1998; 79-81.

Hoogeveen AR, Schep G, Vader HL. The problems to study plasma lactate. *Reply. Int J Sports Med* 1998; 19: 224-225.

Kinoshita N, Ghaedi K, Shimozawa N, Wanders RJA, Matsuzono Y, Imanaka T, Okumoto K et al. Newly identified Chinese hamster ovary cell mutants are defective in biogenesis of peroxisomal membrane vesicles (peroxisomal ghosts), representing a novel complementation group in mammals. *J Biol Chem* 1998; 273: 24122-24130.

Kreef BK van, Beek E van, Spaanderman MEA, Peeters LLH. A new method for plasma volume measurements with unlabeled dextran-70 instead of ¹²⁵I-labeled albumin as an indicator. *Clin Chim Acta* 1998; 275: 71-80.

Kreef BK van, Cox-Reyven N, Soeters P. Determination of total body water by multifrequency bio-electric impedance: development of several models. *Med Biol Eng Comput* 1998; 36: 337-345.

Netea MG, Demacker PNM, Kullberg BJ, Boerman OC, Stalenhoef AFH, Meer JWM van der. Bacterial Lipopolysaccharide binds and stimulates cytokine-producing cells before neutralization by endogenous lipoproteins can occur. *Cytokine* 1998; 10: 766-772.

Netea MG, Demacker PNM, Kullberg BJ, Boerman OC, Verschuuren I, Stalenhoef AFH, Meer JWM van der. Increased interleukin-II and interleukin 1J production by macrophages of low-density lipoprotein receptor knock-out mice stimulated with lipopolysaccharide is CD11c/CD18-receptor dependent. *Immunology* 1998; 95: 466-472.

Slingerland RJ, Kuilenburg ABP van, Bodlaender JM, Overmars H, Voûte PA, Gennip AH van. High-performance liquid chromatographic analysis of biogenic amines in cells and in culture media using on-line dialysis and trace enrichment. *J Chrom B*, 1998; 716: 65-75.

Ven AJAM van der, Blom HJ, Peters W, Jacobs LEH, Verver TJG, Koopmans PK, Demacker PNM, Meer JWM van der. Glutathione homeostasis is distributed in CD4-positive lymphocytes of HIV-seropositive individuals. *Europ J Clin Invest* 1998; 28: 187-193.

Wagensveld BA van, Reinders ME, Gulik TM van, Gelderblom HC, Wanders RJA, Obertop H. Warm flush at 37°C following cold storage attenuates reperfusion injury in preserved rat livers. *Transpl Int* 1998; 11: 38-45.

Wanders RJA, Mooyer PW, Dekker C, Vreken P. X-linked adrenoleukodystrophy: improved prenatal diagnosis using both biochemical and immunological methods. *J Inher Metab Dis* 1998; 21: 285-287.

Weide J van der, Hünteler JLA. Standaard laboratoriumonderzoek bij opname in een psychiatrisch ziekenhuis. *Cobo-bulletin* 1998; 31: 3-5.

Willems H, Bos GMJ, Gerrits WBJ, Heijer M den, Vloet SMG, Blom HJ. Acidic citrate stabilizes blood samples for assay of total homocysteine. *Clin Chem* 1998; 44: 342-345.

Verkeste CM, Slangen BFM, Dubelaar ML, Kreef BK van, Peeters LLH. Mechanism of volume adaption in the awake early pregnant rat. *Am Physiol Soc* 1998: H1662-H1666.

Klinische studies

Maligniteiten

Abreu RA de, Bökkerink JPM, Keuzenkamp-Jansen CW, Stet EH, Trijbels JMF. Thiopurine treatment in childhood leukemia. Metabolic aspects and sensitivity. *Adv Exp Med Biol* 1998; 431: 687-692.

Boven E, Pinedo HM, Hattum AH van, Scheffer PG, Peters WHM, Erkelens CAM, Schlüper HMM, Kuiper CM, Ark-Otte J van, Giaccone G. Characterization of human soft-tissue sarcoma xenografts for use in secondary drug screening. *Br J Cancer* 1998; 78: 1586-1593.

Davelaar EM, Kamp GJ van, Verstraeten RA, Kenemans P. Comparison of seven immunoassays for the quantification of CA 125 antigen in serum. *Clin Chem* 1998; 44: 1417-1422.

Heikens J, Michiels EMC, Behrendt H, Endert E, Bakker JPM, Fliers E. Long-term neuro-endocrine sequelae after treatment for childhood medulloblastoma. *Eur J Cancer* 1998; 34: 1592-1597.

Kropveld A, Slootweg PJ, Blankenstein MA, Terhaard CHJ, Hordijk GJ. Ki-67 and P53 in t2 laryngeal cancer. *Laryngoscope* 1998; 108: 1548-1552.

Mensdorff S von, Gourevitch MM, Kenemans P, Verstraeten AA, Kamp GJ van, Kok A, Uffelen K van, Snijdwint FGM, Paul MA, Meijer S, Hilgers J. An Enzyme-linked Immunosorbent Assay for the Measurement of Circulating Antibodies to Polymorphic Epithelial Mucin (MUC1). *Tumor Biology* 1998; 19: 186-195.

Schaar CG, Ong F, Snijder S, Wijermans PW, Franck PFH, Kluin-Nelemans JC. De kans op de ziekte van Kahler (multiple myeloom) bij patiënten met een paraproteïnemie: myeloomrisicoscore, ontwikkeld in de regio van het Integraal Kankercentrum West. *Ned. Tijdschr Geneesk* 1998; 142: 1591-1595.

Verschuur AC, Gennip AH van, Muller EJ, Voúte PA, Kuilenburg ABP van. Increased activity of cytidine triphosphate synthetase in pediatric acute lymphoblastic leukemia. *Purine and Pyrimidine Metabolism in Man IX*, ed. Griesmacher et al. Plenum Press, New York, 1998; 667-671.

Weijl NI, Hopman GD, Wipkink-Bakker A, Lentjes EGWM, Berger HM, Cleton FJ, Osanto S. Cisplatin combination chemotherapy induces a fall in plasma antioxidants of cancer patients. *Ann Oncol* 1998; 9: 1331-1337.

Wurff AAM van der, Kate J ten, Marx PTH, Linden EPM van der, Beek CCL, Bovelander F-J, Dekker J, Dinjens WNM, Meyenfeldt MF von, Arends J-W, Bosman FT. Expression of a marker for colonic crypt base cells is correlated with poor prognosis in human colorectal cancer. *Gut* 1998; 42: 63-70.

Allergie

Groot H de, Jong NW de, Duijster E, Gerth van Wijk R, Vermeulen A, Toorenenbergen AW van, Geursen L, et al. Prevalence of natural rubber latex allergy (type I and type IV) in laboratory workers in the Netherlands. *Contact Dermatitis* 1998; 38: 159-163.

Stapel SO, Waanders-Lijster de Raadt J, Toorenenbergen AW van, Groot H de. Allergy to bumblebee venom. II. IgE cross-reactivity between bumblebee and honeybee venom. *Allergy* 1998; 53: 769-777.

Toorenenbergen AW van, Dijk G van. Doelmatigheid van mengsel-RAST's bij oriënterend serologisch onderzoek van patiënten met een mogelijke allergie. *Ned Tijdschr Geneesk* 1998; 142: 855-859.

Neurologie en psychiatrie

Asselt DZB van, Karlietis BHI, Poels PJE, Jong JGN de, Wevers RA, Hoefnagels WHL. Cerebrospinal fluid methylmalonic acid concentrations in neurological patients with low and normal serum cobalamin concentrations. *Acta Neurol Scand* 1998; 97: 413-416.

Asselt DZB van, Groot LCPGM, Stavereen WA van, Blom HJ, Wevers RA, Biemond I, Hoefnagels WHL. Role of cobalamin intake and atrophic gastritis in mild cobalamin deficiency in older Dutch subjects. *Am J Clin Nutr* 1998; 68: 328-334.

Baumgartner MR, Verhoeven NM, Jakobs C, Roels F, Espeel M, Martinez M, Rabier D, et al. Defective peroxisome biogenesis with a neuromuscular disorder resembling Werdnig-Hoffmann disease. *Neurology* 1998; 51: 1427-1432.

Berckel BNM van, Lipsch C, Gispen-Wied C de, Wynne HJ, Blankenstein MA, Ree J.M. van, Kahn RS. The partial NMDA agonist D-cycloserine stimulates LH secretion in healthy volunteers. *Psychopharmacology* 1998; 138: 190-197.

Esselink RAJ, Vos RAI de, Vermes I, Jansen Steur ENH, Ballering LAP. Apolipoprotein E in Alzheimer's disease, dementia with Lewy bodies and Parkinson's disease. In: *Neurochemical markers of degenerative nervous diseases and drug addiction* Edited by GA Qureshi, H Parvez, P Caudy and S Parvez, Progress in HPLC-HPCE, Volume 7, VSP, Zeist, The Netherlands, 1998 pp. 547-567.

Gijsman HJ, Gerven JMA van, Tieleman MC, Schoemaker RC, Pieters MSM, Ferrari MD, Cohen AF, Kempen GMJ van. Pharmacokinetic and pharmacodynamic profile of oral and intravenous metachlorophenylpiperazine in healthy volunteers. *J Clin Psychopharmacol* 1998; 18: 289-295.

Gispen de Wied CC, Jansen LM, Wynne HJ, Matthys W, Gaag RJ van der, Thijssen JHH, Engeland H van. Differential effects of hydrocortisone and dexamethasone on cortisol suppression in a child psychiatric population. *Psychoneuroendocrinology* 1998; 23: 295-306.

Goozen SH van, Matthys W, Cohen-Kettenis PT, Thijssen JHH, Engeland H van. Adrenal androgens and aggression in conduct disorder prepubertal boys and normal controls. *Biol Psychiatry* 1998; 43: 156-158.

Honk J van, Tuiten A, Hout M van der, Koppeschaar H, Thijssen J, Haan E de, Verbaten R. Baseline salivary cortisol levels and preconscious selective attention for threat. A pilot study. *Psychoneuroendocrinology* 1998; 23: 741-747.

Jansen Steur E, Vermes I, Vos RAI de. Cerebrospinal fluid tau protein and aspartate aminotransferase in Parkinson's disease. *Lancet* 1998; 351: 1105-1106.

Jongen PJH, Floris S, Doesburg WH, Lemmens WAJG, Hommes OR, Lamers KJB. Composite cerebrospinal fluid score in relapsing-remitting and secondary progressive multiple sclerosis. *Multiple Sclerosis* 1998; 4: 108-110.

Lamers KJB, Reus HPM de, Jongen PJH. Myelin basic protein in CSF as indicator of disease activity in multiple sclerosis. *Multiple Sclerosis* 1998; 4: 124-126.

Lamers KJB, Wevers RA. Abnormalities of biogenic amines affecting the metabolism of serotonin and catecholamines. *Multiple Sclerosis* 1998; 4: 37-38.

Verkes RJ, Hengeveld MW, Mast RC van der, Fekkes D, Kempen GMJ van. Mood correlates inversely with blood serotonin, but not with glucose measures in patients with recurrent suicidal behavior. *Psychiatry Res* 1998; 80: 239-248.

Verkes RJ, Mast van der RC, Hengeveld MW, Tuyl JP, Zwinderman AH, Kempen GMJ van. Reduction by paroxetine of suicidal behavior in patients with repeated suicide attempt but not major depression. *Am J Psychiatry* 1998; 155: 543-547.

Verkes RJ, Mast RC van der, Kerkhof AJFM, Fekkes D, Hengeveld MW, Tuyl JP, Kempen GMJ van. Platelet serotonin, monoamine oxidase activity, and [³H]paroxetine binding related to impulsive suicide attempts and borderline personality disorder. *Biol Psychiatry* 1998; 43: 740-746.

Hart- en vaatziekten

Barth PG, Wanders RJA, Ruitenbeek W, Roe C, Scholte HR, Harten H van der, Moorsel J van et al. Infantile fibre type disproportion, myofibrillar lysis and cardiomyopathy: a disorder in three unrelated Dutch families. *Neuromusc Disord* 1998; 8: 296-304.

Blom HJ. Determinants of plasma homocysteine. *Am J Clin Nutr* 1998; 67: 190-191.

Brattstrom LE, Landgren F, Israelsson B, Lindgren A, Hultberg B, Andersson A, Cuskelly G, McNulty H, Strain SS, McPartlin J, Weir DG, Scott JM, Heijer M den, Brouwer IA, Blom HJ, Bos GMJ, Spaans AP, Rosendaal FR, Thomas CMG, Haak HL et al. Lowering blood homocysteine with folic acid based supplements: meta-analysis of randomised trials. *Brit Med J* 1998; 316: 894-898.

Cobbaert C, Lindemans J. Standaardisatie van lipide- en lipoproteïnenbepalingen. *Ned Tijdschr Klin Chem* 1998; 23: 273-274.

Cobbaert C, Louisa A, Struijk L, Demeyere R, Meyns B. Lipoprotein(a) changes during and after coronary artery bypass grafting: an epiphenomenon? *Ann Clin Biochem* 1998; 35: 75-79.

Cobbaert C et al. CBO Consensus cholesterol tweede herziening april 1998. Behandeling en preventie van coronaire hartziekte door verlaging van de plasmacholesterolconcentratie.

Cobbaert C, Mulder P. Regional serum cholesterol differences in Belgium. Do genetically determined cardiovascular risk factors contribute? *Int J Epid* 1998; 27: 605-613.

Dieijen-Visser MP van. Nieuwe biochemische markers voor hartspierschade. Een duur alternatief voor de klassieke enzymbepalingen? *Hartbulletin* 1998; 29: 99-102.

Ede AE van, Laan RFJM, Blom A, Abreu RA de, Putte LBA van de. Methotrexate in reumatoid arthritis: an update with focus on mechanisms involved in toxicity. *Seminars in arthritis and rheumatism* 1998; 27: 277-292.

Franssen-Franken DG, Boers GHJ, Blom HJ, Crujtsberg JRM, Trijbels JMF, Hamel BCJ. Prevalence of familial mild hyperhomocysteinemia. *Atherosclerosis* 1998; 125: 71-80.

Glatz JFC, Vusse GJ van der, Simoons ML, Kragten JA, Dieijen-Visser MP van, Hermens WT. Fatty acid-binding protein and the early detection of acute myocardial infarction. *Clin Chim Acta* 1998; 272: 87-92.

Harff GA, Jeurissen RWM, Dijkstra JB, Rietjens TJM, Schönberger JPAM. Differentiation between transmural perioperative myocardial infarction and subendocardial injury after coronary artery bypass grafting using biochemical tests, elaborated by cluster and discriminant analysis. *Clin Chim Acta* 1998; 274: 29-40.

Heijer M den, Brouwer IA, Bos GMJ, Blom HJ, Put NMJ van der, Spaans AP, Rosendaal FR, Thomas CMG, Haak HL, Wijermans P, Gerrits WBJ. Vitamin supplementation reduces blood homocysteine levels: a controlled trial in patients with venous thrombosis and healthy volunteers. *Arterioscl Thromb Vas* 1998; 18: 356-361.

Heijer M den, Rosendaal FR, Blom HJ, Gerrits WBJ, Bos GMJ. Hyperhomocysteinemia and venous thrombosis: a meta-analysis. *Thromb Haemost* 1998; 80: 874-877.

Hoogeveen EK, Konstense PJ, Beks PJ, Mackaay AJC, Jakobs C, Bouter LM, Heine RJ, Stehouwer CDA. Hyperhomocysteinemia is associated with an increased risk of cardiovascular disease, especially in non-insulin-dependent diabetes mellitus - a population-based study. *Arterioscl Thromb Vas Biol* 1998; 18: 133-138.

Lagerwerf FM, Wever RM, Rijn HJ van, Versluis C, Heerma W, Haverkamp J, Koomans HA, Rabelink TJ, Boer P. Assessment of nitric oxide production by measurement of [¹⁵N]citulline enrichment in human plasma using high-performance liquid chromatography-mass spectrometry. *Anal Biochem* 1998; 257: 45-52.

Maquelin KN, Berckmans RJ, Nieuwland R, Schaap MCL, Have K ten, Eijnsman L, Sturk A. Disappearance of glycoprotein Ib from the platelet surface in pericardial blood during cardiopulmonary bypass. *J Thorac Cardiovasc Sur* 1998; 115: 1160-1165.

Prins HA, Houdijk APJ, Lambalgen AA van, Teerlink T, Meijer S, Thijs LG, Leeuwen PAM van. Paradoxical changes in organ blood flow after arginase infusion in the non-stressed rat. *Shock* 1998; 9: 422-427.

Schrama YC, Hené RJ, Jonge N de, Joles JA, Rijn HJM van, Bär PR, Ververs TFT, Tol A van, Koomans HA. Efficacy and muscle safety of fluvastatin in cyclosporin-treated cardiac and renal transplantation recipients; an exercise provocation test. *Transplantation* 1998; 66: 1175-1181.

Stehouwer CDA, Jakobs C. Abnormalities of vascular function in hyperhomocysteinemia - relationship to atherothrombotic disease. *Eur J Pediatr* 1998; 157: 107-111.

Stehouwer CDA, Weijenberg MP, Berg M van den, Jakobs C, Feskens EJM, Kromhout D. Serum homocysteine and risk of coronary heart disease and cerebrovascular disease in elderly men - A 10-year follow up. *Arterioscler Thromb Vas Biol* 1998; 18: 1895-1901.

Swaanenburg JCJM, Klaase JM, Jongste MJL de, Zimmerman KW, Duis HJ ten. Troponin I, troponin T, CKMB-activity and CKMB-mass as markers for the detection of myocardial contusion in patients who experienced blunt trauma. *Clin Chim Acta* 1998; 272: 171-180.

Ven AJAM van der, Blom HJ, Peters WHM, Jacobs L, Verver TJG, Koopmans PP, Demacker PNM, Meer JWM van der. Glutathione homeostasis is disturbed in CD4-positive lymphocytes of HIV-seropositive individuals. *Eur J Clin Invest* 1998; 28: 187-193.

Verhaar MC, Wever RM, Kastelein JJ, Dam T van, Koomans HA, Rabelink TJ. 5-methyltetrahydrofolate, the active form of folic acid, restores endothelial function in familial hypercholesterolemia. *Circulation* 1998; 97: 237-241.

Wever RM, Luscher TF, Cosentino F, Rabelink TJ. Atherosclerosis and the two faces of endothelial nitric oxide synthase. *Circulation* 1998; 97: 108-112.

Wever R, Stroes E, Rabelink TJ. Nitric oxide and hypercholesterolemia: a matter of oxidation and reduction? *Atherosclerosis* 1998; 137 Suppl: S51-60.

Winter RJ de, Koster RW, Sanders GT. Vroege uitsluiting van ischemische myocardschade met behulp van nieuwe biochemische hartmerkstoffen. *Ned Tijdschr Geneesk* 1998; 42: 940-944.

Wodzig KWH, Kragten JA, Modrzejewski W, Górski J, Dieijen-Visser MP van, Glatz JFC, Hermens WTH. Thrombolytic therapy does not change the release ratios of enzymatic and non-enzymatic myocardial marker proteins. *Clin Chim Acta* 1998; 272: 209-223.

Interne Geneeskunde

Bartels PCM, Peetoom JJ, Schoorl M. Gestoorte erythropoiese en biochemische afwijkingen bij psychogeriatrische patienten. *Tijdsch Gerontol Geriatr* 1998; 29: 19-23.

Beishuizen A, Vermes I, Haanen C. Endogenous mediators in sepsis and septic shock. *Adv Clin Chem* 1998; 33: 55-131.

Bruno MJ, Borm JJJ, Hoek FJ, Delzenne B, Hofmann AF, Goeij JJM de, Royen EA van, et al. Gastric transit and pharmacodynamics of a two-millimeter enteric-coated pancreatin microsphere preparation in patients with chronic pancreatitis. *Dig Dis Sci* 1998; 43: 203-213.

Diekman MJM, Romijn JA, Endert E, Sauerwein H, Wiersinga WM. Thyroid hormones modulate serum leptin levels: observations in thyrotoxic and hypothyroid women. *Thyroid* 1998; 8: 1081-1086.

Dissel JT van, Langevelde P van, Westendorp RGJ, Kwappenberg K, Frölich M. Anti-inflammatory cytokine profile and mortality in febrile patients. *Lancet* 1998; 351: 950-953.

Feelders RA, Vreugdenhil G, Eggermont AMM, Kuiper-Kramer PA, Eijk HG, Swaak AJG. Regulation of iron metabolism in the acute-phase response: interferon (and tumour necrosis factor " induce hypoferraemia, ferritin production and a decrease in circulating transferrin receptors in cancer patients. *Eur J Clin Invest* 1998; 28: 520-527.

Giltay EJ, Borne BEEM van den, Schaardenburg D van, Gooren LJG, Popp-Snijders C, Blankenstein MA, Dijkmans BAC. Androgenizing effects of low-dose cyclosporin in male patients with RA. *Br J Rheumatol* 1998; 37: 470-472.

Gerrits GPJM, Kamphuis S, Monnens LAH, Trijbels JMF, Schrode CH, Koster AM, Gabreëls FJM. Cerebrospinal fluid levels of amino acids in infants and young children with chronic renal failure. *Neuropediatrics* 1998; 29: 35-39.

Griep EN, Boersma JW, Lentjes EGWM, Prins PA, Korst JK van der, Kloet ER de. Function of the hypothalamic-pituitary-adrenal axis in patients with fibromyalgia and low back pain. *J Rheumatol* 1998; 25: 1374-1381.

Guldener C van, Donker AJM, Jakobs C, Teerlink T, Meer K de, Stehouwer CDA. No net renal extraction of homocysteine in fasting humans. *Kidney Int* 1998; 54: 166-169.

Guldener C van, Janssen MJFM, Lambert J, Terwee PM, Jakobs C, Donker AJM, Stehouwer CDA. No change in impaired endothelial function after long-term folic acid therapy of hyperhomocysteinaemia in haemodialysis patients. *Nephrol Dial Transplant* 1998; 13: 106-112.

Guldener C van, Janssen MJFM, Stehouwer CDA, Jakobs C, Bronzwaer JGF, Surachno J, Donker AJM. The effect of renal transplantation on hyperhomocysteinaemia in dialysis patients, and the estimation of renal homocysteine extraction in patients with normal renal function. *Neth J Med* 1998; 52: 58-64.

Harthoorn-Lasthuizen EJ, Lindemans J, Langenhuijsen MM. Zinc protoporphyrin as screening test in female blood donors. *Clin Chem* 1998; 44: 800-804.

Heyligenberg R, Romijn JA, Ackermans M, Endert E, Timmer JG, Sauerwein HP. The maximal tolerable intravenous dosage of pentoxifylline in AIDS patients does not inhibit lipopolysaccharide-stimulated tumor necrosis factor production. *AIDS Res Hum Retroviruses* 1998; 14: 299-303.

Heyligenberg R, Romijn JA, Godfried MH, Endert E, Sauerwein HP. *In vitro* production of cytokines in whole blood versus plasma concentrations of cytokines in AIDS. *AIDS Res Hum Retroviruses* 1998; 14: 123-127.

Hoogeveen EK, Konstense PJ, Jager A, Heine RJ, Jakobs C, Bouter LM, Donker AJM, Stehouwer CDA. Serum homocysteine level and protein intake are related to risk of microalbuminuria- the Hoorn study. *Kidney Int* 1998; 54: 203-209.

Houdijk APJ, Rijnsburger ER, Jansen J, Wesdorp RIC, Weiss JK, McCamish MA, Teerlink T, Meuwissen SGM, Haarman HJThM, Thijs LG, Leeuwen PAM van. Randomised trial of glutamine-enriched enteral nutrition on infectious morbidity in patients with multiple trauma. *Lancet* 1998; 352: 772-776.

Houdijk APJ, Visser JJ, Rijnsburger ER, Teerlink T, Leeuwen PAM van. Dietary glutamine supplementation reduces plasma nitrate levels in rats. *Clin Nutr* 1998; 17: 11-14.

Huijgen HJ, Sanders R, Olden RW van, Klous MG, Gaffar FR, Sanders GTB. Intracellular and extracellular blood magnesium fractions in hemodialysis patients: is the ionized fraction a measure of magnesium excess? *Clin Chem* 1998; 44: 639-648.

Idink-Mecking CAM, Richel DJ, Vermes I, Schaafsma MR, Reutelingsperger C, Haanen C. Ex vivo evidence of lymphocyte apoptosis in hairy cell leukemia induced by 2-chlorodeoxyadenosine treatment. *Ann Hematol* 1998; 75: 25-29.

Iperen CE van, Kraaijenhagen RJ, Biesma DH, Beguin Y, Marx JJM, Wiel A van de. Iron metabolism and erythropoiesis after major surgery. *Brit J Surg* 1998; 85: 41-45.

Konijnenberg A, Geel BM van, Sturk A, Schaap MCL, Borne AEGKr von dem, Bruijne-Admiraal LG de, Schutgens RBH, Assies J, Barth PG. Lorenzo's oil and platelet activation in adrenomyeloneuropathy and asymptomatic X-linked adrenoleukodystrophy. *Platelets* 1998; 9: 41-48.

Krouwels FH, Hol BEA, Lutter R, Bruinier B, Bast A, Jansen HM, Out TA. Histamine affects interleukin-4, interleukin-5, and interferon- γ production by human T-cell clones from the airways and blood. *Am J Respir Cell Mol Biol* 1998; 18: 721-730.

Kuijpers JL, Hann de-Meulman M, Vader HL, Pop VJ, Wiersinga WM, Drexhage HA. Cell-mediated immunity and postpartum thyroid dysfunction: a possibility for the prediction of disease? *J Clin Endocrinol Metab* 1998; 83: 1959-1966.

Kuijpers JL, Pop VJ, Vader HL, Drexhage HA, Wiersinga WM. Prediction of post partum thyroid dysfunction: can it be improved? *Eur J Endocrinol* 1998; 139: 36-43.

Kuiper-Kramer EPA, Baerts W, Bakker R, Eyck J van, Raan J van, Eijk HG van. Evaluation of the Iron Status of the Newborn by Soluble Transferrin Receptors in Serum. *Clin Chem Lab Med* 1998; 36: 17-21.

Lemaire LCJM, Poll T van der, Lanschot JB van, Endert E, Buurman WA, Deventer SJH van, Gouma DJ. Minimally invasive surgery induces endotoxin-tolerance in the absence of detectable endotoxemia. *J Clin Imm* 1998; 18: 414-420.

Lems WF, Veen GJM van, Gerrits MI, Jacobs JWG, Houben HHML, Rijn HJM van, Bijlsma JWJ. Effect of low-dose prednisone (with calcium and calcitriol supplementation) on calcium and bone metabolism in healthy volunteers. *Br J Rheumatol* 1998; 37: 27-33.

Mulder AB, Vermes I, Marx PTJ, Overbeek R, Haanen C. De rol van apoptotische endotheelcellen in de pathogenese van diabetische microangiopathie. *Ned Tijdschr Klin Chem* 1998; 23: 181-185.

Naber THJ, Hamer CJA van den, Baadenhuijsen H, Jansen JBHJ. The value of methods to determine zinc deficiency in patients with Crohn's disease. *Scand J Gastroenterol* 1998; 33: 514-522.

Pelt J van, Azimi H. False positive CDTest values in patients with low ferritin values. *Clin Chem* 1998; 44: 2219-2220.

Rentenaar RJ, Wever PC, Diepen FNJ van, Out TA, Schellekens PTA, Berge IJM ten. Concomitant detection by flow cytometry of the intragranular antigen granzyme B and the intranuclear antigen Ki-67 in peripheral blood mononuclear cells from healthy individuals and patients with acute CMV infection after renal transplantation. *Transpl Proc* 1998; 30: 3958-3959.

Roger T, Out TA, Jansen HM, Lutter R. Superinduction of interleukin-6 mRNA in lung epithelial H292 cells depends on transiently increased C/EBP activity and durable increased mRNA stability. *Biochim Biophys Acta* 1998; 1398: 275-284.

Roger T, Out TA, Mukaida N, Matsushima K, Jansen HM, Lutter R. Enhanced AP-1 and NF- κ B activities and stability of interleukin 8 (IL-8) transcripts are implicated in IL-8 mRNA superinduction in lung epithelial H292 cells. *Biochem J* 1998; 330: 429-435.

Schalkwijk CG, Hinsbergh VWM van, Stehouwer CDA. De rol van niet-enzymatische glycosyleringsprodukten bij het disfunctioneren van het endotheel en het ontwikkelen van vasculaire complicaties bij diabetes mellitus. *Ned Tijdschr Klin Chem* 1998; 23: 187-192.

Smulders RA, Stehouwer CDA, Schalkwijk CG, Donker AJM, Hinsbergh VWM van, Koppele JM te. Distinct association of HbA1c and the urinary excretion of pentosidine, an advanced glycosylation end-product, with endothelial function in insulin-dependent diabetes mellitus. *Thromb Haemost* 1998; 80: 52-57.

Sluys Veer A van der, Brouwer J, Biemond I, Bohbouth GE, Verspaget HW, Lamers CBHW. Fecal lysozyme in assessment of disease activity in inflammatory bowel disease. *Digest Dis Sci* 1998; 43: 590-595.

Valk HW de, Rijn HJM van, Wiolders JPM, Koomans HA. Effect of an increase in the plasma potassium concentration on renal magnesium handling in healthy volunteers. *Nephrol Dial Transpl* 1998; 13: 53-58.

Valk HW de, Verkaaik R, Rijn HJM van, Geerdink RA, Struyvenberg A. Oral magnesium supplementation in insulin-requiring type 2 diabetic patients. *Diab Med* 1998; 15: 503-507.

Wassenaer AG van, Kok JH, Dekker FW, Endert E, Vijlder JJM de. Thyroxine administration to infants of less than 30 weeks gestational age decreases plasma tri-iodothyronine concentrations. *Eur J Endocr* 1998; 139: 508-515.

Stoornissen in het intermediaire metabolisme

Bandmann O, Valente EM, Holmans P, Surtees RAH, Walters JH, Wevers RA, Marsden CD, Wood NW. Dopa-responsive dystonia: a clinical and molecular genetic study. *Ann Neurol* 1998; 44: 649-656.

Baric I, Zschocke J, Christensen E, Duran M, Goodman SI, Leonard JV, Müller E, Morton DH, Superti-Furga A, Hoffmann GF. Diagnosis and management of glutaric aciduria type I. *J Inher Metab Dis* 1998; 21: 326-340.

Barth PG, Wanders RJA, Ruitenbeek W, Roe C, Scholte HR, Harten H van der, Moorsel J van, Duran M, Dingemans KP. Infantile fibre type disproportion, myofibrillar lysis and cardiomyopathy: a disorder in three unrelated Dutch families. *Neuromusc Dis* 1998; 8: 296-304.

Barth PG, Wanders RJA, Scholte HR, Abeling N, Jacobs C, Schutgens RBH, Vreken P. L-2-Hydroxyglutaric aciduria and lactic acidosis. *J Inher Metab Dis* 1998; 21: 251-254.

Baumgartner MR, Poll-The BT, Verhoeven NM, Jakobs C, Espeel M, Roels F, Rabier D, Levade T, Rolland MO, Martinez M, Wanders RJA, Saudubray JM. Clinical approach to inherited peroxisomal disorders- A series of 27 patients. *Ann Neurol* 1998; 44: 720-730.

Baumgartner MR, Verhoeven NM, Jakobs C, Roels F, Espeel M, Martinez M, Rabier D, Wanders RJA, Saudubray JM. Defective Peroxisome biogenesis with a neuromuscular disorder resembling Werdnig-Hoffmann-Disease. *Neurology* 1998; 51: 1427-1432.

Bergh FAJTM van den, Bosschaart AN, Hageman G, Duran M, Poll-The BT. Adenylosuccinase deficiency with neonatal onset severe epileptic seizures and sudden death. *Neuropediatrics* 1998; 29: 51-53.

Bergman AJW, Berg IET van den, Brink W, Poll-The BT, Ploos van Amstel JK, Berger R. Spectrum of mutations in the fumarylacetoacetate hydrolase gene of tyrosinemia type 1 patients in Northwestern Europe and Mediterranean countries. *Human Mutation* 1998; 12: 19-26.

Bosch AM, Sillevs Smitt JH, Gennip AH van, Abeling NGGM, Schutgens RBH, Bakker HD, Wijburg FA. Iatrogenic isolated isoleucine deficiency as the cause of an acrodermatitis enteropathica-like syndrome. *Br J Derm* 1998; 139: 488-491.

Boer J de, Wit J de, Steeg H van, Berg RJW, Morreau H, Visser P, Lehmann AR, Duran M, Hoeijmakers JHJ, Weeda G. A mouse model for the basal transcription/DNA repair syndrome trichothiodystrofië. *Molecular Cell* 1998; 1: 981-990.

Bräutigam C, Wevers RA, Jansen RJT, Smeitink JAM, Rijk van Anel JF de, Gabreëls FJM, Hoffmann GF. Biochemical hallmarks of tyrosine hydroxylase deficiency. *Clin Chem* 1998; 44: 1897-1904.

Brites P, Motley A, Hogenhout E, Hetteema E, Wijburg F, Heymans HSA, Tabak HF, Distel B, Wanders RJA. Molecular basis of rhizomelic chondrodysplasia punctata type I: high frequency of the Leu-292 stop mutation in 38 patients. *J Inher Metab Dis* 1998; 21: 306-308.

- Bull LN, Eijk MJT van, Pawlikowska L, Young JA de, Juijn JA, Liao M, Klomp LWJ, Lomri N, Berger R, Scharschmidt BF, Knisely AS, Houwen RHJ, Freimer NB. A gene encoding a P-type ATPase mutated in two forms of hereditary cholestasis. *Nature Genetics* 1998; 18: 219-224.
- Burda P, Borsig L, Rijk van Andel JF de, Wevers RA, Jaeken J, Carchon H, Berger EG, Aebi M. A novel carbohydrate-deficient glycoprotein syndrome characterized by a deficiency in glucosylation of the dolichol-linked oligosaccharide. *J Clin Invest* 1998; 102: 647-652.
- Buyukgebiz B, Jakobs C, Scholte HR, Huijman JGM, Kleijer WJ. Fatal neonatal malonic aciduria. *J Inher Metab Dis* 1998; 21: 76-77.
- Casale CH, Casals N, Pié K, Zapater N, Pérez-Cerdá C, Merinero B, Martínez-Pardo M, et al. A nonsense mutation in the exon 2 of the 3-hydroxy-3-methylglutaryl Coenzyme A lyase (HL) gene producing three mature mRNAs is the main cause of 3-hydroxy-3-methylglutaric aciduria in European Mediterranean patients. *Arch Biochem Biophys* 1998; 349: 129-137.
- Chambliss KL, Hinson DD, Trettel F, Malaspina P, Novelletto A, Jakobs C, Gibson KM. Two exon-skipping mutations as the molecular basis of succinic semialdehyde dehydrogenase deficiency (4-hydroxybutyric aciduria). *Am J Hum Gen* 1998; 63: 399-408.
- Christensen E, Cezanne I, Kjaergaard S, Hørlyk H, Faurholt Pedersen V, Vreken P, Kuilenburg ABP van, et al. Clinical variability in three Danish patients with dihydropyrimidine dehydrogenase deficiency all homozygous for the same mutation. *J Inher Metab Dis* 1998; 21: 272-275.
- Costa CG, Dorland L, Almeida IT de, Jakobs C, Duran M, Poll-Thé BT. The effect of fasting, long-chain triglyceride load and carnitine load on plasma long-chain acylcarnitine levels in mitochondrial very long-chain acyl-coa dehydrogenase deficiency. *J Inher Metab Dis* 1998; 21: 391-399.
- Costa CG, Dorland L, Holwerda U, Almeida IT de, Poll-Thé BT, Jakobs C, Duran M. Simultaneous analysis of plasma free fatty acids and their 3-hydroxy analogs in fatty acid beta-oxidation disorders. *Clin Chem* 1998; 44: 463-471.
- Duran M, Dorland L, Poll-The BT, Berger R. 'Non-classical' inborn errors of metabolism: organic acidurias and biosynthesis defects. *Pediatrici Polskiej* 1998; 6: 93-97.
- Duran M, Allers P, Dorland L. Gallensäuresynthesedefekte. *Monatsschrift Kinderheilkunde* 1998; 5: 535-536.
- Engelen BGM van, Benders AAGM, Wevers RA, Gabreëls FJM, Renier WO, Veerkamp JH. Intravenous immunoglobulin preparation increases myoplasmic calcium concentration by activating the dihydropyridine-ryanodine receptor complex. *J Neurol Sc* 1998; 156: 35-40.
- Ent M van der, Jeneson JAL, Remme WJ (AGZ Gezondheidszorg), Berger R, Ciampicotti R, Visser F. A non-invasive selective assessment of type I fibre mitochondrial function using ³¹P NMR spectroscopy. *Eur Heart J* 1998; 19: 124-131.
- Fowler B, Jakobs C. Post - And prenatal diagnostic methods for the homocystinurias. *Eur J Pediatr* 1998; 157: S88-S93.
- Fritzer-Szekeres M, Blom HJ, Boers GHJ, Szekeres Th, Lubec B. Growth promotion by homocysteine but not by homocysteic acid: a role for excessive growth in homocystinuria or proliferation in hyperhomocysteinemia? *Biochim Biophys Acta* 1998; 1407: 1-6.
- Gennip AH van, Abreu A de, Vreken P, Kuilenburg ABP van. Clinical and biochemical aspects of dihydropyrimidinase deficiency. *Purine and Pyrimidine Metabolism in Man IX*, edited by Griesmacher et al. Plenum Press, New York, 1998; 125-128.
- Gibson KM, Hoffmann GF, Hodson AK, Bottiglieri T, Jakobs C. 4-Hydroxybutyric acid and the clinical phenotype of succinic semialdehyde dehydrogenase deficiency, an inborn error of GABA metabolism (review). *Neuropediatr* 1998; 29: 14-22.
- Gibson KM, Jakobs C. Succinic semialdehyde dehydrogenase deficiency (4-hydroxybutyric aciduria). *RTMDC News*. 1998; 5: 19-21.
- Gibson KM, Sweetman L, Kozich V, Pijackova A, Tscharre A, Cortez A, Eyskens F, Jakobs C, Duran M, Poll-Thé BT. Unusual enzyme findings in five patients with metabolic profiles suggestive of succinic semialdehyde dehydrogenase deficiency (4-hydroxybutyric aciduria). *J Inher Metab Dis* 1998; 21: 255-261.
- Griend R van der, Haas FJLM, Duran M, Biesma DH, Banga JD, Meuwissen OJATH. Methionine loading test is necessary for detection of hyperhomocysteinemia. *J Lab Clin Med* 1998; 132: 67-72.
- Haas V de, Carbasius Weber EC, Klerk JBC de, Bakker HD, Smit GPA, Huijbers WAR, Duran M, Poll-The BT. The success of dietary protein restriction in alkaptonuria patients is age-dependent. *J Inher Metab Dis* 1998; 21: 791-798.
- Heijst AFJ van, Verrips A, Wevers RA, Cruysberg JRM, Renier WO, Tolboom JJM. Treatment and follow-up of children with cerebrotendinous xanthomatosis. *Eur J Pediatr* 1998; 157: 313-316.
- Heuvel LPWJ van den, Ruitenbeek W, Smeets RJP, Loeffen JLCM, Gelham-Kohan Z, Elpeleg ON, Trijbels JMF, Mariman ECM, Bruin E de, Sengers RCA, Smeitink JAM. Demonstration of the first pathogenic mutation in human complex I deficiency: a 5 basepair duplication in the nuclear encoded 18 kDa subunit. *Am J Hum Genet* 1998; 62: 262-268.
- Hoffmann GF, Surtees RAH, Wevers RA. Cerebrospinal fluid investigations for neurometabolic disorders. *Neuropediatrics* 1998; 29: 59-71.
- Holtrop S, Gennip AH van, Trijbels JMF, Duran M. Metabole Ziekten. *Ned Tijdschr Klin Chem* 1998; 23: 284-286.
- Huemer M, Muehl A, Wandl-Vergesslich K, Strobl W, Wanders RJA, Stoeckler-Ipsiroglu S. Stroke-like encephalopathy in an infant with 3-hydroxy-3-methylglutaryl-coenzyme A lyase deficiency. *Eur J Pediatr* 1998; 157: 743-746.
- Huizing M, Ruitenbeek W, Heuvel LPWJ van den, Dolce V, Iacobazzi V, Smeitink JAM, Palmieri F, Trijbels JMF. Human mitochondrial transmembrane metabolite carriers: Tissue distribution and its implication for mitochondrial disorders. *J Bioenerg Biomembr* 1998; 30: 277-283.
- Huizing M, Wendel UAH, Ruitenbeek W, Iacobazzi V, IJlst L, Veenhuizen P, Savelkoul P, Heuvel LPWJ van den, Smeitink JAM, Wanders R, Trijbels JMF, Palmieri F. Carnitine-acylcarnitine carrier deficiency: identification of the molecular defect in a patient. *J Inher Metab Dis* 1998; 21: 262-267.
- IJlst L, Mandel H, Oostheim W, Ruiters JPN, Gutman A, Wanders RJA. Molecular basis of hepatic carnitine palmitoyltransferase I deficiency. *J Clin Invest* 1998; 102: 527-531.

- Jansen GA, Mihalik SJ, Watkins PA, Jakobs C, Moser HW, Wanders RJA. Characterization of phytanoyl coenzyme A hydroxylase in human liver and activity measurements in patients with peroxisomal disorders. *Clin Chim Acta* 1998; 271: 203-211.
- Jansen GA, Ferdinandusse S, Skjeldal OH, Stokke O, Groot CJ de, Jakobs C, Wanders RJA. Molecular basis of Refsum disease: identification of new mutations in the phytanoyl-CoA hydroxylase cDNA. *J Inher Metab Dis* 1998; 21: 288-291.
- Jong JGN de, Aerts JMFG, Weely S van, Hollak CEM, Pelt J van, Woerkom LMJ van, Liebrand-van Sambeek MLF, Wevers RA. Oligosaccharide excretion in adult Gaucher's disease. *J Inher Metab Dis* 1998; 21: 49-59.
- Holtrop S, Gennip AH van, Trijbels JMF, Duran M. Metabole ziekten. *Ned Tijdsch Klin Chem* 1998; 23: 284-286.
- Kluijtmans LAJ, Wendel UAH, Stevens EMB, Heuvel LPWJ van den, Trijbels JMF, Blom HJ. Identification of four novel mutations in severe methylenetetrahydrofolate reductase deficiency. *Eur J Hum Genet* 1998; 6: 257-265.
- Koning TJ de, Dorland L, Diggelen OP, Boonman AMC, Jong GJ de, Noort WL van, Schrijver JEAR de, Duran M, Berg IET van den, Gerwig GJ, Berger R, Poll-The BT. A novel disorder of N-glycosylation due to phosphomannose isomerase deficiency. *Biochem Biophys Res Comm* 1998; 245: 38-42.
- Koning TJ de, Duran M, Dorland L, Gooskens RHJM, Schaftingen E van, Jaeken J, Blau N, Berger R, Poll-The BT. Beneficial effects of L-serine and glycine in the management of seizures in 3-phosphoglycerate dehydrogenase deficiency. *Ann Neurol* 1998; 44: 261-265.
- Koning TJ de, Toet MC, Dorland L, Vries LS de, Berg IET van den, Duran M, Poll-The BT. Recurrent nonimmune hydrops fetalis associated with carbohydrate-deficient glycoprotein syndrome. *J Inher Metab Dis* 1998; 21: 681-682.
- Kubo S, Sun MS, Miyahara M, Umeyama K, Urakami K, Yamamoto T, Jakobs C, Matsuda I, Endo F. Hepatocyte injury in tyrosinemia type 1 is induced by fumarylacetoacetate and is inhibited by caspase inhibitors. *Proc Natl Acad Sci USA* 1998; 95: 9552-9557.
- Kuilenburg ABP van, Vreken P, Beex LVAM, Meinsma R, Lenthe H van, Abreu RA de, Gennip AH van. Heterozygosity for a point mutation in an invariant splice donor site of dihydropyrimidine dehydrogenase and severe 5-fluorouracil related toxicity. *Purine and Pyrimidine Metabolism in Man IX* 1998; 293-298.
- Kulik W, Meesterburrie JAN, Jakobs C, Meer K de. Determination of delta-C-13 values of valine in protein hydrolysate by gas chromatography combustion isotope ratio mass spectrometry. *J Chromatogr B Biomed Sci Appl* 1998; 710: 37-47.
- Kusters GCM, Wevers RA. Evaluatie van het post-academisch onderwijs klinische chemie. *Ned Tijdschr Klin Chem* 1998; 23: 230-234.
- Lamers KJB, Wevers RA. Abnormalities of biogenic amines affecting the metabolism of serotonin and catecholamines. *Multiple Sclerosis* 1998; 4: 37-38.
- Loeffen JLCM, Heuvel LPWJ van den, Smeets RJP, Triepels RH, Sengers RCA, Trijbels JMF, Smeitink JAM. cDNA sequence and chromosomal localization of the remaining three human nuclear encoded iron sulphur protein (IP) subunits of complex I: The human IP fraction is completed. *Biochem Biophys Res Comm* 1998; 247: 751-758.
- Loeffen JLCM, Smeets RJP, Smeitink JAM, Ruitenbeek W, Janssen AJM, Mariman ECM, Sengers RCA, Trijbels JMF, Heuvel LPWJ van den. The X-chromosomal NDUFA1 gene of complex I in mitochondrial encephalomyopathies: tissue expression and mutation detection. *J Inher Metab Dis* 1998; 21: 210-215.
- Loeffen JLCM, Smeitink JAM, Triepels RH, Smeets RJP, Sengers RCA, Trijbels JMF, Hamel BCJ, Mullaart RA, Heuvel LPWJ van den. The first nuclear encoded complex I mutation in a patient with Leigh syndrome. *Amer J Hum Genet* 1998; 63: 1598-1608.
- Loeffen JLCM, Triepels RH, Heuvel LPWJ van den, Schuelke M, Buskens CAF, Smeets RJP, Trijbels JMF, Smeitink JAM. cDNA of eight nuclear encoded subunits of NADH: Ubiquinone oxidoreductase: Human complex I cDNA characterization completed. *Biochem Biophys Res Commun* 1998; 253: 415-422.
- Mandel H, Sharf F, Berant M, Wanders RJA, Vreken P, Aviram M. Plasmalogen phospholipids are involved in HDL-mediated cholesterol efflux: insights from investigations with plasmalogen-deficient cells. *Biochem Biophys Res Commun* 1998; 250: 369-373.
- Massuger LFAG, Vierzen PBJ van, Engelke U, Heerschap A, Wevers RA. ¹H-Magnetic resonance spectroscopy. A new technique to discriminate benign from malignant ovarian tumors. *Cancer* 1998; 82: 1726-1730.
- Mayatepek E, Wanders RJA. Defective oxidation of hydroxyicosatetraenoic acids in the liver of patients with Zellweger syndrome. *J Inher Metab Dis* 1998; 21: 295-297.
- Mayatepek E, Jakobs C. Lipoxigenase metabolites in amniotic fluid of patients with Zellweger-syndrome. *J Inher Metab Dis* 1998; 21: 292-294.
- Merinero B, Perezcerda C, Garcia MJ, Chadeaux-Vekemans B, Kamoun P, Tonetti C, Zittoun J, Jakobs C, Ugarte M. Reliability of biochemical parameters used in prenatal diagnosis of combined methylmalonic aciduria and homocystinuria. *Prenat Diagn* 1998; 18: 947-952.
- Mitchell GA, Ozand PT, Robert M-F, Ashmarina L, Roberts J, Gibson KM, Wanders RJA, et al. HMG CoA lyase deficiency: Identification of five causal point mutations in codons 41 and 42, including a frequent Saudi Arabian mutations R41Q. *Am J Hum Genet* 1998; 62: 295-300.
- Okumoto K, Shimosawa N, Kawai A, Tamura S, Tsukamoto T, Osumi T, Moser H, Wanders RJA, et al. PEX12, the pathogenic gene of group III Zellweger Syndrome: cDNA cloning by functional complementation on a CHO cell mutant, patient analysis, and characterization of PEX12p. *Molecul Cell Biol*, 1998; 18: 4324-4336.
- Out TA, Schellekens PTA. Amyloïd van lichte ketens van immunoglobulinen: een vouwprobleem? *Vouwfouten, Prionziekten als model*. Redactie: P. Borst, J.J.E. van Everdingen, W.A. van Gool. *Uitgeverij Boom/Belvédère* 1998; 113-122.
- Poll-The BT, Koning TJ de, Dorland L, Duran M. Peroxisomal disorders. *Neuroscience Research Communications* 1998; 22: 63-71.
- Püst B, Berger A, Lehnert W, Wanders RJA, Gocht A, Hennenberger A. Erstmanifestation eines Abbaufekts überlangkettiger Fettsäuren (VLCADD) mit letalem Ausgang. *Monatschr Kinder- heilkd* 1998; 146: 484-486.

- Roe CR, Struys EA, Kok RM, Roe DS, Harris RA, Jakobs C. Methylmalonic semialdehyde dehydrogenase deficiency - psychomotor delay and methylmalonic aciduria without metabolic decompensation. *Mol Genet Metab* 1998; 65: 35-43.
- Rubio Gozalbo ME, Ruitenbeek W, Wendel UAH, Sengers RCA, Trijbels JMF, Smeitink JAM. Systemic infantile complex I deficiency with fatal outcome in two brothers. *Neuropediatrics* 1998; 29: 43-45.
- Schmidt-Sommerfeld E, Bobrowski P, Penn D, Rhead WJ, Wanders RJA, Bennett MJ. Analysis of carnitine esters by radio-high performance liquid chromatography in cultured skin fibroblasts from patients with mitochondrial fatty acid oxidation disorders. *Ped Res* 1998; 44: 210-214.
- Schweitzer S, Shin Y, Jakobs C, Imse V, Brodehl J. Galactosemia - the German experience. *Pediatrics Polska* 1998; 59-62.
- Sjarif DR, Sinke RJ, Duran M, Beemer FA, Kleijer WJ, Ploos van Amstel JK, Poll-The BT. Clinical heterogeneity and novel mutations in the glycerol kinase gene in three families with isolated glycerol kinase deficiency. *J Med Genet* 1998; 35: 650-656.
- Smeitink JAM, Loeffen JLCM, Smeets RJP, Triepels RH, Ruitenbeek W, Trijbels JMF, Heuvel LPWJ van den. Molecular characterization and mutational analysis in the human B17 subunit of the mitochondrial respiratory chain complex I. *Hum Genet* 1998; 103: 245-250.
- Smeitink JAM, Loeffen JLCM, Triepels RH, Smeets RJP, Trijbels JMF, Heuvel LPWJ van den. Nuclear genes of human complex I of the mitochondrial electron transport chain: state of the art. *Hum Mol Genet* 1998; 7: 1573-1579.
- Spronsen FJ van, Reijngoud DJ, Smit GPA, Nagel GT, Stellaard F, Berger R, Heymans HSA. Phenylketonuria; The in vivo hydroxylation rate of phenylalanine into tyrosine is decreased. *J Clin Invest* 1998; 101: 2875-2880.
- Struys EA, Jansen EEW, Brink HJ ten, Verhoeven NM, Knaap MS van der, Jakobs C. An accurate stable isotope dilution gas chromatographic mass spectrometric approach to the diagnosis of guanidinoacetate methyltransferase deficiency. *J Pharm Biomed Anal* 1998; 18: 659-665.
- Suormala T, Fowler B, Jakobs C, Duran M, Lehnert W, Raab K, Wick H, Baumgartner ER. Late-onset holocarboxylase synthetase-deficiency pre- and post-natal diagnosis and evaluation of effectiveness of antenatal biotin therapy. *Eur J Pediatr* 1998; 157: 570-575.
- Thöny B, Neuheiser F, Kierat L, Rolland MO, Guibaud P, Schlüter T, Germann R, Heidenreich RA, Duran M, Klerk JBC de, Ayling JE, Blau N. Mutations in the pterin-4 α -carbinolamine dehydratase (PCBD) gene cause a benign form of hyperphenylalaninemia. *Hum Genet* 1998; 103: 162-167.
- Trijbels JMF, Huizing M, Ruitenbeek W, Sengers RCA, Smeitink JAM, DePinto V, Wendel UAH. Disturbances in mitochondrial transport systems leading to encephalomyopathies. *Biofactors* 1998; 7: 225-227.
- Ventura FV, IJlst L, Ruitenbeek W, Ofman R, Costa CG, Jakobs C, Duran M, Almeida IT de, Bieber LL, Wanders RJA. Carnitine Palmitoyltransferase II specificity towards beta-oxidation intermediates - evidence for a reverse carnitine cycle in mitochondria. *Eur J Biochem* 1998; 253: 614-618.
- Ventura FV, Ruitenbeek W, IJlst L, Tavares de Almeida I, Wanders RJA. Lactic acidosis in long-chain fatty acid β -oxidation disorders. *J Inher Metab Dis* 1998; 21: 645-654.
- Verhoeven NM, Gibson KM, Jakobs C. Erfelijke ziekten in het GABA metabolisme. *Ned Tijdschr Klin Chem* 1998; 23: 124-129.
- Verhoeven NM, Jakobs C, Brink HJ ten, Wanders RJA, Roe CR. Studies on the oxidation of phytanic acid and pristanic acid in human fibroblasts by acylcarnitine analysis. *J Inher Metab Dis* 1998; 21: 753-770.
- Verhoeven NM, Jakobs C, Carney G, Somers MP, Wanders RJA, Rizzo WB. Involvement of microsomal fatty aldehyde dehydrogenase in the α -oxidation of phytanic acid. *FEBS Lett* 1998; 428: 225-228.
- Verhoeven NM, Roe DS, Kok RM, Wanders RJA, Jakobs C, Roe CR. Phytanic acid and pristanic acid are oxidized by sequential peroxisomal and mitochondrial reactions in cultured fibroblasts. *J Lipid Res* 1998; 39: 66-74.
- Verhoeven NM, Schor DSM, Roe CR, Wanders RJA, Jakobs C. Pristanic acid β -oxidation in peroxisomal disorders - studies in cultured human fibroblasts. *Biochim Biophys Acta* 1998; 1391: 351-356.
- Verhoeven NM, Wanders RJA, Poll-Thé BT, Saudubray JM, Jakobs C. The metabolism of phytanic acid and pristanic acid in man - a review. *J Inher Metab Dis* 1998; 21: 697-728.
- Verris A, Engelen BGM van, Swart B de, Maassen B, Wevers RA, Keyser A, Gabreëls FJM. Increased speech rate (tachylalia) in Cerebrotendinous Xanthomatosis: a new sign. *J Med Speech-Language Pathology* 1998; 6:161-164.
- Vredendaal PJCM, Berg IET van den, Stroobants AK, A DL van der, Malingré HEM, Berger R. Structural organization of the human short-chain L-3-hydroxyacyl-CoA dehydrogenase gene. *Mammalian Genome* 1998; 9: 763-768.
- Vreken P, Rusch H, Huijben K, Wevers RA. Anion-exchange chromatography versus isoelectric focusing of transferrin in diagnosing the carbohydrate deficient glycoprotein syndrome Type I. *J Inher Metab Dis* 1998; 21: 447-448.
- Vreken P, Kuilenburg ABP van, Meinsma R, Beemer FA, Duran M, Gennip AH van. Dihydropyrimidine dehydrogenase deficiency: a novel mutation and expression of missense mutations in *E. coli*. *J Inher Metab Dis* 1998; 21: 276-279.
- Vreken P, Kuilenburg ABP van, Meinsma R, Gennip AH van. Dihydropyrimidine dehydrogenase deficiency. Identification of two novel mutations and expression of missense mutations in *E. Coli*. *Purine and Pyrimidine Metabolism in Man IX*, edited by Griesmacher et al. Plenum Press, New York, 1998; 341-346.
- Wagner L, Hoffmann GF, Jakobs C. D-2-Hydroxyglutaric aciduria - evidence of clinical and biochemical heterogeneity. *J Inher Metab Dis* 1998; 21: 247-250.
- Wanders RJA, Denis S, Berkel E van, Wouters F, Wirtz KWA, Seedorf U. Identification of the newly discovered 58kDa peroxisomal thiolase SCPx as the main thiolase involved in both pristanic acid and trihydroxycholestanic acid oxidation: Implications for peroxisomal β -oxidation disorders. *J Inher Metab Dis* 1998; 21: 302-305.
- Wanders RJA, Romeyn GJ. Cholesterol biosynthesis, peroxisomes and peroxisomal disorders: mevalonate kinase is not only deficient in Zellweger syndrome but also in rhizomelic chondrodysplasia punctata. *J Inher Metab Dis* 1998; 21: 309-312.
- Wanders RJA, Romeyn GJ. Differential deficiency of mevalonate kinase and phosphomevalonate kinase in patients with

distinct defects in peroxisome biogenesis: evidence for a major role of peroxisomes in cholesterol biosynthesis. *Biochem Biophys Res Comm* 1998; 247: 663-667.

Wanders RJA, Tager JM. Lipid metabolism in peroxisomes in relation to human disease. *Molecul Aspect Med* 1998; 19: 71-154.

Waterham HR, Wijburg FA, Hennekam RCM, Vreken P, Poll-The BT, Dorland L, Duran M et al. Smith-Lemli-Opitz syndrome is caused by mutations in the 7-dehydrocholesterol reductase gene. *Am J Hum Genet* 1998; 63: 329-338.

Gynaecologie en obstetrie

Broekmans FJ, Scheffer GJ, Bancsi LFJMM, Dorland, Blankenstein MA, Velde ER te. Ovarian reserve tests in fertility practice and normal fertile women. *Maturitas* 1998; 30: 205-214.

Hol FA, Put NMJ van der, Geurds MPA, Heil SG, Trijbels JMF, Hamel BCJ, Mariman ECM, Blom HJ. Molecular genetic analysis of the gene encoding the trifunctional enzyme MTHFD (methylene-tetrahydrofolate dehydrogenase, methylenetetrahydrofolate-cyclohydrolase, formyltetrahydrofolate synthase) in patients with neural tube defects. *Clin Genet* 1998; 53: 119-125.

Karsdorp VHM, Dekker GA, Bast A, Kamp GJ van, Vugt JMG van, Geijn HP van. Maternal and fetal plasma concentrations of endothelin, lipidhydroperoxides, glutathione peroxidase and fibronectin in relation to abnormal umbilical artery velocimetry. *Am J Obstet Gyn* 1998; 80: 39-44.

Leeda M, Ryazi N, Vries JIP de, Jakobs C, Geijn HP van, Dekker GA. Effects of folic acid and vitamin B-6 supplementation on women with hyperhomocysteinaemia and a history of preeclampsia or fetal growth restriction. *Am J Obstet Gynecol* 1998; 179: 135-139.

Mijatovic V, Kenemans P, Netelenbos C, Jakobs C, Popp-Snijders C, Petersmuller ER, Mooren MJ van der. Postmenopausal oral 17-beta-estradiol continuously combined with dydrogesterone reduces fasting serum homocysteine levels. *Fertil Steril* 1998; 69: 876-882.

Mijatovic V, Kenemans P, Jakobs C, Baal MV van, Petersmuller ER, Mooren MJ van der. A randomized controlled study of the effects of 17beta-estradiol-dydrogesterone on plasma homocysteine in postmenopausal women. *Obstet Gynecol* 1998; 91: 432-436.

Mijatovic V, Netelenbos C, Mooren MJ van der, Valk de-Roo GW de, Jakobs C, Kenemans P. Randomized double-blind, placebo-controlled study of the effects of raloxifene and conjugated equine estrogen on plasma homocysteine levels in healthy postmenopausal women. *Fertil Steril* 1998; 70: 1085-1089.

Nelen WLDM, Blom HJ, Thomas CMG, Steegers EAP, Boers GHJ, Eskes TKAB. Methylenetetra-hydrofolate reductase polymorphism affects the change in homocysteine and folate concentrations resulting from low dose folic acid supplementation in women with unexplained recurrent miscarriages. *J Nutr* 1998; 128: 1336-1341.

Oosterhuis GJE, Lambalk CB, Michgelsen HWB, Koning de CH, Vermes I, Schoemaker J. Follicle-stimulating hormone measured in unextracted urine: a reliable tool for easy assessment of ovarian capacity. *Fertil Steril* 1998; 70: 544-548.

Oosterhuis GJE, Michgelsen HW, Lambalk CB, Schoemaker J, Vermes I. Apoptotic cell death in human granulosa-lutein cells: a possible indicator of in vitro fertilization outcome. *Fertil Steril* 1998; 70: 747-749.

Oosterhuis GJE, Vermes I, Lambalk CB, Michgelsen HWB, Schoemaker J. Insulin-like growth factor (IGF)-I and IGF binding protein-3 concentrations in fluid from human stimulated follicles. *Human Reprod* 1998; 13: 285-289.

Paarlberg KM, Jong CLD de, Geijn HP van, Kamp GJ van, Heinen GJJ, Dekker GA. Total plasma fibronectin as a marker of pregnancy induced hypertensive disorders. *Obstetrics Gynecology* 1998; 91: 383-388.

Paarlberg KM, Jong CLD de, Geijn HP van, Kamp GJ van, Heinen AGJJ, Dekker GA. Vasoactive mediators in pregnancy-induced hypertensive disorders; a longitudinal study. *Am J Obstet Gynecol* 1998; 179: 1559-1564.

Pampus M van, Ende A van den, Wolf H. Elevated levels of lipoprotein(a) in women with preeclampsia. *Am J Obstet Gynecol* 1998; 197: 1103-1104.

Put NMJ van der, Gabreëls FJM, Stevens EMB, Smeitink JAM, Trijbels JMF, Eskes TKAB, Heuvel LPWJ van den, Blom HJ. A second common mutation in the methylenetetrahydrofolate reductase gene: an additional risk factor for neural tube defects. *Amer J Hum Genet* 1998; 62: 1044-1051.

Sanders R, Konijnenberg A, Huijgen HJ, Wolf H, Boer K, Sanders GTB. Intracellular and extracellular, ionized and total magnesium in pre-eclampsia and uncomplicated pregnancy. *Clin Chem Lab Med* 1998; 37: 55-59.

Vugt JMG van, Wijk IJ van, Oudejans CBM. Extravilleuze trofoblastcellen in de perifere circulatie van de zwangere vrouw. *Ned Tijdschr Obstet Gynecol* 1998; 111: 94-95.

Wijk IJ van, Vugt JMG van, Oudejans CBM. Trofoblastcellen circulerend in het moederlijk bloed: mogelijkheden voor diagnostiek. *Ned Tijdschr Klin Chemie* 1998; 23: 167-171.

Wijk IJ van, Vugt JMG van, Mulders, Konst AAM, Florijn WJ, Oudejans CBM. Identification of HASH2 positive extravillous trophoblast cells in the peripheral blood of pregnant women. *Trophoblast Research* 1998; 11: 23-33.

Diversen

Boer AW de, Schröder CH, Reddingius RE, Willems JL, Monnens LAH. Peritoneal protein loss in children with nephrotic syndrome during peritoneal dialysis. *Nephrol Dial Transplant* 1998; 13: 2348-2350.

Bosch AM, Sillevius Smitt JH, Gennip AH van, Abeling NGGM, Schutgens RBH, Bakker HD, Wijkburg FA. Iatrogenic isolated isoleucine deficiency as the cause of an acrodermatitis enteropathica-like syndrome. *Br J Dermatol* 1998; 139: 488-491.

Moen SM, Sanborn CF, Dimarco NM, Gench B, Bonnick SL, Keizer HA, Menheere PPCA. Lumbar bone mineral density in adolescent female runners. *J Sports Med Phys Fitness* 1998; 38: 234-239.

Piena M, Albers MJII, Haard PMM van, Gischler S, Tibboel D. Introduction of enteral feeding in neonates on extracorporeal membrane oxygenation after evaluation of intestinal permeability changes. *J Ped Surgery* 1998; 33: 30-34.

Rie M.A de, Out TA, Bos JD. Low-dose narrow-band UVB phototherapy combined with topical therapy is effective in psoriasis and does not inhibit systemic T-cell activation. *Dermatol* 1998; 196: 412-417.

Schindler AE, Campagnoli C, Druckmann R, Huber J, Pasqualini JR, Schweppe KW, Thijssen JHH. Aspects of progestin activity on the breast. *European Progestin Club. Maturitas* 1998; 29: 61-65.

Schindler AE, Campagnoli C, Druckmann R, Huber J, Pasqualini JR, Schweppe KW, Thijssen JHH. Aspekte der Gestagenwirkung auf die Brust. *Frauenarzt* 1998; 39: 1423-1427.

Vonderen MGA van, Voerman BJ, Hensgens HESJ. Effect of intravenous infusions on laboratory results in blood specimens drawn proximal to the insertion site of an intravenous canula. *Neth J of Medicine* 1998; 53: 224-227.

Weijtens O, Schoemaker RC, Cohen AF, Romijn FPHTM, Lentjes EGWM, Rooij J van, Meurs JC van. Dexamethasone concentration in vitreous and serum after oral administration. *Am J Ophthalmol* 1998; 125: 673-679.

Wolhuis A, Landewé RBM, Theunissen PHMH, Westerhuis LWJMM. Chylothorax or leakage of total parenteral nutrition? *Eur Respir J* 1998; 12: 1233-1235.

Kwaliteitsbewaking, data handeling, referentiewaarden en statistiek

Beukeveld GJJ, Kleine OC, Wateringen H van, Iperen R van, Tehupuring WS. Interactief handboek van het laboratorium. *Analyse* 1998; 53: 166-168.

Blijenberg BG, Leeneman R, Lindemans J. Een amateur in de eredisie: Enkele aspecten betreffende de kwaliteitsborging van de urinezuurbepaling. *Ned Tijdschr Klin Chem* 1998; 23: 27-29.

Bookelman MH, Dols JLS, Elion-Gerritzen EW, Janssen JW, Keijzer de MH. Decentraal testen. *Ned Tijdschr Klin Chem* 1998; 23: 148-153.

Dor FJMF, Jong G de, Eijk HG van. Klinische Chemie in de medische opleiding. Van practicum tot onderzoek. *Ned Tijdschr Klin Chem* 1998; 23: 24-26.

Dor FJMF, Cleton I, Jong G de, Eijk HG van. Clinical Chemistry in the medical curriculum. From Practical to Research. *Biochem Education* 1998; 26: 317-319.

Klasen IS, Tol MJD van, Jakobs BS. (Combi)Immunochemie-enquête kwalitatief- Paraproteïne-diagnostiek. *Ned Tijdschr Klin Chem* 1998; 23:270-271.

Klasen IS, Lamers KJB. (Combi)Immunochemie-enquête kwantitatief. *Ned Tijdschr Klin Chem* 1998; 23:272-273.

Lamers KJB, Teelken AW, Klasen IS. Externe kwaliteitsbewaking van liquor. *Ned Tijdschr Klin Chem* 1998; 23: 274-276.

Miedema K. Klinisch chemisch analist, levenslang leren omdat het beroep verandert. *Analyse* 1998; 5: 131-133.

Pouwels JGJ, Maastricht BMN van, Leur JJCM van de, Kuiper-Kramer PA. Platelet activation in the Dutch Haemocytometry quality assessment programme: correlation between P-selectin expression and variation in platelet count. *Eur J Haematol* 1998; 61: 333-338.

Smithuis LOMJ, Pekelharing JM, Haan GJH, Rutten WPF, Dijkstra RH. Een aanbeveling voor een landelijk, probleemgericht aanvraagformulier voor laboratorium-onderzoek door huisartsen. In: *Memoboek voor diagnostiek in de eerste lijn. SAN*, 1998; 155-189, ISBN 90-70644-15-0.

Wielders JPM. Regio-activiteiten van de NVKC; inventarisatie en aanbevelingen. *Ned Tijdschr Klin Chem* 1998; 23: 235-236.

Weykamp C, Posma FD, Eidhof H, Wielders J, Voet van der J. Spooelementen. *Ned Tijdschr Klin Chem* 1998; 23: 277-278.

Dissertaties

Dry J (25-03-1998). 'n Studie van geïnduceerde metaboliëse weë weens 'n aangebore defek van die vertakteketting-alpha-ketosuur dehydrogenase-kompleks. Universiteit van Potchefstroom (Zuid-Afrika). ((co-)Promot.: L. J. Mienie & M. Duran).

Hingh YCM de (17-11-1998). Lipid peroxidation in mitochondria and myoblasts. Universiteit van Utrecht. ((co-)Promot.: Prof. dr. R. Berger, Prof. dr. J. A. F. Op den Kamp & Dr. J. C. Fischer).

Huizing M. Mitochondrial transmembrane carriers in mitochondrial cytopathies, Nijmegen, 1998. Promotor: Prof. dr. J.M.F. Trijbels, co-promotores: dr. W. Ruitenbeek, dr. L.P.W.J. van den Heuvel.

Kluijtmans LAH. Molecular genetic analysis in hyperhomocysteinemia, Nijmegen, 1998. Promotor: Prof. dr. J.M.F. Trijbels, co-promotor: dr. H.J. Blom

Prins J. Variations in lipoprotein(a) Functional and Clinical Significance. Academisch proefschrift, Utrecht 1998. Promotor: B. Bouma. Co-promotor: H.J.M. van Rijn

Vader HL. Wat cellen vertellen. Van chemische gegevens naar klinische informatie. Intreerede Technische Universiteit Eindhoven. 4 september 1998. ISBN 90 386 11 81 1.

Ventura FV (16-11-1998). Study on the mechanisms of interaction between mitochondrial fatty acid beta-oxidation and oxidative phosphorylation. Universiteit van Lissabon (Portugal). ((co-) Promot.: I. Tavares de Almeida, R. J. A. Wanders & M. Duran).

Verhoeven NM. The metabolism of phytanic acid and pristanic acid in relation to peroxisomal disorders. Promotor: Prof. dr. R.B.H. Schutgens; co-promotores: dr. ir. C. Jakobs, Prof. dr. R.J.A. Wanders. 1998. Medische Faculteit Vrije Universiteit, Amsterdam.

Verkes RJ. The low serotonin syndrome in recurrent suicidal behavior. Proefschrift Leiden 1998. Promotores Kempen van GMJ, Hengeveld MW.

Vredendaal PJCM (15-12-1998). Short-chain L-3-hydroxyacyl-CoA dehydrogenase. Universiteit van Utrecht. ((co-) Promot.: Prof. dr. R. Berger & Dr. I. E. T. van den Berg).