

Publicaties der leden 2010

Analytisch: Hematologie

Castel A, Slomp J, van den Burg P, van der Poel C. Kennis van de bloedtransfusie in de opleiding tot klinisch chemicus. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 230-233.

Cranenburg EC, Koos R, Schurgers LJ, Magdeleyns EJ, Schoonbrood TH, Landewe RB, Brandenburg VM, Bekers O, Vermeer C. Characterisation and potential diagnostic value of circulating matrix Gla protein (MGP) species. Thromb Haemost. 2010 Oct; 104 (4): 811-22.

Curvers J, Kooren J, Laan M, van Lierop E, van de Kerkhof D, Scharnhorst V, Herruer M. Evaluation of the Ves-matic Cube 200 erythrocyte sedimentation method: comparison with westergren-based methods. Am J Clin Pathol. 2010 Oct; 134 (4): 653-60.

de Jonge R, Brouwer R, de Graaf MT, Luitwieler RL, Fleming C, de Frankrijker-Merkestijn M, Sillevits Smitt PA, Boonstra JG, Lindemans J. Evaluation of the new body fluid mode on the Sysmex XE-5000 for counting leukocytes and erythrocytes in cerebrospinal fluid and other body fluids. Clin Chem Lab Med. 2010 May; 48 (5): 665-75.

de Mare A, Groeneger AH, Schuurman S, van den Bergh FA, Slomp J. A rapid single-tube multiplex polymerase chain reaction assay for the seven most prevalent alpha-thalassemia deletions and alphaalphaalpha (anti 3.7) alpha-globin gene triplication. Hemoglobin. 2010 Jan; 34 (2): 184-90.

Favaloro EJ, Lippi G, Raijmakers MT, Vader HL, van der Graaf F. Discard tubes are sometimes necessary when drawing samples for hemostasis. Am J Clin Pathol. 2010 Nov; 134 (5): 851.

Hardeman MR, Levitus M, Pelliccia A, Bouman AA. Test 1 analyser for determination of ESR. 1. Practical evaluation and comparison with the Westergren technique. Scand J Clin Lab Invest. 2010 Feb; 70 (1): 21-5.

Hardeman MR, Levitus M, Pelliccia A, Bouman AA. Test 1 analyser for determination of ESR. 2. Experimental evaluation and comparison with RBC aggregometry. Scand J Clin Lab Invest. 2010 Feb; 70 (1): 26-32.

Keuren JF, Raijmakers MT, Oosterhuis WP, Leers MP. Drastic effects of cryoglobulin on blood cell counts, erythrocyte morphology and M-protein analysis. Scand J Clin Lab Invest. 2010 Oct; 70 (6): 462-4.

Leers MP, Keuren JF, Oosterhuis WP. The value of the Thomas-plot in the diagnostic work up of anemic patients referred by general practitioners. Int J Lab Hematol. 2010 Dec; 32 (6 Pt 2): 572-81.

Lenting PJ, Christophe OD, Gueguen P. The disappearing act of factor VIII. Haemophilia. 2010 May; 16 (102): 6-15.

Pekelharing JM, Hauss O, de Jonge R, Lokhoff J, Sodikromo J, Spaans M, Brouwer R, de Lathouder S, Hinzmann R. Haematology reference intervals for established and novel parameters in healthy adults Diagnostic Perspectives 2010; 1: 1-11.

van der Meer PF, Kerkhoffs JL, Curvers J, Scharenberg J, de Korte D, Brand A, de Wildt-Eggen J. In vitro comparison of platelet storage in plasma and in four platelet additive solutions, and the effect of pathogen reduction: a proposal for an in vitro rating system. Vox Sang. 2010 May; 98 (4): 517-24.

Analytisch: Immunochemie

van Gammeren AJ, van Unen VG, Smeekens C, Cobbaert CM. Effect of sample dilution on recovery of serum free light chains with Freelite. Ned Tijdschr Klin Chem Labgeneeskunde 2010; 35: 41-45.

Lansbergen GWA, Smit de Wolf SMA, Korse CM, Bonfrère JMG, Boonstra JG. Bepaling van 'squamous-cell carcinoma antigen' (SCC) op de Kryptor Compact. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 24-27.

Schietecatte J, Russcher H, Anckaert E, Mees M, Leeser B, Tirelli AS, Fiedler GM, Luthe H, Denk B, Smitz J. Multicenter evaluation of the first automated Elecsys sFlt-1 and PIGF assays in normal pregnancies and preeclampsia. Clin Biochem. 2010 Jun; 43 (9): 768-70.

van den Ouwehand JM, de Keijzer MH, van Daal H. Unanticipated error in HbA (1c) measurement on the HLC-723 G7 analyzer. Clin Biochem. 2010 Apr; 43 (6): 623-5.

Analytisch: Klinische chemie

Ackermans MT, Klieverik LP, Ringeling P, Endert E, Kalsbeek A, Fliers E. An online solid-phase extraction-liquid chromatography-tandem mass spectrometry method to study the presence of thyronamines in plasma and tissue and their putative conversion from ¹³C₆-thyroxine. J Endocrinol. 2010 Sep; 206 (3): 327-34.

Koch BCP, van der Putten K, van Someren EJW, Wielders JPM, ter Wee PM, Nagtegaal JE, Gaillard CAJM. Impairment of endogenous melatonin rhythm is related to the degree of chronic kidney disease (CREAM study) Nephrol Dial Transplant (2010) 25: 513-519.

Boer DP, de Rijke YB, Hop WC, Cransberg K, Dorresteijn EM. Reference values for serum creatinine in children younger than 1 year of age. Pediatr Nephrol. 2010 Oct; 25 (10): 2107-13.

Beijer C, van der Plas AJ, Wetzel A. Het effect van chymotrypsine op de viscositeit van semen en de motiliteit van zaadcellen. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 170-172.

Chapelle JP, Teixeira J, Maisin D, Assink H, Barla G, Stroobants AK, Delzenne B, van den Eshof W. Multicentre evaluation of the Tosoh HbA1c G8 analyser. Clin Chem Lab Med. 2010 Mar; 48 (3): 365-71.

Cobbaert C, Weykamp C, Hulzebos CV. Bilirubin standardization in the Netherlands: alignment within and between manufacturers. Clin Chem. 2010 May; 56 (5): 872-3.

Crop MJ, de Rijke YB, Verhagen PC, Cransberg K, Zietse R. Diagnostic value of urinary dysmorphic erythrocytes in clinical practice. Nephron Clin Pract. 2010; 115 (3): c203-12.

Curvers J, Stokwielder R, de Vooght KMK, Boer AK. Invloed van siliconengel voor capillaire afname van bloed op verschillende klinisch-chemische parameters. Aanpak in twee instituten. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 180-182.

de Boer D, Houben C, Bekers O, Menheere PP. Gelofusine affects the quality control performance of QuickVue point-of-care human chorionic gonadotropin test devices. Clin Biochem. 2010; 43: 16-17.

de Boer MG, Gelinck LB, van Zelst BD, van de Sande WW, Willems LN, van Dissel JT, de Jonge R, Kroon FP. beta-D-glucan and S-adenosylmethionine serum levels for the diagnosis of Pneumocystis pneumonia in HIV-negative patients: a prospective study. J Infect. 2010; 62: 93-100.

de Jong WH, de Vries EG, Wolffenbuttel BH, Kema IP. Automated mass spectrometric analysis of urinary free catecholamines using on-line solid phase extraction. J Chromatogr B Analyt Technol Biomed Life Sci. 2010; 878: 1506-12.

de Jong WH, Wilkens MH, de Vries EG, Kema IP. Automated mass spectrometric analysis of urinary and plasma serotonin. Anal Bioanal Chem. 2010; 396: 2609-16.

Dekter HE, Romijn FP, Temmink WP, van Pelt J, de Fijter JW, Smit NP. A spectrophotometric assay for routine measurement of mammalian target of rapamycin activity in cell lysates. Anal Biochem. 2010; 403: 79-87.

Michielsen ECHJ, Bour M, Hendrickx BHE, Swaanenburg JCJM. Het gebruik van HIL-indices voor het vaststellen van de invloed van hemolyse, icterie en lipemie op analyses uitgevoerd op de Architect c8000 analyzer. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 194-196.

van den Ouwehand JMW, Beijers AM, Sweep FCGJ, Demacker PNM, van Daal H. Combined measurement of cortisol and cortisone in human saliva using UPLC tandem-mass spectrometry. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 198-200.

van den Ouwehand JMW, Beijers AM, Demacker PNM, van Daal H. Determination of serum 25-OH vitamin D3 and 25-OH vitamin D2 using LC-MS/MS with comparison to radioimmunoassay and automated immunoassay. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 200-203.

Jacobs GE, der Grond J, Teeuwisse WM, Langeveld TJ, van Pelt J, Verhagen JC, de Kam ML, Cohen AF, Zitman FG, van Gerven JM. Hypothalamic glutamate levels following serotonergic stimulation: a pilot study using 7-Tesla magnetic resonance spectroscopy in healthy volunteers. Prog Neuropsychopharmacol Biol Psychiatry. 2010; 34: 486-91.

Jacobs GE, Kamerling IM, de Kam ML, Derijk RH, van Pelt J, Zitman FG, van Gerven JM. Enhanced tolerability of the 5-hydroxytryptophane challenge test combined with granisetron J Psychopharmacol. 2010; 24 (1): 65-72.

Janssen MJ, Hendrickx BH, Habets-van der Poel CD, van den Bergh JP, Haagen AA, Bakker JA. Accuracy of the Precision (R) point-of-care ketone test examined by liquid chromatography tandem-mass spectrometry (LC-MS/MS) in the same fingerstick sample. Clin Chem Lab Med. 2010; 48: 1781-4.

Klaassens ER, van Veen T, Giltay EJ, Rinne T, van Pelt J, Zitman FG. Trauma exposure and hypothalamic-pituitary-adrenal axis functioning in mentally healthy Dutch peacekeeping veterans, 10-25 years after deployment J Trauma Stress. 2010; 23 (1): 124-31.

Janssen MJW, Hendrickx BHE, Habets-van der Poel CD, van den Bergh JPW, Haagen AAM, Bakker JA. Accuracy of the Precision® point-of-care ketone test, examined by LC-MS/MS in the same fingerstick sample. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 186-188.

Meesters RJ, Cornelissen R, van Klaveren RJ, de Jonge R, den Boer E, Lindemans J, Luider TM. A new ultrafast and high-throughput mass spectrometric approach for the therapeutic drug monitoring of the multi-targeted anti-folate pemetrexed in plasma from lung cancer patients. Anal Bioanal Chem. 2010; 398: 2943-8.

Mulder C, Verwey NA, van der Flier WM, Bouwman FH, Kok A, van Elk EJ, Scheltens P, Blankenstein MA. Amyloid-beta (1-42), total tau, and phosphorylated tau as cerebrospinal fluid biomarkers for the diagnosis of Alzheimer disease. Clin Chem. 2010; 56: 248-3.

Oort FA, Droste JS, Van Der Hulst RW, Van Heukelom HA, Loffeld RJ, Wesdorp IC, Van Wanrooij RL, De Baaij L, Mutters ER, van der Reijt S, Coupe VM, Berkhof J, Bouman AA, Meijer GA, Mulder CJ. Colonoscopy-controlled intra-individual comparisons to screen relevant neoplasia: faecal immunochemical test vs. guaiac-based faecal occult blood test. Aliment Pharmacol Ther. 2010; 31: 432-9.

Raijmakers MTM, Menting CH, Vader HL, van der Graaf F. Collection of blood specimens by venipuncture for plasma-based coagulation assays: necessity of a discard tube. *Am J Clin Pathol.* 2010; 133: 331-5.

Sandberg Y, Rood PP, Russcher H, Zwaans JJ, Weige JD, van Daele PL. False elevated lactate in severe ethylene glycol intoxication. *Neth J Med.* 2010; 68: 320-3.

van den Ouwendijk JM, Beijers AM, Demacker PN, van Daal H. Measurement of 25-OH-vitamin D in human serum using liquid chromatography tandem-mass spectrometry with comparison to radioimmunoassay and automated immunoassay. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2010; 878: 1163-8.

van der Zwet WC, Hessels J, Canbolat F, Deckers MM. Evaluation of the Sysmex UF-1000i (R) urine flow cytometer in the diagnostic work-up of suspected urinary tract infection in a Dutch general hospital. *Clin Chem Lab Med.* 2010; 48: 1765-71.

van Deutkom AW, Zur B, van Wijk JA, Bouman AA, Bokenkamp A. Measurement of cystatin C in capillary blood samples in pediatric patients. *Clin Biochem.* 2010; 43: 335-7.

van Rossum HH, de Fijter JW, van Pelt J. Pharmacodynamic monitoring of calcineurin inhibition therapy: principles, performance, and perspectives. *Ther Drug Monit.* 2010; 32: 3-10.

Vreeburg SA, Zitman FG, van Pelt J, Derijk RH, Verhagen JC, van Dyck R, Hoogendoorn WJ, Smit JH, Penninx BW. Salivary cortisol levels in persons with and without different anxiety disorders. *Psychosom Med.* 2010; 72: 340-7.

Analytisch: Moleculaire technieken

Becquemont L, Alfirevic A, Amstutz U, Brauch H, Jacqz-Aigrain E, Laurent-Puig P, Molina MA, Niemi M, Schwab M, Somogyi AA, Thervet E, Maitland-van der Zee AH, van Kuilenburg AB, van Schaik RH, Verstuift C, Wadelius M, Daly AK. Practical recommendations for pharmacogenomics-based prescription: 2010 ESF-UB Conference on Pharmacogenetics and Pharmacogenomics. *Pharmacogenomics.* 2010; 12: 113-24.

Payne DA, Mamotte CD, Gancberg D, Pazzaglia M, van Schaik RH, Schimmel H, Rousseau F, IFCC Committee for Molecular Diagnostics (C-MD). Nucleic acid reference materials (NARMs): definitions and issues. *Clin Chem Lab Med.* 2010; 48: 1531-5.

van der Straaten T, van Schaik RH. Genetic techniques for pharmacogenetic analyses. *Curr Pharm Des.* 2010; 16: 231-7.

Vastert SJ, van Wijk R, D'Urbano LE, de Vooght KM, de Jager W, Ravelli A, Magni-Manzoni S, Insalaco A, Cortis E, van Solinge WW, Prakken BJ, Wulffraat NM, de Benedetti F, Kuis W. Mutations in the perforin gene can be linked to macrophage activation syndrome in patients with systemic onset juvenile idiopathic arthritis. *Rheumatology (Oxford).* 2010; 49: 441-9.

Wijnen PA, Linssen CF, Haenen GR, Bekers O, Drent M. Variant VKORC1 and CYP2C9 alleles in patients with diffuse alveolar hemorrhage caused by oral anticoagulants. *Mol Diagn Ther.* 2010 Feb 1; 14 (1): 23-30.

Wijnen PA, Nelemans PJ, Verschakelen JA, Bekers O, Voorter CE, Drent M. The role of tumor necrosis factor alpha G-308A polymorphisms in the course of pulmonary sarcoidosis. *Tissue Antigens.* 2010; 14: 23-30.

Bedrijfsvoering: Dienstverlening

Hooijberg JH, Schoorl M, Derkx S, van der Veer R, Bartels PCM. Een marketingplan als nieuwe dimensie voor laboratoriumgericht ondernemerschap. *Ned Tijdschr Klin Chem Labgeneesk* 2010; 35: 184-185.

Janssens PM. Managing the demand for laboratory testing: options and opportunities. *Clin Chim Acta.* 2010; 411: 1596-602.

Kuiper-Kramer PA, Jansen RTP, Oosterhuis WP, Buiting M. Consultfunctie binnen de klinische chemie: 'Klinisch chemicus, uit de kast de kliniek in'. *Ned Tijdschr Klin Chem Labgeneesk* 2010; 35: 88-90.

Bedrijfsvoering: Diversen

Russcher H, van Herwaarden AE, Boesten LSM, Kemna EHJM, Curvers J, Heijboer AC, Engbers-Buijtenhuis P, Deckers MML. Klinische chemie voor iedereen: het Wikipedia-project. *Ned Tijdschr Klin Chem Labgeneesk* 2010; 35: 70-75.

McMurray J, Zerah S, Hallworth M, Schuff-Werner P, Haushofer A, Szekeres T, Wallemacq P, Tzatchev K, Charilaou C, Racek J, Johnsen A, Tomberg K, Harmoinen A, Baum H, Rizos D, Kappelmayer J, O'Mullane J, Nubile G, Pupure S, Kucinskiene Z, Opp M, Jansen R, Solnica B, Reguengo H, Grigore C, Spanar J, Strakl G, Queralto J, Wallinder H, Wierenga G. The European Register of Specialists in Clinical Chemistry and Laboratory Medicine: guide to the Register, version 3-2010. *Clin Chem Lab Med.* 2010; 48: 999-1008.

Oomes J, Pospiech-Greijn M Th, Verdaasdonk MAM, Bartels PCM. E-learningmodules binnen handbereik Analyse 2010: 121-123.

Velthove KJ, Leufkens HGM, Schweizer RC, van Solinge WW, Souverein PC. Veranderingen in geneesmiddelengebruik voorafgaand aan ziekenhuisopname wegens obstructieve longziekten. *Pharmaceutisch Weekblad* 2010; 4: 104-8.

Bedrijfsvoering: Kwaliteit / Automatisering / Statistiek

Thelen MHM, Wielders JPM, Oosterhuis WP, Ulenkate HJLM, Ruiter C, Burgers J, Jansen RTP. Vrijdagmiddagsessie 'Richtlijnen' NVKC-congres 2010. *Ned Tijdschr Klin Chem Labgeneesk* 2010; 35: 244-249.

Velthove KJ, Leufkens HG, Schweizer RC, van Solinge WW, Souverein PC. Medication changes prior to hospitalization for obstructive lung disease: a case-crossover study. Ann Pharmacother. 2010; 44: 267-73.

Velthove KJ, Leufkens HG, Souverein PC, Schweizer RC, Bracke M, van Solinge WW. Effects of glucocorticoids on the neutrophil count: a cohort study among hospitalized patients. Pulm Pharmacol Ther. 2010; 23: 129-34.

Velthove KJ, Souverein PC, van Solinge WW, Leufkens HG, Lammers JW. Effects of corticosteroid use on readmission in obstructive lung disease. Respir Med. 2010; 104: 211-8.

Velthove KJ, Souverein PC, van Solinge WW, Leufkens HG, Lammers JW. Measuring exacerbations in obstructive lung disease. Pharmacopidemiol Drug Saf. 2010; 19: 367-74.

Bedrijfsvoering: Point-of-care testing

Heijboer AC, Bouman AA, Blankenstein MA, Roelandse-Koop EA. Intralipid causes falsely increased glucose concentrations with the Hemocue glucose analyzer. Clin Chem Lab Med. 2010 May; 48 (5): 737-8.

Jansen RT, Slingerland RJ. SKML-Quality Mark for point-of-care test (POCT) glucose meters and glucose meters for home-use. Clin Chem Lab Med. 2010 Jul; 48 (7): 1021-7.

Janssens PM. Widespread use of point-of-care testing is irrecconcilable with the present-day quest for safety. Clin Chem Lab Med. 2010 Oct; 48 (10): 1527-8.

Janssens PMW, Schipper MH. Is het een goede keus om met Point of Care Testing plus transport van monsters het laboratorium van een klein algemeen ziekenhuis te vervangen? Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 55-60.

Janssens PMW, Schipper MH. Wat heeft Point of Care Testing te bieden in een klein algemeen ziekenhuis voor de vraag naar cito laboratorium-onderzoek? Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 34-40.

Klinisch: Allergie / infectieziekten

de Mast Q, Syafruddin D, Keijmel S, Riekerink TO, Deky O, Asih PB, Swinkels DW, van der Ven AJ. Increased serum hepcidin and alterations in blood iron parameters associated with asymptomatic *P. falciparum* and *P. vivax* malaria. Haematologica. 2010; 95: 1068-74.

Limper M, Smit PM, Bongers KM, van Zanten AP, Smits PH, Brandjes DP, Mulder JW, von Rosenstiel IA, van Gorp EC. Procalcitonin in children with suspected novel influenza A (H1N1) infection. J Infect. 2010; 61: 351-3.

Patiwael JA, Vullings LG, de Jong NW, van Toorenbergen AW, Gerth van Wijk R, de Groot H. Occupational allergy in strawberry greenhouse workers. Int Arch Allergy Immunol. 2010; 152 (1): 58-65.

Rakhmanina NY, van den Anker JN, Soldin SJ, van Schaik RH, Mordwinkin N, Neely MN. Can therapeutic drug monitoring improve pharmacotherapy of HIV infection in adolescents? Ther Drug Monit. 2010; 32: 273-81.

Rauschenberger K, Scholer K, Sass JO, Sauer S, Djuric Z, Rumig C, Wolf NI, Okun JG, Kolker S, Schwarz H, Fischer C, Grziwa B, Runz H, Numann A, Shafqat N, Kavanagh KL, Hammerling G, Wanders RJ, Shield JP, Wendel U, Stern D, Nawroth P, Hoffmann GF, Bartram CR, Arnold B, Bierhaus A, Oppermann U, Steinbeisser H, Zschocke J. A non-enzymatic function of 17beta-hydroxysteroid dehydrogenase type 10 is required for mitochondrial integrity and cell survival. EMBO Mol Med. 2010; 2: 51-62.

van Luin M, Van der Ende ME, Richter C, Visser M, Faraj D, Van der Ven A, Gelinck L, Kroon F, Wit FW, Van Schaik RH, Kuks PF, Burger DM. Lower atovaquone/proguanil concentrations in patients taking efavirenz, lopinavir/ritonavir or atazanavir/ritonavir. AIDS. 2010 15; 24: 1223-6.

Klinisch: Endocrinologie

Buscher HC, van Goor H, Sweep CG, Lenders JW, Wilder-Smith OH. Increased sympathetic activity in chronic pancreatitis patients is associated with hyperalgesia. J Pain Palliat Care Pharmacother. 2010; 24: 362-6.

de Brouwer SJ, Kraaimaat FW, Sweep FC, Creemers MC, Radstake TR, van Laarhoven AI, van Riel PL, Evers AW. Experimental stress in inflammatory rheumatic diseases: a review of psychophysiological stress responses. Arthritis Res Ther. 2010; 12 (3): R89.

de Jong WH, Post WJ, Kerstens MN, de Vries EG, Kema IP. Elevated urinary free and deconjugated catecholamines after consumption of a catecholamine-rich diet. J Clin Endocrinol Metab. 2010; 95: 2851-5.

Dumont GJ, Kramers C, Sweep FC, Willemse JJ, Touw DJ, Schoemaker RC, van Gerven JM, Buitelaar JK, Verkes RJ. Ethanol co-administration moderates 3, 4-methylenedioxymethamphetamine effects on human physiology. J Psychopharmacol. 2010; 24: 165-74.

Dumont GJ, Schoemaker RC, Touw DJ, Sweep FC, Buitelaar JK, van Gerven JM, Verkes RJ. Acute psychomotor effects of MDMA and ethanol (co-) administration over time in healthy volunteers. J Psychopharmacol. 2010; 24: 155-64.

Eskes SA, Endert E, Fliers E, Wiersinga WM. Prevalence of growth hormone deficiency in Hashimoto's thyroiditis. J Clin Endocrinol Metab. 2010; 95: 2266-70.

Evers AW, Verhoeven EW, Kraaimaat FW, de Jong EM, de Brouwer SJ, Schalkwijk J, Sweep FC, van de Kerkhof PC. How stress gets under the skin: cortisol and stress reactivity in psoriasis. Br J Dermatol. 2010; 163: 986-91.

Evers AWM, Verhoeven EWM, Kraaimaat FW, de Jong EMGJ, de Brouwer SJM, Schalkwijk J, Sweep FCGJ, van de Kerkhof PCM. Wenn Stress unter die Haut geht: Cortisol und Stress in

Psoriasis. [When stress gets under the skin: C Haut. 2010; 6: 278-279.

Freriks K, Hermus AR, de Sevaux RG, Bonenkamp HJ, Bier J, den Heijer M, Sweep FC, van Hamersveld HW. Usefulness of intraoperative parathyroid hormone measurements in patients with renal hyperparathyroidism. Head Neck. 2010; 32: 1328-35.

Gerritse R, Peek R, Sweep F, Thomas C, Braat D, Kremer J, Westphal JR, Beerendonk C. In vitro 17 α -oestradiol release as a marker for follicular survival in cryopreserved intact bovine ovaries. Cryo Letters. 2010; 31: 318-28.

Henrichs J, Bongers-Schokking JJ, Schenk JJ, Ghassabian A, Schmidt HG, Visser TJ, Hooijkaas H, de Muinck Keizer-Schrama SM, Hofman A, Jaddoe VV, Visser W, Steegers EA, Verhulst FC, de Rijke YB, Tiemeier H. Maternal thyroid function during early pregnancy and cognitive functioning in early childhood: the generation R study. J Clin Endocrinol Metab. 2010; 95: 4227-34.

Heusser K, Tank J, Engeli S, Diedrich A, Menne J, Eckert S, Peters T, Sweep FC, Haller H, Pichlmaier AM, Luft FC, Jordan J. Carotid baroreceptor stimulation, sympathetic activity, baroreflex function, and blood pressure in hypertensive patients. Hypertension. 2010; 55: 619-26.

Jacobs GE, Hulskotte EG, de Kam ML, Zha G, Jiang J, Hu P, Zhao Q, van Pelt J, Goekoop JG, Zitman FG, van Gerven JM. Metoclopramide as pharmacological tool to assess vasopressinergic co-activation of the hypothalamus-pituitary-adrenal (HPA) axis: a study in healthy volunteers. Eur Neuropsychopharmacol. 2010; 20: 866-74.

Kroot JJ, Laarakkers CM, Geurts-Moespot AJ, Grebenchtchikov N, Pickkers P, van Ede AE, Peters HP, van Dongen-Lases E, Wetzel JF, Sweep FC, Tjalsma H, Swinkels DW. Immunochemical and mass-spectrometry-based serum hepcidin assays for iron metabolism disorders. Clin Chem. 2010; 56: 1570-9.

Kuchenbecker WK, Groen H, Zijlstra TM, Bolster JH, Slart RH, van der Jagt EJ, Muller Kobold AC, Wolffenbuttel BH, Land JA, Hoek A. The subcutaneous abdominal fat and not the intraabdominal fat compartment is associated with anovulation in women with obesity and infertility. J Clin Endocrinol Metab. 2010; 95: 2107-12.

Meuwese CL, Euser AM, Ballieux BE, van Vliet HA, Finken MJ, Walther FJ, Dekker FW, Wit JM. Growth-restricted preterm newborns are predisposed to functional adrenal hyperandrogenism in adult life. Eur J Endocrinol. 2010; 163: 681-9.

Miclea RL, Karperien M, Langers AM, Robanus-Maandag EC, van Lierop A, van der Hiel B, Stokkel MP, Ballieux BE, Oostdijk W, Wit JM, Vasen HF, Hamdy NA. APC mutations are associated with increased bone mineral density in patients with familial adenomatous polyposis. J Bone Miner Res. 2010; 25: 2348-56.

Pepels PP, Spaandermeijer ME, Hermus AR, Lotgering FK, Sweep CG. Placental urocortin-2 and -3: endocrine or para-

crine functioning during healthy pregnancy? Placenta. 2010; 31: 475-81.

Roelfsema F, Pereira AM, Adriaanse R, Endert E, Fliers E, Romijn JA, Veldhuis JD. Thyrotropin secretion in mild and severe primary hypothyroidism is distinguished by amplified burst mass and Basal secretion with increased spikiness and approximate entropy. J Clin Endocrinol Metab. 2010; 95: 928-34.

Rondeel JM, Albers JS, Schroor EJ, Schindhelm RK. Does sampling site influence levels of free thyroxine and thyrotropin determined by a current immunoassay? Clin Biochem. 2010; 43: 771-2.

Ronneburg H, Span PN, Kantelhardt E, Dittmer A, Schunke D, Holzhausen HJ, Sweep FC, Dittmer J. Rho GDP dissociation inhibitor alpha expression correlates with the outcome of CMF treatment in invasive ductal breast cancer. Int J Oncol. 2010; 36: 379-86.

Schindhelm RK, Lenters-Westra E, Fokkert MJ, Slingerland RJ. Glucose and glycated haemoglobin point-of-care testing and early diagnosis of diabetes and pre-diabetes. Eur Endocrinol 2010; 6 (1): 24-28.

Schindhelm RK, Lenters-Westra E, Slingerland RJ. Glycated haemoglobin A (1c) (HbA (1c)) in the diagnosis of diabetes mellitus: don't forget the performance of the HbA (1c) assay. Diabet Med. 2010; 27: 1214-5.

Schindhelm RK, van de Leur JJ, Rondeel JM. Salivary cortisol as an alternative for serum cortisol in the low-dose adrenocorticotrophic hormone stimulation test? J Endocrinol Invest. 2010; 33: 92-5.

Soeters MR, Huijkoper HH, Duran M, Ackermans MT, Endert E, Fliers E, Wijburg FA, Wanders RJ, Sauerwein HP, Serlie MJ. Extended metabolic evaluation of suspected symptomatic hypoglycemia: the prolonged fast and beyond. Metabolism. 2010; 59: 1543-50.

Span PN, van Laarhoven HW, Sweep FC. Tamoxifen sensitivity and estrogen receptor mRNA levels. Breast Cancer Res Treat. 2010; 121: 793-4.

Thomas CM, Kerkmeijer LG, Ariaens HJ, van der Steen RC, Massuger LF, Sweep FC. Pre-evacuation hCG glycoforms in uneventful complete hydatidiform mole and persistent trophoblastic disease. Gynecol Oncol. 2010; 117: 47-52.

van der Eerden AW, Twickler MT, Sweep FC, Beems T, Hendricks HT, Hermus AR, Vos PE. Should anterior pituitary function be tested during follow-up of all patients presenting at the emergency department because of traumatic brain injury? Eur J Endocrinol. 2010; 162: 19-28.

van Groningen L, Opdenoordt S, van Sorge A, Telting D, Giesen A, de Boer H. Cholecalciferol loading dose guideline for vitamin D-deficient adults. Eur J Endocrinol. 2010; 162: 805-11.

van Munster BC, Bisschop PH, Zwinderman AH, Korevaar JC, Endert E, Wiersinga WJ, Oosten HE, Goslings JC, Rooij SE. Cortisol, interleukins and S100B in delirium in the elderly. *Brain Cogn.* 2010; 74: 18-23.

Wiersinga WJ, Calandra T, Kager LM, van der Windt GJ, Roger T, le Roy D, Florquin S, Peacock SJ, Sweep FC, van der Poll T. Expression and function of macrophage migration inhibitory factor (MIF) in melioidosis. *PLoS Negl Trop Dis.* 2010; 4: e605.

Wiesner S, Birkenfeld AL, Engeli S, Haufe S, Brechtel L, Wein J, Hermsdorf M, Karnahl B, Berlan M, Lafontan M, Sweep FC, Luft FC, Jordan J. Neurohumoral and metabolic response to exercise in water. *Horm Metab Res.* 2010; 42: 334-9.

Klinisch: Erfelijke stofwisselingsziekten

Aires CC, IJlst L, Stet F, Prip-Buus C, de Almeida IT, Duran M, Wanders RJA, Silva MF. Inhibition of hepatic carnitine palmitoyl-transferase I (CPT IA) by valproyl-CoA as a possible mechanism of valproate-induced steatosis. *Biochem Pharmacol.* 2010; 79: 792-9.

Albrecht B, de Brouwer AP, Lefeber DJ, Cremer K, Hausser I, Rossen N, Wortmann SB, Wevers RA, Kornak U, Morava E. MACS syndrome: A combined collagen and elastin disorder due to abnormal Golgi trafficking. *Am J Med Genet A.* 2010; 152A: 2916-8.

Ardon O, Filippo CA, Salomons GS, Longo N. Creatine transporter deficiency in two half-brothers. *Am J Med Genet A.* 2010; 152A: 1979-83.

Bijnsdorp IV, Azijli K, Jansen EE, Wamelink MM, Jakobs C, Struys EA, Fukushima M, Kruijt FA, Peters GJ. Accumulation of thymidine-derived sugars in thymidine phosphorylase over-expressing cells. *Biochem Pharmacol.* 2011; 80: 786-92.

Bok LA, Been JV, Struys EA, Jakobs C, Rijper EA, Willemse MA. Antenatal treatment in two Dutch families with pyridoxine-dependent seizures. *Eur J Pediatr.* 2010; 169: 297-303.

Bok LA, Maurits NM, Willemse MA, Jakobs C, Teune LK, Poll-The BT, de Coo IF, Toet MC, Hagebeuk EE, Brouwer OF, van der Hoeven JH, Sival DA. The EEG response to pyridoxine-IV neither identifies nor excludes pyridoxine-dependent epilepsy. *Epilepsia.* 2010; 51: 2406-11.

Bui HN, Struys EA, Martens F, de Ronde W, Thienpont LM, Kenemans P, Verhoeven MO, Jakobs C, Dijstelbloem HM, Blankenstein MA. Serum testosterone levels measured by isotope dilution-liquid chromatography-tandem mass spectrometry in postmenopausal women versus those in women who underwent bilateral oophorectomy. *Ann Clin Biochem.* 2010; 47: 248-52.

Cantagrel V, Lefeber DJ, Ng BG, Guan Z, Silhavy JL, Bielas SL, Lehle L, Hombauer H, Adamowicz M, Swiezewska E, De Brouwer AP, Blumel P, Sykut-Cegielska J, Houlston S, Swistun D, Ali BR, Dobyns WB, Babovic-Vuksanovic D, van Bokhoven H, Wevers RA, Raetz CR, Freeze HH, Morava E,

Al-Gazali L, Gleeson JG. SRD5A3 is required for converting polyprenol to dolichol and is mutated in a congenital glycosylation disorder. *Cell.* 2010; 142: 203-17.

Delnooz CC, Lefeber DJ, Langemeijer SM, Hoffjan S, Dekomien G, Zwarts MJ, Van Engelen BG, Wevers RA, Schelhaas HJ, van de Warrenburg BP. New cases of adult-onset Sandhoff disease with a cerebellar or lower motor neuron phenotype. *J Neurol Neurosurg Psychiatry.* 2010; 81: 968-72.

Dessein AF, Fontaine M, Andresen BS, Gregersen N, Brivet M, Rabier D, Napuri-Gouel S, Dobbelaere D, Mention-Mulliez K, Martin-Ponthieu A, Briand G, Millington DS, Vianey-Saban C, Wanders RJ, Vamecq J. A novel mutation of the ACADM gene (c.145C>G) associated with the common c.985A>G mutation on the other ACADM allele causes mild MCAD deficiency: a case report. *Orphanet J Rare Dis.* 2010; 5: 26.

Drijvers JM, Lefeber DJ, de Munnik SA, Pfundt R, van de Leeuw N, Marcelis C, Thiel C, Koerner C, Wevers RA, Morava E. Skeletal dysplasia with brachytelephalangy in a patient with a congenital disorder of glycosylation due to ALG6 gene mutations. *Clin Genet.* 2010; 77: 507-9.

Eggerink MS, Csanyi B, Chong WK, Denis S, Sharp P, Mooijer PA, Dekker CJ, Spooner C, Ngu LH, De Sousa C, Wanders RJ, Fietz MJ, Clayton PT, Waterham HR, Ferdinandusse S. Identification of an unusual variant peroxisome biogenesis disorder caused by mutations in the PEX16 gene. *J Med Genet.* 2010; 47: 608-15.

Eggerink MS, Kofster J, Wanders RJA, Waterham HR. Spectrum of PEX6 mutations in Zellweger syndrome spectrum patients. *Hum Mutat.* 2010; 31: E1058-70.

Engelen M, Ofman R, Dijkgraaf MG, Hijzen M, van der Wardt LA, van Geel BM, de Visser M, Wanders RJ, Poll-The BT, Kemp S. Lovastatin in X-linked adrenoleukodystrophy. *N Engl J Med.* 2010; 362: 276-7.

Engelke UF, Zijlstra FS, Mochel F, Valayannopoulos V, Rabier D, Kluijtmans LA, Perl A, Verhoeven-Duif NM, de Lonlay P, Wamelink MM, Jakobs C, Morava E, Wevers RA. Mitochondrial involvement and erythronic acid as a novel biomarker in transaldolase deficiency. *Biochim Biophys Acta.* 2010; 1802: 1028-35.

Escalera GI, Ferrer I, Marina LC, Sala PR, Salomons GS, Jakobs C, Perez-Cerda C. Succinic semialdehyde dehydrogenase deficiency: decrease in 4-OH-butyric acid levels with low doses of vigabatrin. *An Pediatr (Barc).* 2010; 72: 128-32.

Ferdinandusse S, Barker S, Lachlan K, Duran M, Waterham HR, Wanders RJ, Hammans S. Adult peroxisomal acyl-coenzyme A oxidase deficiency with cerebellar and brainstem atrophy. *J Neurol Neurosurg Psychiatry.* 2010; 81: 310-2.

Fukao T, Nguyen HT, Nguyen NT, Vu DC, Can NT, Pham AT, Nguyen KN, Kobayashi H, Hasegawa Y, Bui TP, Niezen-Koning KE, Wanders RJ, de Koning T, Nguyen LT, Yamaguchi S, Kondo N. A common mutation, R208X, identified in Vietnamese patients with mitochondrial acetoacetyl-CoA thiolase (T2) deficiency. *Mol Genet Metab.* 2010; 100: 37-41.

- Gronborg S, Kratzner R, Spiegler J, Ferdinandusse S, Wanders RJ, Waterham HR, Gartner J. Typical cMRI pattern as diagnostic clue for D-bifunctional protein deficiency without apparent biochemical abnormalities in plasma. *Am J Med Genet A*. 2010; 152A: 2845-9.
- Hathaway SC, Friez M, Limbo K, Parker C, Salomons GS, Vockley J, Wood T, Abdul-Rahman OA. X-linked creatine transporter deficiency presenting as a mitochondrial disorder. *J Child Neurol*. 2010; 25: 1009-12.
- Henneke M, Dreha-Kulaczewski S, Brockmann K, van der Graaf M, Willemse MA, Engelke U, Dechent P, Heerschap A, Helms G, Wevers RA, Gartner J. In vivo proton MR spectroscopy findings specific for adenylosuccinate lyase deficiency. *NMR Biomed*. 2010; 23: 441-5.
- Hermanussen M, Gonter U, Jakobs C, Stegemann D, Hoffmann G. Patterns of free amino acids in German convenience food products: marked mismatch between label information and composition. *Eur J Clin Nutr*. 2010; 64: 88-98.
- Hogeveen M, Blom HJ, van der Heijden EH, Semmekrot BA, Sporken JM, Ueland PM, den Heijer M. Maternal homocysteine and related B vitamins as risk factors for low birthweight. *Am J Obstet Gynecol*. 2010; 202: 572.e1-6.
- Hogeveen M, den Heijer M, Schonbeck Y, Ijland M, van Oppenraaij D, Gunnewiek JK, Blom HJ. The effect of folic acid supplementation on homocysteine concentrations in newborns. *Eur J Clin Nutr*. 2010; 64: 1266-71.
- Houtkooper RH, Canto C, Wanders RJ, Auwerx J. The secret life of NAD⁺: an old metabolite controlling new metabolic signaling pathways. *Endocr Rev*. 2010; 31: 194-223.
- Jakobs C. SSIEM reflections 2004-2010: the growing stature of our society. *J Inher Metab Dis*. 2010; 33: 641-4.
- Kapina V, Sedel F, Truffert A, Horvath J, Wanders RJ, Waterham HR, Picard F. Relapsing rhabdomyolysis due to peroxisomal alpha-methylacyl-coa racemase deficiency. *Neurology*. 2010; 75: 1300-2.
- Keller MA, Watschinger K, Golderer G, Maglione M, Sarg B, Lindner HH, Werner-Felmayer G, Terrinoni A, Wanders RJ, Werner ER. Monitoring of fatty aldehyde dehydrogenase by formation of pyrenedecanoic acid from pyrenedecanal. *J Lipid Res*. 2010; 51: 1554-9.
- Khan A, Wei XC, Snyder FF, Mah JK, Waterham H, Wanders RJ. Neurodegeneration in D-bifunctional protein deficiency: diagnostic clues and natural history using serial magnetic resonance imaging. *Neuroradiology*. 2010; 52: 1163-6.
- Knerr I, Gibson KM, Murdoch G, Salomons GS, Jakobs C, Combs S, Pearl PL. Neuropathology in succinic semialdehyde dehydrogenase deficiency. *Pediatr Neurol*. 2010; 42: 255-8.
- Kolwijk E, Lybol C, Bulten J, Vollebergh JH, Wevers RA, Massuger LF. Prevalence of cysts in epithelial ovarian cancer. *Eur J Obstet Gynecol Reprod Biol*. 2010; 151: 96-100.
- Kolwijk E, Wevers RA, Engelke UF, Woudenberg J, Bulten J, Blom HJ, Massuger LF. Ovarian cyst fluid of serous ovarian tumors contains large quantities of the brain amino acid N-acetylaspartate. *PLoS One*. 2010; 5 (4): e10293.
- Kranendijk M, Struys EA, Gibson KM, Wickenhagen WV, Abdenur JE, Buechner J, Christensen E, de Kremer RD, Er-rami A, Gissen P, Gradowska W, Hobson E, Islam L, Korman SH, Kurczynski T, Maranda B, Meli C, Rizzo C, Sansaricq C, Trefz FK, Webster R, Jakobs C, Salomons GS. Evidence for genetic heterogeneity in D-2-hydroxyglutaric aciduria. *Hum Mutat*. 2010; 31: 279-83.
- Kranendijk M, Struys EA, van Schaftingen E, Gibson KM, Kanhai WA, van der Knaap MS, Amiel J, Buist NR, Das AM, de Klerk JB, Feigenbaum AS, Grange DK, Hofstede FC, Holme E, Kirk EP, Korman SH, Morava E, Morris A, Smeitink J, Sukhai RN, Vallance H, Jakobs C, Salomons GS. IDH2 mutations in patients with D-2-hydroxyglutaric aciduria. *Science*. 2010; 330: 336.
- Laszlo A, Elpeleg O, Horvath K, Jakobs C, Kobor J, Gal A, Barsi P, Kelemen A, Saracz J, Svekus A, Tegzes A, Voros E. Clinical, radiological and genetic aspects of leukodystrophies. *Ideggyogy Sz*. 2010; 63: 266-73.
- Leen WG, Klepper J, Verbeek MM, Leferink M, Hofste T, van Engelen BG, Wevers RA, Arthur T, Bahi-Buisson N, Ballhausen D, Bekhof J, van Bogaert P, Carrilho I, Chabrol B, Champion MP, Coldwell J, Clayton P, Donner E, Evangelou A, Ebinger F, Farrell K, Forsyth RJ, de Goede CG, Gross S, Grunewald S, Holthausen H, Jayawant S, Lachlan K, Laugel V, Leppig K, Lim MJ, Mancini G, Marina AD, Martorell L, McMenamin J, Meuwissen ME, Mundy H, Nilsson NO, Panzer A, Poll-The BT, Rauscher C, Rouselle CM, Sandvig I, Scheffner T, Sheridan E, Simpson N, Sykora P, Tomlinson R, Trounce J, Webb D, Weschke B, Scheffer H, Willemse MA. Glucose transporter-1 deficiency syndrome: the expanding clinical and genetic spectrum of a treatable disorder. *Brain*. 2010; 133: 655-70.
- Lianou D, Gallego L, Michelakis H, Perez-Cerda C, Perez B, Ginis S, Jakobs C, Ugarte M, Desviat LR. Functional analysis of a novel mutation in the PCCA gene identified in a late-infantile onset propionic acidemia patient. *Clin Chim Acta*. 2010; 411: 1388-9.
- Lindhout M, Rubio-Gozalbo ME, Bakker JA, Bierau J. Direct non-radioactive assay of galactose-1-phosphate: uridylyltransferase activity using high performance liquid chromatography. *Clin Chim Acta*. 2010; 411: 980-3.
- Linnebank M, Popp J, Smulders Y, Smith D, Semmler A, Farkas M, Kulic L, Cvetanovska G, Blom H, Stoffel-Wagner B, Kolsch H, Weller M, Jessen F. S-adenosylmethionine is decreased in the cerebrospinal fluid of patients with Alzheimer's disease. *Neurodegener Dis*. 2010; 7 (6): 373-8.

- Linthorst GE, Bouwman MG, Wijburg FA, Aerts JM, Poorthuis BJ, Hollak CE. Screening for Fabry disease in high-risk populations: a systematic review. *J Med Genet*. 2010; 47: 217-22.
- Mercimek-Mahmutoglu S, Connolly MB, Poskitt KJ, Horvath GA, Lowry N, Salomons GS, Casey B, Sinclair G, Davis C, Jakobs C, Stockler-Ipsiroglu S. Treatment of intractable epilepsy in a female with SLC6A8 deficiency. *Mol Genet Metab*. 2010; 101: 409-12.
- Mills PB, Footitt EJ, Mills KA, Tuschl K, Aylett S, Varadkar S, Hemingway C, Marlow N, Rennie J, Baxter P, Dulac O, Nababout R, Craigen WJ, Schmitt B, Feillet F, Christensen E, De Lonlay P, Pike MG, Hughes MI, Struys EA, Jakobs C, Zuberi SM, Clayton PT. Genotypic and phenotypic spectrum of pyridoxine-dependent epilepsy (ALDH7A1 deficiency). *Brain*. 2010; 133: 2148-59.
- Mochel F, Engelke UF, Barritault J, Yang B, McNeill NH, Thompson JN, Vanderver A, Wolf NI, Willemse MA, Verheijen FW, Seguin F, Wevers RA, Schiffmann R. Elevated CSF N-acetylaspartylglutamate in patients with free sialic acid storage diseases. *Neurology*. 2010; 74: 302-5.
- Mohamed S, El-Meleagy E, Nasr A, Ebberink MS, Wanders RJ, Waterham HR. A mutation in PEX19 causes a severe clinical phenotype in a patient with peroxisomal biogenesis disorder. *Am J Med Genet A*. 2010; 152A: 2318-21.
- Montoya Alvarez T, Diaz Guardiola P, Elviro R, Wevers R. Dietetic approach to trimethylaminuria. *Med Clin (Barc)*. 2010; 134 (3): 134-5.
- Moonen RM, Reyes I, Cavallaro G, Gonzalez-Luis G, Bakker JA, Villamor E. The T1405N Carbamoyl Phosphate Synthetase Polymorphism Does Not Affect Plasma Arginine Concentrations in Preterm Infants. *PLoS One*. 2010; 5: e10792.
- Morava E, Wevers RA, Cantagrel V, Hoefsloot LH, Al-Gazali L, Schoots J, van Rooij A, Huijben K, van Ravenswaaij-Arts CM, Jongmans MC, Sykut-Cegielska J, Hoffmann GF, Bluemel P, Adamowicz M, van Reeuwijk J, Ng BG, Bergman JE, van Bokhoven H, Korner C, Babovic-Vuksanovic D, Willemse MA, Gleeson JG, Lehle L, de Brouwer AP, Lefeber DJ. A novel cerebello-ocular syndrome with abnormal glycosylation due to abnormalities in dolichol metabolism. *Brain*. 2010; 133: 3210-20.
- Nanayakkara PW, Meijboom M, Kramer MH, Wevers RA, Jakobs C. What have we here? A man or a fish? *Lancet*. 2010; 376: 1710.
- Nyathi Y, De Marcos Lousa C, van Roermund CW, Wanders RJ, Johnson B, Baldwin SA, Theodoulou FL, Baker A. The Arabidopsis peroxisomal ABC transporter, comatose, complements the *Saccharomyces cerevisiae* pxa1 pxa2Delta mutant for metabolism of long-chain fatty acids and exhibits fatty acyl-CoA-stimulated ATPase activity. *J Biol Chem*. 2010; 285: 29892-902.
- Ofman R, Dijkstra IM, van Roermund CW, Burger N, Turkenburg M, van Cruchten A, van Engen CE, Wanders RJ, Kemp S. The role of ELOVL1 in very long-chain fatty acid homeostasis and X-linked adrenoleukodystrophy. *EMBO Mol Med*. 2010; 2: 90-7.
- Pedersen CB, Zolkipli Z, Vang S, Palmfeldt J, Kjeldsen M, Stenbroen V, Schmidt SP, Wanders RJ, Ruiter JP, Wibrand F, Tein I, Gregersen N. Antioxidant dysfunction: potential risk for neurotoxicity in ethylmalonic aciduria. *J Inherit Metab Dis*. 2010; 33: 211-22.
- Peters V, Kebbewar M, Jansen EW, Jakobs C, Riedl E, Koepell H, Frey D, Adelmann K, Klingbeil K, Mack M, Hoffmann GF, Janssen B, Zschocke J, Yard BA. Relevance of allosteric conformations and homocarnosine concentration on carnosinase activity. *Amino Acids*. 2010; 38: 1607-15.
- Regal L, Ebberink MS, Goemans N, Wanders RJ, De Meirlier L, Jaeken J, Schrooten M, Van Coster R, Waterham HR. Mutations in PEX10 are a cause of autosomal recessive ataxia. *Ann Neurol*. 2010; 68: 259-63.
- Rocha MS, Castro R, Rivera I, Kok RM, Smulders YM, Jakobs C, de Almeida IT, Blom HJ. Global DNA methylation: comparison of enzymatic- and non-enzymatic-based methods. *Clin Chem Lab Med*. 2010; 48: 1793-8.
- Rubio-Gozalbo ME, Gubbels CS, Bakker JA, Menheere PP, Wodzig WK, Land JA. Gonadal function in male and female patients with classic galactosemia. *Hum Reprod Update*. 2010; 16: 177-88.
- Ruether K, Baldwin E, Casteels M, Feher MD, Horn M, Kuranoff S, Leroy BP, Wanders RJ, Wierzbicki AS. Adult Refsum disease: a form of tapetoretinal dystrophy accessible to therapy. *Surv Ophthalmol*. 2010; 55: 531-8.
- Schmitt B, Baumgartner M, Mills PB, Clayton PT, Jakobs C, Keller E, Wohlrb G. Seizures and paroxysmal events: symptoms pointing to the diagnosis of pyridoxine-dependent epilepsy and pyridoxine phosphate oxidase deficiency. *Dev Med Child Neurol*. 2010; 52: e133-42.
- Semmler A, Moskau S, Grigull A, Farmand S, Klockgether T, Smulders Y, Blom H, Zur B, Stoffel-Wagner B, Linnebank M. Plasma folate levels are associated with the lipoprotein profile: a retrospective database analysis. *Nutr J*. 2010; 9: 31.
- Steenweg ME, Jakobs C, Errami A, van Dooren SJ, Adeva Bartolome MT, Aerssens P, Augoustides-Savvapoulou P, Baric I, Baumann M, Bonafe L, Chabrol B, Clarke JT, Clayton P, Coker M, Cooper S, Falik-Zaccai T, Gorman M, Hahn A, Hasanoglu A, King MD, de Klerk HB, Korman SH, Lee C, Meldgaard Lund A, Mejaski-Bosnjak V, Pascual-Castroviejo I, Raadhyaksha A, Rootwelt T, Roubertie A, Ruiz-Falco ML, Scalais E, Schimmel U, Seijo-Martinez M, Suri M, Sykut-Cegielska J, Trefz FK, Uziel G, Valayannopoulos V, Vianey-Saban C, Vlaho S, Vodopiutz J, Wajner M, Walter J, Walter-Derbort C, Yapici Z, Zafeiriou DI, Spreeuwenberg MD, Celli J, den Dunnen JT, van der Knaap MS, Salomons GS. An overview of L-2-hydroxyglutarate dehydrogenase gene (L2HGDH) variants: a genotype-phenotype study. *Hum Mutat*. 2010; 31: 380-90.
- Strijbis K, van Roermund CW, van den Burg J, van den Berg M, Hardy GP, Wanders RJ, Distel B. Contributions of carnitine acetyltransferases to intracellular acetyl unit transport in *Candida albicans*. *J Biol Chem*. 2010; 285: 24335-46.

- Strijbis K, Vaz FM, Distel B. Enzymology of the carnitine biosynthesis pathway. *IUBMB Life*. 2010; 62: 357-62.
- Strauys EA, Jakobs C. Metabolism of lysine in alpha-amino-adipic semialdehyde dehydrogenase-deficient fibroblasts: evidence for an alternative pathway of pipecolic acid formation. *FEBS Lett*. 2010; 584: 181-6.
- Tabatabaie L, Klomp LW, Berger R, de Koning TJ. L-serine synthesis in the central nervous system: a review on serine deficiency disorders. *Mol Genet Metab*. 2010; 99: 256-62.
- Tsuji M, Aida N, Obata T, Tomiyasu M, Furuya N, Kurosawa K, Errami A, Gibson KM, Salomons GS, Jakobs C, Osaka H. A new case of GABA transaminase deficiency facilitated by proton MR spectroscopy. *J Inherit Metab Dis*. 2010; 33: 85-90.
- Ucar SK, Koroglu OA, Berk O, Yalaz M, Kultursay N, Blom HJ, Coker M. Titration of betaine therapy to optimize therapy in an infant with 5,10-methylenetetrahydrofolate reductase deficiency. *Eur J Pediatr*. 2010; 169: 241-3.
- Vaes BL, Lute C, van der Woning SP, Piek E, Vermeer J, Blom HJ, Mathers JC, Muller M, de Groot LC, Steegenga WT. Inhibition of methylation decreases osteoblast differentiation via a non-DNA-dependent methylation mechanism. *Bone*. 2010; 46: 514-23.
- Valstar MJ, Bertoli-Avella AM, Wessels MW, Ruijter GJ, de Graaf B, Olmer R, Elfferich P, Neijs S, Kariminejad R, Suheyl Ezgu F, Tokatli A, Czartoryska B, Bosschaart AN, van den Bos-Terpstra F, Puissant H, Burger F, Omran H, Eckert D, Filocamo M, Simeonov E, Willems PJ, Wevers RA, Niermeijer MF, Halley DJ, Poorthuis BJ, van Diggelen OP. Mucopolysaccharidosis type IIID: 12 new patients and 15 novel mutations. *Hum Mutat*. 2010; 31: E1348-60.
- Valstar MJ, Bruggenwirth HT, Olmer R, Wevers RA, Verheijen FW, Poorthuis BJ, Halley DJ, Wijburg FA. Mucopolysaccharidosis type IIIB may predominantly present with an attenuated clinical phenotype. *J Inherit Metab Dis*. 2010; 33: 759-67.
- Valstar MJ, Neijs S, Bruggenwirth HT, Olmer R, Ruijter GJ, Wevers RA, van Diggelen OP, Poorthuis BJ, Halley DJ, Wijburg FA. Mucopolysaccharidosis type IIIA: Clinical spectrum and genotype-phenotype correlations. *Ann Neurol*. 2010; 68: 876-87.
- van Beynum IM, Kapusta L, Bakker MK, den Heijer M, Blom HJ, de Walle HE. Protective effect of periconceptional folic acid supplements on the risk of congenital heart defects: a registry-based case-control study in the northern Netherlands. *Eur Heart J*. 2010; 31: 464-71.
- van den Broek NM, Ciapaite J, De Feyter HM, Houten SM, Wanders RJ, Jeneson JA, Nicolay K, Prompers JJ. Increased mitochondrial content rescues in vivo muscle oxidative capacity in long-term high-fat-diet-fed rats. *FASEB J*. 2010; 24: 1354-64.
- van der Kolk JH, Wijnberg ID, Westermann CM, Dorland L, de Sain-van der Velden MG, Kranenburg LC, Duran M, Dijkstra JA, van der Lugt JJ, Wanders RJ, Gruys E. Equine acquired multiple acyl-CoA dehydrogenase deficiency (MADD) in 14 horses associated with ingestion of Maple leaves (*Acer pseudoplatanus*) covered with European tar spot (*Rhytisma acerinum*). *Mol Genet Metab*. 2010; 101: 289-91.
- Van Hove JL, Saenz MS, Thomas JA, Gallagher RC, Lovell MA, Fenton LZ, Shanske S, Myers SM, Wanders RJ, Ruiter J, Turkenburg M, Waterham HR. Succinyl-CoA ligase deficiency: a mitochondrial hepatoencephalomyopathy. *Pediatr Res*. 2010; 68: 159-64.
- van Loon J, De Ruysscher D, Wanders R, Boersma L, Simons J, Oellers M, Dingemans AM, Hochstenbag M, Bootsma G, Geraedts W, Pitz C, Teule J, Rhami A, Thimister W, Snoep G, Dehing-Oberije C, Lambin P. Selective nodal irradiation on basis of (18)FDG-PET scans in limited-disease small-cell lung cancer: a prospective study. *Int J Radiat Oncol Biol Phys*. 2010; 77: 329-36.
- van Loon J, Grutters JP, Wanders R, Boersma L, Dingemans AM, Bootsma G, Geraedts W, Pitz C, Simons J, Brans B, Snoep G, Hochstenbag M, Lambin P, De Ruysscher D. 18FDG-PET-CT in the follow-up of non-small cell lung cancer patients after radical radiotherapy with or without chemotherapy: an economic evaluation. *Eur J Cancer*. 2010 Jan; 46 (1): 110-9.
- van Maldegem BT, Duran M, Wanders RJ, Waterham HR, de Koning TJ, Rubio E, Wijburg FA. Fasting and fat-loading tests provide pathophysiological insight into short-chain acyl-coenzyme a dehydrogenase deficiency. *J Pediatr*. 2010; 156: 121-7.
- van Maldegem BT, Duran M, Wanders RJA, Waterham HR, Wijburg FA. Flavin Adenine Dinucleotide Status and the Effects of High-Dose Riboflavin Treatment in Short-Chain Acyl-CoA Dehydrogenase Deficiency. *Pediatr Res*. 2010; 67: 304-8.
- van Maldegem BT, Wanders RJ, Wijburg FA. Clinical aspects of short-chain acyl-CoA dehydrogenase deficiency. *J Inherit Metab Dis*. 2010; 33: 507-11.
- Violante S, IJlst L, van Lenthe H, de Almeida IT, Wanders RJ, Ventura FV. Carnitine palmitoyltransferase 2: New insights on the substrate specificity and implications for acylcarnitine profiling. *Biochim Biophys Acta*. 2010; 1802: 728-32.
- Vluggens A, Andreoletti P, Viswakarma N, Jia Y, Matsumoto K, Kulik W, Khan M, Huang J, Guo D, Yu S, Sarkar J, Singh I, Rao MS, Wanders RJ, Reddy JK, Cherkaoui-Malki M. Reversal of mouse Acyl-CoA oxidase 1 (ACOX1) null phenotype by human ACOX1b isoform [corrected]. *Lab Invest*. 2010; 90: 696-708.
- Voermans NC, Guillard M, Doedee R, Lammens M, Huizing M, Padberg GW, Wevers RA, van Engelen BG, Lefeber DJ. Clinical features, lectin staining, and a novel GNE frameshift mutation in hereditary inclusion body myopathy. *Clin Neuropathol*. 2010; 29: 71-7.
- Vogtlander NP, van der Vlag J, Bakker MA, Dijkman HB, Wevers RA, Campbell KP, Wetzel JF, Berden JH. Expression of sialidase and dystroglycan in human glomerular diseases. *Nephrol Dial Transplant*. 2010; 25: 478-84.

Wallon D, Guyant-Marechal L, Laquerriere A, Wevers RA, Martinaud O, Kluijtmans LA, Yntema HG, Saugier-Veber P, Hannequin D. Clinical imaging and neuropathological correlations in an unusual case of cerebrotendinous xanthomatosis. *Clin Neuropathol*. 2010; 29: 361-4.

Wamelink MM, Gruning NM, Jansen EE, Bluemlein K, Lehrach H, Jakobs C, Ralser M. The difference between rare and exceptionally rare: molecular characterization of ribose 5-phosphate isomerase deficiency. *J Mol Med*. 2010; 88: 931-9.

Wanders RJ, Ferdinandusse S, Brites P, Kemp S. Peroxisomes, lipid metabolism and lipotoxicity. *Biochim Biophys Acta*. 2010; 1801: 272-80.

Wanders RJ, Ruiter JP, IJlst L, Waterham HR, Houten SM. The enzymology of mitochondrial fatty acid beta-oxidation and its application to follow-up analysis of positive neonatal screening results. *J Inherit Metab Dis*. 2010; 33: 479-94.

Wassenberg T, Willemse MA, Geurtz PB, Lammens M, Verrijp K, Wilmer M, Lee WT, Wevers RA, Verbeek MM. Urinary dopamine in aromatic L-amino acid decarboxylase deficiency: the unsolved paradox. *Mol Genet Metab*. 2010; 101: 349-56.

Willemse MA, Verbeek MM, Kamsteeg EJ, de Rijk-van Andel JF, Aeby A, Blau N, Burlina A, Donati MA, Geurtz B, Grattan-Smith PJ, Haeussler M, Hoffmann GF, Jung H, de Klerk JB, van der Knaap MS, Kok F, Leuzzi V, de Lonlay P, Megarbane A, Monaghan H, Renier WO, Rondot P, Ryan MM, Seeger J, Smeitink JA, Steenbergen-Spanjers GC, Wassmer E, Weschke B, Wijburg FA, Wilcken B, Zafeiriou DI, Wevers RA. Tyrosine hydroxylase deficiency: a treatable disorder of brain catecholamine biosynthesis. *Brain*. 2010; 133: 1810-22.

Wortmann SB, Kremer BH, Graham A, Willemse MA, Loupatty FJ, Hogg SL, Engelke UF, Kluijtmans LA, Wanders RJ, Illsinger S, Wilcken B, Cruysberg JR, Das AM, Morava E, Wevers RA. 3-Methylglutaconic aciduria type I redefined: a syndrome with late-onset leukoencephalopathy. *Neurology*. 2010; 75: 1079-83.

Zannoli R, Buoni S, Tassini M, De Nicola A, Betti G, De Felice C, Orsi A, Varetti MC, Ferrara F, Messina M, Giannini C, Mohn A, Chiarelli F, Liberati M, Strambi M, Funghini S, Vivi A, Wevers RA, Hayek J. Silent increase of urinary ethylmalonic acid is an indicator of nonspecific brain dysfunction. *NMR Biomed*. 2010; 23: 353-8.

Zutt R, van der Kooi AJ, Linthorst GE, Wanders RJ, Verschueren JJ, de Visser M. Recurrent rhabdomyolysis: screening for underlying disease. *Ned Tijdschr Geneesk*. 2010; 154: A2290.

Klinisch: Gynaecologie / obstetrie / perinatologie

Dondorp WJ, De Wert GM, Janssens PM. Shared lesbian motherhood: a challenge of established concepts and frameworks. *Hum Reprod*. 2010; 25: 812-4.

Janssens PM. Behandeling met gameten: wat het betekent anno 2010 voor semenbank en fertilitetslaboratorium. *Ned Tijdschr Klin Chem Labgeneesk*. 2010; 35: 85-87.

Janssens PMW. Rules and regulations in reproductive medicine: Sensible requirements that should start with evidence. *Human Reproduction* 2010; 25: 3055-3057.

Kooistra L, Kuppens SM, Hasaart TH, Vader HL, Wijnen HA, Oei SG, Pop VJ. High thyrotrophin levels at end term increase the risk of breech presentation. *Clin Endocrinol (Oxf)*. 2010; 73: 661-5.

Kuppens SM, Kooistra L, Wijnen HA, Crawford S, Vader HL, Hasaart TH, Oei SG, Pop VJ. Maternal thyroid function during gestation is related to breech presentation at term. *Clin Endocrinol (Oxf)*. 2010; 72: 820-4.

Linskens IH, Engels M, Oepkes D, Heijboer AC, Blankenstein MA, van Vugt JM. A trend toward increased first trimester free beta-hCG and PAPP-A in monochorionic twins complicated by Twin-to-Twin Transfusion syndrome. *Prenat Diagn*. 2010; 30: 909-10.

Obermann-Borst SA, Isaacs A, Younes Z, van Schaik RH, van der Heiden IP, van Duyn CM, Steegers EA, Steegers-Theunissen RP. General maternal medication use, folic acid, the MDR1 C3435T polymorphism, and the risk of a child with a congenital heart defect. *Am J Obstet Gynecol*. 2010; 21.

Klinisch: Hart- en vaatziekten

Alssema M, El-Harchaoui K, Schindhelm RK, Diamant M, Nijpels G, Kostense PJ, Teerlink T, Heine RJ, Dallinga-Thie GM, Kuivenhoven JA, Dekker JM, Scheffer PG. Fasting cholesterol ester transfer protein concentration is independently associated with the postprandial decrease in high-density lipoprotein cholesterol concentration after fat-rich meals: the Hoorn prandial study. *Metabolism*. 2010; 59: 854-60.

Becker ML, Visser LE, van Schaik RH, Hofman A, Uitterlinden AG, Stricker BH. Influence of genetic variation in CYP3A4 and ABCB1 on dose decrease or switching during simvastatin and atorvastatin therapy. *Pharmacoepidemiol Drug Saf*. 2010; 19: 75-81.

Boerma EC, Koopmans M, Konijn A, Kaiferova K, Bakker AJ, van Roon EN, Buter H, Bruins N, Egbers PH, Gerritsen RT, Koetsier PM, Kingma WP, Kuiper MA, Ince C. Effects of nitroglycerin on sublingual microcirculatory blood flow in patients with severe sepsis/septic shock after a strict resuscitation protocol: A double-blind randomized placebo controlled trial. *Crit Care Med*. 2010; 38: 93-100.

Breet NJ, van Werkum JW, Bouman HJ, Kelder JC, Ruven HJ, Bal ET, Deneer VH, Harmsze AM, van der Heyden JA, Rensing BJ, Suttorp MJ, Hackeng CM, ten Berg JM. Comparison of platelet function tests in predicting clinical outcome in patients undergoing coronary stent implantation. *JAMA*. 2010; 303: 754-62.

Breet NJ, VAN Werkum JW, Bouman HJ, Kelder JC, Ten Berg JM, Hackeng CM. Do not adjust the platelet count in light transmittance aggregometry when predicting thrombotic events after percutaneous coronary intervention. *J Thromb Haemost*. 2010; 8: 2326-8.

Engberink MF, Povel CM, Durga J, Swinkels DW, de Kort WL, Schouten EG, Verhoef P, Geleijnse JM. Hemochromatosis (HFE) genotype and atherosclerosis: Increased susceptibility to iron-induced vascular damage in C282Y carriers? *Atherosclerosis*. 2010; 211: 520-5.

Harmsze A, van Werkum JW, Bouman HJ, Ruven HJ, Breet NJ, Ten Berg JM, Hackeng CM, Tjoeng MM, Klungel OH, de Boer A, Deneer VH. Besides CYP2C19*2, the variant allele CYP2C9*3 is associated with higher on-clopidogrel platelet reactivity in patients on dual antiplatelet therapy undergoing elective coronary stent implantation. *Pharmacogenet Genomics*. 2010; 20: 18-25.

Harmsze AM, Robijns K, van Werkum JW, Breet NJ, Hackeng CM, Ten Berg JM, Ruven HJ, Klungel OH, de Boer A, Deneer VH. The use of amlodipine, but not of P-glycoprotein inhibiting calcium channel blockers is associated with clopidogrel poor-response. *Thromb Haemost*. 2010; 103: 920-5.

Holewijn S, den Heijer M, Swinkels DW, Stalenhoef AF, de Graaf J. Apolipoprotein B, non-HDL cholesterol and LDL cholesterol for identifying individuals at increased cardiovascular risk. *J Intern Med*. 2010; 268: 567-77.

Holewijn S, den Heijer M, van Tits LJ, Swinkels DW, Stalenhoef AF, de Graaf J. Impact of waist circumference versus adiponectin level on subclinical atherosclerosis: a cross-sectional analysis in a sample from the general population. *J Intern Med*. 2010; 267: 588-98.

Landburg PP, Teerlink T, Biemond BJ, Brandjes DP, Muskiet FA, Duits AJ, Schnog JB; CURAMA study group. Plasma asymmetric dimethylarginine concentrations in sickle cell disease are related to the hemolytic phenotype. *Blood Cells Mol Dis*. 2010; 44: 229-32.

Laufer EM, Mingels AM, Winkens MH, Joosen IA, Schellings MW, Leiner T, Wildberger JE, Narula J, Van Diejen-Visser MP, Hofstra L. The extent of coronary atherosclerosis is associated with increasing circulating levels of high sensitive cardiac troponin T. *Arterioscler Thromb Vasc Biol*. 2010; 30: 1269-75.

Luo Z, Teerlink T, Griendling K, Aslam S, Welch WJ, Wilcox CS. Angiotensin II and NADPH Oxidase Increase ADMA in Vascular Smooth Muscle Cells. *Hypertension*. 2010; 56: 498-504.

Richir MC, van Lambalgen AA, Teerlink T, Wisselink W, Bloemena E, Prins HA, de Vries TP, van Leeuwen PA. Low arginine/asymmetric dimethylarginine ratio deteriorates systemic hemodynamics and organ blood flow in a rat model. *Crit Care Med*. 2009; 37: 2010-7.

Schellings MW, Vanhoutte D, van Almen GC, Swinnen M, Leenders JJ, Kubben N, van Leeuwen RE, Hofstra L, Heymans S, Pinto YM. Syndecan-1 amplifies angiotensin II-induced cardiac fibrosis. *Hypertension*. 2010; 55: 249-56.

Speelman L, Hellenthal FA, Pulinx B, Bosboom EM, Breeuwer M, van Sambeek MR, van de Vosse FN, Jacobs MJ, Wodzig WK, Schurink GW. The influence of wall stress on AAA growth and biomarkers. *Eur J Vasc Endovasc Surg*. 2010; 39: 410-6.

van der Zwan LP, Scheffer PG, Dekker JM, Stehouwer CD, Heine RJ, Teerlink T. Hyperglycemia and oxidative stress strengthen the association between myeloperoxidase and blood pressure. *Hypertension*. 2010; 55: 1366-72.

van der Zwan LP, Scheffer PG, Teerlink T. Reduction of Myeloperoxidase Activity by Melatonin and Pycnogenol May Contribute to their Blood Pressure Lowering Effect. *Hypertension*. 2010; 56: e34.

vander Zwan LP, Teerlink T, Dekker JM, Henry RM, Stehouwer CD, Jakobs C, Heine RJ, Scheffer PG. Plasma myeloperoxidase is inversely associated with endothelium-dependent vasodilation in elderly subjects with abnormal glucose metabolism. *Metabolism*. 2010; 59: 1723-9.

van Werkum JW, Bouman HJ, Breet NJ, ten Berg JM, Hackeng CM. The Cone-and-Plate (let) analyzer is not suitable to monitor clopidogrel therapy: a comparison with the flowcytometric VASP assay and optical aggregometry. *Thromb Res*. 2010; 126: 44-9.

van Werkum JW, Kleibeuker M, Postma S, Bouman HJ, Elsenberg EH, ten Berg JM, Hackeng CM. A comparison between the Plateletworks-assay and light transmittance aggregometry for monitoring the inhibitory effects of clopidogrel. *Int J Cardiol*. 2010; 140: 123-6.

Verjans J, Wolters S, Laufer W, Schellings M, Lax M, Lovhaug D, Boersma H, Kemerink G, Schalla S, Gordon P, Teule J, Narula J, Hofstra L. Early molecular imaging of interstitial changes in patients after myocardial infarction: comparison with delayed contrast-enhanced magnetic resonance imaging. *J Nucl Cardiol*. 2010; 17: 1065-72.

Wang D, Luo Z, Wang X, Jose PA, Falck JR, Welch WJ, Aslam S, Teerlink T, Wilcox CS. Impaired endothelial function and microvascular asymmetrical dimethylarginine in angiotensin II-infused rats: effects of tempol. *Hypertension*. 2010 Nov; 56 (5): 950-5.

Klinisch: Hematologie

Besselaar T van den, Geest A van, Kraaijenhagen RJ, Meer F van der. Variatie van de INR bepaald met Innovin. *Tromnibus*, 2010; 38:

Bosman GJ, Lasonder E, Groenen-Dopp YA, Willekens FL, Werre JM, Novotny VM. Comparative proteomics of erythrocyte aging in vivo and in vitro. *J Proteomics*. 2010; 73: 396-402.

Bouva MJ, Mohrmann K, Brinkman HB, Kemper-Proper EA, Elvers B, Loeber JG, Verheul FE, Giordano PC. Implementing neonatal screening for haemoglobinopathies in the Netherlands. *J Med Screen*. 2010; 17: 58-65.

Cuijpers ML, Raymakers RA, Mackenzie MA, de Witte TJ, Swinkels DW. Recent advances in the understanding of iron overload in sideroblastic myelodysplastic syndrome. *Br J Haematol*. 2010; 149: 322-33.

Cuijpers ML, Wiegerinck ET, Brouwer R, de Witte TJ, Swinkels DW. Iron deficiency anaemia due to a matriptase-2 mutation. *Ned Tijdschr Geneesk*. 2010; 154: A1038.

Curvers J, Koldewijn E, Everts PAM, Peters W, Scharnhorst V Casuistiek: Allogene trombocytyengel bij urologische patiënt met een verworven trombocytopathie. Ned Tijdschr Bloedtransfusie 2010; 3: 94-96.

de Mast Q, de Groot PG, van Heerde WL, Roestenberg M, van Velzen JF, Verbruggen B, Roest M, McCall M, Nieman AE, Westendorp J, Syafuddin D, Fijnheer R, van Dongen-Lases EC, Sauerwein RW, van der Ven AJ. Thrombocytopenia in early malaria is associated with GP1b shedding in absence of systemic platelet activation and consumptive coagulopathy. Br J Haematol. 2010; 151: 495-503.

Deenik W, van der Holt B, Janssen JJ, Chu IW, Valk PJ, Ossenkoppele GJ, van der Heiden IP, Sonneveld P, van Schaik RH, Cornelissen JJ. Polymorphisms in the multidrug resistance gene MDR1 (ABCB1) predict for molecular resistance in patients with newly diagnosed chronic myeloid leukemia receiving high-dose imatinib. Blood. 2010; 23; 116: 6144-5.

Everts PAM, Everts-Koning JG, Scharnhorst V, Curvers J Autologe plaatjes-leukocyten gel: toepassing bij diverse chirurgische indicaties Ned Tijdschr Bloedtransfusie 2010; 3: 87-93.

Fens MH, Storm G, Pelgrim RC, Ultee A, Byrne AT, Gaillard CA, van Solinge WW, Schiffelers RM. Erythrophagocytosis by angiogenic endothelial cells is enhanced by loss of erythrocyte deformability. Exp Hematol. 2010; 38: 282-91.

Lansbergen GWA, van Rooijen-Nijdam I, Haanappel K, Kok PJM, Versteegh FGA, Giordano PC. Hemoglobinopathiediagnostiek in de regio Midden Holland. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 162-167.

Geersing GJ, Toll DB, Janssen KJ, Oudega R, Blikman MJ, Wijland R, de Vooght KM, Hoes AW, Moons KG. Diagnostic accuracy and user-friendliness of 5 point-of-care D-dimer tests for the exclusion of deep vein thrombosis. Clin Chem. 2010; 56: 1758-66.

Houwert AC, Giltay JC, Lentjes EG, Lock MT. Hereditary persistence of alpha-fetoprotein (HPAF P): review of the literature. Neth J Med. 2010; 68: 354-8.

Bons JAP, Rouwette SJM, Straat RJMHE, Offermans JPM, Henskens YCM. Een zwangere vrouw met een gemengde erytrocytenpopulatie bij de bloedgroepbepaling. Tijdschrift voor bloedtransfusie 2010; 3: 122-6.

Lancé MD, van Oerle R, Henskens YM, Marcus MA. Do we need time adjusted mean platelet volume measurements? Lab Hematol. 2010; 16: 28-31.

Schoorl M, van der Gaag D, Schoorl M, Bartels PCM. Changes in red blood cell hemoglobinization during pregnancy. Ned Tijdschr Klin Chem Labgeneesk 2010; 35: 206-208.

Polak R, Huisman A, Sikma MA, Kersting S. Spurious hypokalaemia and hypophosphataemia due to extreme hyperleukocytosis in a patient with a haematological malignancy. Ann Clin Biochem. 2010; 47: 179-81.

Schindhelm RK, van Marwijk Kooy M, Coenen JLLM, Huijgens PC, Kuiper-Kramer PA. Monoklonale B-celllympfocytose: fysiologische bevinding of voorstadium van chronische lymfatische leukemie? Ned Tijdschr Geneesk. 2010; 154: A1520.

Schoorl M, van der Gaag D, Schoorl M, Bartels PCM. Changes in red blood cell hemoglobinization during pregnancy Sysmex J Int 2010; 20: 206-208.

van Solinge WW, van Wijk R. Disorders of red cells resulting from enzyme abnormalities Williams Hematology, 8th Edition, Chapter 46, McGraw-Hill (2010) pp. 647-674.

Thielen N, Huizing M, Krabbe JG, White JG, Jansen TJ, Merle PA, Gahl WA, Zweegman S. Hermansky-Pudlak syndrome: the importance of molecular subtyping. J Thromb Haemost. 2010; 8: 1643-5.

van Gestel RA, van Solinge WW, van der Toorn HW, Rijken G, Heck AJ, van Wijk R, Slijper M. Quantitative erythrocyte membrane proteome analysis with Blue-native/SDS PAGE. J Proteomics. 2010; 73: 456-65.

van Rooijen KL, Raymakers RA, Cuijpers ML, Brons PP, Janssen MC, Swinkels DW. New causes of microcytic anaemia: hereditary disorders of iron homeostasis. Ned Tijdschr Geneesk. 2010; 154: A1039.

Velthove KJ, Leufkens HG, Souverein PC, Schweizer RC, van Solinge WW. Testing bias in clinical databases: methodological considerations. Emerg Themes Epidemiol. 2010; 7: 2.

Verburg FA, Waschle K, Reiners C, Giovanella L, Lentjes EG. Heterophile antibodies rarely influence the measurement of thyroglobulin and thyroglobulin antibodies in differentiated thyroid cancer patients. Horm Metab Res. 2010; 42: 736-9.

Zwart-van Rijkom J, Uijtendaal E, Ten Berg M, Van Solinge W, Egberts A. Frequency and nature of drug-drug interactions in a Dutch university hospital. Br J Clin Pharmacol. 2010; 70: 618.

Klinisch: Interne geneeskunde

Amato A, Santoro N, Calabro P, Grandone A, Swinkels DW, Perrone L, del Giudice EM. Effect of body mass index reduction on serum hepcidin levels and iron status in obese children. Int J Obes (Lond). 2010; 34: 1772-4.

Bakker JA, Bierau J, Drent M. A role for ITPA variants in the clinical course of pulmonary Langerhans' cell histiocytosis? Eur Resp J. 2010; 36 (3): 684-86.

Becker ML, Visser LE, van Schaik RH, Hofman A, Uitterlinden AG, Stricker BH. Interaction between polymorphisms in the OCT1 and MATE1 transporter and metformin response. Pharmacogenet Genomics. 2010; 20: 38-44.

Beckers MM, Ruven HJ, Haas FJ, Doevedans PA, ten Cate H, Prins MH, Biesma DH. Single nucleotide polymorphisms in inflammation-related genes are associated with venous thromboembolism. Eur J Intern Med. 2010; 21: 289-92.

Beckers MM, Ruven HJ, Seldenrijk CA, Prins MH, Biesma DH. Risk of thrombosis and infections of central venous catheters and totally implanted access ports in patients treated for cancer. *Thromb Res.* 2010; 125: 318-21.

Coenen MJ, Enevold C, Barrera P, Schijvenaars MM, Toonen EJ, Scheffer H, Padyukov L, Kastbom A, Klareskog L, Barton A, Kievit W, Rood MJ, Jansen TL, Swinkels D, van Riel PL, Franke B, Bendtzen K, Radstake TR. Genetic variants in toll-like receptors are not associated with rheumatoid arthritis susceptibility or anti-tumour necrosis factor treatment outcome. *PLoS One.* 2010; 5: e14326.

de Rotte MC, Luime JJ, Bulatovic M, Hazes JM, Wulffraat NM, de Jonge R. Do snapshot statistics fool us in MTX pharmacogenetic studies in arthritis research? *Rheumatology (Oxford).* 2010; 49: 1200-1.

Gensburger O, Van Schaik RH, Picard N, Le Meur Y, Rousseau A, Woillard JB, Van Gelder T, Marquet P. Polymorphisms in type I and II inosine monophosphate dehydrogenase genes and association with clinical outcome in patients on mycophenolate mofetil. *Pharmacogenet Genomics.* 2010; 20: 537-43.

Kastelijn EA, van Moorsel CH, Rijkers GT, Ruven HJ, Karthaus V, Kwakkel-van Erp JM, van de Graaf EA, Zanen P, van Kessel DA, Grutters JC, van den Bosch JM. Polymorphisms in innate immunity genes associated with development of bronchiolitis obliterans after lung transplantation. *J Heart Lung Transplant.* 2010; 29: 665-71.

Kastelijn EA, van Moorsel CH, Ruven HJ, Karthaus V, Kwakkel-van Erp JM, van de Graaf EA, Zanen P, van Kessel DA, Grutters JC, van den Bosch JM. Genetic polymorphisms in MMP7 and reduced serum levels associate with the development of bronchiolitis obliterans syndrome after lung transplantation. *J Heart Lung Transplant.* 2010; 29: 680-6

Kruit A, Gerritsen WBM, Pot N, Grutters JC, van den Bosch JMM, Ruven HJT. CA 15-3 as an alternative marker for KL-6 in fibrotic lung diseases. *Sarcoidosis Vasc Diffuse Lung Dis* 2010, 27 (2): 138-46.

Kruit A, Ruven HJT, Grutters JC, van den Bosch JMM. Angiotensin II Receptor Type 1 1166 A/C and Angiotensin Converting Enzyme I/D gene polymorphisms. *Sarcoidosis Vasc Diffuse Lung Dis* 2010, 27 (2): 147-52.

Masson CJ, Plat J, Mensink RP, Namot A, Kisielewski W, Namot Z, Fullekrug J, Ehehalt R, Glatz JF, Pelsers MM. Fatty acid- and cholesterol transporter protein expression along the human intestinal tract. *PLoS One.* 2010; 5: e10380.

Peters HP, Laarakkers CM, Swinkels DW, Wetzel JF. Serum hepcidin-25 levels in patients with chronic kidney disease are independent of glomerular filtration rate. *Nephrol Dial Transplant.* 2010; 25: 848-53.

Press RR, Ploeger BA, den Hartigh J, van der Straaten T, van Pelt H, Danhof M, de Fijter H, Guchelaar HJ. Explaining variability in cyclosporin exposure in adult kidney transplant recipients. *Eur J Clin Pharmacol.* 2010; 66: 579-90.

van der Hoven B, van Pelt H, Swart EL, Bonhuis F, Tilanus HW, Bakker J, Gommers D. Noninvasive functional liver blood flow measurement: comparison between bolus dose and steady-state clearance of sorbitol in a small-rodent model. *Am J Physiol Gastrointest Liver Physiol.* 2010; 298: G177-81.

van der Putten K, Jie KE, van den Broek D, Kraaijenhagen RJ, Laarakkers C, Swinkels DW, Braam B, Gaillard CA. Hepcidin-25 is a marker of the response rather than resistance to exogenous erythropoietin in chronic kidney disease/chronic heart failure patients. *Eur J Heart Fail.* 2010; 12: 943-50.

van der Zijl NJ, Hanemaaijer R, Tushuizen ME, Schindhelm RK, Boerop J, Rustemeijer C, Bilo HJ, Verheijen JH, Diamant M. Urinary matrix metalloproteinase-8 and -9 activities in type 2 diabetic subjects: A marker of incipient diabetic nephropathy? *Clin Biochem.* 2010; 43: 635-9.

van Moorsel CH, van Oosterhout MF, Barlo NP, de Jong PA, van der Vis JJ, Ruven HJ, van Es HW, van den Bosch JM, Grutters JC. Surfactant protein C mutations are the basis of a significant portion of adult familial pulmonary fibrosis in a dutch cohort. *Am J Respir Crit Care Med.* 2010; 182: 1419-25.

Van Toorenbergen AW, Van Heerde MJ, Van Buuren HR. Potential Value of Serum Total IgE for Differentiation between Autoimmune Pancreatitis and Pancreatic Cancer. *Scand J Immunol.* 2010; 72: 444-8.

van Zaane B, Squizzato A, Huijgen R, van Zanten AP, Fliers E, Cannegieter SC, Buller HR, Gerdes VE, Brandjes DP. Increasing levels of free thyroxine as a risk factor for a first venous thrombosis: a case-control study. *Blood.* 2010; 115: 4344-9.

Veltkamp M, Van Moorsel CH, Rijkers GT, Ruven HJ, Van Den Bosch JM, Grutters JC. Toll-like receptor (TLR)-9 genetics and function in sarcoidosis. *Clin Exp Immunol.* 2010; 162: 68-74.

Wijnen PA, Bekers O, Drent M. Relationship between drug-induced interstitial lung diseases and cytochrome P450 polymorphisms. *Curr Opin Pulm Med.* 2010; 16: 496-502.

Klinisch: Neurologie / psychiatrie

Assies J, Pouwer F, Lok A, Mocking RJ, Bockting CL, Visser I, Abeling NG, Duran M, Schene AH. Plasma and erythrocyte fatty acid patterns in patients with recurrent depression: a matched case-control study. *PLoS One.* 2010; 5: e10635.

Blonk MI, van der Velde N, van den Bemt PM, van Schaik RH, van der Cammen TJ. CYP2D6*4, CYP3A5*3 and ABCB1 3435T polymorphisms and drug-related falls in elderly people. *Pharm World Sci.* 2010; 32: 26-9.

Cox FM, Delgado V, Verschuuren JJ, Ballieux BE, Bax JJ, Wintzen AR, Badrising UA. The heart in sporadic inclusion body myositis: a study in 51 patients. *J Neurol.* 2010; 257: 447-51.

Gregoor J, van der Weide J, Loovers, HM, van Megen HJGM, Egberts, TCG, Heerdink ER. Association between LEP- and LEPR gene polymorphisms and dyslipidemia in patients using atypical antipsychotic medication. *Psychiatric Genetics* 2010; 20: 311-316.

Gregoor JG, Mulder H, Cohen D, van Megen JGM, Egberts TCG, Heerdink ER, van der Weide J. Combined HTR2C-LEP genotype as a determinant of obesity in patients using antipsychotic medication. *J Clin Psychopharmacol*. 2010; 30 (6): 702-5.

Jacobs GE, Kamerling IM, de Kam ML, Derijk RH, van Pelt J, Zitman FG, van Gerven JM. Enhanced tolerability of the 5-hydroxytryptophane challenge test combined with granisetron. *J Psychopharmacol*. 2010; 24: 65-72.

Kester MI, Verwey NA, van Elk EJ, Scheltens P, Blankenstein MA. Evaluation of plasma Abeta40 and Abeta42 as predictors of conversion to Alzheimer's disease in patients with mild cognitive impairment. *Neurobiol Aging*. 2010; 31: 539-40; author reply 541.

Klaassens ER, van Veen T, Giltay EJ, Rinne T, van Pelt J, Zitman FG. Trauma exposure and hypothalamic-pituitary-adrenal axis functioning in mentally healthy Dutch peace-keeping veterans, 10-25 years after deployment. *J Trauma Stress*. 2010; 23: 124-31.

Schenk PW, van Vliet M, Mathot RA, van Gelder T, Vulto AG, van Fessem MA, Verploegh-Van Rij S, Lindemans J, Bruijn JA, van Schaik RH. The CYP2C19*17 genotype is associated with lower imipramine plasma concentrations in a large group of depressed patients. *Pharmacogenomics J*. 2010; 10: 219-25.

Schiepers OJ, van Boxtel MP, de Groot RH, Jolles J, de Kort WL, Swinkels DW, Kok FJ, Verhoef P, Durga J. Serum iron parameters, HFE C282Y genotype, and cognitive performance in older adults: results from the FACIT study. *J Gerontol A Biol Sci Med Sci*. 2010; 65: 1312-21.

Sluimer JD, Bouwman FH, Vrenken H, Blankenstein MA, Barkhof F, van der Flier WM, Scheltens P. Whole-brain atrophy rate and CSF biomarker levels in MCI and AD: a longitudinal study. *Neurobiol Aging*. 2010; 31: 758-64.

Sumter SR, Bokhorst CL, Miers AC, van Pelt J, Westenberg PM. Age and puberty differences in stress responses during a public speaking task: do adolescents grow more sensitive to social evaluation? *Psychoneuroendocrinology*. 2010; 35: 1510-6.

van Dijk M, van Bezu J, Poutsma A, Veerhuis R, Rozemuller AJ, Schepers W, Blankenstein MA, Oudejans CB. The pre-eclampsia gene STOX1 controls a conserved pathway in placenta and brain upregulated in late-onset Alzheimer's disease. *J Alzheimers Dis*. 2010; 19 (2): 673-9.

van Duijn E, Selis MA, Giltay EJ, Zitman FG, Roos RA, van Pelt H, van der Mast RC. Hypothalamic-pituitary-adrenal axis functioning in Huntington's disease mutation carriers compared with mutation-negative first-degree controls. *Brain Res Bull*. 2010; 83: 232-7.

van Munster BC, Korevaar JC, Korse CM, Bonfrer JM, Zwinderman AH, de Rooij SE. Serum S100B in elderly patients with and without delirium. *Int J Geriatr Psychiatry*. 2010; 25: 234-9.

van Reedt Dortland AK, Giltay EJ, van Veen T, van Pelt J, Zitman FG, Penninx BW. Associations between serum lipids and major depressive disorder: results from the Netherlands Study of Depression and Anxiety (NESDA). *J Clin Psychiatry*. 2010; 71: 729-36.

Klinisch: Oncologie

Muller Kobold AC, Boonstra JG, Bonfrer JMG. Squamous-cell carcinoma antigen', toepassing en analyse. *Ned Tijdschr Klin Chem Labgeneesk* 2010; 35: 19-24.

van Vuuren AJ, van Roon AHC, Verheijen FM, Francke J, Kuipers EJ, Boonstra JG. De immunochemische fecaaloccultbloedtest in een screeningsstudie naar colorectaal carcinoom. *Ned Tijdschr Klin Chem Labgeneesk* 2010; 35: 27-30.

Ansems M, Hontelez S, Loosman MW, Karthaus N, Bult P, Bonenkamp JJ, Jansen JH, Sweep FC, Span PN, Adema GJ. DC-SCRIPT: nuclear receptor modulation and prognostic significance in primary breast cancer. *J Natl Cancer Inst*. 2010; 102: 54-68.

Bangma CH, van Schaik RH, Blijenberg BG, Roobol MJ, Lilja H, Stenman UH. On the use of prostate-specific antigen for screening of prostate cancer in European Randomised Study for Screening of Prostate Cancer. *Eur J Cancer*. 2010; 46: 3109-19.

Boleij A, Roelofs R, Schaeps RM, Schulin T, Glaser P, Swinkels DW, Kato I, Tjalsma H. Increased exposure to bacterial antigen RpL7/L12 in early stage colorectal cancer patients. *Cancer*. 2010; 116: 4014-22.

Del Re M, Di Paolo A, van Schaik RHN, Bocci G, Simi P, Falcone A, Danesi R. Dihydropyrimidine dehydrogenase polymorphisms and fluoropyrimidine toxicity: ready for routine clinical application within personalized medicine. *EPMA Journal* 2010; 1: 495-502.

Frasa MA, Maximiano FC, Smolarsky K, Francis RE, Betson ME, Lozano E, Goldenring J, Seabra MC, Rak A, Ahmadian MR, Braga VM. Armus is a Rac1 effector that inactivates Rab7 and regulates E-cadherin degradation. *Curr Biol*. 2010; 20: 198-208.

Gudmundsson J, Besenbacher S, Sulem P, Gudbjartsson DF, Olafsson I, Arinbjarnarson S, Agnarsson BA, Benediktsdottir KR, Isaksson HJ, Kostic JP, Gudjonsson SA, Stacey SN, Gylfason A, Sigurdsson A, Holm H, Bjornsdottir US, Eyjolfsson GI, Navarrete S, Fuertes F, Garcia-Prats MD, Polo E, Checherita IA, Jinga M, Badea P, Aben KK, Schalken JA, van Oort IM, Sweep FC, Helfand BT, Davis M, Donovan JL, Hamdy FC, Kristjansson K, Gulcher JR, Masson G, Kong A, Catalona WJ, Mayordomo JI, Geirsson G, Einarsson GV, Barkardottir RB, Jonsson E, Jinga V, Mates D, Kiemeney LA, Neal DE, Thorsteinsdottir U, Rafnar T, Stefansson K. Genetic Correction of PSA Values Using Sequence Variants Associated with PSA Levels. *Sci Transl Med*. 2010; 2: 62ra92.

Hammond ME, Hayes DF, Dowsett M, Allred DC, Hagerty KL, Badve S, Fitzgibbons PL, Francis G, Goldstein NS, Hayes M, Hicks DG, Lester S, Love R, Mangu PB, McShane L, Miller K, Osborne CK, Paik S, Perlmutter J, Rhodes A, Sasano H, Schwartz JN, Sweep FC, Taube S, Torlakovic EE, Valenstein P, Viale G, Visscher D, Wheeler T, Williams RB, Wittliff JL, Wolff AC. American Society of Clinical Oncology/College Of American Pathologists guideline recommendations for immunohistochemical testing of estrogen and progesterone receptors in breast cancer. *J Clin Oncol.* 2010; 28: 2784-95.

Hammond ME, Hayes DF, Dowsett M, Allred DC, Hagerty KL, Badve S, Fitzgibbons PL, Francis G, Goldstein NS, Hayes M, Hicks DG, Lester S, Love R, Mangu PB, McShane L, Miller K, Osborne CK, Paik S, Perlmutter J, Rhodes A, Sasano H, Schwartz JN, Sweep FC, Taube S, Torlakovic EE, Valenstein P, Viale G, Visscher D, Wheeler T, Williams RB, Wittliff JL, Wolff AC. American Society of Clinical Oncology/College of American Pathologists guideline recommendations for immunohistochemical testing of estrogen and progesterone receptors in breast cancer. *Arch Pathol Lab Med.* 2010; 134: 907-22.

Hammond ME, Hayes DF, Dowsett M, Allred DC, Hagerty KL, Badve S, Fitzgibbons PL, Francis G, Goldstein NS, Hayes M, Hicks DG, Lester S, Love R, Mangu PB, McShane L, Miller K, Osborne CK, Paik S, Perlmutter J, Rhodes A, Sasano H, Schwartz JN, Sweep FC, Taube S, Torlakovic EE, Valenstein P, Viale G, Visscher D, Wheeler T, Williams RB, Wittliff JL, Wolff AC; American Society of Clinical Oncology; College of American Pathologists. American Society of Clinical Oncology/College of American Pathologists guideline recommendations for immunohistochemical testing of estrogen and progesterone receptors in breast cancer. *Arch Pathol Lab Med.* 2010; 134: e48-72.

Hohaus S, Massini G, Giachelia M, Vannata B, Bozzoli V, Cuccaro A, D'Alo` F, Larocca LM, Raymakers RA, Swinkels DW, Voso MT, Leone G. Anemia in Hodgkin's lymphoma: the role of interleukin-6 and hepcidin. *J Clin Oncol.* 2010; 28: 2538-43.

Jansen FH, van Schaik RH, Kurstjens J, Horninger W, Klocker H, Bektic J, Wildhagen MF, Roobol MJ, Bangma CH, Bartsch G. Prostate-specific antigen (PSA) isoform p2PSA in combination with total PSA and free PSA improves diagnostic accuracy in prostate cancer detection. *Eur Urol.* 2010; 57: 921-7.

Kolwijk E, Kos J, Obermajer N, Span PN, Thomas CM, Massuger LF, Sweep FC. The balance between extracellular cathepsins and cystatin C is of importance for ovarian cancer. *Eur J Clin Invest.* 2010; 40: 591-9.

Kolwijk E, Massuger LF, Thomas CM, Span PN, Krasovec M, Kos J, Sweep FC. Cathepsins B, L and cystatin C in cyst fluid of ovarian tumors. *J Cancer Res Clin Oncol.* 2010; 136: 771-8.

Kolwijk E, Span PN, Thomas CM, Bulten J, Sweep FC, Massuger LF. Prognostic value of CA 125 in ovarian cyst fluid of patients with epithelial ovarian cancer. *Oncol Rep.* 2010; 23: 579-84.

Lammers LA, Mathijssen RH, van Gelder T, Bijl MJ, de Graan AJ, Seynaeve C, van Fessem MA, Berns EM, Vulto AG, van Schaik RH. The impact of CYP2D6-predicted phenotype on tamoxifen treatment outcome in patients with metastatic breast cancer. *Br J Cancer.* 2010; 103: 765-71.

Lind JS, Dingemans AM, Groen HJ, Thunnissen FB, Bekers O, Heideman DA, Honeywell RJ, Giovannetti E, Peters GJ, Postmus PE, van Suylen RJ, Smit EF. A multicenter phase II study of erlotinib and sorafenib in chemotherapy-naïve patients with advanced non-small cell lung cancer. *Clin Cancer Res.* 2010; 16: 3078-87.

Mengele K, Napieralski R, Magdolen V, Reuning U, Gkazepis A, Sweep F, Brunner N, Foekens J, Harbeck N, Schmitt M. Characteristics of the level-of-evidence-1 disease forecast cancer biomarkers uPA and its inhibitor PAI-1. *Expert Rev Mol Diagn.* 2010; 10: 947-62.

Ruiter R, Bijl MJ, van Schaik RH, Berns EM, Hofman A, Coebergh JW, van Noord C, Visser LE, Stricker BH. CYP2C19*2 polymorphism is associated with increased survival in breast cancer patients using tamoxifen. *Pharmacogenomics.* 2010; 11: 1367-75.

Schmitt M, Mengele K, Napieralski R, Magdolen V, Reuning U, Gkazepis A, Sweep F, Brunner N, Foekens J, Harbeck N. Clinical utility of level-of-evidence-1 disease forecast cancer biomarkers uPA and its inhibitor PAI-1. *Expert Rev Mol Diagn.* 2010; 10: 1051-67.

Seiz L, Kotzsch M, Grebenchtchikov NI, Geurts-Moespot AJ, Fuessel S, Goettig P, Gkazepis A, Wirth MP, Schmitt M, Lossnitzer A, Sweep FC, Magdolen V. Polyclonal antibodies against kallikrein-related peptidase 4 (KLK4): immunohistochemical assessment of KLK4 expression in healthy tissues and prostate cancer. *Biol Chem.* 2010; 391: 391-401.

Siemes C, Visser LE, de Jong FH, Coebergh JW, Uitterlinden AG, Hofman A, Stricker BH, van Schaik RH. Cytochrome P450 3A gene variation, steroid hormone serum levels and prostate cancer--The Rotterdam Study. *Steroids.* 2010; 75: 1024-32.

Span PN, Van Laarhoven HW, Sweep FC. Mammaglobin RT-qPCR for breast cancer metastasis detection in sentinel lymph nodes. *Cancer Sci.* 2010; 101: 2501; author reply 2502.

Struys EA, Heijboer AC, van Moorselaar J, Jakobs C, Blankenstein MA. Serum sarcosine is not a marker for prostate cancer. *Ann Clin Biochem.* 2010; 47: 282.

van der Bol JM, de Jong FA, van Schaik RH, Sparreboom A, van Fessem MA, van de Geijn FE, van Daele PL, Verweij J, Sleijfer S, Mathijssen RH. Effects of mannose-binding lectin polymorphisms on irinotecan-induced febrile neutropenia. *Oncologist.* 2010; 15 (10): 1063-72.

van der Jagt MF, Wobbes T, Strobbe LJ, Sweep FC, Span PN. Metalloproteinases and their regulators in colorectal cancer. *J Surg Oncol.* 2010; 101: 259-69.

van der Meij BS, Langius JA, Smit EF, Spreeuwenberg MD, von Blomberg BM, Heijboer AC, Paul MA, van Leeuwen PA. Oral nutritional supplements containing (n-3) polyunsaturated fatty acids affect the nutritional status of patients with stage III non-small cell lung cancer during multimodality treatment. *J Nutr*. 2010; 140: 1774-80.

Klinisch: Toxicologie

van Helden YG, Godschalk RW, Heil SG, Bunschoten A, Hessel S, Amengual J, Bonet ML, von Lintig J, van Schooten FJ, Keijer J. Downregulation of Fzd6 and Cthrc1 and upregulation of olfactory receptors and protocadherins by dietary beta-carotene in lungs of Bcmol^{-/-} mice. *Carcinogenesis*. 2010; 31: 1329-37.

van Helden YG, Heil SG, van Schooten FJ, Kramer E, Hessel S, Amengual J, Ribot J, Teerds K, Wyss A, Lietz G, Bonet ML, von Lintig J, Godschalk RW, Keijer J. Knockout of the Bcmol gene results in an inflammatory response in female lung, which is suppressed by dietary beta-carotene. *Cell Mol Life Sci*. 2010; 67: 2039-56.

Dissertaties

de Jong WHA. Neuroendocrine biomarkers in clinical chemistry: method development and clinical validation of automated LC-MS/MS methods.

van Rossum HH. Pharmacodynamic monitoring of calcineurin inhibition therapy. Investigation of the calcineurin activity marker.

van der Zee M. Biomarkers in ischemic cardiac syndromes.