

Publicaties van de leden 2014

Analytisch: Hematologie

Barco S, Coppens M, van den Dool EJ, van de Kerkhof D, Stroobants AK, Middeldorp S. Successful co-administration of dabigatran etexilate and protease inhibitors ritonavir/lopinavir in a patient with atrial fibrillation. *Thromb Haemost.* 2014;112(4):836-8.

De Lange NM, van Rheenen-Flach LE, Lancé MD, Mooyman L, Woiski M, van Pampus EC, Porath M, Bolte AC, Smits L, Henskens YM, Scheepers HC. Peri-partum reference ranges for ROTEM® thromboelastometry. *Br J Anaesth.* 2014;112(5):852-9.

Fleming C, Brouwer R, van Alphen A, Lindemans J, de Jonge R. UF-1000i: validation of the body fluid mode for counting cells in body fluids. *Clin Chem Lab Med.* 2014;52(12):1781-90.

Hyseni A, Kemperman H, de Lange DW, Kesecioglu J, de Groot PG, Roest M. Active Von Willebrand Factor predicts 28-day mortality in patients with systemic inflammatory response syndrome. *Blood.* 2014;123(14):2153-6.

Keuren JF, Hoffmann JJ, Leers MP. Immunological screening for tumor cells in serous body fluids has added value with the CELL-DYN Sapphire. *Clin Chem Lab Med.* 2014;52(2):253-8.

Posthuma JJ, Loeffen R, van Oerle R, Henskens YM, ten Cate H, Spronk HM, van der Meijden PE. Long-term strenuous exercise induces a hypercoagulable state through contact activation. *Thromb Haemost.* 2014;111(6):1197-9.

Raess PW, van de Geijn GJ, Njo TL, Klop B, Sukhachev D, Wertheim G, McAleer T, Master SR, Bagg A. Automated screening for myelodysplastic syndromes through analysis of complete blood count and cell population data parameters. *Am J Hematol.* 2014;89(4):369-74.

Schmitz EM, Boonen K, van den Heuvel DJ, van Dongen JL, Schellings MW, Emmen JM, van der Graaf F, Brunsveld L, van de Kerkhof D. Determination of dabigatran, rivaroxaban and apixaban by ultra-performance liquid chromatography - tandem mass spectrometry (UPLC-MS/MS) and coagulation assays for therapy monitoring of novel direct oral anticoagulants. *J Thromb Haemost.* 2014;12(10):1636-46.

Tisi MC, Bozzoli V, Giachelia M, Massini G, Ricerca BM, Maiolo E, D'Alo` F, Larocca LM, Piciocchi A, Tjalsma H, Swinkels DW, Voso MT, Leone G, Hohaus S. Anemia in diffuse large B-cell non-Hodgkin lymphoma: the role of interleukin-6, hepcidin and erythropoietin. *Leuk Lymphoma.* 2014;55(2):270-5.

Uijterschout L, Swinkels DW, Domellöf M, Lagerqvist C, Hudig C, Tjalsma H, Vos R, van Goudoever JB, Brus F. Serum hepcidin measured by immunochemical and mass-spectrometric methods and their correlation with iron status indicators in healthy children aged 0.5-3 y. *Pediatr Res.* 2014;76(4):409-14.

Van Oirschot BA, Francois JJ, van Solinge WW, van Wesel AC, Rijksen G, van Amstel HK, van Wijk R. Novel type of red blood cell pyruvate kinase hyperactivity predicts a remote regulatory locus involved in PKLR gene expression. *Am J Hematol.* 2014;89(4):380-4.

Van Zwieten R, Veldthuis M, Delzenne B, Berghuis J, Groen J, Ait Ichou F, Clifford E, Harteveld CL, Stroobants AK. Hemoglobin analyses in the Netherlands reveal more than 80 different variants including six novel ones. *Hemoglobin.* 2014;38(1):1-7.

Zalpuri S, Evers D, Zwaginga JJ, Schonewille H, de Vooght KM, le Cessie S, van der Bom JG. Immunosuppressants and alloimmunization against red blood cell transfusions. *Transfusion.* 2014;54(8):1981-7.

Analytisch: Immunochemie

Franken W, van Rheenen-Flach L, Buijs MM. Pregnancy tests: urine versus blood pregnancy tests. *Ned Tijdschr Geneesk.* 2014;157:A6336.

Grebentchikov N, Geurts-Moespot AJ, Trentmann S, Andersen N, Bel Aiba RS, Allersdorfer A, Laarakkers CM, Sweep FC, Tjalsma H, Hohlbaum AM, Swinkels DW. Engineered human lipocalin as an antibody mimetic: application to analysis of the small peptide hormone hepcidin. *Clin Chem.* 2014;60(6):897-9.

Heijboer AC, Zimmerman Y, de Boer T, Coelingh Bennink H, Blankenstein MA. Peculiar observations in measuring testosterone in women treated with oral contraceptives supplemented with dehydroepiandrosterone (DHEA). *Clin Chim Acta.* 2014;430:92-5.

Jacobs JF, van der Molen RG, Keren DF. Relatively restricted migration of polyclonal IgG4 may mimic a monoclonal gammopathy in IgG4-related disease. *Am J Clin Pathol.* 2014;142:76-81.

Jacobs JF, Eijsvogels TM, van der Geest KS, Koenen HJ, Hutchison CA, Boots AM, Hopman MT, Joosten I. The impact of exercise on the variation of serum free light chains. *Clin Chem Lab Med.* 2014;52(11):e239-42.

Janssen MJ, Van der Horst FA, Kamphuis JS. Imprecision and limit of quantification of the new architect 25-hydroxyvitamin D assay. *Clin Lab.* 2014;60(1):161-3.

Janssen MJ, Velmans MH, Heesen WF. A patient with a high concentration of B-type natriuretic peptide (BNP) but normal N-terminal proBNP concentration: A case report. *Clin Biochem.* 2014;47(12):1136-7.

Jacobs JFM, Hoedemakers RMJ, te Velthuis H. N Latex FLC serum free light chain assays in patients with renal impairment. *Ned Tijdschr Klin Chem Labgeneesk.* 2014;39:179-81.

Ruinemans-Koerts J, Verkroost C, Schmidt-Hieltjes Y, Wieggers C, Curvers J, Thelen M, van Luin M. Interference of therapeutic monoclonal immunoglobulins in the investigation of M-proteins. *Clin Chem Lab Med*. 2014;52(11):e235-7.

Tiren-Verbeet NL, Bakker JA, Ballieux BEPB, Fechter MM, Brand A, Engberts DP, Zwaginga JJ, Netelenbos T. Hoe om te gaan met een M-protéïne bij verwante stamceldnoren. *Ned Tijdschr Hematol*. 2014;11:294-301.

Vogt MH, Bons JA, Janssen MJ, Naus A, Oosterhuis W, ten Kate J, Menheere PP. A multicenter evaluation of dysthyroxinemia in a defined patient cohort. *Clin Chem Lab Med*. 2014;52(8):1153-8.

Analytisch: Klinische chemie

Man WH, Hagen CEC, Wielders JPM, Malingré MM. Verhoogde concentraties metanefrines in urine bij methyلفenidaat gebruik kan leiden tot verdenking feochromocytoom. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:34-6.

Ackermans MT, Endert E. LC-MS/MS in endocrinology: what is the profit of the last 5 years? *Bioanalysis*. 2014;6:43-57.

Böing AN, van der Pol E, Grootemaat AE, Coumans FA, Sturk A, Nieuwland R. Single-step isolation of extracellular vesicles by size-exclusion chromatography. *J Extracell Vesicles*. 2014;sep 8;3.

Boss DS, Hackeng CM, Koene HR, Bikker A, van Loon D. Foutief verhoogd bilirubine bij een patiënt met multipel myeloom: M-proteïne interferentie. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:176-8.

Heiligers-Duckers C, Janssen MJ. Low vacuum versus low volume tubes and the reduction of hemolyzed specimens from the emergency department. *Clin Biochem*. 2014;47(13-14):1344.

Horvath AR, Lord SJ, Stjohn A, Sandberg S, Cobbaert CM, Lorenz S, Monaghan PJ, Verhagen-Kamerbeek WD, Ebert C, Bossuyt PM; Test Evaluation Working Group of the European Federation of Clinical Chemistry Laboratory Medicine. From biomarkers to medical tests: The changing landscape of test evaluation. *Clin Chim Acta*. 2014;427:49-57.

Jansen R, Jassam N, Thomas A, Perich C, Fernandez-Calle P, Faria AP, Correia H, Barth JH, Weykamp C, Cobbaert C, Thelen M, Ricos C. A category 1 EQA scheme for comparison of laboratory performance and method performance: An international pilot study in the framework of the Calibration 2000 project. *Clin Chim Acta*. 2014;432:90-8.

Joosen AM, Boonen K, Hulsman N, Schuitemaker FJ, Thelen MH. Hypernatraemia in disguise. *Clin Chem Lab Med*. 2014;52(11):e231-4.

Kok EE, Wielders JPM, Pasker-de Jong PCM, Defourny H, Ronde SJA, Wiel van de A. Biomarkers of excessive alcohol intake in alcohol addicts with a normal nutritional status. *Ned Tijdschrift Klin Chem Labgeneesk*. 2014;39:185-8.

Kok MB, Tegelaers FP, van Dam B, van Rijn JL, van Pelt J. Carbamylation of albumin is a cause for discrepancies between albumin assays. *Clin Chim Acta*. 2014;434:6-10.

Lenters-Westra E, Røraas T, Schindhelm RK, Slingerland RJ, Sandberg S. Biological variation of hemoglobin A1c: consequences for diagnosing diabetes mellitus. *Clin Chem*. 2014;60(12):1570-2.

Smit NPM, van den Broek I, Romijn FPHTM, Haex M, Deelder AM, van der Burgt YEM, van der Laarse A, Cobbaert CM. Quality requirements for quantitative clinical chemistry proteomics. *Translational Proteomics*. 2014;2:1-13.

Nijman RG, Moll HA, Smit FJ, Gervais A, Weerkamp F, Vergouwe Y, de Rijke YB, Oostenbrink R. C-reactive protein, procalcitonin and the lab-score for detecting serious bacterial infections in febrile children at the emergency department: a prospective observational study. *Pediatr Infect Dis J*. 2014;33(11):e273-9.

Oostvogels R, Kemperman H, Hubeek I, ter Braak EWMT. Die Bedeutung der osmolatitatslucke bei ethylenglykolvergiftungen. *Praxis*. 2014;103:533-6.

Slagmolen G van der, Hellemond FJ van, Wielders JPM. Do professional soccer players have a vitamin D status supporting optimal performance in winter time? *Sports Medicine Doping Studies*. 2014;4:2.

Van de Kraats C, Killestein J, Popescu V, Rijkers E, Vrenken H, Lütjohann D, Barkhof F, Polman CH, Teunissen CE. Oxysterols and cholesterol precursors correlate to magnetic resonance imaging measures of neurodegeneration in multiple sclerosis. *Mult Scler*. 2014;20(4):412-7.

Van den Besselaar AM, van Vlodrop IJ, Berendes PB, Cobbaert CM. A comparative study of conventional versus new, magnesium-poor Vacutainer® Sodium Citrate blood collection tubes for determination of prothrombin time and INR. *Thromb Res*. 2014;134(1):187-91.

Van der Pol E, Coumans FA, Grootemaat AE, Gardiner C, Sargent IL, Harrison P, Sturk A, van Leeuwen TG, Nieuwland R. Particle size distribution of exosomes and microvesicles determined by transmission electron microscopy, flow cytometry, nanoparticle tracking analysis, and resistive pulse sensing. *J Thromb Haemost*. 2014;12(7):1182-92.

Van der Pol E, Coumans FA, Sturk A, Nieuwland R, van Leeuwen TG. Refractive index determination of nanoparticles in suspension using nanoparticle tracking analysis. *Nano Lett*. 2014;14(11):6195-201.

Yuana Y, Levels J, Grootemaat A, Sturk A, Nieuwland R. Co-isolation of extracellular vesicles and high-density lipoproteins using density gradient ultracentrifugation. *J Extracell Vesicles*. 2014;jun 8;3.

Zalpuri S, Middelburg RA, Schonewille H, de Vooght KM, le Cessie S, van der Bom JG, Zwaginga JJ. Intensive red blood cell transfusions and risk of alloimmunization. *Transfusion*. 2014;54(2):278-84.

Zwiers AJ, Cransberg K, de Rijke YB, Willemsen SP, de Mol AC, Tibboel D, de Wildt SN. Reference ranges for serum B-trace protein in neonates and children younger than 1 year of age. *Clin Chem Lab Med*. 2014;52:1815-21.

Analytisch: Moleculaire technieken

De Jong S, Neeleman M, Luyckx JJ, ten Berg MJ, Strengman E, den Breeijen HH, Stijvers LC, Buizer-Voskamp JE, Bakker SC, Kahn RS, Horvath S, van Solinge WW, Ophoff RA. Seasonal changes in gene expression represent cell-type composition in whole blood. *Hum Mol Genet*. 2014;23(10):2721-8.

Kampourakis K, Vayena E, Mitropoulou C, van Schaik RH, Cooper DN, Borg J, Patrinos GP. Key challenges for next-generation pharmacogenomics: Science & Society series on Science and Drugs. *EMBO Rep*. 2014;15(5):472-6.

Mitropoulou C, Mai Y, van Schaik RH, Vozikis A, Patrinos GP. Stakeholder analysis in pharmacogenomics and genomic medicine in Greece. *Public Health Genomics*. 2014;17:280-6.

Mizzi C, Peters B, Mitropoulou C, Mitropoulos K, Katsila T, Agarwal MR, van Schaik RH, Drmanac R, Borg J, Patrinos GP. Personalized pharmacogenomics profiling using whole-genome sequencing. *Pharmacogenomics*. 2014;15:1223-34.

Van der Weide K, van der Weide J. The Influence of the CYP3A4*22 polymorphism on serum concentration of quetiapine in psychiatric patients. *J Clin Psychopharmacol*. 2014;34:256-60.

Bedrijfsvoering: Dienstverlening

Bohemen H, de Rijke YB, te Boekhorst PAW, Russcher H. Geautomatiseerde decentrale uitgifte van bloedproducten in het Erasmus MC. *Tijdschr Bloedtransfusie*. 2014;7:45-6.

Janssens PM, van de Wijngaart DJ, van Dijk N. Sensible use of laboratory testing requires active laboratory involvement. *Clin Chem Lab Med*. 2014;52(7):e131-2.

Oosterhuis WP, Verboeker-van de Venne WPHG, Kuiper-Kramer PA, Ulenkate HJLM, Vermeer HJ, Jansen RTP. Richtlijn Consultverlening. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:241-5.

Vermeer HJ, Verboeket-van de Venne WPHG, Oosterhuis WP. Richtlijn Consultverlening: hoe goed houden we ons er aan? *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:246-8.

Bedrijfsvoering: Diversen

Laskewitz AJ, Coene KLM, Vis JY, Smeets RL, Hillebrand JGG, Dinkelaar J, Gerrits A, Bikker A, van Berkel M. Arbeidsmarkt voor jonge klaren - de stand van zaken. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:264-7.

Bedrijfsvoering: Kwaliteit / Automatisering / Statistiek

Janssens PM. Practical, transparent prospective risk analysis for the clinical laboratory. *Ann Clin Biochem*. 2014;51(Pt 6):695-704.

Lenters-Westra E, Schindhelm RK, Bilo HJ, Groenier KH, Slingerland RJ. Differences in interpretation of haemoglobin A1c values among diabetes care professionals. *Neth J Med*. 2014;72(9):462-6.

Weykamp C, Franck P, Gunnewiek JK, de Jonge R, Kuypers A, van Loon D, Steigstra H, Cobbaert C; General Chemistry Division of the SKML (Foundation for Quality Assessment in Medical Laboratories, The Netherlands). Harmonisation of seven common enzyme results through EQA. *Clin Chem Lab Med*. 2014;52(11):1549-55.

Bedrijfsvoering: Point-of-care testing

De Vooght KM, Groenendaal F, Bierings MB, van Solinge WW, Huisman A. Falsely elevated point-of-care hematocrit and calculated hemoglobin concentration due to extreme leukocytosis. *Ann Hematol*. 2014;93(11):1949-50.

Kemna EHJM, Jentink DW, te Molder-te Brake IGHJ, van der Vuurst H. POCT met behulp van de INRatio meter: gebruik van de eerste of tweede druppel bloed. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:160-2.

Elsenberg EHAM, debets CS, van Pelt J. Evaluatie van vier POCT INR meters. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:154-5.

De Jong WHA, Baltus R, van Pelt J. Nauwkeurigheid en precisie van drie POCT D-dimeren meters. *Ned Tijdschr Klin Chem Labgeneesk*. 2014;39:158-9.

Veldhoen ES, de Vooght KM, Slieker MG, Versluys AB, Turner NM. Analysis of bloodgas, electrolytes and glucose from intraosseous samples using an i-STAT® point-of-care analyser. *Resuscitation*. 2014;85(3):359-63.

Klinisch: Allergie / infectieziekten

He X, Koenen HJ, Smeets RL, Keijsers R, van Rijssen E, Koerber A, van de Kerkhof PC, Boots AM, Joosten I. Targeting PKC in human T cells using sotrastaurin (AEB071) preserves regulatory T cells and prevents IL-17 production. *J Invest Dermatol*. 2014;134(4):975-83.

Kortman GA, Raffatellu M, Swinkels DW, Tjalsma H. Nutritional iron turned inside out: intestinal stress from a gut microbial perspective. *FEMS Microbiol Rev*. 2014;38(6):1202-34.

Kortman GA, Roelofs RW, Swinkels DW, de Jonge MI, Burt SA, Tjalsma H. Iron-induced virulence of *Salmonella enterica* serovar typhimurium at the intestinal epithelial interface can be suppressed by carvacrol. *Antimicrob Agents Chemother*. 2014;58(3):1664-70.

Loonen AJ, de Jager CP, Tosserams J, Kusters R, Hilbink M, Wever PC, van den Brule AJ. Biomarkers and molecular analysis to improve bloodstream infection diagnostics in an emergency care unit. *PLoS One*. 2014;9(1):e87315.

Van Eijk LT, Heemskerk S, van der Pluijm RW, van Wijk SM, Peters WH, van der Hoeven JG, Kox M, Swinkels DW, Pickkers P. The effect of iron loading and iron chelation on the innate immune response and subclinical organ injury during human endotoxemia: a randomized trial. *Haematologica*. 2014;99:579-87.

Van Toorenenbergen AW. Occupational allergy to flowers: immunoblot analysis of allergens in freesia, gerbera and chrysanthemum pollen. *Scand J Immunol*. 2014;80(4):293-7.

Klinisch: Endocrinologie

Aarts E, van Wageningen B, Loves S, Janssen I, Berends F, Sweep F, de Boer H. Gonadal status and outcome of bariatric surgery in obese men. *Clin Endocrinol (Oxf)*. 2014;81(3):378-86.

De Brouwer SJ, van Middendorp H, Stormink C, Kraaimaat FW, Sweep FC, de Jong EM, Schalkwijk J, Eijbsbouts A, Donders AR, van de Kerkhof PC, van Riel PL, Evers AW. The psychophysiological stress response in psoriasis and rheumatoid arthritis. *Br J Dermatol*. 2014;170(4):824-31.

Ellenbroek JH, van Dijck L, Töns HA, Rabelink TJ, Carlotti F, Ballieux BE, de Koning EJ. Long-term ketogenic diet causes glucose intolerance and reduced β - and α -cell mass but no weight loss in mice. *Am J Physiol Endocrinol Metab*. 2014;306(5):E552-8.

- Eskes SA, Endert E, Fliers E, Birnie E, Hollenbach B, Schomburg L, Köhrle J, Wiersinga WM. Selenium supplementation in euthyroid subjects with thyroid peroxidase antibodies. *Clin Endocrinol (Oxf)*. 2014;80(3):444-51.
- Evers AW, Verhoeven EW, van Middendorp H, Sweep FC, Kraaiaam FW, Donders AR, Eijsbouts AE, van Laarhoven AI, de Brouwer SJ, Wirken L, Radstake TR, van Riel PL. Does stress affect the joints? Daily stressors, stress vulnerability, immune and HPA axis activity, and short-term disease and symptom fluctuations in rheumatoid arthritis. *Ann Rheum Dis*. 2014;73:1683-8.
- Godoy GA, Korevaar TI, Peeters RP, Hofman A, de Rijke YB, Bongers-Schokking JJ, Tiemeier H, Jaddoe VW, Gaillard R. Maternal thyroid hormones during pregnancy, childhood adiposity and cardiovascular risk factors: the Generation R Study. *Clin Endocrinol (Oxf)*. 2014;81:117-25.
- Grebenchtchikov N, Geurts-Moespot AJ, Heijmen L, van Laarhoven HW, van Herpen CM, Thijs AM, Span PN, Sweep FC. Quantification of patient-specific assay interference in different formats of enzyme-linked immunoassays for therapeutic monoclonal antibodies. *Ther Drug Monit*. 2014;36(6):765-70.
- Hoevenaars FP, Bekkenkamp-Grovenstein M, Janssen RJ, Heil SG, Bunschoten A, Hoek-van den Hil EF, Snaas-Alders S, Teerds K, van Schothorst EM, Keijer J. Thermoneutrality results in prominent diet-induced body weight differences in C57BL/6J mice, not paralleled by diet-induced metabolic differences. *Mol Nutr Food Res*. 2014;58:799-807.
- Huibers MH, Visser DH, Deckers MM, van Schoor NM, van Furth AM, Wolf BH. Vitamin D deficiency among native Dutch and first- and second-generation non-Western immigrants. *Eur J Pediatr*. 2014;173:583-8.
- Hunze J, IJsselstijn L, Wulkan RW, van Alphen AM. Does hypothyroidism cause hyponatremia? *Health*. 2014;6:1453-8.
- Kamp K, Feelders RA, van Adrichem RC, de Rijke YB, van Nederveen FH, Kwekkeboom DJ, de Herder WW. Parathyroid hormone-related peptide (PTHrP) secretion by gastroenteropancreatic neuroendocrine tumors (GEP-NETs): clinical features, diagnosis, management, and follow-up. *J Clin Endocrinol Metab*. 2014;99(9):3060-9.
- Koene S, de Laat P, van Tienoven DH, Vriens D, Brandt AM, Sweep FC, Rodenburg RJ, Donders AR, Janssen MC, Smeitink JA. Serum FGF21 levels in adult m.3243A>G carriers: clinical implications. *Neurology*. 2014;83(2):125-33.
- Korevaar TI, Steegers EA, Schalekamp-Timmermans S, Ligthart S, de Rijke YB, Visser WE, Visser W, de Muinck Keizer-Schrama SM, Hofman A, Hooijkaas H, Bongers-Schokking JJ, Russcher H, Tiemeier H, Jaddoe VW, Visser TJ, Medici M, Peeters RP. Soluble Flt1 and placental growth factor are novel determinants of newborn thyroid (dys) function: the generation R study. *J Clin Endocrinol Metab*. 2014;99(9):E1627-34.
- Kox M, van Eijk LT, Zwaag J, van den Wildenberg J, Sweep FC, van der Hoeven JG, Pickkers P. Voluntary activation of the sympathetic nervous system and attenuation of the innate immune response in humans. *Proc Natl Acad Sci U S A*. 2014;111(20):7379-84.
- Lerchbaum E, Pilz S, Trummer C, Rabe T, Schenk M, Heijboer AC, Obermayer-Pietsch B. Serum vitamin D levels and hypogonadism in men. *Andrology*. 2014;2:748-54.
- Luyckx JJ, Bakker SC, Lentjes E, Neeleman M, Strengman E, Mentink L, Deyoung J, de Jong S, Sul JH, Eskin E, van Eijk K, van Setten J, Buizer-Voskamp JE, Cantor RM, Lu A, van Amerongen M, van Dongen EP, Keijzers P, Kappen T, Borgdorff P, Bruins P, Derks EM, Kahn RS, Ophoff RA. Genome-wide association study of monoamine metabolite levels in human cerebrospinal fluid. *Mol Psychiatry*. 2014;19(2):228-34.
- Medici M, Ghassabian A, Visser W, de Muinck Keizer-Schrama SM, Jaddoe VW, Visser WE, Hooijkaas H, Hofman A, Steegers EA, Bongers-Schokking JJ, Ross HA, Tiemeier H, Visser TJ, de Rijke YB, Peeters RP. Women with high early pregnancy urinary iodine levels have an increased risk of hyperthyroid newborns: the population-based Generation R Study. *Clin Endocrinol (Oxf)*. 2014;80(4):598-606.
- Medici M, Korevaar TI, Schalekamp-Timmermans S, Gaillard R, de Rijke YB, Visser WE, Visser W, de Muinck Keizer-Schrama SM, Hofman A, Hooijkaas H, Bongers-Schokking JJ, Tiemeier H, Jaddoe VW, Visser TJ, Peeters RP, Steegers EA. Maternal early-pregnancy thyroid function is associated with subsequent hypertensive disorders of pregnancy: the generation R study. *J Clin Endocrinol Metab*. 2014;99(12):E2591-8.
- Medici M, Porcu E, Pistis G, Teumer A, Brown SJ, Jensen RA, Rawal R, Roef GL, Plantinga TS, Vermeulen SH, Lahti J, Simmonds MJ, Husemoen LL, Freathy RM, Shields BM, Pietzner D, Nagy R, Broer L, Chaker L, Korevaar TI, Plia MG, Sala C, Völker U, Richards JB, Sweep FC, Gieger C, Corre T, Kajantie E, Thuesen B, Taes YE, Visser WE, Hattersley AT, Kratzsch J, Hamilton A, Li W, Homuth G, Lobina M, Mariotti S, Soranzo N, Cocca M, Nauck M, Spielhagen C, Ross A, Arnold A, van de Bunt M, Liyanarachchi S, Heier M, Grabe HJ, Masciullo C, Galesloot TE, Lim EM, Reischl E, Leedman PJ, Lai S, Delitala A, Bremner AP, Philips DI, Beilby JP, Mulas A, Vocale M, Abecasis G, Forsen T, James A, Widen E, Hui J, Prokisch H, Rietzschel EE, Palotie A, Feddema P, Fletcher SJ, Schramm K, Rotter JI, Kluttig A, Radke D, Traglia M, Surdulescu GL, He H, Franklyn JA, Tiller D, Vaidya B, de Meyer T, Järnrgensen T, Eriksson JG, O'Leary PC, Wichmann E, Hermus AR, Psaty BM, Ittermann T, Hofman A, Bosi E, Schlessinger D, Wallaschofski H, Pirastu N, Aulchenko YS, de la Chapelle A, Netea-Maier RT, Gough SC, Meyer Zu Schwabedissen H, Frayling TM, Kaufman JM, Linneberg A, Rääkkönen K, Smit JW, Kiemeny LA, Rivadeneira F, Uitterlinden AG, Walsh JP, Meisinger C, den Heijer M, Visser TJ, Spector TD, Wilson SG, Völzke H, Cappola A, Toniolo D, Sanna S, Naitza S, Peeters RP. Identification of novel genetic Loci associated with thyroid peroxidase antibodies and clinical thyroid disease. *PLoS Genet*. 2014;10(2):e1004123.
- Noppe G, van Rossum EF, Koper JW, Manenschijn L, Bruining GJ, de Rijke YB, van den Akker EL. Validation and reference ranges of hair cortisol measurement in healthy children. *Horm Res Paediatr*. 2014;82(2):97-102.
- Van den Berg P, van Haard PMM, van den Bergh JPW, Niesten DD, van der Elst M, Schweitzer DH. First quantification of calcium intake from calcium-dense dairy products in Dutch fracture patients (The Delft Cohort Study). *Nutrients*. 2014;6:2404-18.
- Pamporaki C, Bursztyn M, Reimann M, Ziemssen T, Bornstein SR, Sweep FC, Timmers H, Lenders JW, Eisenhofer G. Seasonal variation in plasma free normetanephrine concentrations: implications for biochemical diagnosis of pheochromocytoma. *Eur J Endocrinol*. 2014;170(3):349-57.

- Radhakishun NN, van Vliet M, Poland DC, Weijer O, Beijnen JH, Brandjes DP, Diamant M, von Rosenstiel IA. Efficacy and tolerability of a high loading dose (25,000 IU weekly) vitamin D3 supplementation in obese children with vitamin D insufficiency/deficiency. *Horm Res Paediatr*. 2014;82(2):103-6.
- Renes JS, van Doorn J, Breukhoven PE, Lem AJ, de Ridder MA, Hokken-Koelega AC. Acid-labile subunit levels and the association with response to growth hormone treatment in short children born small for gestational age. *Horm Res Paediatr*. 2014;81:126-32.
- Renes JS, van Doorn J, Hokken-Koelega AC. Ternary complex formation and IGFBP-3 proteolytic activity during childhood: age-dependent changes. *J Clin Endocrinol Metab*. 2014;99(10):E1988-96.
- Roelfsema F, Pijl H, Kok P, Endert E, Fliers E, Biermasz NR, Pereira AM, Veldhuis JD. Thyrotropin secretion in healthy subjects is robust and independent of age and gender, and only weakly dependent on body mass index. *J Clin Endocrinol Metab*. 2014;99(2):570-8.
- Ross HA, Lentjes EW, Menheere PM, Sweep CG; Endocrinology Section and project group "Calibration 2000" of the SKML (Dutch Foundation for Quality Assessment in Clinical Laboratories). Harmonization of growth hormone measurement results: the empirical approach. *Clin Chim Acta*. 2014;432:72-6.
- Schindhelm RK, ten Boekel E, Heima NE, van Schoor NM, Simsek S. Thyroid hormones and erythropoiesis: A complex relation? *Eur J Intern Med*. 2014;25:e6.
- Schroeder C, Heusser K, Zoerner AA, Großhennig A, Wenzel D, May M, Sweep FC, Mehling H, Luft FC, Tank J, Jordan J. Pacemaker current inhibition in experimental human cardiac sympathetic activation: a double-blind, randomized, crossover study. *Clin Pharmacol Ther*. 2014;95(6):601-7.
- Slagter SN, van Vliet-Ostaptchouk JV, Vonk JM, Boezen HM, Dullaart RP, Kobold AC, Feskens EJ, van Beek AP, van der Klauw MM, Wolffenbuttel BH. Combined effects of smoking and alcohol on metabolic syndrome: the LifeLines cohort study. *PLoS One*. 2014;9:e96406.
- Stenvers DJ, Schouten LJ, Jurgens J, Endert E, Kalsbeek A, Fliers E, Bisschop PH. Breakfast replacement with a low-glycaemic response liquid formula in patients with type 2 diabetes: a randomised clinical trial. *Br J Nutr*. 2014;112(4):504-12.
- Teeninga N, Kist-van Holthe JE, van den Akker EL, Kersten MC, Boersma E, Krabbe HG, Knoers NV, van der Heijden AJ, Koper JW, Nauta J. Genetic and in vivo determinants of glucocorticoid sensitivity in relation to clinical outcome of childhood nephrotic syndrome. *Kidney Int*. 2014;85(6):1444-53.
- Van de Ven AC, Netea-Maier RT, de Vegt F, Ross HA, Sweep FC, Kiemeny LA, Smit JW, Hermus AR, den Heijer M. Associations between thyroid function and mortality: the influence of age. *Eur J Endocrinol*. 2014;171(2):183-91.
- Van den Ouweland J, Fleuren H, Drabbe M, Vollaard H. Pharmacokinetics and safety issues of an accidental overdose of 2,000,000 IU of vitamin D3 in two nursing home patients: a case report. *BMC Pharmacol Toxicol*. 2014;15:57.
- Van den Ouweland JM, Beijers AM, van Daal H. Overestimation of 25-hydroxyvitamin D3 by increased ionisation efficiency of 3-epi-25-hydroxyvitamin D3 in LC-MS/MS methods not separating both metabolites as determined by an LC-MS/MS method for separate quantification of 25-hydroxyvitamin D3, 3-epi-25-hydroxyvitamin D3 and 25-hydroxyvitamin D2 in human serum. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2014;967:195-202.
- Van den Ouweland JM, Beijers AM, van Daal H, Elisen MG, Steen G, Wielders JP. Evaluation of 3-epi-25-hydroxyvitamin D3 cross-reactivity in the Roche Elecsys Vitamin D Total protein binding assay. *Clin Chem Lab Med*. 2014;52(3):373-80.
- Van der Meijden K, Lips P, van Driel M, Heijboer AC, Schulten EA, den Heijer M, Bravenboer N. Primary human osteoblasts in response to 25-hydroxyvitamin D3, 1,25-dihydroxyvitamin D3 and 24R,25-dihydroxyvitamin D3. *PLoS One*. 2014;9(10):e110283.
- Van der Pas R, van Esch JH, de Bruin C, Danser AH, Pereira AM, Zelissen PM, Netea-Maier R, Sprij-Mooij DM, van den Berg-Garrelts IM, van Schaik RH, Lamberts SW, van den Meiracker AH, Hofland LJ, Feelders RA. Cushing's disease and hypertension: in vivo and in vitro study of the role of the renin-angiotensin-aldosterone system and effects of medical therapy. *Eur J Endocrinol*. 2014;170(2):181-91.
- Van Golen LW, Veltman DJ, IJzerman RG, Deijen JB, Heijboer AC, Barkhof F, Drent ML, Diamant M. Effects of Insulin Detemir and NPH Insulin on Body Weight and Appetite-Regulating Brain Regions in Human Type 1 Diabetes: A Randomized Controlled Trial. *PLoS One*. 2014;9(4):e94483.
- Van Schoor NM, Knol DL, Deeg DJ, Peters FP, Heijboer AC, Lips P. Longitudinal changes and seasonal variations in serum 25-hydroxyvitamin D levels in different age groups: results of the Longitudinal Aging Study Amsterdam. *Osteoporos Int*. 2014;25(5):1483-91.
- Van Veggel KM, Huits RM, Donker GH, Lentjes EG, van Doorn J. Column chromatographic characterization of complex formation of pro-IGF-II isoforms with acid labile subunit and IGF-binding proteins associated with non-islet cell tumour induced hypoglycaemia. *Growth Horm IGF Res*. 2014;24(6):233-8.
- Van Vliet-Ostaptchouk JV, Nuotio ML, Slagter SN, Doiron D, Fischer K, Foco L, Gaye A, Gögele M, Heier M, Hiekkalinna T, Joensuu A, Newby C, Pang C, Partinen E, Reischl E, Schwienbacher C, Tammesoo ML, Swertz MA, Burton P, Ferretti V, Fortier I, Giepmans L, Harris JR, Hillege HL, Holmen J, Jula A, Kootstra-Ros JE, Kvaløy K, Holmen TL, Männistö S, Metspalu A, Midhjelld K, Murtagh MJ, Peters A, Pramstaller PP, Saaristo T, Salomaa V, Stolk RP, Uusitupa M, van der Harst P, van der Klauw MM, Waldenberger M, Perola M, Wolffenbuttel BH. The prevalence of metabolic syndrome and metabolically healthy obesity in Europe: a collaborative analysis of ten large cohort studies. *BMC Endocr Disord*. 2014;14:9.
- Vos MJ, Mijnhout GS, Rondeel JM, Baron W, Groeneveld PH. Sex hormone binding globulin deficiency due to a homozygous missense mutation. *J Clin Endocrinol Metab*. 2014;99(9):E1798-802.
- Zevenbergen C, Klootwijk W, Peeters RP, Medici M, de Rijke YB, Huisman SA, Goeman H, Boot E, de Kuiper G, de Waal KH, Meima ME, Larsen PR, Visser TJ, Visser WE. Functional analysis of novel genetic variation in the thyroid hormone activating type 2 deiodinase. *J Clin Endocrinol Metab*. 2014;99(11):E2429-36.

Klinisch: Erfelijke stofwisselingsziekten

Albersen M, Bosma M, Luykx JJ, Jans JJ, Bakker SC, Strengman E, Borgdorff PJ, Keijzers PJ, van Dongen EP, Bruins P, de Sain-van der Velden MG, Visser G, Knoers NV, Ophoff RA, Verhoeven-Duif NM. Vitamin B-6 vitamers in human plasma and cerebrospinal fluid. *Am J Clin Nutr*. 2014;100(2):587-92.

Baertling F, Mayatepek E, Thimm E, Schlune A, Kovacevic A, Distelmaier F, Salomons GS, Meissner T. Malonic aciduria: long-term follow-up of new patients detected by newborn screening. *Eur J Pediatr*. 2014;173(12):1719-22.

Da Silva TF, Eira J, Lopes AT, Malheiro AR, Sousa V, Luoma A, Avila RL, Wanders RJ, Just WW, Kirschner DA, Sousa MM, Brites P. Peripheral nervous system plasmalogens regulate Schwann cell differentiation and myelination. *J Clin Invest*. 2014;124(6):2560-70.

De Sain-van der Velden MG, van der Ham M, Verhoeven-Duif NM, Visser G, van Hasselt PM. Comment on Zwickler et al.: Usefulness of biochemical parameters in decision-making on the start of emergency treatment in patients with propionic acidemia. *J Inher Metab Dis*. 2014;37(4):651-2.

Dercksen M, IJlst L, Duran M, Mienie LJ, van Cruchten A, van der Westhuizen FH, Wanders RJ. Inhibition of N-acetylglutamate synthase by various monocarboxylic and dicarboxylic short-chain coenzyme A esters and the production of alternative glutamate esters. *Biochim Biophys Acta*. 2014;1842(12 Pt A):2510-6.

Diekman EF, van Weeghel M, Wanders RJ, Visser G, Houten SM. Food withdrawal lowers energy expenditure and induces inactivity in long-chain fatty acid oxidation-deficient mouse models. *FASEB J*. 2014;28(7):2891-900.

Drewes YM, Poortvliet RK, Blom JW, de Ruijter W, Westendorp RG, Stott DJ, Blom HJ, Ford I, Sattar N, Wouter Jukema J, Assendelft WJ, de Craen AJ, Gussekloo J. Homocysteine levels and treatment effect in the PROspective Study of Pravastatin in the Elderly at Risk. *J Am Geriatr Soc*. 2014;62(2):213-21.

Engel J, Blanchet L, Engelke UF, Wevers RA, Buydens LM. Towards the disease biomarker in an individual patient using statistical health monitoring. *PLoS One*. 2014;9(4):e92452.

Engelen M, Barbier M, Dijkstra IM, Schür R, de Bie RM, Verhamme C, Dijkgraaf MG, Aubourg PA, Wanders RJ, van Geel BM, de Visser M, Poll-The BT, Kemp S. X-linked adrenoleukodystrophy in women: a cross-sectional cohort study. *Brain*. 2014;137(Pt 3):693-706.

Gardeitchik T, Mohamed M, Fischer B, Lammens M, Lefeber D, Lace B, Parker M, Kim KJ, Lim BC, Häberle J, Garavelli L, Jagadeesh S, Kariminejad A, Guerra D, Leão M, Keski-Filppula R, Brunner H, Nijtmans L, van den Heuvel B, Wevers R, Kornak U, Morava E. Clinical and biochemical features guiding the diagnostics in neurometabolic cutis laxa. *Eur J Hum Genet*. 2014;22(7):888-95.

Geillon F, Gondcaille C, Charbonnier S, van Roermund CW, Lopez TE, Dias AM, Pais de Barros JP, Arnould C, Wanders RJ, Trompier D, Savary S. Structure-function analysis of peroxisomal ATP-binding cassette transporters using chimeric dimers. *J Biol Chem*. 2014;289(35):24511-20.

Hornstra JM, Hoekstra T, Serné EH, Eringa EC, Wijnstok NJ, Blom HJ, Twisk JW, Smulders YM. Homocysteine levels are inversely associated with capillary density in men, not in premenopausal women. *Eur J Clin Invest*. 2014;44(3):333-40.

Houten SM, Denis S, te Brinke H, Jongejan A, van Kampen AH, Bradley EJ, Baas F, Hennekam RC, Millington DS, Young SP, Frazier DM, Gucsavas-Calikoglu M, Wanders RJ. Mitochondrial NADP(H) deficiency due to a mutation in NADK2 causes dienoyl-CoA reductase deficiency with hyperlysinemia. *Hum Mol Genet*. 2014;23(18):5009-16.

Iurian SL, Wevers R, Mehedintu B. Diagnosis difficulties in severe and chronic hepatopathy with early onset. Case report. *Revista Romana de Pediatrie / Romanian Journal of Pediatrics*. 2014;2:164-7.

Jank JM, Maier EM, Reiß DD, Haslbeck M, Kemter KF, Truger MS, Sommerhoff CP, Ferdinandusse S, Wanders RJ, Gersting SW, Muntau AC. The domain-specific and temperature-dependent protein misfolding phenotype of variant medium-chain acyl-CoA dehydrogenase. *PLoS One*. 2014;9(4):e93852.

Jassim N, Alghaihab M, Saleh SA, Alfadhel M, Wamelink MM, Eyaid W. Pulmonary manifestations in a patient with transaldolase deficiency. *JIMD Rep*. 2014;12:47-50.

Kaasinen E, Rahikkala E, Koivunen P, Miettinen S, Wamelink MM, Aavikko M, Palin K, Myllyharju J, Moilanen JS, Pajunen L, Karhu A, Aaltonen LA. Clinical characterization, genetic mapping and whole-genome sequence analysis of a novel autosomal recessive intellectual disability syndrome. *Eur J Med Genet*. 2014;57(10):543-51.

Leduc CA, Crouch EE, Wilson A, Lefkowitz J, Wamelink MM, Jakobs C, Salomons GS, Sun X, Shen Y, Chung WK. Novel association of early onset hepatocellular carcinoma with transaldolase deficiency. *JIMD Rep*. 2014;12:121-7.

Lines MA, Jobling R, Brady L, Marshall CR, Scherer SW, Rodriguez AR, Lee L, Lang AE, Mestre TA, Wanders RJ, Ferdinandusse S, Tarnopolsky MA; Canadian Pediatric Genetic Disorders Sequencing Consortium (FORGE Canada). Peroxisomal D-bifunctional protein deficiency: three adults diagnosed by whole-exome sequencing. *Neurology*. 2014;82(11):963-8.

Luíz PB, Ruiter J, IJlst L, de Almeida IT, Duran M, Wanders RJ, Silva MF. Valproyl-CoA inhibits the activity of ATP- and GTP-dependent succinate:CoA ligases. *J Inher Metab Dis*. 2014;37(3):353-7.

Luyasu S, Wamelink MM, Galanti L, Dive A. Pyroglutamic acid-induced metabolic acidosis: a case report. *Acta Clin Belg*. 2014;69(3):221-3.

Mühlhausen C, Salomons GS, Lukacs Z, Struys EA, van der Knaap MS, Ullrich K, Santer R. Combined D2-/L2-hydroxyglutaric aciduria (SLC25A1 deficiency): clinical course and effects of citrate treatment. *J Inher Metab Dis*. 2014;37(5):775-81.

Mendes MI, Colaço HG, Smith DE, Ramos RJ, Pop A, van Dooren SJ, Tavares de Almeida I, Kluijtmans LA, Janssen MC, Rivera I, Salomons GS, Leandro P, Blom HJ. Reduced response of Cystathionine Beta-Synthase (CBS) to S-Adenosylmethionine (SAM): Identification and functional analysis of CBS gene mutations in Homocystinuria patients. *J Inher Metab Dis*. 2014;37(2):245-54.

Mendes MI, Santos AS, Smith DE, Lino PR, Colaço HG, de Almeida IT, Vicente JB, Salomons GS, Rivera I, Blom HJ, Leandro P. Insights into the regulatory domain of cystathionine Beta-synthase: characterization of six variant proteins. *Hum Mutat*. 2014;35(10):1195-202.

- Mercimek-Mahmutoglu S, Ndika J, Kanhai W, de Villemeur TB, Cheillan D, Christensen E, Dorison N, Hannig V, Hendriks Y, Hofstede FC, Lion-Francois L, Lund AM, Mundy H, Pitelet G, Raspall-Chaure M, Scott-Schwoerer JA, Szakszon K, Valayannopoulos V, Williams M, Salomons GS. Thirteen new patients with guanidinoacetate methyltransferase deficiency and functional characterization of nineteen novel missense variants in the GAMT gene. *Hum Mutat.* 2014;35(4):462-9.
- Mercimek-Mahmutoglu S, Salomons GS, Chan A. Case study for the evaluation of current treatment recommendations of guanidinoacetate methyltransferase deficiency: ineffectiveness of sodium benzoate. *Pediatr Neurol.* 2014;51(1):133-7.
- Ndika JD, Martinez-Munoz C, Anand N, van Dooren SJ, Kanhai W, Smith DE, Jakobs C, Salomons GS. Post-transcriptional regulation of the creatine transporter gene: functional relevance of alternative splicing. *Biochim Biophys Acta.* 2014;1840(6):2070-9.
- Ndika JD, Lusink V, Beaubrun C, Kanhai W, Martinez-Munoz C, Jakobs C, Salomons GS. Cloning and characterization of the promoter regions from the parent and paralogous creatine transporter genes. *Gene.* 2014;533(2):488-93.
- Nota B, Ndika JD, van de Kamp JM, Kanhai WA, van Dooren SJ, van de Wiel MA, Pals G, Salomons GS. RNA sequencing of creatine transporter (SLC6A8) deficient fibroblasts reveals impairment of the extracellular matrix. *Hum Mutat.* 2014;35(9):1128-35.
- Pougovkina O, te Brinke H, Ofman R, van Cruchten AG, Kulik W, Wanders RJ, Houten SM, de Boer VC. Mitochondrial protein acetylation is driven by acetyl-CoA from fatty acid oxidation. *Hum Mol Genet.* 2014;23(13):3513-22.
- Pougovkina O, te Brinke H, Wanders RJ, Houten SM, de Boer VC. Aberrant protein acylation is a common observation in inborn errors of acyl-CoA metabolism. *J Inherit Metab Dis.* 2014;37(5):709-14.
- Schieving JH, de Vries M, van Vugt JM, Weemaes C, van Deuren M, Nicolai J, Wevers RA, Willemsen MA. Alpha-fetoprotein, a fascinating protein and biomarker in neurology. *Eur J Paediatr Neurol.* 2014;18(3):243-8.
- Schrander DE, Welting TJ, Caron MM, Schrander JJ, van Rhijn LW, Körver-Keularts I, Schrander-Stumpel CT. Endochondral ossification in a case of progressive osseous heteroplasia in a young female child. *J Pediatr Orthop B.* 2014;23(5):477-84.
- Struys EA, Jansen EE, Salomons GS. Human pyrroline-5-carboxylate reductase (PYCR1) acts on (1)-piperidine-6-carboxylate generating L-pipecolic acid. *J Inherit Metab Dis.* 2014;37(3):327-32.
- Tegtmeyer LC, Rust S, van Scherpenzeel M, Ng BG, Losfeld ME, Timal S, Raymond K, He P, Ichikawa M, Veltman J, Huijben K, Shin YS, Sharma V, Adamowicz M, Lammens M, Reunert J, Witten A, Schrapers E, Matthijs G, Jaeken J, Rymen D, Stojkovic T, Laforêt P, Petit F, Aumaaître O, Czarnowska E, Piraud M, Podskarbi T, Stanley CA, Matalon R, Burda P, Seyyedi S, Debus V, Socha P, Sykut-Cegielska J, van Spronsen F, de Meirleir L, Vajro P, DeClue T, Ficicioglu C, Wada Y, Wevers RA, Vanderschaeghe D, Callewaert N, Fingerhut R, van Schaftingen E, Freeze HH, Morava E, Lefeber DJ, Marquardt T. Multiple phenotypes in phosphoglucomutase 1 deficiency. *N Engl J Med.* 2014;370(6):533-42.
- Teixeira E, Borlido-Santos J, Brissot P, Butzeck B, Courtois F, Evans RW, Fernau J, Nunes JA, Mullett M, Paneque M, Pineau B, Porto G, Sorriell R, Sanchez M, Swinkels DW, Toska K, Varkonyi J, EFAPH, the European Federation of Associations of Patients with Haemochromatosis. The importance of the general practitioner as an information source for patients with hereditary haemochromatosis. *Patient Educ Couns.* 2014;96(1):86-92.
- Tylki-Szymanska A, Wamelink MM, Stradomska TJ, Salomons GS, Taybert J, Dabrowska-Leonik N, Rurarz M. Clinical and molecular characteristics of two transaldolase-deficient patients. *Eur J Pediatr.* 2014;173(12):1679-82.
- Van Asbeck E, Wolthuis DF, Mohamed M, Wevers RA, Korenke CG, Gardeitchik T, Morava E. A novel phenotype associated with cutis laxa, abnormal fat distribution, cardiomyopathy and cataract. *Am J Med Genet A.* 2014;164A(4):1049-55.
- Van de Kamp JM, Mancini GM, Salomons GS. X-linked creatine transporter deficiency: clinical aspects and pathophysiology. *J Inherit Metab Dis.* 2014;37(5):715-33.
- Van de Ven S, Gardeitchik T, Kouwenberg D, Kluijtmans L, Wevers R, Morava E. Long-term clinical outcome, therapy and mild mitochondrial dysfunction in hyperprolinemia. *J Inherit Metab Dis.* 2014;37(3):383-90.
- Van Hasselt PM, Ferdinandusse S, Monroe GR, Ruiten JP, Turkenburg M, Geerlings MJ, Duran K, Harakalova M, van der Zwaag B, Monavari AA, Okur I, Sharrard MJ, Cleary M, O'Connell N, Walker V, Rubio-Gozalbo ME, de Vries MC, Visser G, Houwen RH, van der Smagt JJ, Verhoeven-Duif NM, Wanders RJ, van Haften G. Monocarboxylate transporter 1 deficiency and ketone utilization. *N Engl J Med.* 2014;371(20):1900-7.
- Van Rijt WJ, Heiner-Fokkema MR, du Marchie Sarvaas GJ, Waterham HR, Blokpoel RG, van Spronsen FJ, Derks TG. Favorable outcome after physiologic dose of sodium-D,L-3-hydroxybutyrate in severe MADD. *Pediatrics.* 2014;134(4):e1224-8.
- Van Roermund CW, IJlst L, Wagemans T, Wanders RJ, Waterham HR. A role for the human peroxisomal half-transporter ABCD3 in the oxidation of dicarboxylic acids. *Biochim Biophys Acta.* 2014;1841(4):563-8.
- Van Scherpenzeel M, Timal S, Rymen D, Hoischen A, Wuhrer M, Hipgrave-Ederveen A, Grunewald S, Peanne R, Saada A, Edvardson S, Grønborg S, Ruijter G, Kattentidt-Mouravieva A, Brum JM, Freckmann ML, Tomkins S, Jalan A, Prochazkova D, Ondruskova N, Hansikova H, Willemsen MA, Hensbergen PJ, Matthijs G, Wevers RA, Veltman JA, Morava E, Lefeber DJ. Diagnostic serum glycosylation profile in patients with intellectual disability as a result of MAN1B1 deficiency. *Brain.* 2014;137(Pt 4):1030-8.
- Van Vliet D, Derks TG, van Rijn M, de Groot MJ, MacDonald A, Heiner-Fokkema MR, van Spronsen FJ. Single amino acid supplementation in aminoacidopathies: a systematic review. *Orphanet J Rare Dis.* 2014;9:7.
- Van Weeghel M, Ofman R, Argmann CA, Ruiten JP, Claessen N, Oussoren SV, Wanders RJ, Aten J, Houten SM. Identification and characterization of Eci3, a murine kidney-specific Δ3,Δ2-enoyl-CoA isomerase. *FASEB J.* 2014;28(3):1365-74.

Vlaardingerbroek H, Vermeulen MJ, Carnielli VP, Vaz FM, van den Akker CH, van Goudoever JB. Growth and fatty acid profiles of VLBW infants receiving a multicomponent lipid emulsion from birth. *J Pediatr Gastroenterol Nutr.* 2014;58(4):417-27

Wagner S, Vianey-Saban C, Salomons GS, Schmitt E, Feillet F. [L-2-hydroxyglutaric aciduria: report on two cases]. *Arch Pediatr.* 2014;21(1):78-85.

Wanders RJ. Metabolic functions of peroxisomes in health and disease. *Biochimie.* 2014;98:36-44.

Wang G, McCain ML, Yang L, He A, Pasqualini FS, Agarwal A, Yuan H, Jiang D, Zhang D, Zangi L, Geva J, Roberts AE, Ma Q, Ding J, Chen J, Wang DZ, Li K, Wang J, Wanders RJ, Kulik W, Vaz FM, Laflamme MA, Murry CE, Chien KR, Kelley RI, Church GM, Parker KK, Pu WT. Modeling the mitochondrial cardiomyopathy of Barth syndrome with induced pluripotent stem cell and heart-on-chip technologies. *Nat Med.* 2014;20(6):616-23.

Ware TL, Earl J, Salomons GS, Struys EA, Peters HL, Howell KB, Pitt JJ, Freeman JL. Typical and atypical phenotypes of PNPO deficiency with elevated CSF and plasma pyridoxamine on treatment. *Dev Med Child Neurol.* 2014;56(5):498-502.

Wolthuis DF, van Asbeck E, Mohamed M, Gardeitchik T, Lim-Melia ER, Wevers RA, Morava E. Cutis laxa, fat pads and retinopathy due to ALDH18A1 mutation and review of the literature. *Eur J Paediatr Neurol.* 2014;18(4):511-5.

Wortmann SB, Kluijtmans LA, Sequeira S, Wevers RA, Morava E. Leucine loading test is only discriminative for 3-methylglutaconic aciduria due to AUH Defect. *JIMD Rep.* 2014;16:1-6.

Yakunin E, Kisos H, Kulik W, Grigoletto J, Wanders RJ, Sharon R. The regulation of catalase activity by PPAR γ is affected by X-synuclein. *Ann Clin Transl Neurol.* 2014;1(3):145-59.

Ye C, Lou W, Li Y, Chatzisprou IA, Hüttemann M, Lee I, Houtkooper RH, Vaz FM, Chen S, Greenberg ML. Deletion of the cardioplin-specific phospholipase Cld1 rescues growth and life span defects in the tafazzin mutant: implications for Barth syndrome. *J Biol Chem.* 2014;289(6):3114-25.

Zutt R, van der Kooi AJ, Linthorst GE, Wanders RJ, de Visser M. Rhabdomyolysis: review of the literature. *Neuromuscul Disord.* 2014;24(8):651-9.

Klinisch: Gynaecologie / obstetrie / perinatologie

Bossema ER, Janssens PM, Treucker RG, Landwehr F, van Duinen K, Nap AW, Geenen R. An inventory of reasons for sperm donation in formal versus informal settings. *Hum Fertil (Camb).* 2014;17(1):21-7.

Daan NM, Louwers YV, Koster MP, Eijkemans MJ, de Rijke YB, Lentjes EW, Fauser BC, Laven JS. Cardiovascular and metabolic profiles amongst different polycystic ovary syndrome phenotypes: who is really at risk? *Fertil Steril.* 2014;102(5):1444-51.

Engels MA, Bhola SL, Twisk JW, Blankenstein MA, van Vugt JM. Evaluation of the introduction of the national Down syndrome screening program in the Netherlands: age-related uptake of prenatal screening and invasive diagnostic testing. *Eur J Obstet Gynecol Reprod Biol.* 2014;174:59-63.

Engels MA, Twisk JW, Blankenstein MA, van Vugt JM. First-trimester screening for down syndrome with serum sampling at different gestational ages: the effect on screening performance. *Fetal Diagn Ther.* 2014;36(4):293-8.

Jans G, Guelinckx I, Voets W, Galjaard S, van Haard PMM, Vansant GM, Devlieger R. Vitamin K1 monitoring in pregnancies after bariatric surgery: a prospective cohort study. *Surg Obes Relat Dis.* 2014;10(5):885-90.

Kop PA, Janssens PM, Mochtar MH. Artificial insemination with donor sperm in the Netherlands: future-proof? *Ned Tijdschr Geneesk.* 2014;158(0):A7232.

Frielink LMJ, Prinzen L, Henskens YMC, Vossen RCRM, Coumans ABC. Kleihauer-Betketest, verre van ideaal! *NTOG.* 2014;127:234.

Luxwolda MF, Kuipers RS, Boersma ER, van Goor SA, Dijk-Brouwer DA, Bos AF, Muskiet FA. DHA status is positively related to motor development in breastfed African and Dutch infants. *Nutr Neurosci.* 2014;17(3):97-103.

Luxwolda MF, Kuipers RS, Koops JH, Muller S, de Graaf D, Dijk-Brouwer DA, Muskiet FA. Interrelationships between maternal DHA in erythrocytes, milk and adipose tissue. Is 1 wt% DHA the optimal human milk content? Data from four Tanzanian tribes differing in lifetime stable intakes of fish. *Br J Nutr.* 2014;111(5):854-66.

Moonen RM, Huizing MJ, Cavallaro G, González-Luis GE, Bas-Suárez P, Bakker JA, Villamor E. Plasma levels of dimethylarginines in preterm very low birth weight neonates: its relation with perinatal factors and short-term outcome. *Int J Mol Sci.* 2014;16(1):19-39.

Raps M, Curvers J, Helmerhorst FM, Ballieux BE, Rosing J, Thomassen S, Rosendaal FR, van Vliet HA. Thyroid function, activated protein C resistance and the risk of venous thrombosis in users of hormonal contraceptives. *Thromb Res.* 2014;133(4):640-4.

Van Baaren GJ, Vis JY, Wilms FF, Oudijk MA, Kwee A, Porath MM, Oei G, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Haak MC, Bolte AC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvanck BW, van Eyck J, Franssen MT, Sollie KM, Vandenbussche FP, Woiski M, Grobman WA, van der Post JA, Bossuyt PM, Opmeer BC, Mol BW. Predictive value of cervical length measurement and fibronectin testing in threatened preterm labor. *Obstet Gynecol.* 2014;123(6):1185-92.

Verdonk K, Niemeijer IC, Hop WC, de Rijke YB, Steegers EA, van den Meiracker AH, Visser W. Variation of urinary protein to creatinine ratio during the day in women with suspected preeclampsia. *BJOG.* 2014;121(13):1660-5.

Verdonk K, Visser W, Russcher H, Danser AH, Steegers EA, van den Meiracker AH. Differential diagnosis of preeclampsia: remember the soluble fms-like tyrosine kinase 1/placental growth factor ratio. *Hypertension.* 2012;60(4):884-90.

Vijlbrief DC, van Bel F, Molenschot MC, Benders MJ, Pistorius LR, Kemperman H, de Vries WB. Early detection of prenatal cardiocirculatory compromise in small for gestational age infants. *Neonatology.* 2014;105(4):256-62.

Klinisch: Hart- en vaatziekten

Breet NJ, de Jong C, Bos WJ, van Werkum JW, Bouman HJ, Kelder JC, Bergmeijer TO, Zijlstra F, Hackeng CM, ten Berg JM. The impact of renal function on platelet reactivity and clinical outcome in patients undergoing percutaneous coronary intervention with stenting. *Thromb Haemost.* 2014;112(6):1174-81.

Cobbaert CM, Bootsma M, Boden H, Ahmed TA, Hoogslag GE, Romijn FP, Ballieux BE, Wolterbeek R, Hermens WT, Schalij MJ, van der Laarse A. Confounding factors in the relation between high sensitivity cardiac troponin T levels in serum and infarct size of patients with first ST-elevation myocardial infarction. *Int J Cardiol.* 2014;172(1):e3-5.

Esse R, Imbard A, Florindo C, Gupta S, Quinlivan EP, Davids M, Teerlink T, Tavares de Almeida I, Kruger WD, Blom HJ, Castro R. Protein arginine hypomethylation in a mouse model of cystathionine β -synthase deficiency. *FASEB J.* 2014;28(6):2686-2695.

Galesloot TE, Holewijn S, Kiemeny LA, de Graaf J, Vermeulen SH, Swinkels DW. Serum hepcidin is associated with presence of plaque in postmenopausal women of a general population. *Arterioscler Thromb Vasc Biol.* 2014;34(2):446-56.

Heringa SM, van den Berg E, Reijmer YD, Nijpels G, Stehouwer CD, Schalkwijk CG, Teerlink T, Scheffer PG, van den Hurk K, Kappelle LJ, Dekker JM, Biessels GJ. Markers of low-grade inflammation and endothelial dysfunction are related to reduced information processing speed and executive functioning in an older population - the Hoorn Study. *Psychoneuroendocrinology.* 2014;40:108-18.

Hoogeveen EK, Geleijnse JM, Kromhout D, Stijnen T, Gemen EF, Kusters R, Giltay EJ. Effect of omega-3 fatty acids on kidney function after myocardial infarction: the Alpha Omega Trial. *Clin J Am Soc Nephrol.* 2014;9(10):1676-83.

Horjus DL, Nieuwland R, Boateng KB, Schaap MC, van Montfrans GA, Clark JF, Sturk A, Brewster LM. Creatine kinase inhibits ADP-induced platelet aggregation. *Sci Rep.* 2014;4:6551.

Janssen PW, ten Berg JM, Hackeng CM. The use of platelet function testing in PCI and CABG patients. *Blood Rev.* 2014;28(3):109-21.

Keyzer JM, Hoffmann JJ, Ringoir L, Nabbe KC, Widdershoven JW, Pop VJ. Age- and gender-specific brain natriuretic peptide (BNP) reference ranges in primary care. *Clin Chem Lab Med.* 2014;52(9):1341-6.

Klinkenberg LJ, van Dijk JW, Tan FE, van Loon LJ, van Dieijen-Visser MP, Meex SJ. Circulating cardiac troponin T exhibits a diurnal rhythm. *J Am Coll Cardiol.* 2014;63(17):1788-95.

Kortekaas KA, van der Baan A, Aarts LP, Palmen M, Cobbaert CM, Verhagen JC, Engbers FH, Klautz RJ, Lindeman JH. Cardiospecific sevoflurane treatment quenches inflammation but does not attenuate myocardial cell damage markers: a proof-of-concept study in patients undergoing mitral valve repair. *Br J Anaesth.* 2014;112(6):1005-14.

Kunutsor SK, Bakker SJ, Kootstra-Ros JE, Gansevoort RT, Dullaart RP. Circulating gamma glutamyltransferase and prediction of cardiovascular disease. *Atherosclerosis.* 2014;238(2):356-64.

Langlois MR, Descamps OS, van der Laarse A, Weykamp C, Baum H, Pulkki K, von Eckardstein A, De Bacquer D, Borén J, Wiklund O, Laitinen P, Oosterhuis WP, Cobbaert C; EAS-EFLM Collaborative Project. Clinical impact of direct HDLc and LDLc method bias in hypertriglyceridemia. A simulation study of the EAS-EFLM Collaborative Project Group. *Atherosclerosis.* 2014;233(1):83-90.

Lee DH, Dane MJ, van den Berg BM, Boels MG, van Teeffelen JW, de Mutsert R, den Heijer M, Rosendaal FR, van der Vlag J, van Zonneveld AJ, Vink H, Rabelink TJ; NEO study group. Deeper penetration of erythrocytes into the endothelial glycocalyx is associated with impaired microvascular perfusion. *PLoS One.* 2014;9(5):e96477.

Leusink M, de Keyser CE, Onland-Moret NC, Hofman A, Visser LE, Stricker BH, de Bakker PI, Boer Ad, van Schaik RH, Maitland-van der Zee AH. No association between CYP3A4*22 and statin effectiveness in reducing the risk for myocardial infarction. *Pharmacogenomics.* 2014;15(11):1471-7.

Marsch E, Theelen TL, Demandt JA, Jeurissen M, van Gink M, Verjans R, Janssen A, Cleutjens JP, Meex SJ, Donners MM, Haenen GR, Schalkwijk CG, Dubois LJ, Lambin P, Mallat Z, Gijbels MJ, Heemskerk JW, Fisher EA, Biessen EA, Janssen BJ, Daemen MJ, Sluimer JC. Reversal of hypoxia in murine atherosclerosis prevents necrotic core expansion by enhancing efferocytosis. *Arterioscler Thromb Vasc Biol.* 2014;34(12):2545-53.

Persson P, Fasching A, Teerlink T, Hansell P, Palm F. L-Citrulline, but not L-arginine, prevents diabetes mellitus-induced glomerular hyperfiltration and proteinuria in rat. *Hypertension.* 2014;64(2):323-9.

Pilz S, Teerlink T, Scheffer PG, Meinitzer A, Rutters F, Tomaschitz A, Drechsler C, Kienreich K, Nijpels G, Stehouwer CD, März W, Dekker JM. Homoarginine and mortality in an older population: the Hoorn study. *Eur J Clin Invest.* 2014;44:200-208.

Scholtes VP, Peeters W, van Lammeren GW, Howard DP, de Vries JP, de Borst GJ, Redgrave JN, Kemperman H, Schalkwijk CG, den Ruijter HM, de Kleijn DP, Moll FL, Rothwell PM, Pasterkamp G. Type 2 diabetes is not associated with an altered plaque phenotype among patients undergoing carotid revascularization. A histological analysis of 1455 carotid plaques. *Atherosclerosis.* 2014;235(2):418-23.

Smit NP, Romijn FP, van den Broek I, Drijfhout JW, Haex M, van der Laarse A, van der Burgt YE, Cobbaert CM. Metabolic traceability in mass spectrometry-based targeted protein quantitation: a proof-of-principle study for serum apolipoproteins A-I and B100. *J Proteomics.* 2014;109:143-61.

Speeckaert M, van Biesen W, Delanghe J, Slingerland R, Wieck A, Heaf J, Drechsler C, Lacatus R, Vanholder R, Nistor I. Are there better alternatives than haemoglobin A1c to estimate glycaemic control in the chronic kidney disease population? *Nephrol Dial Transplant.* 2014;29(12):2167-77.

Streng AS, Jacobs LH, Schwenk RW, Cardinaels EP, Meex SJ, Glatz JF, Wodzig WK, van Dieijen-Visser MP. Cardiac troponin in ischemic cardiomyocytes: intracellular decrease before onset of cell death. *Exp Mol Pathol.* 2014;96(3):339-45.

Van der Linden N, Tieland M, Klinkenberg LJ, Verdijk LB, de Groot LC, van Loon LJ, van Dieijen-Visser MP, Meex SJ. The effect of a six-month resistance-type exercise training program on the course of high sensitive cardiac troponin T levels in (pre)frail elderly. *Int J Cardiol.* 2014;175(2):374-5.

Van Hout GP, Jansen SJ, Gho JM, Doevendans PA, van Solinge WW, Pasterkamp G, Chamuleau SA, Hoefer IE. Admittance-based pressure-volume loops versus gold standard cardiac magnetic resonance imaging in a porcine model of myocardial infarction. *Physiol Rep*. 2014;2(4):e00287.

Van Sloten TT, Schram MT, Adriaanse MC, Dekker JM, Nijpels G, Teerlink T, Scheffer PG, Pouwer F, Schalkwijk CG, Stehouwer CD, Henry RM. Endothelial dysfunction is associated with a greater depressive symptom score in a general elderly population: the Hoorn Study. *Psychol Med*. 2014;44:1403-16.

Van Waes JA, Nathoe HM, de Graaff JC, Kemperman H, de Borst GJ, Peelen LM, van Klei WA. Response to letter regarding article, "myocardial injury after noncardiac surgery and its association with short-term mortality". *Circulation*. 2014;129(5):e324.

Visser M, Davids M, Verberne HJ, Kok WE, Tepaske R, Cocchieri R, Kemper EM, Teerlink T, Jonker MA, Wisselink W, de Mol BA, van Leeuwen PA. Nutrition before, during, and after surgery increases the arginine:asymmetric dimethylarginine ratio and relates to improved myocardial glucose metabolism: a randomized controlled trial. *Am J Clin Nutr*. 2014;99(6):1440-9.

Willemsen RT, Kietselaer BL, Kusters R, Buntinx F, Dinant GJ. [Diagnostic tools for acute coronary syndrome (ACS): a challenge for general practitioners and cardiologists]. *Ned Tijdschr Geneesk*. 2014;158(0):A8078.

Klinisch: Hematologie

Ammatuna E, Iannitto E, Tick LW, Arents NL, Kuijper PHM, Nijziel MR. Two cases of q-Fever in hairy cell leukemia. *Case Rep Hematol*. 2014;2014:863932.

Badenhorst CE, Dawson B, Goodman C, Sim M, Cox GR, Gore CJ, Tjalsma H, Swinkels DW, Peeling P. Influence of post-exercise hypoxic exposure on hepcidin response in athletes. *Eur J Appl Physiol*. 2014;114(5):951-9.

Benyamin B, Esko T, Ried JS, Radhakrishnan A, Vermeulen SH, Traglia M, Gögele M, Anderson D, Broer L, Podmore C, Luan J, Kutalik Z, Sanna S, van der Meer P, Tanaka T, Wang F, Westra HJ, Franke L, Mihailov E, Milani L, Häldin J, Winkelmann J, Meitinger T, Thiery J, Peters A, Waldenberger M, Rendon A, Jolley J, Sambrook J, Kiemeny LA, Sweep FC, Sala CF, Schwienbacher C, Pichler I, Hui J, Demirkan A, Isaacs A, Amin N, Steri M, Waeber G, Verweij N, Powell JE, Nyholt DR, Heath AC, Madden PA, Visscher PM, Wright MJ, Montgomery GW, Martin NG, Hernandez D, Bandinelli S, van der Harst P, Uda M, Vollenweider P, Scott RA, Langenberg C, Wareham NJ; InterAct Consortium, van Duijn C, Beilby J, Pramstaller PP, Hicks AA, Ouwehand WH, Oexle K, Gieger C, Metspalu A, Camaschella C, Toniolo D, Swinkels DW, Whitfield JB. Novel loci affecting iron homeostasis and their effects in individuals at risk for hemochromatosis. *Nat Commun*. 2014;5:4926.

Boslooper K, Kibbelaar R, Storm H, Veeger NJ, Hovenga S, Woolthuis G, van Rees B, de Graaf E, van Roon E, Kluijn-Nelemans HC, Joosten P, Hoogendoorn M. Treatment with rituximab, cyclophosphamide, doxorubicin, vincristine and prednisolone is beneficial but toxic in very elderly patients with diffuse large B-cell lymphoma: a population-based cohort study on treatment, toxicity and outcome. *Leuk Lymphoma*. 2014;55(3):526-32.

De Groot PG. Platelets as pivot in the antiphospholipid syndrome. *Blood*. 2014;124(4):475-6.

Donker AE, Raymakers RA, Vlasveld LT, van Barneveld T, Terink R, Dors N, Brons PP, Knoers NV, Swinkels DW. Practice guidelines for the diagnosis and management of microcytic anemias due to genetic disorders of iron metabolism or heme synthesis. *Blood*. 2014;123(25):3873-86; quiz 4005.

Donker AE, Raymakers RA, Nieuwenhuis HK, Coenen MJ, Janssen MC, MacKenzie MA, Brons PP, Swinkels DW. X-linked sideroblastic anaemia due to ALAS2., mutations in the Netherlands: a disease in disguise. *Neth J Med*. 2014;72(4):210-7.

Govus AD, Abbiss CR, Garvican-Lewis LA, Swinkels DW, Laarakkers CM, Gore CJ, Peeling P. Acute hypoxic exercise does not alter post-exercise iron metabolism in moderately trained endurance athletes. *Eur J Appl Physiol*. 2014;114(10):2183-91.

Heijnen HF, van Wijk R, Pereboom TC, Goos YJ, Seinen CW, van Oirschot BA, van Dooren R, Gastou M, Giles RH, van Solinge W, Kuijpers TW, Gazda HT, Bierings MB, Da Costa L, MacInnes AW. Ribosomal protein mutations induce autophagy through S6 kinase inhibition of the insulin pathway. *PLoS Genet*. 2014;10(5):e1004371.

Hoffmann JJ. Reticulated platelets: analytical aspects and clinical utility. *Clin Chem Lab Med*. 2014;52(8):1107-17.

Japink D, Nap M, Sosef MN, Nelemans PJ, Coy JF, Beets G, von Meyenfeldt MF, Leers MP. Reproducibility studies for experimental epitope detection in macrophages (EDIM). *J Immunol Methods*. 2014;407:40-7.

Jaspers A, Baron F, Willems E, Seidel L, Wiegerinck ET, Swinkels DW, Beguin Y. Serum hepcidin following autologous hematopoietic cell transplantation: an illustration of the interplay of iron status, erythropoiesis and inflammation. *Haematologica*. 2014;99(3):e35-7.

Jonker FA, Boele van Hensbroek M, Leenstra T, Vet RJ, Brabin BJ, Maseko N, Gushu MB, Emanu M, Kraaijenhagen R, Tjalsma H, Swinkels DW, Calis JC. Conventional and novel peripheral blood iron markers compared against bone marrow in Malawian children. *J Clin Pathol*. 2014;67(8):717-23.

Kleinegris MC, Bos MH, Roest M, Henskens Y, ten Cate-Hoek A, van Deursen C, Spronk HM, Reitsma PH, de Groot PG, ten Cate H, Koek G. Cirrhosis patients have a coagulopathy that is associated with decreased clot formation capacity. *J Thromb Haemost*. 2014;12(10):1647-57.

Koralkova P, van Solinge WW, van Wijk R. Rare hereditary red blood cell enzymopathies associated with hemolytic anemia - pathophysiology, clinical aspects, and laboratory diagnosis. *Int J Lab Hematol*. 2014;36(3):388-97.

Peeling P, Sim M, Badenhorst CE, Dawson B, Govus AD, Abbiss CR, Swinkels DW, Trinder D. Iron status and the acute post-exercise hepcidin response in athletes. *PLoS One*. 2014;9(3):e93002.

Pennings MT, de Groot PG, Meijers JC, Huisman A, Derksen RH, Urbanus RT. Optimisation of lupus anticoagulant tests: should test samples always be mixed with normal plasma? *Thromb Haemost*. 2014;112(4):736-42.

Schindhelm RK, Berends JC, Wondergem MJ. Een benauwde vrouw met vlinderkernen in het bloed. *Ned Tijdschr Geneesk*. 2014;158:A6759.

- Sim M, Dawson B, Landers GJ, Swinkels DW, Tjalsma H, Wiegerinck ET, Trinder D, Peeling P. A seven day running training period increases basal urinary hepcidin levels as compared to cycling. *J Int Soc Sports Nutr.* 2014;11(1):14.
- Spierings J, van der Linden AN, Kuijper PHM, Tick LW, Nijziel MR. Incidentally detected diffuse signal alterations of bone marrow on MRI: is bone marrow biopsy indicated? *Neth J Med.* 2014;72(7):345-8.
- Uijterschout L, Swinkels DW, Akkermans MD, Zandstra T, Nuijsink M, Hendriks D, Hudig C, Tjalsma H, Vos R, van Goudoever JB, Brus F. The value of soluble transferrin receptor and hepcidin in the assessment of iron status in children with cystic fibrosis. *J Cyst Fibros.* 2014;13(6):639-44.
- Uijterschout L, Vloemans J, Vos R, Teunisse PP, Hudig C, Bubbers S, Verbruggen S, Veldhorst M, de Leeuw T, van Goudoever JB, Brus F. Prevalence and risk factors of iron deficiency in healthy young children in the southwestern Netherlands. *J Pediatr Gastroenterol Nutr.* 2014;58(2):195-200.
- Van den Berg SA, Verwer PE, Idema RN, van Guldener C. Transient cefuroxime/metronidazole treatment induced factor V antibodies. *BMJ Case Rep.* 2014; pii: bcr2014205523.
- Van der Aa LJ, Vader P, Storm G, Schifflers RM, Engbersen JF. Intercalating quaternary nicotinamide-based poly(amido amine)s for gene delivery. *J Control Release.* 2014;195:11-20.
- Van der Linden N, Klinkenberg LJ, Meex SJ, Beckers EA, de Wit NC, Prinzen L. Immature platelet fraction measured on the Sysmex XN hemocytometer predicts thrombopoietic recovery after autologous stem cell transplantation. *Eur J Haematol.* 2014;93(2):150-6.
- Van der Meel R, Fens MH, Vader P, van Solinge WW, Eniola-Adefeso O, Schifflers RM. Extracellular vesicles as drug delivery systems: lessons from the liposome field. *J Control Release.* 2014;195:72-85.
- Van der Meel R, Krawczyk-Durka M, van Solinge WW, Schifflers RM. Toward routine detection of extracellular vesicles in clinical samples. *Int J Lab Hematol.* 2014;36(3):244-53.
- Van Holten TC, Bleijerveld OB, Wijten P, de Groot PG, Heck AJ, Barendrecht AD, Merckx TH, Scholten A, Roest M. Quantitative proteomics analysis reveals similar release profiles following specific PAR-1 or PAR-4 stimulation of platelets. *Cardiovasc Res.* 2014;103(1):140-6.
- Van Santen S, de Mast Q, Oosting JD, van Ede A, Swinkels DW, van der Ven AJ. Hematologic parameters predicting a response to oral iron therapy in chronic inflammation. *Haematologica.* 2014;99(9):e171-3.
- Vermeulen Windsant IC, de Wit NC, Sertorio JT, van Bijnen AA, Ganushchak YM, Heijmans JH, Tanus-Santos JE, Jacobs MJ, Maessen JG, Buurman WA. Hemolysis during cardiac surgery is associated with increased intravascular nitric oxide consumption and perioperative kidney and intestinal tissue damage. *Front Physiol.* 2014;5:340.
- Vos MJ, Martens D, van de Leur SJ, van Wijk R. Neonatal hemolytic anemia due to pyknotocytosis. *Eur J Pediatr.* 2014;173(12):1711-4.
- Vuong J, Qiu Y, La M, Clarke G, Swinkels DW, Cembrowski G. Reference intervals of complete blood count constituents are highly correlated to waist circumference: should obese patients have their own "normal values?". *Am J Hematol.* 2014;89(7):671-7.
- Wieringa A, Boslooper K, Hoogendoorn M, Joosten P, Beerden T, Storm H, Kibbelaar RE, Veldhuis GJ, van Kamp H, van Rees B, Kluin-Nelemans HC, Veeger NJ, van Roon EN. Comorbidity is an independent prognostic factor in patients with advanced-stage diffuse large B-cell lymphoma treated with R-CHOP: a population-based cohort study. *Br J Haematol.* 2014;165(4):489-96.

Klinisch: Interne geneeskunde

Assa S, Hummel YM, Voors AA, Kuipers J, Westerhuis R, Groen H, Bakker SJ, Muller Kobold AC, van Oeveren W, Struck J, de Jong PE, Franssen CF. Hemodialysis-induced regional left ventricular systolic dysfunction and inflammation: a cross-sectional study. *Am J Kidney Dis.* 2014;64(2):265-73.

Boers-Sonderen MJ, Mulder SF, Nagtegaal ID, Jacobs JF, Wanten GJ, Hoentjen F, van Herpen CM. Severe exacerbation of Crohn's disease during sunitinib treatment. *Eur J Gastroenterol Hepatol.* 2014;26(2):234-6.

Chen Z, Bouamar R, van Schaik RH, de Fijter JW, Hartmann A, Zeier M, Budde K, Kuypers DR, Weimar W, Hesselink DA, van Gelder T. Genetic polymorphisms in IL-2, IL-10, TGF- β 1, and IL-2RB and acute rejection in renal transplant patients. *Clin Transplant.* 2014;28(6):649-55.

Cobb J, Cule E, Moncrieffe H, Hinks A, Ursu S, Patrick F, Kassoumeri L, Flynn E, Bulatovi M, Wulffraat N, van Zelst B, de Jonge R, Bohm M, Dolezalova P, Hirani S, Newman S, Whitworth P, Southwood TR, De Iorio M; Childhood Arthritis Response to Medication Study (CHARMS); Childhood Arthritis Prospective Study (CAPS); BSPAR study group, Wedderburn LR, Thomson W. Genome-wide data reveal novel genes for methotrexate response in a large cohort of juvenile idiopathic arthritis cases. *Pharmacogenomics J.* 2014;14(4):356-64.

Cornelis T, van der Sande FM, Eloit S, Cardinaels E, Bekers O, Damoiseaux J, Leunissen KM, Kooman JP. Acute hemodynamic response and uremic toxin removal in conventional and extended hemodialysis and hemodiafiltration: a randomized crossover study. *Am J Kidney Dis.* 2014;64(2):247-56.

De Rotte MC, de Jong PH, den Boer E, Pluijm SM, Özcan B, Weel AE, Lindemans J, Hazes JM, de Jonge R. Effect of methotrexate use and erythrocyte methotrexate polyglutamate on glycosylated hemoglobin in rheumatoid arthritis. *Arthritis Rheumatol.* 2014;66(8):2026-36.

Den Boer E, de Rotte MC, Pluijm SM, Heil SG, Hazes JM, de Jonge R. Determinants of erythrocyte methotrexate polyglutamate levels in rheumatoid arthritis. *J Rheumatol.* 2014;41(11):2167-78.

Den Boer E, Koch BC, Huisman R, de Jonge R. Using fluorescence polarization immunoassay for determination of erythrocyte methotrexate polyglutamates, a quick and easy test? *Ther Drug Monit.* 2014;36(6):819-23.

Drogari E, Ragia G, Mollaki V, Elens L, van Schaik RH, Manolopoulos VG. POR*28 SNP is associated with lipid response to atorvastatin in children and adolescents with familial hypercholesterolemia. *Pharmacogenomics.* 2014;15(16):1963-72.

- Elens L, Bouamar R, Shuker N, Hesselink DA, van Gelder T, van Schaik RH. Clinical implementation of pharmacogenetics in kidney transplantation: calcineurin inhibitors in the starting blocks. *Br J Clin Pharmacol*. 2014;77(4):715-28.
- Elens L, Hesselink DA, Bouamar R, Budde K, de Fijter JW, de Meyer M, Mourad M, Kuypers DR, Haufroid V, van Gelder T, van Schaik RH. Impact of POR*28 on the pharmacokinetics of tacrolimus and cyclosporine A in renal transplant patients. *Ther Drug Monit*. 2014;36(1):71-9.
- Gijsen VM, van Schaik RH, Soldin OP, Soldin SJ, Nulman I, Koren G, de Wildt SN. P450 oxidoreductase *28 (POR*28) and tacrolimus disposition in pediatric kidney transplant recipients--a pilot study. *Ther Drug Monit*. 2014;36(2):152-8.
- Ham AC, Enneman AW, van Dijk SC, Oliai Araghi S, Swart KM, Sohl E, van Wijngaarden JP, van der Zwaluw NL, Brouwer-Brolsma EM, Dhonukshe-Rutten RA, van Schoor NM, van der Cammen TJ, Zillikens MC, de Jonge R, Lips P, de Groot LC, van Meurs JB, Uitterlinden AG, Witkamp RF, Stricker BH, van der Velde N. Associations between medication use and homocysteine levels in an older population, and potential mediation by vitamin B12 and folate: data from the B-PROOF Study. *Drugs Aging*. 2014;31(8):611-21.
- Hesselink DA, Bouamar R, Elens L, van Schaik RH, van Gelder T. The role of pharmacogenetics in the disposition of and response to tacrolimus in solid organ transplantation. *Clin Pharmacokinet*. 2014;53(2):123-39.
- Karakaya B, van Moorsel CH, van der Helm-van Mil AH, Huizinga TW, Ruven HJ, van der Vis JJ, Grutters JC. Macrophage migration inhibitory factor (MIF) -173 polymorphism is associated with clinical erythema nodosum in Löfgren's syndrome. *Cytokine*. 2014;69(2):272-6.
- Korthagen NM, van Moorsel CH, Zanen P, Ruven HJ, Grutters JC. Evaluation of circulating YKL-40 levels in idiopathic interstitial pneumonias. *Lung*. 2014;192(6):975-80.
- Lane K, Dixon JJ, McKeown D, Johnston A, van Schaik RH, van Fessem M, MacPhee IA, Philips BJ. Using tramadol to measure CYP2D6 metabolism in critically ill adults. *Intensive Care Med*. 2014;40(8):1177-8.
- Li P, Shuker N, Hesselink DA, van Schaik RH, Zhang X, van Gelder T. Do Asian renal transplant patients need another mycophenolate mofetil dose compared with Caucasian or African American patients? *Transpl Int*. 2014;27(10):994-1004.
- Mandaviya PR, Stolk L, Heil SG. Homocysteine and DNA methylation: A review of animal and human literature. *Mol Genet Metab*. 2014;113(4):243-252.
- Matic M, Norman E, Rane A, Beck O, Andersson M, Elens L, Tibboel D, Fellman V, van Schaik RH. Effect of UGT2B7 -900G>A (-842G>A; rs7438135) on morphine glucuronidation in preterm newborns: results from a pilot cohort. *Pharmacogenomics*. 2014;15(12):1589-97.
- Koenders MMJF, Molhoek EM, Apperloo FAJ, Triepels RH. Hyponatriëmie. *Ned Tijdschr Geneesk*. 2014;158:A7086.
- Moes AD, Hesselink DA, Zietse R, van Schaik RH, van Gelder T, Hoorn EJ. Calcineurin inhibitors and hypertension: a role for pharmacogenetics? *Pharmacogenomics*. 2014;15(9):1243-51.
- Mostovaya IM, Bots ML, van den Dorpel MA, Goldschmeding R, den Hoedt CH, Kamp O, Levesque R, Mazairac AH, Penne EL, Swinkels DW, van der Weerd NC, ter Wee PM, Nubé MJ, Blankestijn PJ, Grooteman MP. Left ventricular mass in dialysis patients, determinants and relation with outcome. Results from the CONvective TRANsport STudy (CONTRAST). *PLoS One*. 2014;9(2):e84587.
- Oude Engberink RD, Mitrov-Winkelmoelen L, Roelofs R, Ponjee GAE, Vleming LJ, Wilms EB, Geelhoed-Duijvestijn NHLM. Metformine, nierfunctie en lactaat: het MetClear-onderzoek. *Ned Tijdschr Geneesk*. 2014;158:A6266
- Pijls KE, de Vries H, Nikkessen S, Bast A, Wodzig WK, Koek GH. Critical appraisal of 13C breath tests for microsomal liver function: aminopyrine revisited. *Liver Int*. 2014;34(4):487-94.
- Ragia G, Tavridou A, Elens L, van Schaik RH, Manolopoulos VG(1). CYP2C9*2 allele increases risk for hypoglycemia in POR*1/*1 type 2 diabetic patients treated with sulfonylureas. *Exp Clin Endocrinol Diabetes*. 2014;122(1):60-3.
- Ragia G, Kolovou V, Tavridou A, Elens L, Tselepis AD, Elisaf M, van Schaik RH, Kolovou G, Manolopoulos VG. Lack of association of the P450 oxidoreductase *28 single nucleotide polymorphism with the lipid-lowering effect of statins in hypercholesterolemic patients. *Mol Diagn Ther*. 2014;18(3):323-31.
- Rellum DM, Feitz WF, van Herwaarden AE, Schreuder MF. Pediatric urolithiasis in a non-endemic country: a single center experience from The Netherlands. *J Pediatr Urol*. 2014;10(1):155-61.
- Siest G, Medeiros R, Melichar B, Stathopoulou M, van Schaik RH, Cacabelos R, Abt PM, Monteiro C, Gurwitz D, Queiroz J, Mota-Filipe H, Ndiaye NC, Visvikis-Siest S. Pharmacogenomics: from cell to clinic (Part 1). *Pharmacogenomics*. 2014;15(5):593-9.
- Siest G, Medeiros R, Melichar B, Stathopoulou M, van Schaik RH, Cacabelos R, Abt PM, Monteiro C, Gurwitz D, Queiroz J, Mota-Filipe H, Ndiaye NC, Visvikis-Siest S. Conference Scene: Pharmacogenomics: from cell to clinic (Part 2). *Pharmacogenomics*. 2014;15(6):739-44.
- Tapirdamaz Ö, Hesselink DA, el Bouazzaoui S, Azimpour M, Hansen B, van der Laan LJ, Polak WG, Kwekkeboom J, van Schaik RH, van Gelder T, Metselaar HJ. Genetic variance in ABCB1 and CYP3A5 does not contribute toward the development of chronic kidney disease after liver transplantation. *Pharmacogenet Genomics*. 2014;24(9):427-35.
- Van der Voort PHJ, Westra B, Wester JPI, Bosman RJ, van Stijn I, Haagen IA, Loupatty FJ, Rijkenberg S. Can serum L-lactate, D-lactate, creatine kinase and I-FABP be used as diagnostic markers in critically ill patients suspected for bowel ischemia. *BMC Anesthesiology*. 2014;14:111.
- Van Eijk LT, John AS, Schwoebel F, Summo L, Vauléon S, Zöllner S, Laarakkers CM, Kox M, van der Hoeven JG, Swinkels DW, Riecke K, Pickkers P. Effect of the antihepcidin Spiegelmer lexaptepid on inflammation-induced decrease in serum iron in humans. *Blood*. 2014;124(17):2643-6.
- Van Gelder T, van Schaik RH, Hesselink DA. Practicability of pharmacogenetics in transplantation medicine. *Clin Pharmacol Ther*. 2014;95(3):262-4.
- Van Gelder T, van Schaik RH, Hesselink DA. Pharmacogenetics and immunosuppressive drugs in solid organ transplantation. *Nat Rev Nephrol*. 2014;10(12):725-31.

Van Rein N, Gebuis EP, Lijfering WM, Groeneveld JJ, van der Horst FA, le Cessie S, Rosendaal FR, van der Meer FJ. Vitamin K1 in oral solution or tablets: a crossover trial and two randomized controlled trials to compare effects. *J Thromb Haemost.* 2014;12(12):2017-23.

Van der Slagmolen G, van Hellemond EJ, Wienders JPM. Do professional soccer players have a vitamin D status supporting optimal performance in wintertime? *Sports Medicine & Doping studies.* 2014;4:2.

Vlassaks E, Nikiforou M, Strackx E, Hütten M, Bekers O, Gazzolo D, Li Volti G, Martinez-Martinez P, Kramer BW, Gavilanes AW. Acute and chronic immunomodulatory changes in rat liver after fetal and perinatal asphyxia. *J Dev Orig Health Dis.* 2014;5(2):98-108.

Wester M, Simonis F, Lachkar N, Wodzig WK, Meuwissen FJ, Kooman JP, Boer WH, Joles JA, Gerritsen KG. Removal of urea in a wearable dialysis device: a reappraisal of electro-oxidation. *Artif Organs.* 2014;38(12):998-1006.

Wijnen PA, Cremers JP, Nelemans PJ, Erckens RJ, Hoitsma E, Jansen TL, Bekers O, Drent M. Association of the TNF-X-G-308A polymorphism with TNF-inhibitor response in sarcoidosis. *Eur Respir J.* 2014;43(6):1730-9.

Wong DR, Pierik M, Seinen ML, van Bodegraven AA, Gilissen LP, Bus P, Bakker JA, Masclee AA, Neef C, Engels LG, Hooymans PM. The pharmacokinetic effect of adalimumab on thiopurine metabolism in Crohn's disease patients. *J Crohns Colitis.* 2014;8(2):120-8.

Zittema D, van den Berg E, Meijer E, Boertien WE, Muller Kobold AC, Franssen CF, de Jong PE, Bakker SJ, Navis G, Gansevoort RT. Kidney function and plasma copeptin levels in healthy kidney donors and autosomal dominant polycystic kidney disease patients. *Clin J Am Soc Nephrol.* 2014;9(9):1553-62.

Klinisch: Neurologie / psychiatrie

Binnewijzend MA, Adriaanse SM, van der Flier WM, Teunissen CE, de Munck JC, Stam CJ, Scheltens P, van Berckel BN, Barkhof F, Wink AM. Brain network alterations in Alzheimer's disease measured by Eigenvector centrality in fMRI are related to cognition and CSF biomarkers. *Hum Brain Mapp.* 2014;35(5):2383-93.

Bouwens JA, Hubers AA, van Duijn E, Cobbaert CM, Roos RA, van der Mast RC, Giltay EJ. Acute-phase proteins in relation to neuropsychiatric symptoms and use of psychotropic medication in Huntington's disease. *Eur Neuropsychopharmacol.* 2014;24(8):1248-56.

De Bock L, Somers K, Fraussen J, Hendriks JJ, van Horsen J, Rouwette M, Hellings N, Villar LM, Alvarez-Cermeñ JC, Espiño M, Hupperts R, Jongen P, Damoiseaux J, Verbeek MM, De Deyn PP, D'hooghe M, Van Wijmeersch B, Stinissen P, Somers V. Sperm-associated antigen 16 is a novel target of the humoral autoimmune response in multiple sclerosis. *J Immunol.* 2014;193(5):2147-56.

Del Campo M, Hoozemans JJ, Dekkers LL, Rozemuller AJ, Korth C, Müller-Schiffmann A, Scheltens P, Blankenstein MA, Jimenez CR, Veerhuis R, Teunissen CE. BRI2-BRICHOS is increased in human amyloid plaques in early stages of Alzheimer's disease. *Neurobiol Aging.* 2014;35(7):1596-604.

Del Campo M, Teunissen CE. Role of BRI2 in Dementia. *J Alzheimers Dis.* 2014;40(3):481-94.

Evers LJ, Curfs LM, Bakker JA, Boot E, da Silva Alves F, Abeling N, Bierau J, Drukker M, van Amelsvoort TA. Serotonergic, noradrenergic and dopaminergic markers are related to cognitive function in adults with 22q11 deletion syndrome. *Int J Neuropsychopharmacol.* 2014;17(8):1159-65.

Galama JM, Zoll JG, Lanke KH, de Jong AS, Melief J, Huitinga I, Verbeek MM, van Kuppeveld FJ. Saffold coronavirus and multiple sclerosis: no evidence for an association. *Ann Clin Transl Neurol.* 2014;1(8):618-21.

Güçüyener K, Kasapkara CS, Tümer L, Verbeek MM. Aromatic L-Amino acid decarboxylase deficiency: A new case from Turkey with a novel mutation. *Ann Indian Acad Neurol.* 2014;17(2):234-6.

Herbert MK, Aerts MB, Kuiperij HB, Claassen JA, Spies PE, Esselink RA, Bloem BR, Verbeek MM. Addition of MHPG to Alzheimer's disease biomarkers improves differentiation of dementia with Lewy bodies from Alzheimer's disease but not other dementias. *Alzheimers Dement.* 2014;10(4):448-55.e2.

Herbert MK, Eeftens JM, Aerts MB, Esselink RA, Bloem BR, Kuiperij HB, Verbeek MM. CSF levels of DJ-1 and tau distinguish MSA patients from PD patients and controls. *Parkinsonism Relat Disord.* 2014;20(1):112-5.

Klinkenberg S, van den Borne CJ, Aalbers MW, Verschuure P, Kessels AG, Leenen L, Rijkers K, Aldenkamp AP, Vles JS, Majoie HJ. The effects of vagus nerve stimulation on tryptophan metabolites in children with intractable epilepsy. *Epilepsy Behav.* 2014;37:133-8.

Koel-Simmelink MJ, Vennegoor A, Killestein J, Blankenstein MA, Norgren N, Korth C, Teunissen CE. The impact of pre-analytical variables on the stability of neurofilament proteins in CSF, determined by a novel validated SinglePlex Luminex assay and ELISA. *J Immunol Methods.* 2014;402(1-2):43-9.

Krudop WA, Kerssens CJ, Dols A, Prins ND, Müller C, Schouws S, Barkhof F, van Berckel BN, Teunissen CE, van der Flier WM, Scheltens P, Stek ML, Pijnenburg YA. Building a new paradigm for the early recognition of behavioral variant frontotemporal dementia: Late Onset Frontal Lobe Syndrome study. *Am J Geriatr Psychiatry.* 2014;22(7):735-40.

Leen WG, Taher M, Verbeek MM, Kamsteeg EJ, van de Warrenburg BP, Willemsen MA. GLUT1 deficiency syndrome into adulthood: a follow-up study. *J Neurol.* 2014;261(3):589-99.

Milaneschi Y, Hoogendijk W, Lips P, Heijboer AC, Schoevers R, van Hemert AM, Beekman AT, Smit JH, Penninx BW. The association between low vitamin D and depressive disorders. *Mol Psychiatry.* 2014;19(4):444-51.

Muller M, Kuiperij HB, Claassen JA, Kasters B, Verbeek MM. MicroRNAs in Alzheimer's disease: differential expression in hippocampus and cell-free cerebrospinal fluid. *Neurobiol Aging.* 2014;35(1):152-8.

Ooms S, Overeem S, Besse K, Rikkert MO, Verbeek M, Claassen JA. Effect of 1 night of total sleep deprivation on cerebrospinal fluid β -amyloid 42 in healthy middle-aged men: a randomized clinical trial. *JAMA Neurol.* 2014;71(8):971-7.

Pouw MH, Kwon BK, Verbeek MM, Vos PE, van Kampen A, Fisher CG, Street J, Paquette SJ, Dvorak MF, Boyd MC, Hosman AJ, van de Meent H. Structural biomarkers in the cerebrospinal fluid within 24h after a traumatic spinal cord injury: a descriptive analysis of 16 subjects. *Spinal Cord.* 2014;52(6):428-33.

Spies PE, Verbeek MM, Sjogren MJ, de Leeuw FE, Claassen JA. Alzheimer biomarkers and clinical Alzheimer disease were not associated with increased cerebrovascular disease in a memory clinic population. *Curr Alzheimer Res.* 2014;11(1):40-6.

Teunissen CE, Tumani H, Engelborghs S, Mollenhauer B. Biobanking of CSF: international standardization to optimize biomarker development. *Clin Biochem.* 2014;47(4-5):288-92.

Timmer NM, Metaxas A, van der Stelt I, Kluijtmans LA, van Berckel BN, Verbeek MM. Cerebral level of vGlut1 is increased and level of glycine is decreased in TgSwDI mice. *J Alzheimers Dis.* 2014;39(1):89-101.

Van der Doelen RH, Deschamps W, D'Annibale C, Peeters D, Wevers RA, Zelena D, Homberg JR, Kozicz T. Early life adversity and serotonin transporter gene variation interact at the level of the adrenal gland to affect the adult hypothalamo-pituitary-adrenal axis. *Transl Psychiatry.* 2014;4:e409.

Van Es MA, Veldink JH, Schelhaas HJ, Bloem BR, Sooda P, van Nuenen BF, Verbeek M, van de Warrenburg BP, van den Berg LH. Serum angiogenin levels are elevated in ALS, but not Parkinson's disease. *J Neurol Neurosurg Psychiatry.* 2014;85(12):1439-40.

Vinkers DJ, Bogaerts S, Van Schaik RH. MAOA, COMT and 5-HTTLPR frequencies in convicted and never convicted Afro-Caribbeans in the Netherlands. *Crim Behav Ment Health.* 2014;24(5):365-7.

Vos SJ, Visser PJ, Verhey F, Aalten P, Knol D, Ramakers I, Scheltens P, Rikkert MG, Verbeek MM, Teunissen CE. Variability of CSF Alzheimer's disease biomarkers: implications for clinical practice. *PLoS One.* 2014;9(6):e100784.

Klinisch: Oncologie

Dezentjé VO, Gelderblom H, van Schaik RH, Vletter-Bogaartz JM, Van der Straaten T, Wessels JA, Kranenbarg EM, Berns EM, Seynaeve C, Putter H, van de Velde CJ, Nortier JW, Guchelaar HJ. CYP2D6 genotype in relation to hot flashes as tamoxifen side effect in a Dutch cohort of the tamoxifen exemestane adjuvant multinational (TEAM) trial. *Breast Cancer Res Treat.* 2014;143(1):171-9.

Hall JA, Salgado R, Lively T, Sweep F, Schuh A. A risk-management approach for effective integration of biomarkers in clinical trials: perspectives of an NCI, NCRI, and EORTC working group. *Lancet Oncol.* 2014;15(4):e184-93.

Heijmen L, ter Voert EG, Punt CJ, Heerschap A, Oyen WJ, Bussink J, Sweep CG, Laverman P, Span PN, de Geus-Oei LF, Boerman OC, van Laarhoven HW. Monitoring hypoxia and vasculature during bevacizumab treatment in a murine colorectal cancer model. *Contrast Media Mol Imaging.* 2014;9(3):237-45.

Heskamp S, Boerman OC, Molkenboer-Kuening JD, Sweep FC, Geurts-Moespot A, Engelhardt MS, van der Graaf WT, Oyen WJ, van Laarhoven HW. Cetuximab reduces the accumulation of radiolabeled bevacizumab in cancer xenografts without decreasing VEGF expression. *Mol Pharm.* 2014;11(11):4249-57.

Jacobs JF, Hoedemakers RM, Teunissen E, te Velthuis H. N Latex FLC serum free light-chain assays in patients with renal impairment. *Clin Chem Lab Med.* 2014;52(6):853-9.

Komen N, Sliker J, Willemsen P, Mannaerts G, Pattyn P, Karsten T, de Wilt H, van der Harst E, de Rijke YB, Murawska M, Jeekel J, Lange JF; APPEAL Study Group. Acute phase proteins in drain fluid: a new screening tool for colorectal anastomotic leakage? The APPEAL study: analysis of parameters predictive for evident anastomotic leakage. *Am J Surg.* 2014;208(3):317-23.

Kroeze LI, Aslanyan MG, van Rooij A, Koorenhof-Scheele TN, Massop M, Carell T, Boezeman JB, Marie JP, Halkes CJ, de Witte T, Huls G, Suci S, Wevers RA, van der Reijden BA, Jansen JH; EORTC Leukemia Group and GIMEMA. Characterization of acute myeloid leukemia based on levels of global hydroxymethylation. *Blood.* 2014;124(7):1110-8.

Liu NQ, De Marchi T, Timmermans AM, Beekhof R, Trapman-Jansen AM, Foekens R, Look MP, van Deurzen CH, Span PN, Sweep FC, Brask JB, Timmermans-Wielenga V, Debets R, Martens JW, Foekens JA, Umar A. Ferritin heavy chain in triple negative breast cancer: a favorable prognostic marker that relates to a cluster of differentiation 8 positive (CD8+) effector T-cell response. *Mol Cell Proteomics.* 2014;13(7):1814-27.

Liu NQ, Stingl C, Look MP, Smid M, Braakman RB, De Marchi T, Sieuwerts AM, Span PN, Sweep FC, Linderholm BK, Mangia A, Paradiso A, Dirix LY, Van Laere SJ, Luider TM, Martens JW, Foekens JA, Umar A. Comparative proteome analysis revealing an 11-protein signature for aggressive triple-negative breast cancer. *J Natl Cancer Inst.* 2014;106(2):djt376.

Nagelkerke A, Bussink J, Sweep FC, Span PN. The unfolded protein response as a target for cancer therapy. *Biochim Biophys Acta.* 2014;1846(2):277-84.

Nagelkerke A, Sieuwerts AM, Bussink J, Sweep FC, Look MP, Foekens JA, Martens JW, Span PN. LAMP3 is involved in tamoxifen resistance in breast cancer cells through the modulation of autophagy. *Endocr Relat Cancer.* 2014;21(1):101-12.

Schröder FH, Hugosson J, Roobol MJ, Tammela TL, Zappa M, Nelen V, Kwiatkowski M, Lujan M, Mäattänen L, Lilja H, Denis LJ, Recker F, Paez A, Bangma CH, Carlsson S, Puliti D, Villers A, Rebillard X, Hakama M, Stenman UH, Kujala P, Taari K, Aus G, Huber A, van der Kwast TH, van Schaik RH, de Koning HJ, Moss SM, Auvinen A; ERSPC Investigators. Screening and prostate cancer mortality: results of the European Randomised Study of Screening for Prostate Cancer (ERSPC) at 13 years of follow-up. *Lancet.* 2014;384(9959):2027-35.

Sieuwerts AM, Lyng MB, Meijer-van Gelder ME, de Weerd V, Sweep FC, Foekens JA, Span PN, Martens JW, Ditzel HJ. Evaluation of the ability of adjuvant tamoxifen-benefit gene signatures to predict outcome of hormone-naïve estrogen receptor-positive breast cancer patients treated with tamoxifen in the advanced setting. *Mol Oncol.* 2014;8(8):1679-89.

Van Berkel A, Rao JU, Kusters B, Demir T, Visser E, Mensenkamp AR, van der Laak JA, Oosterwijk E, Lenders JW, Sweep FC, Wevers RA, Hermus AR, Langenhuijsen JF, Kunst DP, Pacak K, Gotthardt M, Timmers HJ. Correlation between in vivo 18F-FDG PET and immunohistochemical markers of glucose uptake and metabolism in pheochromocytoma and paraganglioma. *J Nucl Med.* 2014;55(8):1253-9.

Van Es N, Sturk A, Middeldorp S, Nieuwland R. Effects of cancer on platelets. *Semin Oncol.* 2014;41(3):311-8.

Van Tilborg AA, Sweep FC, Geurts-Moespot AJ, Wetzels AM, de Waal RM, Westphal JR, Massuger LF. Plasminogen activators are involved in angiostatin generation in vivo in benign and malignant ovarian tumor cyst fluids. *Int J Oncol.* 2014;44(4):1394-400.

Wimmers F, Aarntzen EH, Schreibelt G, Jacobs JF, Ja Punt C, Figdor CG, de Vries IJ. Early predictive value of multifunctional skin-infiltrating lymphocytes in anticancer immunotherapy. *Oncoimmunology.* 2014;3(1):e27219.

Klinisch: Toxicologie

Van den Hof WF, Coonen ML, van Herwijnen M, Brauers K, Wodzig WK, van Delft JH, Kleinjans JC. Classification of hepatotoxicants using HepG2 cells: a proof of principle study. *Chem Res Toxicol.* 2014;27(3):433-42.

Van den Hof WF, van Summeren A, Lommen A, Coonen ML, Brauers K, van Herwijnen M, Wodzig WK, Kleinjans JC. Integrative cross-omics analysis in primary mouse hepatocytes unravels mechanisms of cyclosporin A-induced hepatotoxicity. *Toxicology.* 2014;324:18-26.