

## Publicaties van de leden 2015

---

### Analytisch: Hematologie

- Baaten CC, Veenstra LF, Wetzels R, van Geffen JP, Swieringa F, de Witt SM, Henskens YM, Crijs H, Nylander S, van Giezen JJ, Heemskerk JW, van der Meijden PE. Gradual increase in thrombogenicity of juvenile platelets formed upon offset of prasugrel medication. *Haematologica*. 2015;100(9):1131-8.
- Boer AK, Kreeftenberg H, Bindels A, Roos A, Houterman S, van Dijk van Berkel M. Beslisondersteuning is meer dan een algoritme: heparinepomp-protocol op de Intensive Care. *Ned Tijdschr Klin Chem Labgeneesk*. 2015;40:211-3.
- Diepstraten J, Janssen EJ, Hackeng CM, van Dongen EP, Wiezer RJ, van Ramshorst B, Knibbe CA. Population pharmacodynamic model for low molecular weight heparin nadroparin in morbidly obese and non-obese patients using anti-Xa levels as endpoint. *Eur J Clin Pharmacol*. 2015;71(1):25-34.
- Fleming C, Russcher H, Lindemans J, de Jonge R. Clinical relevance and contemporary methods for counting blood cells in body fluids suspected of inflammatory disease. *Clin Chem Lab Med*. 2015;53(11):1689-706.
- Herpers R, van Rossum AP, van Beem RT, Michel WM, Strijbis VJ, Strengers PF, Castel A, Brinkman HJ. INR vs. thrombin generation assays for guiding VKA reversal: a retrospective comparison. *Clin Chem Lab Med*. 2015;53(8):1227-36.
- Heul-Nieuwenhuijsen L, Levin MD, Ngyen BD, Nederveen van FH, Vermeer HJ, Riedl J. Uw diagnose? *Ned Tijdschr Hematol* 2015;12:75-76.
- Hoffmann JJ, van Dun LJ. Comments on 'Performance evaluation of automated NRBC enumeration on Sysmex XN analyzer'. *Int J Lab Hematol*. 2015;37(4):e96-7.
- Hoffmann JJ, Yu T. Screening of hemolysis in whole-blood specimens. *Int J Lab Hematol*. 2015;37(4):e87-8.
- Hoffmann JJ, Yu T. Splenectomy-Related Red Cell Lysis Resistance and Analytical Consequences. *Clin Lab*. 2015;61(9):1341-2.
- Kicken C, Van Poucke S, Marcus AE, Lancé MD, Henskens Y. Response of platelet concentrates to pressure and temperature changes without impairment of the in vitro function. *Thromb Res*. 2015;135(4):679-83.
- Mañú-Pereira Mdel M, Gonzalez-Roca E, van Solinge WW, Llaudet-Planas E, Sevilla J, Montllor L, Mensa-Vilaro A, Ploos van Amstel HK, van Wijk R, Vives-Corrons J. Pyruvate kinase deficiency and severe congenital hemolytic anemia in a double heterozygous patient with paternal transmission of an early germ-line de novo mutation. *Am J Hematol*. 2015;90(12):E217-9.
- Oostendorp M, Lammerts van Bueren JJ, Doshi P, Khan I, Ahmadi T, Parren PW, van Solinge WW, de Vooght KM. When blood transfusion medicine becomes complicated due to interference by monoclonal antibody therapy. *Transfusion*. 2015;55(6 Pt 2):1555-62.
- Oude Elferink RF, Loot AE, Van De Klashorst CG, Hulsebos-Huygen M, Piersma-Wichers M, Oudega R. Clinical evaluation of eight different D-dimer tests for the exclusion of deep venous thrombosis in primary care patients. *Scand J Clin Lab Invest*. 2015;75(3):230-8.
- Schoorl M, Schoorl M, van Pelt J, Bartels PC. Application of Innovative Hemocytometric Parameters and Algorithms for Improvement of Microcytic Anemia Discrimination. *Hematol Rep*. 2015;7:5843.
- Van de Kerkhof D, Scharnhorst V, Huysentruyt CJ, Brands-Nijenhuis AV, Ermens AA. Charcot-Leyden crystals in acute myeloid leukemia. *Int J Lab Hematol*. 2015;37(4):e100-2.
- Van der Veen BS, Besseling R, Hoogendoorn M. Serial ADAMTS13 measurements during initial plasma exchange therapy guide decisions for management of unresponsive thrombotic thrombocytopenic purpura. *Transfusion*. 2015;55(10):2511-5.
- Zeerleder S, van Solinge WW, van Wijk R. Erfelijke en verworven hemolytische anemieën *Leerboek Hematologie*, 2e druk, hoofdstuk 8, De Tijdstroom, Utrecht, 2015, pp 119-141.

### Analytisch: Immunochemie

- Adema AY, Vervloet MG, Blankenstein MA, Heijboer AC. a-Klotho is unstable in human urine. *Kidney Int*. 2015;88(6):1442-4.
- Emmen JM, Heijboer AC, de Jong SM, Endert E. Glucagon stability anno 2014. *Clin Chim Acta*. 2015;440:1-2.
- Jacobs JF, van der Molen RG, Bossuyt X, Damoiseaux J. Antigen excess in modern immunoassays: To anticipate on the unexpected. *Autoimmun Rev*. 2015;14:160-167.

VanDuijn MM, Jacobs JF, Wevers RA, Engelke UF, Joosten I, Luidier TM. Quantitative measurement of immunoglobulins and free light chains using mass spectrometry. *Anal Chem.* 2015;87(16):8268-74.

#### **Analytisch: Klinische chemie**

Boesten LSM, Krabbe JG, de Rijke YB. The high dose hook effect in prolactinomas; following the guidelines? *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:230-3.

Akintola AA, Noordam R, Jansen SW, de Craen AJ, Ballieux BE, Cobbaert CM, Mooijaart SP, Pijl H, Westendorp RG, van Heemst D. Accuracy of continuous glucose monitoring measurements in normo-glycemic individuals. *PLoS One.* 2015;10(10):e0139973.

Bikker A, Loubert M, van Loo R, Wienders JPM. Prevalence of ascorbic acid deficiency in surgical patients and its implications for wound healing. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:209-210.

Boonman-de Winter LJ, Albersen A, Mohrmann K, Bakx-van Baal CM, Meijer Timmerman Thijssen DW, Bressers JP. Hoge prevalentie van vitamine D-deficiëntie in Zuidwest-Nederland *Ned Tijdschr Geneesk.* 2015;159(0):A8167.

Hellemons ME, Sanders JS, Seelen MA, Gans RO, Müller Kobold AC, van Son WJ, Postmus D, Navis GJ, Bakker SJ. Assessment of Cotinine Reveals a Dose-Dependent Effect of Smoking Exposure on Long-term Outcomes After Renal Transplantation. *Transplantation.* 2015;99(9):1926-32.

Hogeman PHG, Hoevenaar-Blom MP, Wienders JPM. Persistent deficiency for 40% of toddlers who were vitamin D deficient as neonates, which cannot be assessed by examining symptoms of rickets. *J Pediatr Biochem* 2015;5:12-4.

Horvath AR, Bossuyt PM, Sandberg S, John AS, Monaghan PJ, Verhagen-Kamerbeek WD, Lennartz L, Cobbaert CM, Ebert C, Lord SJ; Test Evaluation Working Group of the European Federation of Clinical Chemistry and Laboratory Medicine. Setting analytical performance specifications based on outcome studies - is it possible? *Clin Chem Lab Med.* 2015;53(6):841-8.

Lentjes EGWM, van Drunen MEP, Wienders JPM. Calcium- en fosfaathuishouding. *Klinische chemie en hematologie voor analisten (Heron reeks)*, deel 2, hoofdstuk 10, Syntax Media, Utrecht, 2015, pp 221-247.

Nijman RG, Moll HA, Vergouwe Y, de Rijke YB, Oostenbrink R. C-Reactive Protein Bedside Testing in Febrile Children Lowers Length of Stay at the Emergency Department. *Pediatr Emerg Care.* 2015;31(9):633-9.

Noppe G, de Rijke YB, Dorst K, van den Akker EL, van Rossum EF. LC-MS/MS-based method for long-term steroid profiling in human scalp hair. *Clin Endocrinol (Oxf).* 2015;83:162-6.

Oosterhuis WP, Sandberg S. Proposal for the modification of the conventional model for establishing performance specifications. *Clin Chem Lab Med.* 2015;53(6):925-37.

Oosterhuis WP, Zerah S. Laboratory medicine in the European Union. *Clin Chem Lab Med.* 2015;53(1):5-14.

Puts J, de Groot M, Haex M, Jakobs B. Simultaneous Determination of Underivatized Vitamin B1 and B6 in Whole Blood by Reversed Phase Ultra High Performance Liquid Chromatography Tandem Mass Spectrometry. *PLoS One.* 2015;10(7):e0132018.

Roelofs-Thijssen MAMA, de Jonge N, van Dongen-Lases EC. Third EFLM-BD European Conference on Preanalytical Phase. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:265-7.

Sandberg S, Fraser CG, Horvath AR, Jansen R, Jones G, Oosterhuis W, Petersen PH, Schimmel H, Sikaris K, Panteghini M. Defining analytical performance specifications: Consensus Statement from the 1st Strategic Conference of the European Federation of Clinical Chemistry and Laboratory Medicine. *Clin Chem Lab Med.* 2015;53(6):833-5.

Teodoro-Morrison T, Janssen MJ, Mols J, Hendrickx BH, Velmans MH, Lotz J, Lackner K, Lennartz L, Armbruster D, Maine G, Yip PM. Evaluation of a next generation direct whole blood enzymatic assay for hemoglobin A1c on the ARCHITECT c8000 chemistry system. *Clin Chem Lab Med.* 2015;53(1):125-32.

Uijtendaal EV, Zwart-van Rijkom JE, de Lange DW, Lalmohamed A, van Solinge WW, Egberts TC. Influence of a strict glucose protocol on serum potassium and glucose concentrations and their association with mortality in intensive care patients. *Crit Care.* 2015;19:270.

Van den Ancker W, Haagen IA, van der Voort PH. Direct sodium measurement prevents underestimation of hyponatremia in critically ill patients. *Intensive Care Med.* 2015;41(3):553-4.

Van den Berg SAA, Thelen MHM, Boonen KJM Inventarisatie van de (pre)analytische aspecten van de glucosebepaling in Nederlandse laboratoria: tijd voor uniformiteit. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:69-72.

Van den Broek I, Romijn FP, Smit NP, van der Laarse A, Drijfhout JW, van der Burgt YE, Cobbaert CM. Quantifying protein measurands by peptide measurements: where do errors arise? *J Proteome Res.* 2015;14:928-42.

Van Lint CL, van der Boog PJ, Romijn FP, Schenk PW, van Dijk S, Rövekamp TJ, Kessler A, Siekmann L, Rabelink TJ, Cobbaert CM. Application of a point of care creatinine device for trend monitoring in kidney transplant patients: fit for purpose? *Clin Chem Lab Med.* 2015;53(10):1547-56.

Van Veen M, Nijman RG, Zijlstra M, Dik WA, de Rijke YB, Moll HA, Neele M, Smit FJ, Verbrugge SE, Huisman A. Verification and standardization of blood cell counters for routine clinical laboratory tests. *Clin Lab Med.* 2015;35(1):183-96.

Verhoeven Y, Kemperman H, Abrahams AC. Falsely decreased ionized calcium levels in kidney transplant recipients with polyomavirus-associated nephropathy treated with leflunomide. *Transpl Int.* 2015;28(7):874-5.

Watson ID, Siodmiak J, Oosterhuis WP, Corberand J, Jorgensen PE, Dikmen ZG, Jovicic S, Theodorsson E; EFLM Working Group on Patient Focused Laboratory Medicine. European views on patients directly obtaining their laboratory test results. *Clin Chem Lab Med.* 2015;53(12):1961-6.

Weykamp C, Kemna E, Leppink S, Siebelder C. Glycation rate of haemoglobins S, C, D, E, J and G, and analytical interference on the measurement of HbA1c with affinity chromatography and capillary electrophoresis. *Clin Chem Lab Med.* 2015; 53(9) e 207-10.

Weykamp C, Kuypers A, Bakkeren D, Franck P, Loon D van, Gunnewiek JK, Jonge Rd, Steigstra H, Cobbaert C. Creatinine, Jaffe, and glucose: another inconvenient truth. *Clin Chem Lab Med.* 2015;53(12):e347-9.

Zwiers AJ, Cransberg K, de Rijke YB, van Rosmalen J, Tibboel D, de Wildt SN. Urinary Neutrophil Gelatinase-Associated Lipocalin Predicts Renal Injury Following Extracorporeal Membrane Oxygenation. *Pediatr Crit Care Med.* 2015;16(7):663-70.

Zwiers AJ, de Wildt SN, van Rosmalen J, de Rijke YB, Buijs EA, Tibboel D, Cransberg K. Urinary neutrophil gelatinase-associated lipocalin identifies critically ill young children with acute kidney injury following intensive care admission: a prospective cohort study. *Crit Care.* 2015;19:181.

Zwiers AJ, de Wildt SN, de Rijke YB, Willemsen SP, Abdullahi NS, Tibboel D, Cransberg K. Reference intervals for renal injury biomarkers neutrophil gelatinase-associated lipocalin and kidney injury molecule-1 in young infants. *Clin Chem Lab Med.* 2015;53(8):1279-89.

#### **Analytisch: Moleculaire technieken**

Gerrits A, Vos MJ, Abbes AP, Engel H, Dikkeschei L. Klinisch genetische databases en webtools voor de laboratoriumspecialist *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:38-43.

Bol KF, Figdor CG, Aarntzen EH, Welzen ME, van Rossum MM, Blokx WA, van de Rakt MW, Scharenborg NM, de Boer AJ, Pots JM, Olde Nordkamp MA, van Oorschot TG, Mus RD, Croockewit SA, Jacobs JF, Schuler G, Neyns B, Austyn JM, Punt CJ, Schreiber G, de Vries IJ. Intranodal vaccination with mRNA-optimized dendritic cells in metastatic melanoma patients. *Oncoimmunology.* 2015;4(8):e1019197.

Malentacchi F, Mancini I, Brandslund I, Vermeersch P, Schwab M, Marc J, van Schaik RH, Siest G, Theodorsson E, Pazzagli M, Di Resta C; European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) / European Society of Pharmacogenomics and Personalised Therapy (ESPT) Joint Working Group on Personalized Laboratory Medicine (WG-PLM). Is laboratory medicine ready for the era of personalized medicine? A survey addressed to laboratory directors of hospitals/academic schools of medicine in Europe. *Drug Metabol Personal Ther.* 2015;30:121-8.

Malentacchi F, Mancini I, Brandslund I, Vermeersch P, Schwab M, Marc J, van Schaik RH, Siest G, Theodorsson E, Pazzagli M, Di Resta C; European Federation of Clinical Chemistry and Laboratory Medicine (EFLM); European Society of Pharmacogenomics and Personalised Therapy (ESPT) Joint Working Group on Personalized Laboratory Medicine (WG-PLM). Is laboratory medicine ready for the era of personalized medicine? A survey addressed to laboratory directors of hospitals/academic schools of medicine in Europe. *Clin Chem Lab Med.* 2015;53(7):981-8.

Siest G, Auffray C, Taniguchi N, Ingelman-Sundberg M, Murray H, Visvikis-Siest S, Ansari M, Marc J, Jacobs P, Meyer U, Van Schaik RH, Müller MM, Wevers RA, Simmaco M, Kussmann M, Manolopoulos VG, Alizadeh BZ, Beastall G, Németh G. Systems medicine, personalized health and therapy. *Pharmacogenomics.* 2015;16(14):1527-39.

Wimmers F, Aarntzen EH, Duiveman-deBoer T, Figdor CG, Jacobs JF, Tel J, de Vries IJ. Long-lasting multifunctional CD8(+) T cell responses in end-stage melanoma patients can be induced by dendritic cell vaccination. *Oncoimmunology.* 2015;5(1):e1067745.

#### **Analytisch: Vlamfotometrie, AAS, massaspectrometrie**

Büttler RM, Martens F, Kushnir MM, Ackermans MT, Blankenstein MA, Heijboer AC. Simultaneous measurement of testosterone, androstenedione and dehydroepiandrosterone (DHEA) in serum and plasma using Isotope-Dilution 2-Dimension Ultra High Performance Liquid-Chromatography Tandem Mass Spectrometry (ID-LC-MS/MS). *Clin Chim Acta.* 2015;438:157-9.

Büttler RM, Martens F, Fanelli F, Pham HT, Kushnir MM, Janssen MJ, Owen L, Taylor AE, Soeborg T, Blankenstein MA, Heijboer AC. Comparison of 7 Published LC-MS/MS Methods for the Simultaneous Measurement of Testosterone, Androstenedione, and Dehydroepiandrosterone in Serum. *Clin Chem.* 2015;61(12):1475-83.

Van den Broek I, Nouta J, Razavi M, Yip R, Bladergroen MR, Romijn FP, Smit NP, Drews O, Paape R, Suckau D, Deelder AM, van der Burgt YE, Pearson TW, Anderson NL, Cobbaert CM. Quantification of serum apolipoproteins A-I and B-100 in clinical samples using an automated SISCAPA-MALDI-TOF-MS workflow. *Methods.* 2015;81:74-85.

### **Bedrijfsvoering: Dienstverlening**

Bakkeren DL, Vermeer HJ, Kusters R. Online consultatie van laboratoriumspecialisten: een gewaardeerde service naar patiënten. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:21-25.

Janssens PMW Sturing van laboratoriumaanvraaggedrag; repeterend testen. *Rijnstate Research & Innovatie* 2015;4:14-15.

Musson REA, Punwasi RV, van Mullem A, den Hartog JC, de Vooght KMK. What's Lab: bepalingeninformatie anno 2014. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:49-51.

Oostendorp M, van Mullem A, de Vooght KMK, Dijkstra H. Het LIS als basis voor consultregistratie in het elektronisch patiëntendossier. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:55-57.

### **Bedrijfsvoering: Diversen**

Kip MM, Kusters R, IJzerman MJ, Steuten LM. A PCT algorithm for discontinuation of antibiotic therapy is a cost-effective way to reduce antibiotic exposure in adult intensive care patients with sepsis. *J Med Econ.* 2015;18(11):944-53.

Schindhelm R.K. Basisartsen in de klinische chemie: a BIG loss? *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:247-249.

Van Horssen R. App-gebruik door assistenten. *Klinische Chemie Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:43-45.

Visser AW, de Mutsert R, Bloem JL, Reijnen M, Kazato H, le Cessie S, den Heijer M, Rosendaal FR, Kloppenburg M; Netherlands Epidemiology of Obesity Study Group. Do knee osteoarthritis and fat-free mass interact in their impact on health-related quality of life in men? Results from a population-based cohort. *Arthritis Care Res (Hoboken).* 2015;67(7):981-8.

### **Bedrijfsvoering: Kwaliteit / Automatisering / Statistiek**

Bakkeren DL. De Wie Doet Wat-database en het gebruik van de codestelsels LOINC en SNOMED. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:16-20.

Janssens PMW, Scholten A, de Waard H, Tiemens N, van Uum M, Schrijver E, Roozenburg B, Verhaagen, R, Harmsen S, Rabeling J, Katz E, Lentink B, Keijzer H, van Welt E. Prospective risk analysis adjusted to the reality of clinical and fertility laboratory processes. *Diagnosis.* 2015;2:235-242.

De Bruin M, Leyte A, Slaats EH, Versteeg WHE. ICT uitdagingen van een multilocatie laboratoriummodel: een sleutelrol voor middleware? *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:30-33.

Van Berkel M, Wasylewicz A, Kreeftenberg HG, Boer AK. Gaston, de elektronische ondersteuning voor zorgprofessionals. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:26-29.

Niens M, Naaijken BA, Brinkman HT, van Suijlen JDE, Remijn JA. Digitale procesoptimalisatie van de buitenprikdienst met Intertour en PrikRoute®. *Ned Tijdschr Klin Chem Labgeneesk.* 2015; 40:52-54.

Tintu AN, Bakkeren DL. NVKC app harmonie in de chaos. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:44-46.

Thelen MH, Vanstapel FJ, Kroupis C, Vukasovic I, Boursier G, Barrett E, Bernabeu Andreu F, Brguljan PM, Brugnoli D, Lohmander M, Sprongl L, Vodnik T, Ghita I, Vaubourdel M, Huisman W; Working Group Accreditation ISO/CEN standards (WG-A/ISO) of EFLM. Flexible scope for ISO 15189 accreditation: a guidance prepared by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) Working Group Accreditation and ISO/CEN standards (WG-A/ISO). *Clin Chem Lab Med.* 2015;53(8):1173-80.

### **Bedrijfsvoering: Point-of-care testing**

Biedermann JS, Leebeek FW, Buhre PN, de Lathouder S, Barends JP, de Maat MP, van der Meer FJ, Kruip MJ. Agreement between CoaguChek XS and STA-R Evolution (Hepato Quick) INR results depends on the level of INR. *Thromb Res.* 2015;136(3):652-7.

Brouwer N, van Pelt J. Validation and evaluation of eight commercially available point of care CRP methods. *Clin Chim Acta.* 2015;439:195-201.

De Vries C, Doggen C, Hilbers E, Verheij R, IJzerman M, Geertsma R, Kusters R. Results of a survey among GP practices on how they manage patient safety aspects related to point-of-care testing in every day practice. *BMC Fam Pract.* 2015;16:9.

Heida A, Dijkstra A, Groen H, Muller Kobold A, Verkade H, van Rheenen P. Comparing the efficacy of a web-assisted calprotectin-based treatment algorithm (IBD-live) with usual practices in teenagers with inflammatory bowel disease: study protocol for a randomized controlled trial. *Trials.* 2015;16:271.

Hogenboom S, de Vooght KMK. Point of care diagnostiek. *Klinische chemie en hematologie voor analisten (Heron reeks), deel 2, hoofdstuk 13, Syntax Media, Utrecht, 2015, pp 287-312.*

Hopstaken RM, van Balen JA, Kusters R. [Point-of-care-testing in general practice]. *Ned Tijdschr Geneesk.* 2015;159:A9475.

Ishak M, Ali D, Fokkert MJ, Slingerland RJ, Dikkeschei B, Tolsma RT, Lichtveld RA, Bruins W, Boomars R, Bruheim K, van Eenennaam F, Timmers L, Voskuil M, Doevendans PA, Mosterd A, Hoes AW, ten Berg JM, van 't Hof AW; FAMOUS TRIAGE Study Group. Fast assessment and management of chest pain without ST-elevation in the pre-hospital gateway: rationale and design. *Eur Heart J Acute Cardiovasc Care.* 2015;4:129-36.

Larsson A, Greig-Pylypczuk R, Huisman A. The state of point-of-care testing: a European perspective. *Ups J Med Sci.* 2015;120(1):1-10.

Slingerland R, Telting D. Ophef over de kwaliteit van bloed glucosemeters. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:243-246.

Staal S, Ungerer M, Floris A, Ten Brinke HW, Helmhout R, Tellegen M, Janssen K, Karstens E, van Arragon C, Lenk S, Staijen E, Bartholomew J, Krabbe H, Movig K, Dubská P, van den Berg A, Eijkel J. A versatile electrophoresis-based self-test platform. *Electrophoresis.* 2015;36(5):712-21.

Van Horssen R, Schuurman TN, de Groot MJM, Jakobs BS. POC-lactate: evaluation of strip and cassette versus routine results. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:215-217.

Vldrop IJH, Reurslag M, Maas JM, Moriarty P, Berendes PB, Vermeer HJ. Betrouwbaarheid van POCT-INR-bepalingen in de dagelijkse praktijk; de trombosedienst, de zelfmeetpatient en de kliniek. *Ned Tijdschr Klin Chem Labgeneesk.* 2015;40:205-208.

Vooght KMK de. Managing a point of care testing blood gas service. Point of care testing, hoofdstuk 17, Cogora Limited, London, UK, 2015, pp 17-19.

#### **Klinisch: Allergie / infectieziekten**

Geerts N, Jansz AR, Boonen KJ, Wijn RP, Koldewijn EL, Boer AK, Scharnhorst V. Urine flow cytometry can rule out urinary tract infection, but cannot identify bacterial morphologies correctly. *Clin Chim Acta.* 2015;448:86-90.

Jaeggi T, Kortman GA, Moretti D, Chassard C, Holding P, Dostal A, Boekhorst J, Timmerman HM, Swinkels DW, Tjalsma H, Njenga J, Mwangi A, Kvalsvig J, Lacroix C, Zimmermann MB. Iron fortification adversely affects the gut microbiome, increases pathogen abundance and induces intestinal inflammation in Kenyan infants. *Gut.* 2015;64(5):731-42.

Peltenburg NC, Bakker JA, Vroemen WH, de Knecht RJ, Leers MP, Bierau J, Verbon A. Inosine triphosphate pyrophosphohydrolase activity: more accurate predictor for ribavirin-induced anemia in hepatitis C infected patients than ITPA genotype. *Clin Chem Lab Med.* 2015;53(12):2021-9.

Richter C, Waegemaekers T, Polling I, Roelofs-Thijssen M. Hepatitiszorg beter regionaal organiseren Medisch Contact. 2015;17:856-8.

#### **Klinisch: Endocrinologie**

De Haar-Holleman A, Musson REA, Eelkman Rooda SJ, Wielders JPM, Demir AY. Bijzondere oorzaken van hyperprolactinemie. *Ned Tijdschr Geneesk.* 2015;159:A9051.

Åvold BO, Vatten LJ, Børro T, Bauer DC, Bremner A, Cappola AR, Ceresini G, den Elzen WP, Ferrucci L, Franco OH, Franklyn JA, Gussekloo J, Iervasi G, Imaizumi M, Kearney PM, Khaw KT, Maciel RM, Newman AB, Peeters RP, Psaty BM, Razvi S, Sgarbi JA, Stott DJ, Trompet S, Vanderpump MP, Völzke H, Walsh JP, Westendorp RG, Rodondi N. Thyroid Studies Collaboration. Thyroid function within the normal range and risk of coronary heart disease: an individual participant data analysis of 14 cohorts. *JAMA Intern Med.* 2015;175(6):1037-47.

Beulens JW, Hart HE, Kuijs R, Kooijman-Buiting AM, Rutten GE. Influence of duration and dose of metformin on cobalamin deficiency in type 2 diabetes patients using metformin. *Acta Diabetol.* 2015;52(1):47-53.

Biemans E, Hart HE, Rutten GE, Cuellar Renteria VG, Kooijman-Buiting AM, Beulens JW. Cobalamin status and its relation with depression, cognition and neuropathy in patients with type 2 diabetes mellitus using metformin. *Acta Diabetol.* 2015;52:383-93.

Blum MR, Bauer DC, Collet TH, Fink HA, Cappola AR, da Costa BR, Wirth CD, Peeters RP, Åvold BO, den Elzen WP, Luben RN, Imaizumi M, Bremner AP, Gogakos A, Eastell R, Kearney PM, Strotmeyer ES, Wallace ER, Hoff M, Ceresini G, Rivadeneira F, Uitterlinden AG, Stott DJ, Westendorp RG, Khaw KT, Langhammer A, Ferrucci L, Gussekloo J, Williams GR, Walsh JP, Jüni P, Aujesky D, Rodondi N; Thyroid Studies Collaboration. Subclinical thyroid dysfunction and fracture risk: a meta-analysis. *JAMA.* 2015;313(20):2055-65.

Bui HN, Sluss PM, Hayes FJ, Blincko S, Knol DL, Blankenstein MA, Heijboer AC. Testosterone, free testosterone, and free androgen index in women: Reference intervals, biological variation, and diagnostic value in polycystic ovary syndrome. *Clin Chim Acta.* 2015;450:227-32.

Chaker L, Baumgartner C, den Elzen WP, Ikram MA, Blum MR, Collet TH, Bakker SJ, Dehghan A, Drechsler C, Luben RN, Hofman A, Portegies ML, Medici M, Iervasi G, Stott DJ, Ford I, Bremner A, Wanner C, Ferrucci L, Newman AB, Dullaart RP, Sgarbi JA, Ceresini G, Maciel RM, Westendorp RG, Jukema JW, Imaizumi M, Franklyn JA, Bauer DC, Walsh JP, Razvi S, Khaw KT, Cappola AR, Völzke H, Franco OH, Gussekloo J, Rodondi N, Peeters RP; Thyroid Studies Collaboration. Subclinical Hypothyroidism and the Risk of Stroke Events and Fatal Stroke: An Individual Participant Data Analysis. *J Clin Endocrinol Metab.* 2015;100(6):2181-91.

Coene KL, Demir AY, Broeren MA, Verschuure P, Lentjes EG, Boer AK. Subclinical hypothyroidism: a 'laboratory-induced' condition? *Eur J Endocrinol.* 2015;173(4):499-505.

De Fost M, Oussaada SM, Ender E, Linthorst GE, Serlie MJ, Soeters MR, DeVries JH, Bisschop PH, Fliers E. The water deprivation test and a potential role for the arginine vasopressin precursor copeptin to differentiate diabetes insipidus from primary polydipsia. *Endocr Connect.* 2015;4:86-91.

- De Groot MJ, Pijnenburg-Kleizen KJ, Thomas CM, Sweep FC, Stikkelbroeck NM, Otten BJ, Claahsen-van der Grinten HL. Salivary morning androstenedione and 17 $\alpha$ -OH progesterone levels in childhood and puberty in patients with classic congenital adrenal hyperplasia. *Clin Chem Lab Med*. 2015;53(3):461-8.
- De Keyser CE, de Lima FV, de Jong FH, Hofman A, de Rijke YB, Uitterlinden AG, Visser LE, Stricker BH. Use of statins is associated with lower serum total and non-sex hormone-binding globulin-bound testosterone levels in male participants of the Rotterdam Study. *Eur J Endocrinol*. 2015;173:155-65.
- De Koning EJ, van Schoor NM, Penninx BW, Elders PJ, Heijboer AC, Smit JH, Bet PM, van Tulder MW, den Heijer M, van Marwijk HW, Lips P. Vitamin D supplementation to prevent depression and poor physical function in older adults: Study protocol of the D-Vitaal study, a randomized placebo-controlled clinical trial. *BMC Geriatr*. 2015;15(1):151.
- Hamdine O, Eijkemans MJ, Lentjes EG, Torrance HL, Macklon NS, Fauser BC, Broekmans FJ. Antimüllerian hormone: prediction of cumulative live birth in gonadotropin-releasing hormone antagonist treatment for in vitro fertilization. *Fertil Steril*. 2015;104(4):891-898.
- Hamdine O, Eijkemans MJ, Lentjes EW, Torrance HL, Macklon NS, Fauser BC, Broekmans FJ. Ovarian response prediction in GnRH antagonist treatment for IVF using anti-Müllerian hormone. *Hum Reprod*. 2015;30(1):170-8.
- Hamid AR, Verhaegh GW, Smit FP, van Rijt-van de Westerlo C, Armandari I, Brandt A, Sweep FC, Sedelaar JP, Schalken JA. Dutasteride and enzalutamide synergistically suppress prostate tumor cell proliferation. *J Urol*. 2015;193(3):1023-9.
- Heijboer AC, Oosterwerff M, Schrotten NF, Eekhoff EM, Chel VG, de Boer RA, Blankenstein MA, Lips P. Vitamin D supplementation and testosterone concentrations in male human subjects. *Clin Endocrinol (Oxf)*. 2015;83(1):105-10.
- Hiemstra I, Heijmans SM, Koers NF, Bocca G, van der Veen BS, Veeger NJ, Kamps AW. Attenuated salivary cortisol response after exercise test in children with asthma. *J Pediatr Endocrinol Metab*. 2015;28(3-4):359-65.
- Jansen SW, Akintola AA, Roelfsema F, van der Spoel E, Cobbaert CM, Ballieux BE, Egri P, Kvarta-Papp Z, Gereben B, Fekete C, Slagboom PE, van der Grond J, Demeneix BA, Pijl H, Westendorp RG, van Heemst D. Human longevity is characterised by high thyroid stimulating hormone secretion without altered energy metabolism. *Sci Rep*. 2015;5:11525.
- Jansen SW, Roelfsema F, van der Spoel E, Akintola AA, Postmus I, Ballieux BE, Slagboom PE, Cobbaert CM, van der Grond J, Westendorp RG, Pijl H, van Heemst D. Familial Longevity Is Associated With Higher TSH Secretion and Strong TSH-ft3 Relationship. *J Clin Endocrinol Metab*. 2015;100(10):3806-13.
- Jansen SW, Roelfsema F, Akintola AA, Oei NY, Cobbaert CM, Ballieux BE, van der Grond J, Westendorp RG, Pijl H, van Heemst D. Characterization of the Hypothalamic-Pituitary-Adrenal-Axis in Familial Longevity under Resting Conditions. *PLoS One*. 2015;10(7):e0133119.
- Klink D, Caris M, Heijboer A, van Trotsenburg M, Rotteveel J. Bone mass in young adulthood following gonadotropin-releasing hormone analog treatment and cross-sex hormone treatment in adolescents with gender dysphoria. *J Clin Endocrinol Metab*. 2015;100:E270-5.
- Koene S, de Laat P, van Tienoven DH, Weijers G, Vriens D, Sweep FC, Timmermans J, Kapusta L, Janssen MC, Smeitink JA. Serum GDF15 Levels Correlate to Mitochondrial Disease Severity and Myocardial Strain, but Not to Disease Progression in Adult m.3243A>G Carriers. *JIMD Rep*. 2015;24:69-81.
- Le NH, Ballieux BE, Corssmit EP. Thyroid autoantibodies. *Ned Tijdschr Geneesk*. 2015;159(0):A8802.
- Limonard EJ, Veldhuis-Vlug AG, van Dussen L, Runge JH, Tanck MW, Endert E, Heijboer AC, Fliers E, Hollak CE, Akkerman EM, Bisschop PH. Short-Term Effect of Estrogen on Human Bone Marrow Fat. *J Bone Miner Res*. 2015;30(11):2058-66.
- Luttikhoud J, van Norren K, Buijs N, Ankersmit M, Heijboer AC, Gootjes J, Rijna H, van Leeuwen PA, van Loon LJ. Jejunal Casein Feeding Is Followed by More Rapid Protein Digestion and Amino Acid Absorption When Compared with Gastric Feeding in Healthy Young Men. *J Nutr*. 2015;145(9):2033-8.
- Peitzsch M, Dekkers T, Haase M, Sweep FC, Quack I, Antoch G, Siebert G, Lenders JW, Deinum J, Willenberg HS, Eisenhofer G. An LC-MS/MS method for steroid profiling during adrenal venous sampling for investigation of primary aldosteronism. *J Steroid Biochem Mol Biol*. 2015;145:75-84.
- Pijnenburg-Kleizen KJ, Engels M, Mooij CF, Griffin A, Krone N, Span PN, van Herwaarden AE, Sweep FC, Claahsen-van der Grinten HL. Adrenal Steroid Metabolites Accumulating in Congenital Adrenal Hyperplasia Lead to Transactivation of the Glucocorticoid Receptor. *Endocrinology*. 2015;156(10):3504-10.
- Rao JU, Engelke UF, Sweep FC, Pacak K, Kusters B, Goudswaard AG, Hermus AR, Mensenkamp AR, Eisenhofer G, Qin N, Richter S, Kunst HP, Timmers HJ, Wevers RA. Genotype-specific differences in the tumor metabolite profile of pheochromocytoma and paraganglioma using untargeted and targeted metabolomics. *J Clin Endocrinol Metab*. 2015;100:E214-22.
- Rossum HH van, Bergman AM, Lentjes EGWM. Analytical challenges and potential applications of sex steroid hormone analysis in breast and prostate cancer patients Chromatographia. 2015;78: 359-365.

Russell E, Kirschbaum C, Laudenslager ML, Stalder T, de Rijke Y, van Rossum EF, Van Uum S, Koren G. Toward standardization of hair cortisol measurement: results of the first international interlaboratory round robin. *Ther Drug Monit.* 2015;37:71-5.

Smeets EE, Span PN, van Herwaarden AE, Wevers RA, Hermus AR, Sweep FC, Claahsen-van der Grinten HL. Molecular characterization of testicular adrenal rest tumors in congenital adrenal hyperplasia: lesions with both adrenocortical and leydig cell features. *J Clin Endocrinol Metab.* 2015;100(3):E524-30.

Snoeijen-Schouwenaars FM, van Deursen KC, Tan IY, Verschuure P, Majoie MH. Vitamin D supplementation in children with epilepsy and intellectual disability. *Pediatr Neurol.* 2015;52:160-4.

Teunissen CE, van der Flier WM, Scheltens P, Duits A, Wijnstok N, Nijpels G, Dekker JM, Blankenstein RM, Heijboer AC. Serum Leptin is not Altered nor Related to Cognitive Decline in Alzheimer's Disease. *J Alzheimers Dis.* 2015;44(3):809-13.

Van der Voorn B, Martens F, Peppelman NS, Rotteveel J, Blankenstein MA, Finken MJ, Heijboer AC. Determination of cortisol and cortisone in human mother's milk. *Clin Chim Acta.* 2015;444:154-5.

Van Doorn J, van de Hoef W, Dullaart RP. Quantitative analysis of the concentrations of IGFs and several IGF-binding proteins in a large fibrous abdominal tumor and the circulation of a patient with hypoglycemia. *Biofactors.* 2015;41(3):183-9.

Veldhuis-Vlug AG, Tanck MW, Limonard EJ, Endert E, Heijboer AC, Lips P, Fliers E, Bisschop PH. The effects of beta-2 adrenergic agonist and antagonist on human bone metabolism: A randomized controlled trial. *Bone.* 2015;71:196-200.

Voortman T, van den Hooven EH, Heijboer AC, Hofman A, Jaddoe VW, Franco OH. Vitamin D deficiency in school-age children is associated with sociodemographic and lifestyle factors. *J Nutr.* 2015;145(4):791-8.

### **Klinisch: Erfelijke stofwisselingsziekten**

Albersen M, Bosma M, Jans JJ, Hofstede FC, van Hasselt PM, de Sain-van der Velden MG, Visser G, Verhoeven-Duif NM. Vitamin B6 in plasma and cerebrospinal fluid of children. *PLoS One.* 2015;10(3):e0120972.

Barøy T, Koster J, Strømme P, Ebberink MS, Miscio D, Ferdinandusse S, Holmgren A, Hughes T, Merckoll E, Westvik J, Woldseth B, Walter J, Wood N, Tvedt B, Stadskleiv K, Wanders RJ, Waterham HR, Frengen E. A novel type of rhizomelic chondrodysplasia punctata, RCDP5, is caused by loss of the PEX5 long isoform. *Hum Mol Genet.* 2015;24(20):5845-54.

Barthélémy F, Navarro C, Fayek R, Da Silva N, Roll P, Sigaudy S, Oshima J, Bonne G, Papadopoulou-Legbelou K, Evangelidou AE, Spilioti M, Lemerrer M, Wevers RA, Morava E, Robaglia-Schlupp A, Lévy N, Bartoli M, De Sandre-Giovannoli A. Truncated prelamin A expression in HGPS-like patients: a transcriptional study. *Eur J Hum Genet.* 2015;23(8):1051-61.

Chatfield KC, Coughlin CR 2nd, Friederich MW, Gallagher RC, Hesselberth JR, Lovell MA, Ofman R, Swanson MA, Thomas JA, Wanders RJ, Wartchow EP, Van Hove JL. Mitochondrial energy failure in HSD10 disease is due to defective mtDNA transcript processing. *Mitochondrion.* 2015;21:1-10.

Colak G, Pougovkina O, Dai L, Tan M, Te Brinke H, Huang H, Cheng Z, Park J, Wan X, Liu X, Yue WW, Wanders RJ, Locasale JW, Lombard DB, de Boer VC, Zhao Y. Proteomic and Biochemical Studies of Lysine Malonylation Suggest Its Malonic Aciduria-associated Regulatory Role in Mitochondrial Function and Fatty Acid Oxidation. *Mol Cell Proteomics.* 2015;14(11):3056-71.

De Sain-van der Velden MG, van der Ham M, Jans JJ, Visser G, van Hasselt PM, Prinsen HC, Verhoeven-Duif NM. Suitability of methylmalonic acid and total homocysteine analysis in dried bloodspots. *Anal Chim Acta.* 2015;853:435-41.

Desmurs M, Foti M, Raemy E, Vaz FM, Martinou JC, Bairoch A, Lane L. C11orf83, a mitochondrial cardiolipin-binding protein involved in bc1 complex assembly and supercomplex stabilization. *Mol Cell Biol.* 2015;35(7):1139-56.

Desroches CL, Patel J, Wang P, Minassian B, Marshall CR, Salomons GS, Mercimek-Mahmutoglu S. Carrier frequency of guanidinoacetate methyltransferase deficiency in the general population by functional characterization of missense variants in the GAMT gene. *Mol Genet Genomics.* 2015;290(6):2163-71.

DesRoches CL, Patel J, Wang P, Minassian B, Salomons GS, Marshall CR, Mercimek-Mahmutoglu S. Estimated carrier frequency of creatine transporter deficiency in females in the general population using functional characterization of novel missense variants in the SLC6A8 gene. *Gene.* 2015;565:187-91.

Diekman EF, Ferdinandusse S, van der Pol L, Waterham HR, Ruiten JP, IJlst L, Wanders RJ, Houten SM, Wijburg FA, Blank AC, Asselbergs FW, Houtkooper RH, Visser G. Fatty acid oxidation flux predicts the clinical severity of VLCAD deficiency. *Genet Med.* 2015;17(12):989-94.

Engel J, Blanchet L, Bloemen B, van den Heuvel LP, Engelke UH, Wevers RA, Buydens LM. Regularized MANOVA (rMANOVA) in untargeted metabolomics. *Anal Chim Acta.* 2015;899:1-12.

Engelen M, Barbier M, Dijkstra IM, Schür R, de Bie RM, Verhamme C, Dijkgraaf MG, Aubourg PA, Wanders RJ, van Geel BM, de Visser M, Poll-The BT, Kemp S. Reply: Age-dependent penetrance among females with X-linked adrenoleukodystrophy. *Brain.* 2015;138(Pt 2):e326.

- Ferdinandusse S, Friederich MW, Burlina A, Ruiten JP, Coughlin CR 2nd, Dishop MK, Gallagher RC, Bedoyan JK, Vaz FM, Waterham HR, Gowan K, Chatfield K, Bloom K, Bennett MJ, Elpeleg O, Van Hove JL, Wanders RJ. Clinical and biochemical characterization of four patients with mutations in ECHS1. *Orphanet J Rare Dis*. 2015;10:79.
- Ferdinandusse S, Jimenez-Sanchez G, Koster J, Denis S, Van Roermund CW, Silva-Zolezzi I, Moser AB, Visser WF, Gulluoglu M, Durmaz O, Demirkol M, Waterham HR, Gökçay G, Wanders RJ, Valle D. A novel bile acid biosynthesis defect due to a deficiency of peroxisomal ABCD3. *Hum Mol Genet*. 2015;24:361-70.
- Ferri L, Donati MA, Funghini S, Cavicchi C, Pensato V, Gellera C, Natacci F, Spaccini L, Gasperini S, Vaz FM, Cooper DN, Guerrini R, Morrone A. Intra-individual plasticity of the TAZ gene leading to different heritable mutations in siblings with Barth syndrome. *Eur J Hum Genet*. 2015;23(12):1708-12.
- Hagen J, te Brinke H, Wanders RJ, Knecht AC, Oussoren E, Hoogeboom AJ, Ruijter GJ, Becker D, Schwab KO, Franke I, Duran M, Waterham HR, Sass JO, Houten SM. Genetic basis of alpha-aminoadipic and alpha-ketoadipic aciduria. *J Inher Metab Dis*. 2015;38:873-9.
- Halter JP, Michael W, Schüpbach M, Mandel H, Casali C, Orchard K, Collin M, Valcarcel D, Rovelli A, Filosto M, Dotti MT, Marotta G, Pintos G, Barba P, Accarino A, Ferra C, Illa I, Beguin Y, Bakker JA, Boelens JJ, de Coo IF, Fay K, Sue CM, Nachbaur D, Zoller H, Sobreira C, Pinto Simoes B, Hammans SR, Savage D, Marti R, Chinnery PF, Elhasid R, Gratwohl A, Hirano M. Allogeneic haematopoietic stem cell transplantation for mitochondrial neurogastrointestinal encephalomyopathy. *Brain*. 2015;138(Pt 10):2847-58.
- Huigen MC, van der Graaf M, Morava E, Dassel AC, van Steensel MA, Seyger MM, Wevers RA, Willemsen MA. Cerebral lipid accumulation in Chanarin-Dorfman Syndrome. *Mol Genet Metab*. 2015;114(1):51-4.
- Jansen RS, Addie R, Merckx R, Fish A, Mahakena S, Bleijerveld OB, Altelaar M, IJlst L, Wanders RJ, Borst P, van de Wetering K. N-lactoyl-amino acids are ubiquitous metabolites that originate from CNDP2-mediated reverse proteolysis of lactate and amino acids. *Proc Natl Acad Sci U S A*. 2015;112(21):6601-6.
- Körver-Keularts IM, de Visser M, Bakker HD, Wanders RJ, Vansenne F, Scholte HR, Dorland L, Nicolaes GA, Spaapen LM, Smeets HJ, Hendrickx AT, van den Bosch BJ. Two Novel Mutations in the SLC25A4 Gene in a Patient with Mitochondrial Myopathy. *JIMD Rep*. 2015;22:39-45.
- Langereis EJ, Wagemans T, Kulik W, Lefeber DJ, van Lenthe H, Oussoren E, van der Ploeg AT, Ruijter GJ, Wevers RA, Wijburg FA, van Vlies N. A Multiplex Assay for the Diagnosis of Mucopolysaccharidoses and Mucolipidoses. *PLoS One*. 2015;10(9):e0138622.
- Lapalme-Remis S, Lewis EC, De Meulemeester C, Chakraborty P, Gibson KM, Torres C, Guberman A, Salomons GS, Jakobs C, Ali-Ridha A, Parviz M, Pearl PL. Natural history of succinic semialdehyde dehydrogenase deficiency through adulthood. *Neurology*. 2015;85(10):861-5.
- Li KT, Moulin M, Mangel N, Albersen M, Verhoeven-Duif NM, Ma Q, Zhang P, Fitzpatrick TB, Gruissem W, Vanderschuren H. Increased bioavailable vitamin B6 in field-grown transgenic cassava for dietary sufficiency. *Nat Biotechnol*. 2015;33(10):1029-32.
- Martens T, van Gammeren AJ, Huijman JGM, Wojciechowski M, de Man SA. Three children with dark discolouration of urine. *Tijdschrift van de Belgische Kinderarts*. 2015;17(3):401-402.
- Mason S, van Furth AM, Mienie LJ, Engelke UF, Wevers RA, Solomons R, Reinecke CJ. A hypothetical astrocyte-microglia lactate shuttle derived from a (1)H NMR metabolomics analysis of cerebrospinal fluid from a cohort of South African children with tuberculous meningitis. *Metabolomics*. 2015;11(4):822-837.
- Mørkrid L, Rowe AD, Elgstoen KB, Olesen JH, Ruijter G, Hall PL, Tortorelli S, Schulze A, Kyriakopoulou L, Wamelink MM, van de Kamp JM, Salomons GS, Rinaldo P. Continuous age- and sex-adjusted reference intervals of urinary markers for cerebral creatine deficiency syndromes: a novel approach to the definition of reference intervals. *Clin Chem*. 2015;61(5):760-8.
- Mendes MI, Smith DE, Vicente JB, Tavares De Almeida I, Ben-Omran T, Salomons GS, Rivera IA, Leandro P, Blom HJ. Small aminothiols improve the function of Arg to Cys variant proteins: effect on the human cystathionine B-synthase p.R336C. *Hum Mol Genet*. 2015;24(25):7339-48.
- Michel S, Keller MA, Wamelink MM, Ralser M. A haploproficient interaction of the transaldolase paralogue NQM1 with the transcription factor VHR1 affects stationary phase survival and oxidative stress resistance. *BMC Genet*. 2015;16:13.
- Mocking RJ, Verburg HF, Westerink AM, Assies J, Vaz FM, Koeter MW, Ruhé HG, Schene AH. Fatty acid metabolism and its longitudinal relationship with the hypothalamic-pituitary-adrenal axis in major depression: Associations with prospective antidepressant response. *Psychoneuroendocrinology*. 2015;59:1-13.
- Peters H, Ferdinandusse S, Ruiten JP, Wanders RJ, Boneh A, Pitt J. Metabolite studies in HIBCH and ECHS1 defects: Implications for screening. *Mol Genet Metab*. 2015;115(4):168-73.
- Prasun P, Young S, Salomons G, Werneke A, Jiang YH, Struys E, Paige M, Avantaggiati ML, McDonald M. Expanding the Clinical Spectrum of Mitochondrial Citrate Carrier (SLC25A1) Deficiency: Facial Dysmorphism in Siblings with Epileptic Encephalopathy and Combined D,L-2-Hydroxyglutaric Aciduria. *JIMD Rep*. 2015;19:111-5.



- Rao JU, Engelke UF, Sweep FC, Pacak K, Kusters B, Goudswaard AG, Hermus AR. Genotype-specific differences in the tumor metabolite profile of pheochromocytoma and paraganglioma using untargeted and targeted metabolomics. *J Clin Endocrinol Metab.* 2015;100:E214-22.
- Riemersma M, Mandel H, van Beusekom E, Gazzoli I, Roscioli T, Eran A, Gershoni-Baruch R, Gershoni M, Pietrovski S, Vissers LE, Lefeber DJ, Willemsen MA, Wevers RA, van Bokhoven H. Absence of X and B dystroglycan is associated with Walker-Warburg syndrome. *Neurology.* 2015;84(21):2177-82.
- Scalais E, Bottu J, Wanders RJ, Ferdinandusse S, Waterham HR, De Meirleir L. Familial very long chain acyl-CoA dehydrogenase deficiency as a cause of neonatal sudden infant death: improved survival by prompt diagnosis. *Am J Med Genet A.* 2015;167A(1):211-4.
- Scalais E, Bottu J, Wanders RJ, Ferdinandusse S, Waterham HR, De Meirleir L. Familial very long chain acyl-CoA dehydrogenase deficiency as a cause of neonatal sudden infant death: improved survival by prompt diagnosis. *Am J Med Genet A.* 2015;167A(1):211-4.
- Schackmann MJ, Ofman R, Dijkstra IM, Wanders RJ, Kemp S. Enzymatic characterization of ELOVL1, a key enzyme in very long-chain fatty acid synthesis. *Biochim Biophys Acta.* 2015;1851:231-7.
- Sjouke B, van der Stappen JW, Groener JE, Pepping A, Wevers RA, Gouw A, Dikkeschei LD, Mijnhout S, Hovingh GK, Alleman MA. Hypercholesterolaemia and hepatosplenomegaly: two manifestations of cholesteryl ester storage disease. *Neth J Med.* 2015;73(3):129-32.
- Suijker J, Oosting J, Koornneef A, Struys EA, Salomons GS, Schaap FG, Waaijer CJ, Wijers-Koster PM, Briaire-de Bruijn IH, Haazen L, Riester SM, Dudakovic A, Danen E, Cleton-Jansen AM, van Wijnen AJ, Bovée JV. Inhibition of mutant IDH1 decreases D-2-HG levels without affecting tumorigenic properties of chondrosarcoma cell lines. *Oncotarget.* 2015;6(14):12505-19.
- Van de Kamp JM, Errami A, Howidi M, Anselm I, Winter S, Phalin-Roque J, Osaka H, van Dooren SJ, Mancini GM, Steinberg SJ, Salomons GS. Genotype-phenotype correlation of contiguous gene deletions of SLC6A8, BCAP31 and ABCD1. *Clin Genet.* 2015;87:141-7.
- Van Scherpenzeel M, Steenbergen G, Morava E, Wevers RA, Lefeber DJ. High-resolution mass spectrometry glycoproteomics of intact transferrin for diagnosis and subtype identification in the congenital disorders of glycosylation. *Transl Res.* 2015;166(6):639-649.e1.
- Van Vliet D, Anjema K, Jahja R, de Groot MJ, Liemburg GB, Heiner-Fokkema MR, van der Zee EA, Derks TG, Kema IP, van Spronsen FJ. BH4 treatment in BH4-responsive PKU patients: preliminary data on blood prolactin concentrations suggest increased cerebral dopamine concentrations. *Mol Genet Metab.* 2015;114(1):29-33.
- Van Vliet D, van Dam E, van Rijn M, Derks TG, Venema-Liefaard G, Hitzert MM, Lunsing RJ, Heiner-Fokkema MR, van Spronsen FJ. Infants with Tyrosinemia Type 1: Should phenylalanine be supplemented? *JIMD Rep.* 2015;18:117-24.
- Van Vliet D, Bruinenberg VM, Mazzola PN, van Faassen MH, de Blaauw P, Kema IP, Heiner-Fokkema MR, van Anholt RD, van der Zee EA, van Spronsen FJ. Large Neutral Amino Acid Supplementation Exerts Its Effect through Three Synergistic Mechanisms: Proof of Principle in Phenylketonuria Mice. *PLoS One.* 2015;10(12):e0143833.
- Vaz FM, Paulusma CC, Huidekoper H, de Ru M, Lim C, Koster J, Ho-Mok K, Bootsma AH, Groen AK, Schaap FG, Oude Elferink RP, Waterham HR, Wanders RJ. Sodium taurocholate cotransporting polypeptide (SLC10A1) deficiency: Conjugated hypercholanemia without a clear clinical phenotype. *Hepatology.* 2015;61(1):260-7.
- Vaz FM, Pras-Raves M, Bootsma AH, van Kampen AH. Principles and practice of lipidomics. *J Inherit Metab Dis.* 2015;38(1):41-52.
- Vogel KR, Ainslie GR, Jansen EE, Salomons GS, Gibson KM. Torin 1 partially corrects vigabatrin-induced mitochondrial increase in mouse. *Ann Clin Transl Neurol.* 2015;2(6):699-706.
- Wamelink MM, Ramos RJ, van den Elzen AP, Ruijter GJ, Bonte R, Diogo L, Garcia P, Neves N, Nota B, Haschemi A, Tavares de Almeida I, Salomons GS. First two unrelated cases of isolated sedoheptulokinase deficiency: A benign disorder? *J Inherit Metab Dis.* 2015;38(5):889-94.
- Wessels B, van den Broek NM, Ciapaitė J, Houten SM, Wanders RJ, Nicolay K, Prompers JJ. Carnitine supplementation in high-fat diet-fed rats does not ameliorate lipid-induced skeletal muscle mitochondrial dysfunction in vivo. *Am J Physiol Endocrinol Metab.* 2015;309(7):E670-8.
- Wiseman DH, Struys EA, Wilks DP, Clark CI, Dennis MW, Jansen EE, Salomons GS, Somervaille TC. Direct comparison of quantitative digital PCR and 2-hydroxyglutarate enantiomeric ratio for IDH mutant allele frequency assessment in myeloid malignancy. *Leukemia.* 2015;29(12):2421-3.
- Wortmann SB, Espeel M, Almeida L, Reimer A, Bosboom D, Roels F, de Brouwer AP, Wevers RA. Inborn errors of metabolism in the biosynthesis and remodelling of phospholipids. *J Inherit Metab Dis.* 2015;38(1):99-110.
- Wortmann SB, van Hasselt PM, Barić I, Burlina A, Darin N, Hörster F, Coker M, Ucar SK, Krumina Z, Naess K, Ngu LH, Pronicka E, Riordan G, Santer R, Wassmer E, Zschocke J, Schiff M, de Meirleir L, Alowain MA, Smeitink JA, Morava E, Kozicz T, Wevers RA, Wolf NI, Willemsen MA. Eyes on MEGDEL: distinctive basal ganglia involvement in dystonia deafness syndrome. *Neuropediatrics.* 2015;46:98-103.

Wortmann SB, Zietkiewicz S, Kousi M, Szklarczyk R, Haack TB, Gersting SW, Muntau AC, Rakovic A, Renkema GH, Rodenburg RJ, Strom TM, Meitinger T, Rubio-Gozalbo ME, Chrusciel E, Distelmaier F, Golzio C, Jansen JH, van Karnebeek C, Lillquist Y, Lücke T, Óunap K, Zordania R, Yapfite-Lee J, van Bokhoven H, Spelbrink JN, Vaz FM, Pras-Raves M, Ploski R, Pronicka E, Klein C, Willemsen MA, de Brouwer AP, Prokisch H, Katsanis N, Wevers RA. CLPB Mutations Cause 3-Methylglutaconic Aciduria, Progressive Brain Atrophy, Intellectual Disability, Congenital Neutropenia, Cataracts, Movement Disorder. *Am J Hum Genet.* 2015;96:245-57.

#### **Klinisch: Gynaecologie / obstetrie / perinatologie**

Bergen NE, Bouwland-Both MI, Steegers-Theunissen RP, Hofman A, Russcher H, Lindemans J, Jaddoe VW, Steegers EA. Early pregnancy maternal and fetal angiogenic factors and fetal and childhood growth: the Generation R Study. *Hum Reprod.* 2015;30(6):1302-13.

Brouwers L, Koster MP, Page-Christiaens GC, Kemperman H, Boon J, Evers IM, Bogte A, Oudijk MA. Intrahepatic cholestasis of pregnancy: maternal and fetal outcomes associated with elevated bile acid levels. *Am J Obstet Gynecol.* 2015;212(1):100.e1-7.

Daan NM, Jaspers L, Koster MP, Broekmans FJ, de Rijke YB, Franco OH, Laven JS, Kavousi M, Fauser BC. Androgen levels in women with various forms of ovarian dysfunction: associations with cardiometabolic features. *Hum Reprod.* 2015;30(10):2376-86.

Hermans FJ, Bruijn MM, Vis JY, Wilms FF, Oudijk MA, Porath MM, Scheepers HC, Bloemenkamp KW, Bax CJ, Cornette JM, Nij Bijvanck BW, Franssen MT, Vandebussche FP, Kok M, Grobman WA, Van Der Post JA, Bossuyt PM, Opmeer BC, Mol BW, Schuit E, Van Baaren GJ. Risk stratification with cervical length and fetal fibronectin in women with threatened preterm labor before 34 weeks and not delivering within 7 days. *Acta Obstet Gynecol Scand.* 2015;94(7):715-21.

Janssens PM, Thorn P, Castilla JA, Frith L, Crawshaw M, Mochtar M, Bjoerndahl L, Kvist U, Kirkman-Brown JC. Evolving minimum standards in responsible international sperm donor offspring quota. *Reprod Biomed Online.* 2015;30(6):568-80.

Kop PA, van Wely M, Mol BW, de Melker AA, Janssens PM, Arends B, Curfs MH, Kortman M, Nap A, Rijnders E, Roovers JP, Ruis H, Simons AH, Repping S, van der Veen F, Mochtar MH. Intrauterine insemination or intracervical insemination with cryopreserved donor sperm in the natural cycle: a cohort study. *Hum Reprod.* 2015;30(3):603-7.

Korevaar TI, Steegers EA, de Rijke YB, Visser WE, Jaddoe VW, Visser TJ, Medici M, Peeters RP. Placental Angiogenic Factors Are Associated With Maternal Thyroid Function and Modify hCG-Mediated FT4 Stimulation. *J Clin Endocrinol Metab.* 2015;100(10):E1328-34.

Korevaar TI, Steegers EA, de Rijke YB, Schalekamp-Timmermans S, Visser WE, Hofman A, Jaddoe VW, Tiemeier H, Visser TJ, Medici M, Peeters RP. Reference ranges and determinants of total hCG levels during pregnancy: the Generation R Study. *Eur J Epidemiol.* 2015;30(9):1057-66.

Lashley LE, Buurma A, Swings GM, Eikmans M, Anholts JD, Bakker JA, Claas FH. Preeclampsia in autologous and oocyte donation pregnancy: is there a different pathophysiology? *J Reprod Immunol.* 2015;109:17-23.

Monen L, Kuppens SM, Hasaart TH, Oosterbaan HP, Oei SG, Wijnen H, Hutton EK, Vader HL, Pop VJ. Maternal thyrotropin is independently related to Small for Gestational Age neonates at term. *Clin Endocrinol (Oxf).* 2015;82:254-9.

Saleh L, Verdonk K, Danser AH, Steegers EA, Russcher H, van den Meiracker AH, Visser W. 8C.01:SFLT-1 and PLGF measurements and their ratio for the diagnosis and prognosis of preeclampsia in a high-risk cohort. *J Hypertens.* 2015;33 Suppl 1:e110.

Van Baaren GJ, Bruijn MM, Vis JY, Wilms FF, Oudijk MA, Kwee A, Porath MM, Oei G, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Haak MC, Bolte AC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvanck BW, van Eijck J, Franssen MT, Sollie KM, Vandebussche FP, Woiski M, Bossuyt PM, Opmeer BC, Mol BW. Risk factors for preterm delivery: do they add to fetal fibronectin testing and cervical length measurement in the prediction of preterm delivery in symptomatic women? *Eur J Obstet Gynecol Reprod Biol.* 2015;192:79-85.

Verdonk K, Saleh L, Lankhorst S, Smilde JE, van Ingen MM, Garrelds IM, Friesema EC, Russcher H, van den Meiracker AH, Visser W, Danser AH. Association studies suggest a key role for endothelin-1 in the pathogenesis of preeclampsia and the accompanying renin-angiotensin-aldosterone system suppression. *Hypertension.* 2015;65(6):1316-23.

Verdonk K, Saleh L, Smilde JE, van Ingen MM, Garrelds IM, Friesema EC, Russcher H, Steegers EA, van den Meiracker AH, Visser W, Danser AH. 8C.03: A key role for endothelin-1 in the pathogenesis of preeclampsia and the associated suppression of the renin-angiotensin-aldosterone system. *J Hypertens.* 2015;33 Suppl 1:e110.

Vis JY, van Baaren GJ, Wilms FF, Oudijk MA, Kwee A, Porath MM, Scheepers HC, Spaanderman ME, Bloemenkamp KW, van Lith JM, Bolte AC, Bax CJ, Cornette J, Duvekot JJ, Nij Bijvanck SW, van Eyck J, Franssen MT, Sollie KM, Woiski M, Vandebussche FP, van der Post JA, Bossuyt PM, Opmeer BC, Mol BW. Randomized Comparison of Nifedipine and Placebo in Fibronectin-Negative Women with Symptoms of Preterm Labor and a Short Cervix (APOSTEL-I Trial). *Am J Perinatol.* 2015;32(5):451-60.

Visser S, Hermes W, Blom HJ, Heijboer AC, Franx A, Van Pampus MG, Bloemenkamp KW, Koopmans C, Mol BW, De Groot CJ. Homocysteinemia After Hypertensive Pregnancy Disorders at Term. *J Womens Health (Larchmt).* 2015;24(6):524-9.

Wilms FF, van Baaren GJ, Vis JY, Oudijk MA, Kwee A, Porath MM, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Bolte AC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvank BW, van Eyck J, Franssen MT, Sollie KM, Vandebussche FP, Woiski MD, van der Post JA, Bossuyt PM, Opmeer BC, Mol BW. Prescribing patterns of antenatal corticosteroids in women with threatened preterm labor. *Eur J Obstet Gynecol Reprod Biol.* 2015;192:47-53.

Wilms FF, Vis JY, de Wit-Zuurendonk L, Porath MM, Mol BW. What is the risk of preterm delivery after arrested preterm labor? *Am J Perinatol.* 2015;32(1):63-70.

### **Klinisch: Hart- en vaatziekten**

Bossers SS, Kapusta L, Kuipers IM, van Iperen G, Moelker A, Kroft LJ, Romeih S, de Rijke Y, Ten Harkel AD, Helbing WA. Ventricular function and cardiac reserve in contemporary Fontan patients. *Int J Cardiol.* 2015;196:73-80.

Buiten MS, de Bie MK, Rotmans JI, Dekker FW, van Buren M, Rabelink TJ, Cobbaert CM, Schaliq MJ, van der Laarse A, Jukema JW. Serum Cardiac Troponin-I is Superior to Troponin-T as a Marker for Left Ventricular Dysfunction in Clinically Stable Patients with End-Stage Renal Disease. *PLoS One.* 2015;10(8):e0134245.

Dewilde WJ, Janssen PW, Bergmeijer TO, Kelder JC, Hackeng CM, ten Berg JM. The effect of acenocoumarol on the antiplatelet effect of clopidogrel. *Thromb Haemost.* 2015;114(4):708-16.

Duppen N, Kapusta L, de Rijke YB, Snoeren M, Kuipers IM, Koopman LP, Blank AC, Blom NA, Dulfer K, Utens EM, Hopman MT, Helbing WA. The effect of exercise training on cardiac remodelling in children and young adults with corrected tetralogy of Fallot or Fontan circulation: A randomized controlled trial. *Int J Cardiol.* 2015;179:97-104.

Eikendal AL, Evelein AM, Uiterwaal CS, van der Ent CK, Visseren FL, Bots ML, Hofer IE, den Ruijter HM, Dalmeijer GW. Relation Between Circulating Inflammatory Chemokines and Vascular Characteristics in Healthy, Young Children. *J Am Heart Assoc.* 2015;4(12). pii: e002346.

Galesloot TE, Janss LL, Burgess S, Kiemeny LA, den Heijer M, de Graaf J, Holewijn S, Benyamin B, Whitfield JB, Swinkels DW, Vermeulen SH. Iron and hepcidin as risk factors in atherosclerosis: what do the genes say? *BMC Genet.* 2015;16:79.

Gijsberts CM, den Ruijter HM, de Kleijn DP, Huisman A, Ten Berg MJ, van Wijk RH, Asselbergs FW, Voskuil M, Pasterkamp G, van Solinge WW, Hofer IE. Hematological Parameters Improve Prediction of Mortality and Secondary Adverse Events in Coronary Angiography Patients: A Longitudinal Cohort Study. *Medicine (Baltimore).* 2015;94(45):e1992.

Haanschoten MC, van Straten AH, Verstappen F, van de Kerkhof D, van Zundert AA, Soliman Hamad MA. Reducing the immediate availability of red blood cells in cardiac surgery, a single-centre experience. *Neth Heart J.* 2015;23(1):28-32.

Hoogeveen EK, Geleijnse JM, Kromhout D, Van't Sant P, Gemen EF, Kusters R, Giltay EJ. No effect of n-3 fatty acids supplementation on NT-proBNP after myocardial infarction: The Alpha Omega Trial. *Eur J Prev Cardiol.* 2015;22(5):648-55.

Jacobs LH, van Borren M, Gemen E, van Eck M, van Son B, Glatz JF, Daniels M, Kusters R. Rapidly rule out acute myocardial infarction by combining copeptin and heart-type fatty acid-binding protein with cardiac troponin. *Ann Clin Biochem.* 2015;52(Pt 5):550-61.

Lexis CP, van der Horst-Schrivers AN, Lipsic E, Valente MA, Muller Kobold AC, de Boer RA, van Veldhuisen DJ, van der Harst P, van der Horst IC. The effect of metformin on cardiovascular risk profile in patients without diabetes presenting with acute myocardial infarction: data from the Glycometabolic Intervention as adjunct to Primary Coronary Intervention in ST Elevation Myocardial Infarction. *BMJ Open Diabetes Res Care.* 2015;3(1):e000090.

Loeffen R, Godschalk TC, van Oerle R, Spronk HM, Hackeng CM, ten Berg JM, ten Cate H. The hypercoagulable profile of patients with stent thrombosis. *Heart.* 2015;101(14):1126-32.

Noordzij PG, van Geffen O, Dijkstra IM, Boerma D, Meinders AJ, Rettig TC, Eefting FD, van Loon D, van de Garde EM, van Dongen EP. High-sensitive cardiac troponin T measurements in prediction of non-cardiac complications after major abdominal surgery. *Br J Anaesth.* 2015;114(6):909-18.

Ten Cate-Hoek AJ, Ten Cate H, Henskens Y, van der Meijden PE, Spronk HM, Wittens C. Maastricht Consensus Conference on Thrombosis (MCCT): A roadmap for future research, February 11-13, 2015, Maastricht, The Netherlands. *Thromb Res.* 2015;136 Suppl 1:S1-2.

Van der Laarse A, Cobbaert CM, Umar S. Stem and progenitor cell therapy for pulmonary arterial hypertension: effects on the right ventricle (2013 Grover Conference Series). *Pulm Circ.* 2015;5(1):73-80.

Van der Linden N, Klinkenberg LJ, Leenders M, Tieland M, Verdijk LB, Niens M, van Suijlen JD, de Groot LC, Bekers O, van Loon LJ, van Diejen-Visser MP, Meex SJ. The effect of exercise training on the course of cardiac troponin T and I levels: three independent training studies. *Sci Rep.* 2015;5:18320.

Van Hout GP, Teuben MP, Heeres M, de Maat S, de Jong R, Maas C, Kouwenberg LH, Koenderman L, van Solinge WW, de Jager SC, Pasterkamp G, Hofer IE. Invasive surgery reduces infarct size and preserves cardiac function in a porcine model of myocardial infarction. *J Cell Mol Med.* 2015;19(11):2655-63.

Van Hout GP, van Solinge WW, Gijsberts CM, Teuben MP, Leliefeld PH, Heeres M, Nijhoff F, de Jong S, Bosch L, de Jager SC, Huisman A, Stella PR, Pasterkamp G, Koenderman LJ, Hofer IE. Elevated mean neutrophil volume represents altered neutrophil composition and reflects damage after myocardial infarction. *Basic Res Cardiol.* 2015;110(6):58

Van Vugt JL, Boerma D, Dijkstra IM, Bollen TL, Eefting FD, IJzermans JN, Noordzij PG. Elevated high-sensitive cardiac troponin T levels are associated with low skeletal muscle mass in abdominal surgical oncology patients at risk for coronary artery disease. *Int J Cardiol.* 2015;191:229-30.

Vries MJ, van der Meijden PE, Henskens YM, Ten Cate-Hoek AJ, Ten Cate H. Assessment of bleeding risk in patients with coronary artery disease on dual antiplatelet therapy. A systematic review. *Thromb Haemost.* 2015;115(1):7-24.

### **Klinisch: Hematologie**

Aardal Eriksson E, Mobäk C, Jakobsson S, Hoffmann JJ. Iron depletion in blood donors - Have extended erythrocyte and reticulocyte parameters diagnostic utility? *Transfus Apher Sci.* 2015;53(1):76-81.

Akkermans MD, Uijterschout L, Vloemans J, Teunisse PP, Hudig F, Bubbers S, Verbruggen S, Veldhorst M, de Leeuw TG, van Goudoever JB, Brus F. Red Blood Cell Distribution Width and the Platelet Count in Iron-deficient Children Aged 0.5-3 Years. *Pediatr Hematol Oncol.* 2015;32(8):624-32.

Badenhorst CE, Dawson B, Cox GR, Laarakkers CM, Swinkels DW, Peeling P. Acute dietary carbohydrate manipulation and the subsequent inflammatory and hepcidin responses to exercise. *Eur J Appl Physiol.* 2015;115(12):2521-30.

Bartels M, van der Zalm MM, van Oirschot BA, Lee FS, Giles RH, Kruip MJ, Gitz-Francois JJ, Van Solinge WW, Bierings M, van Wijk R. Novel Homozygous Mutation of the Internal Translation Initiation Start Site of VHL is Exclusively Associated with Erythrocytosis: Indications for Distinct Functional Roles of von Hippel-Lindau Tumor Suppressor Isoforms. *Hum Mutat.* 2015;36(11):1039-42.

Benyamin B, Esko T, Ried JS, Radhakrishnan A, Vermeulen SH, Traglia M, Gögele M, Anderson D, Broer L, Podmore C, Luan J, Kutalik Z, Sanna S, van der Meer P, Tanaka T, Wang F, Westra HJ, Franke L, Mihailov E, Milani L, Hälldin J, Winkelmann J, Meitinger T, Thiery J, Peters A, Waldenberger M, Rendon A, Jolley J, Sambrook J, Kiemeny LA, Sweep FC, Sala CF, Schwienbacher C, Pichler I, Hui J, Demirkan A, Isaacs A, Amin N, Steri M, Waeber G, Verweij N, Powell JE, Nyholt DR, Heath AC, Madden PA, Visscher PM, Wright MJ, Montgomery GW, Martin NG, Hernandez D, Bandinelli S, van der Harst P, Uda M, Vollenweider P, Scott RA, Langenberg C, Wareham NJ, van Duijn C, Beilby J, Pramstaller PP, Hicks AA, Ouwehand WH, Oexle K, Gieger C, Metspalu A, Camaschella C, Toniolo D, Swinkels DW, Whitfield JB. Corrigendum: Novel loci affecting iron homeostasis and their effects in individuals at risk for hemochromatosis. *Nat Commun.* 2015;6:6542.

Bijleveld R, de Kok J, van der Zwaag B, van Wijk R, Diekman T. Solving a cold case of haemolysis: Back to the basics. *Neth J Med.* 2015;73:86-9.

Coene KL, Roos AN, Scharnhorst V. Iatrogenic anemia/ Twenty-five million liters of blood into the sewer: comment. *J Thromb Haemost.* 2015 Jun;13(6):1160-1.

De With SA, Pulit SL, Wang T, Staal WG, van Solinge WW, de Bakker PI, Ophoff RA. Genome-wide association study of lymphoblast cell viability after clozapine exposure. *Am J Med Genet B Neuropsychiatr Genet.* 2015;168:116-22.

Den Hoed MA, Lopez-Lopez E, te Winkel ML, Tissing W, de Rooij JD, Gutierrez-Camino A, Garcia-Orad A, den Boer E, Pieters R, Pluijm SM, de Jonge R, van den Heuvel-Eibrink MM. Genetic and metabolic determinants of methotrexate-induced mucositis in pediatric acute lymphoblastic leukemia. *Pharmacogenomics J.* 2015;15(3):248-54.

Donker AE, Brons PP, Swinkels DW. Microcytic anaemia with low transferrin saturation, increased serum hepcidin and non-synonymous TMPRSS6 variants: not always iron-refractory iron deficiency anaemia. *Br J Haematol.* 2015;169(1):150-1.

Hoffmann JJ, Nabbe KC, van den Broek NM. Effect of age and gender on reference intervals of red blood cell distribution width (RDW) and mean red cell volume (MCV). *Clin Chem Lab Med.* 2015;53(12):2015-9.

Hoffmann JJ, Nabbe KC, van den Broek NM. Effect of age on mean platelet volume: Does it exist? *Exp Gerontol.* 2015;69:41-2.

Hoffmann JJ, Urrechaga E, Aguirre U. Discriminant indices for distinguishing thalassemia and iron deficiency in patients with microcytic anemia: a meta-analysis. *Clin Chem Lab Med.* 2015;53(12):1883-94.

Koenders MM, Taal PH, Kluiters-De Hingh Y, Van Wijk EM. Evaluation of myelodysplasia syndrome screening during routine hematological analysis on the ADVIA 2120i. *Int J Lab Hematol.* 2015;37:e38-9.

Kooijman S, Meurs I, van der Stoep M, Habets KL, Lammers B, Berbee JF, Havekes LM, van Eck M, Romijn JA, Corporaal SJ, Rensen PC. Hematopoietic X7 nicotinic acetylcholine receptor deficiency increases inflammation and platelet activation status, but does not aggravate atherosclerosis. *J Thromb Haemost.* 2015;13(1):126-35.

Krabbe JG, Kemna EW, Strunk AL, Jobse PA, Kramer PA, Dikkeschei LD, van den Heuvel LP, Fijnheer R, Verdonck LF. Adult-onset congenital thrombotic thrombocytopenic purpura caused by a novel compound heterozygous mutation of the ADAMTS13 gene. *Int J Hematol.* 2015;102(4):477-81.

Marsh A, Schiffelers R, Kuypers F, Larkin S, Gildengorin G, van Solinge W, Hoppe C. Microparticles as biomarkers of osteonecrosis of the hip in sickle cell disease. *Br J Haematol.* 2015;168(1):135-8.

Meenhuis A, van Vliet R, Hudig F, Ypma PF, Schipperus MR, Hollestelle MJ. Successful treatment of a noninhibitory antibody-mediated acquired factor X deficiency in a patient with marginal-zone lymphoma. *Clin Case Rep.* 2015;3(7):587-93.

Molhoek EM, Koenders MMJF, Droogendijk J, Kluiters-De Hingh Y. Lymfocytose. *Ned Tijdschr Geneesk.* 2015;159:A7693.

Mulder R, Croles FN, Lukens MV, Meijer K, Mulder AB. A novel c.290G>A mutation in the Factor 11 gene in a Dutch Caucasian family with a Factor XI deficiency. *Thromb Res*. 2015;135(4):767-9.

Origa R, Cazzola M, Mereu E, Danjou F, Barella S, Giagu N, Galanello R, Swinkels DW. Differences in the erythropoiesis-hepcidin-iron store axis between hemoglobin H disease and b-thalassemia intermedia. *Haematologica*. 2015;100(5):e169-71.

Peffer K, Verbeek AL, Swinkels DW, Geurts-Moespot AJ, den Heijer M, Atsma F. Donation intensity and metabolic syndrome in active whole-blood donors. *Vox Sang*. 2015;109(1):25-34.

Rooney S, Hoffmann JJ, Cormack OM, McMahon C. Screening and confirmation of hereditary spherocytosis in children using a CELL-DYN Sapphire haematology analyser. *Int J Lab Hematol*. 2015;37(1):98-104.

Schindhelm RK, Renckens R, Düzenli S. Uw diagnose? *Ned Tijdschr Hematol* 2015;12:265-7.

Schmitz-Abe K, Ciesielski SJ, Schmidt PJ, Campagna DR, Rahimov F, Schilke BA, Cuijpers M, Rieneck K, Lausen B, Linenberger ML, Sendamarai AK, Guo C, Hofmann I, Newburger PE, Matthews D, Shimamura A, Snijders PJ, Towne MC, Niemeyer CM, Watson HG, Dziegiel MH, Heeney MM, May A, Bottomley SS, Swinkels DW, Markianos K, Craig EA, Fleming MD. Congenital sideroblastic anemia due to mutations in the mitochondrial HSP70 homologue HSPA9. *Blood*. 2015;126(25):2734-8.

Sim M, Dawson B, Landers G, Swinkels DW, Tjalsma H, Yeap BB, Trinder D, Peeling P. Oral contraception does not alter typical post-exercise interleukin-6 and hepcidin levels in females. *J Sci Med Sport*. 2015;18(1):8-12.

Urrechaga E, Hoffmann JJ, Izquierdo S, Escanero JF. Differential diagnosis of microcytic anemia: the role of microcytic and hypochromic erythrocytes. *Int J Lab Hematol*. 2015;37(3):334-40.

Van der Spek AC, Schindhelm RK, Sliker WAT, Van Santen MM, Breeuwsma NG. Uw diagnose? *Ned Tijdschr Hematol*. 2015;12:38-9.

Van Gammeren A, de Baar E, Schrauwen L, van Wijngaarden P. Compound heterozygous C282Y/Q283P and Q283P/H63D mutations in haemochromatosis. *Br J Haematol*. 2015;171(4):650-1.

Van Gammeren AJ, Alcalá LS, Smolders M, Boersma RS. Numerous Russell bodies and Dutcher bodies in multiple myeloma. *Br J Haematol*. 2015;170(6):743.

Van Zwieten R, van Oirschot BA, Veldhuis M, Dobbe JG, Streekstra GJ, van Solinge WW, Schutgens RE, van Wijk R. Partial pyruvate kinase deficiency aggravates the phenotypic expression of band 3 deficiency in a family with hereditary spherocytosis. *Am J Hematol*. 2015;90(3):E35-9.

Zeerleder S, van Solinge WW, van Wijk R. Erfelijke en verworven hemolytische anemieën *Leerboek Hematologie*, 2e druk, hoofdstuk 8, De Tijdstroom, Utrecht (2015) pp. 119-141.

#### **Klinisch: Interne geneeskunde**

Calasan MB, den Boer E, de Rotte MC, Vastert SJ, Kamphuis S, de Jonge R, Wulffraat NM. Methotrexate polyglutamates in erythrocytes are associated with lower disease activity in juvenile idiopathic arthritis patients. *Ann Rheum Dis*. 2015;74:402-7.

Birdwell KA, Decker B, Barbarino JM, Peterson JF, Stein CM, Sadee W, Wang D, Vinks AA, He Y, Swen JJ, Leeder JS, van Schaik R, Thummel KE, Klein TE, Caudle KE, MacPhee IA. Clinical Pharmacogenetics Implementation Consortium (CPIC) Guidelines for CYP3A5 Genotype and Tacrolimus Dosing. *Clin Pharmacol Ther*. 2015;98(1):19-24.

Birkenhäger-Gillesse EG, den Elzen WP, Achterberg WP, Mooijaart SP, Gussekloo J, de Craen AJ Association Between Glycosylated Hemoglobin and Cardiovascular Events and Mortality in Older Adults without Diabetes Mellitus in the General Population: The Leiden 85-Plus Study. *J Am Geriatr Soc*. 2015;63(6):1059-66.

Cardinaels EP, Daamen MA, Bekers O, ten Kate J, Niens M, van Suijlen JD, van Dieijen-Visser MP, Brunner-La Rocca HP, Schols JM, Mingels AM. Clinical Interpretation of Elevated Concentrations of Cardiac Troponin T, but Not Troponin I, in Nursing Home Residents. *J Am Med Dir Assoc*. 2015;16(10):884-91.

Cardinaels EP, Cornelis T, van der Sande FM, Leunissen KM, van Dieijen-Visser MP, Mingels AM, Kooman JP, Bekers O. Acute effects of conventional and extended hemodialysis and hemodiafiltration on high-sensitivity cardiac troponins. *Clin Chem Lab Med*. 2015;53(11):e289-92.

Casimiro de Almeida J, Lou-Meda R, Olbert M, Seifert M, Weiss G, Wiegerinck ET, Swinkels DW, Solomons NW, Schumann K. The Growth Attainment, Hematological, Iron Status and Inflammatory Profile of Guatemalan Juvenile End-Stage Renal Disease Patients. *PLoS One*. 2015;10(10):e0140062.

De Groot JC, van Roon EN, Storm H, Veeger NJ, Zwinderman AH, Hiemstra PS, Bel EH, Ten Brinke A. Vitamin D reduces eosinophilic airway inflammation in nonatopic asthma. *J Allergy Clin Immunol*. 2015;135(3):670-675.

De Jonge H, Elens L, de Loor H, van Schaik RH, Kuypers DR. The CYP3A4\*22 C>T single nucleotide polymorphism is associated with reduced midazolam and tacrolimus clearance in stable renal allograft recipients. *Pharmacogenomics J*. 2015;15:144-52.

De Koning HD, Schalkwijk J, Stoffels M, Jongekrijg J, Jacobs JF, Verwiel E, Koenen HJ, Preijers F, Holzinger D, Joosten I, van der Meer JW, Simon A. The role of interleukin-1 beta in the pathophysiology of Schnitzler's syndrome. *Arthritis Res Ther*. 2015;17:187.

- De Rotte MC, den Boer E, de Jong PH, Pluijm SM, Calasan MB, Weel AE, Huisman AM, Gerards AH, van Schaeybroeck B, Wulfraat NM, Lindemans J, Hazes JM, de Jonge R. Methotrexate polyglutamates in erythrocytes are associated with lower disease activity in patients with rheumatoid arthritis. *Ann Rheum Dis.* 2015;74:408-14.
- Den Elzen WP, de Craen AJ, Mooijaart SP, Gussekloo J. Low thyroid function and anemia in old age: the Leiden 85-plus study. *J Am Geriatr Soc.* 2015;63:407-9.
- Drenth-van Maanen AC, van Marum RJ, Jansen PA, Zwart JE, van Solinge WW, Egberts TC. Adherence with Dosing Guideline in Patients with Impaired Renal Function at Hospital Discharge. *PLoS One.* 2015;10(6):e0128237.
- Eisenga MF, Diepenbroek A, Swinkels DW, Bakker SJ, van der Meer P, Gaillard CA. Parenteral iron therapy in chronic kidney disease or chronic heart failure. *Ned Tijdschr Geneesk.* 2015;159:A8769.
- Geutjes PJ, Van den Ouweland JMW. Combinatiescreening op vitamine B12-tekort. *Huisarts & Wetenschap.* 2015;58(5):234-7.
- Gichohi-Wainaina WN, Melse-Boonstra A, Swinkels DW, Zimmermann MB, Feskens EJ, Towers GW. Common Variants and Haplotypes in the TF, TNF-X, and Tmprss6 Genes Are Associated with Iron Status in a Female Black South African Population. *J Nutr.* 2015;145(5):945-53.
- Gichohi-Wainaina WN, Towers GW, Swinkels DW, Zimmermann MB, Feskens EJ, Melse-Boonstra A. Inter-ethnic differences in genetic variants within the transmembrane protease, serine 6 (Tmprss6) gene associated with iron status indicators: a systematic review with meta-analyses. *Genes Nutr.* 2015;10(1):442.
- Hendrickx AP, Top J, Bayjanov JR, Kemperman H, Rogers MR, Paganelli FL, Bonten MJ, Willems RJ. Antibiotic-Driven Dysbiosis Mediates Intraluminal Agglutination and Alternative Segregation of *Enterococcus faecium* from the Intestinal Epithelium. *MBio.* 2015;6(6):e01346-15.
- Huch M, Gehart H, van Boxtel R, Hamer K, Blokzijl F, Verstegen MM, Ellis E, van Wenum M, Fuchs SA, de Ligt J, van de Wetering M, Sasaki N, Boers SJ, Kemperman H, de Jonge J, Ijzermans JN, Nieuwenhuis EE, Hoekstra R, Strom S, Vries RR, van der Laan LJ, Cuppen E, Clevers H. Long-term culture of genome-stable bipotent stem cells from adult human liver. *Cell.* 2015;160(1-2):299-312.
- Keyzer CA, Riphagen IJ, Joosten MM, Navis G, Muller Kobold AC, Kema IP, Bakker SJ, de Borst MH; NIGRAM consortium. Associations of 25(OH) and 1,25(OH)<sub>2</sub> Vitamin D With Long-Term Outcomes in Stable Renal Transplant Recipients. *J Clin Endocrinol Metab.* 2015;100(1):81-9.
- Knapen MH, Braam LA, Drummen NE, Bekers O, Hoeks AP, Vermeer C. Menaquinone-7 supplementation improves arterial stiffness in healthy postmenopausal women. A double-blind randomised clinical trial. *Thromb Haemost.* 2015;113(5):1135-44.
- Kok DE, Dhonukshe-Rutten RA, Lute C, Heil SG, Uitterlinden AG, van der Velde N, van Meurs JB, van Schoor NM, Hooiveld GJ, de Groot LC, Kampman E, Steegenga WT. The effects of long-term daily folic acid and vitamin B12 supplementation on genome-wide DNA methylation in elderly subjects. *Clin Epigenetics.* 2015;7:121.
- Kortman GA, Mulder ML, Richters TJ, Shanmugam NK, Trebicka E, Boekhorst J, Timmerman HM, Roelofs R, Wiegerinck ET, Laarakkers CM, Swinkels DW, Bolhuis A, Cherayil BJ, Tjalsma H. Low dietary iron intake restrains the intestinal inflammatory response and pathology of enteric infection by food-borne bacterial pathogens. *Eur J Immunol.* 2015;45(9):2553-67.
- Langman L, van Gelder T, van Schaik RHN. Pharmacogenomic aspect of immunosuppressant therapy IN: Personalized Immunosuppression in Transplantation, Eds.: Oellerich, DasGupta, 2015 Elsevier; Chapter 5 (ISBN 978-0-12-800885).
- Lok SI, Nous FM, van Kuik J, van der Weide P, Winkens B, Kemperman H, Huisman A, Lahpor JR, de Weger RA, de Jonge N. Myocardial fibrosis and pro-fibrotic markers in end-stage heart failure patients during continuous-flow left ventricular assist device support. *Eur J Cardiothorac Surg.* 2015;48(3):407-15.
- Moretti D, Goede JS, Zeder C, Jiskra M, Chatzinakou V, Tjalsma H, Melse-Boonstra A, Brittenham G, Swinkels DW, Zimmermann MB. Oral iron supplements increase hepcidin and decrease iron absorption from daily or twice-daily doses in iron-depleted young women. *Blood.* 2015;126(17):1981-9.
- Mwangi MN, Roth JM, Smit MR, Trijsburg L, Mwangi AM, Demir AY, Wieters JP, Mens PF, Verweij JJ, Cox SE, Prentice AM, Brouwer ID, Savelkoul HF, Andang'o PE, Verhoef H. Effect of Daily Antenatal Iron Supplementation on Plasmodium Infection in Kenyan Women: A Randomized Clinical Trial. *JAMA.* 2015;314(10):1009-20.
- Herpers LJM, van den Tooren-de Groot RK, van Rossum AP. Coeliakie bij jonge kinderen. *Ned Tijdschr Geneesk.* 2015;159:A8022.
- Ryan E, Ryan JD, Russell J, Coughlan B, Tjalsma H, Swinkels DW, Stewart S, Crowe JP. Correlates of Hepcidin and NTBI according to HFE Status in Patients Referred to a Liver Centre. *Acta Haematol.* 2015;133:155-61.
- Staroń R, Van Swelm RP, Lipiński P, Gajowiak A, Lenartowicz M, Bednarz A, Gajewska M, Pieszka M, Laarakkers CM, Swinkels DW, Starzyński RR. Urinary Hepcidin Levels in Iron-Deficient and Iron-Supplemented Piglets Correlate with Hepcidin Hepatic mRNA and Serum Levels and with Body Iron Status. *PLoS One.* 2015;10(8):e0136695.
- Traynor C, Conlon P Jr, Phelan PJ, O'Kelly P, Elens L, McCormack M, Cavalleri G, Comber H, van Schaik RH, Conlon PJ. Association of CYP3A variants with kidney transplant outcomes. *Ren Fail.* 2015;37(4):562-6.

Van de Ven AC, Netea-Maier RT, Smit JW, Kusters R, van der Stappen JW, Pronk-Admiraal CJ, Buijs MM, Schoenmakers CH, Koehorst SG, de Groot MJ, Sweep FC, Hermus AR, den Heijer M. Thyrotropin versus age relation as an indicator of historical iodine intake. *Thyroid*. 2015;25(6):629-34.

Van der Schaft J, van Schaik RH, van den Broek MP, Bruijnzeel-Koomen CA, de Bruin-Weller MS. Increased liver enzyme levels during azathioprine treatment: beware of concomitant use of proton pump inhibitors. *Br J Dermatol*. 2015;173(5):1338-9.

Van der Weerd NC, Grooteman MP, Nubé MJ, ter Wee PM, Swinkels DW, Gaillard CA. Hepcidin in chronic kidney disease: not an anaemia management tool, but promising as a cardiovascular biomarker. *Neth J Med*. 2015;73(3):108-18.

Van Dijkhuizen EH, Bulatović Čalasan M, Pluijm SM, de Rotte MC, Vastert SJ, Kamphuis S, de Jonge R, Wulffraat NM. Prediction of methotrexate intolerance in juvenile idiopathic arthritis: a prospective, observational cohort study. *Pediatr Rheumatol Online J*. 2015;13:5.

Van clooster A, Cassiman D, Van Steenberghe W, Swinkels DW, Janssen MC, Drenth JP, Aertgeerts B, Wollersheim H. The quality of hereditary haemochromatosis guidelines: a comparative analysis. *Clin Res Hepatol Gastroenterol*. 2015;39:205-14.

Vorselaars AD, van Moorsel CH, Zanen P, Ruven HJ, Claessen AM, van Velzen-Blad H, Grutters JC. ACE and sIL-2R correlate with lung function improvement in sarcoidosis during methotrexate therapy. *Respir Med*. 2015;109:279-85.

Weigel JD, Hunfeld NG, Koch BC, Egal M, Bakker J, van Schaik RH, van Gelder T. Gain-of-function single nucleotide variants of the CYP2C19 gene (CYP2C19\*17) can identify subtherapeutic voriconazole concentrations in critically ill patients: a case series. *Intensive Care Med*. 2015;41(11):2013-4.

#### **Klinisch: Neurologie / psychiatrie**

Aerts MB, Esselink RA, Abdo WF, Meijer FJ, Drost G, Norgren N, Janssen MJ, Borm GF, Bloem BR, Verbeek MM. Ancillary investigations to diagnose parkinsonism: a prospective clinical study. *J Neurol*. 2015;262:346-56.

Andreasson U, Perret-Liaudet A, van Waalwijk van Doorn LJ, Blennow K, Chiasserini D, Engelborghs S, Fladby T, Genc S, Kruse N, Kuiperij HB, Kulic L, Lewczuk P, Mollenhauer B, Mroczko B, Parnetti L, Vanmechelen E, Verbeek MM, Winblad B, Zetterberg H, Koel-Simmelink M, Teunissen CE. A Practical Guide to Immunoassay Method Validation. *Front Neurol*. 2015;6:179.

Bruggink KA, Kuiperij HB, Gloerich J, Otte-Höller I, Rozemuller AJ, Claassen JA, Küsters B, Verbeek MM. Dickkopf-related protein 3 is a potential Ab-associated protein in Alzheimer's Disease. *J Neurochem*. 2015;134(6):1152-62.

De Koning MB, van Duin ED, Boot E, Bloemen OJ, Bakker JA, Abel KM, van Amelsvoort TA. PRODH rs450046 and proline x COMT Val158 Met interaction effects on intelligence and startle in adults with 22q11 deletion syndrome. *Psychopharmacology (Berl)*. 2015;232(17):3111-22.

Evers LJ, van Amelsvoort TA, Bakker JA, de Koning M, Drukker M, Curfs LM. Glutamatergic markers, age, intellectual functioning and psychosis in 22q11 deletion syndrome. *Psychopharmacology (Berl)*. 2015;232(18):3319-25.

Herbert MK, Aerts MB, Beenes M, Norgren N, Esselink RA, Bloem BR, Kuiperij HB, Verbeek MM. CSF Neurofilament Light Chain but not FLT3 Ligand Discriminates Parkinsonian Disorders. *Front Neurol*. 2015;6:91.

Herbert MK, Verbeek MM, Küsters B, Kuiperij HB. A multifunctional ELISA to measure oxidised proteins: oxPin1 in Alzheimer's brain as an example. *BBA Clin*. 2015;4:1-6.

Hubers AA, van der Mast RC, Pereira AM, Roos RA, Veen LJ, Cobbaert CM, van Duijn E, Giltay EJ. Hypothalamic-pituitary-adrenal axis functioning in Huntington's disease and its association with depressive symptoms and suicidality. *J Neuroendocrinol*. 2015;27(3):234-44.

Jansen WJ, Ossenkoppele R, Knol DL, Tijms BM, Scheltens P, Verhey FR, Visser PJ; Amyloid Biomarker Study Group, Aalten P, Aarsland D, Alcolea D, Alexander M, Almdahl IS, Arnold SE, Baldeiras I, Barthel H, van Berckel BN, Bibeau K, Blennow K, Brooks DJ, van Buchem MA, Camus V, Cavedo E, Chen K, Chetelat G, Cohen AD, Drzezga A, Engelborghs S, Fagan AM, Fladby T, Fleisher AS, van der Flier WM, Ford L, Förster S, Fortea J, Foskett N, Frederiksen KS, Freund-Levi Y, Frisoni GB, Froelich L, Gabryelewicz T, Gill KD, Gkatzima O, Gómez-Tortosa E, Gordon MF, Grimmer T, Hampel H, Hausner L, Hellwig S, Herukka SK, Hildebrandt H, Ishihara L, Ivanoiu A, Jagust WJ, Johannsen P, Kandimala R, Kapaki E, Klimkiewicz-Mrowiec A, Klunk WE, Köhler S, Koglin N, Kornhuber J, Kramberger MG, Van Laere K, Landau SM, Lee DY, de Leon M, Lisetti V, Lleó A, Madsen K, Maier W, Marcusson J, Mattsson N, de Mendonça A, Meulenbroek O, Meyer PT, Mintun MA, Mok V, Molinuevo JL, Møllergård HM, Morris JC, Mroczko B, Van der Mussele S, Na DL, Newberg A, Nordberg A, Nordlund A, Novak GP, Paraskevas GP, Parnetti L, Perera G, Peters O, Popp J, Prabhakar S, Rabinovici GD, Ramakers IH, Rami L, Resende de Oliveira C, Rinne JO, Rodrigue KM, Rodríguez-Rodríguez E, Roe CM, Rot U, Rowe CC, Rúther E, Sabri O, Sanchez-Juan P, Santana I, Sarazin M, Schröder J, Schütte C, Seo SW, Soetewey F, Soinen H, Spira L, Struyfs H, Teunissen CE, Tsolaki M, Vandenberghe R, Verbeek MM, Villemagne VL, Vos SJ, van Waalwijk van Doorn LJ, Waldemar G, Wallin A, Wallin ÅK, Wiltfang J, Wolk DA, Zboch M, Zetterberg H. Prevalence of cerebral amyloid pathology in persons without dementia: a meta-analysis. *JAMA*. 2015;313(19):1924-38.

Jongbloed W, Bruggink KA, Kester MI, Visser PJ, Scheltens P, Blankenstein MA, Verbeek MM, Teunissen CE, Veerhuis R. Amyloid-B oligomers relate to cognitive decline in Alzheimer's disease. *J Alzheimers Dis*. 2015;45(1):35-43.

Kruse N, Persson S, Alcolea D, Bahl JM, Baldeiras I, Capello E, Chiasserini D, Bocchio Chiavetto L, Emersic A, Engelborghs S, Eren E, Fladby T, Frisoni G, Garcí Ayllón MS, Genc S, Gkatzima O, Heegaard NH, Janeiro AM, Kováčech B, Kuiperij HB, Leitão MJ, Lleó A, Martins M, Matos M, Mollergard HM, Nobili F, Öhrfelt A, Parnetti L, de Oliveira CR, Rot U, Sáez-Valero J, Struyfs H, Tanassi JT, Taylor P, Tsolaki M, Vanmechelen E, Verbeek MM, Zilka N, Blennow K, Zetterberg H, Mollenhauer B. Validation of a quantitative cerebrospinal fluid alpha-synuclein assay in a European-wide interlaboratory study. *Neurobiol Aging*. 2015;36(9):2587-96.

Laurens B, Constantinescu R, Freeman R, Gerhard A, Jellinger K, Jeromin A, Krismer F, Mollenhauer B, Schlossmacher MG, Shaw LM, Verbeek MM, Wenning GK, Winge K, Zhang J, Meissner WG. Fluid biomarkers in multiple system atrophy: A review of the MSA Biomarker Initiative. *Neurobiol Dis*. 2015;80:29-41.

Lucey BP, Gonzales C, Das U, Li J, Siemers ER, Slemmon JR, Bateman RJ, Huang Y, Fox GB, Claassen JA, Slats D, Verbeek MM, Tong G, Soares H, Savage MJ, Kennedy M, Forman M, Sögren M, Margolin R, Chen X, Farlow MR, Dean RA, Waring JF. An integrated multi-study analysis of intra-subject variability in cerebrospinal fluid amyloid- $\beta$  concentrations collected by lumbar puncture and indwelling lumbar catheter. *Alzheimers Res Ther*. 2015;7(1):53.

Luyckx JJ, Bakker SC, Visser WF, Verhoeven-Duif N, Buizer-Voskamp JE, den Heijer JM, Boks MP, Sul JH, Eskin E, Ori AP, Cantor RM, Vorstman J, Strengman E, DeYoung J, Kappen TH, Pariama E, van Dongen EP, Borgdorff P, Bruins P, de Koning TJ, Kahn RS, Ophoff RA. Genome-wide association study of NMDA receptor coagonists in human cerebrospinal fluid and plasma. *Mol Psychiatry*. 2015;20(12):1557-64.

Meijer FJ, van Rumund A, Fasen BA, Titulaer I, Aerts M, Esselink R, Bloem BR, Verbeek MM, Goraj B. Susceptibility-weighted imaging improves the diagnostic accuracy of 3T brain MRI in the work-up of parkinsonism. *AJNR Am J Neuroradiol*. 2015;36(3):454-60.

Meijer FJ, van Rumund A, Tuladhar AM, Aerts MB, Titulaer I, Esselink RA, Bloem BR, Verbeek MM, Goraj B. Conventional 3T brain MRI and diffusion tensor imaging in the diagnostic workup of early stage parkinsonism. *Neuroradiology*. 2015;57(7):655-69.

Mothapo KM, Stelma F, Janssen M, Kessels R, Miners S, Verbeek MM, Koopmans P, van der Ven A. Amyloid beta-42 (AB-42), neprilysin and cytokine levels. A pilot study in patients with HIV related cognitive impairments. *J Neuroimmunol*. 2015;282:73-9.

Mothapo KM, Verbeek MM, van der Velden LB, Ang CW, Koopmans PP, van der Ven A, Stelma F. Has CXCL13 an added value in diagnosis of neurosyphilis? *J Clin Microbiol*. 2015;53(5):1693-6.

Müller M, Claassen JA, Kuiperij HB, Verbeek MM. Cerebrospinal Fluid NrCAM is not a Suitable Biomarker to Discriminate between Dementia Disorders--A Pilot Study. *J Alzheimers Dis*. 2015;46(3):605-9.

Reijs BL, Teunissen CE, Goncharenko N, Betsou F, Blennow K, Baldeiras I, Brosseron F, Cavado E, Fladby T, Froelich L, Gabryelewicz T, Gurvit H, Kapaki E, Koson P, Kulic L, Lehmann S, Lewczuk P, Lleó A, Maetzler W, de Mendonça A, Miller AM, Molinuevo JL, Mollenhauer B, Parnetti L, Rot U, Schneider A, Simonsen AH, Tagliavini F, Tsolaki M, Verbeek MM, Verhey FR, Zboch M, Winblad B, Scheltens P, Zetterberg H, Visser PJ. The Central Biobank and Virtual Biobank of BIOMARKAPD: A Resource for Studies on Neurodegenerative Diseases. *Front Neurol*. 2015;6:216.

Runia TF, Neuteboom RF, de Groot CJ, de Rijke YB, Hintzen RQ. The influence of vitamin D on postpartum relapse and quality of life in pregnant multiple sclerosis patients. *Eur J Neurol*. 2015;22(3):479-84.

Smeets-Janssen MM, Roelofs K, van Pelt J, Spinhoven P, Zitman FG, Penninx BW, Giltay EJ. Salivary Testosterone Is Consistently and Positively Associated with Extraversion: Results from The Netherlands Study of Depression and Anxiety. *Neuropsychobiology*. 2015;71:76-84.

Staufenbiel SM, Penninx BW, de Rijke YB, van den Akker EL, van Rossum EF. Determinants of hair cortisol and hair cortisone concentrations in adults. *Psychoneuroendocrinology*. 2015;60:182-94.

Timmer NM, Herbert MK, Claassen JA, Kuiperij HB, Verbeek MM. Total glutamine synthetase levels in cerebrospinal fluid of Alzheimer's disease patients are unchanged. *Neurobiol Aging*. 2015;36(3):1271-3.

### **Klinisch: Oncologie**

Binkhorst L, Kloth JS, de Wit AS, de Bruijn P, Lam MH, Chaves I, Burger H, van Alphen RJ, Hamberg P, van Schaik RH, Jager A, Koch BC, Wiemer EA, van Gelder T, van der Horst GT, Mathijssen RH. Circadian variation in tamoxifen pharmacokinetics in mice and breast cancer patients. *Breast Cancer Res Treat*. 2015;152(1):119-28.

Charitou P, Rodriguez-Colman M, Gerrits J, van Triest M, Groot Koerkamp M, Hornsveld M, Holstege F, Verhoeven-Duif NM, Burgering BM. FOXOs support the metabolic requirements of normal and tumor cells by promoting IDH1 expression. *EMBO Rep*. 2015;16(4):456-66.

De Graan AJ, Sparreboom A, de Bruijn P, de Jonge E, van der Holt B, Wiemer EA, Verweij J, Mathijssen RH, van Schaik RH. 4B-hydroxycholesterol as an endogenous CYP3A marker in cancer patients treated with taxanes. *Br J Clin Pharmacol*. 2015;80(3):560-8.

Franssen LE, van de Donk NW, Emmelot ME, Roeven MW, Schaap N, Dolstra H, Hobo W, Lokhorst HM, Mutis T. The impact of circulating suppressor cells in multiple myeloma patients on clinical outcome of DLIs. *Bone Marrow Transplant*. 2015;50(6):822-8.



Joerger M, van Schaik RH, Becker ML, Hayoz S, Pollak M, Cathomas R, Winterhalder R, Gillessen S, Rothermundt C. Multidrug and toxin extrusion 1 and human organic cation transporter 1 polymorphisms in patients with castration-resistant prostate cancer receiving metformin (SAKK 08/09). *Prostate Cancer Prostatic Dis.* 2015;18:167-72.

Kraff S, Nieuweboer AJ, Mathijssen RH, Baty F, de Graan AJ, van Schaik RH, Jaehde U, Joerger M. Pharmacokinetically based dosing of weekly paclitaxel to reduce drug-related neurotoxicity based on a single sample strategy. *Cancer Chemother Pharmacol.* 2015;75(5):975-83.

Nagelkerke A, Bussink J, Geurts-Moespot A, Sweep FC, Span PN. Therapeutic targeting of autophagy in cancer. Part II: pharmacological modulation of treatment-induced autophagy. *Semin Cancer Biol.* 2015;31:99-105.

Nagelkerke A, Sweep FC, Geurts-Moespot A, Bussink J, Span PN. Therapeutic targeting of autophagy in cancer. Part I: molecular pathways controlling autophagy. *Semin Cancer Biol.* 2015;31:89-98.

Nagelkerke A, van Kuijk SJ, Martens JW, Sweep FC, Hoogerbrugge N, Bussink J, Span PN. Poor prognosis of constitutive  $\gamma$ -H2AX expressing triple-negative breast cancers is associated with telomere length. *Biomark Med.* 2015;9(4):383-90.

Nagelkerke A, Sweep FC, Stegeman H, Grénman R, Kaanders JH, Bussink J, Span PN. Hypoxic regulation of the PERK/ATF4/LAMP3-arm of the unfolded protein response in head and neck squamous cell carcinoma. *Head Neck.* 2015;37(6):896-905.

Nieuweboer AJ, Smid M, de Graan AJ, Elbouazzaoui S, Bruijn PD, Martens JW, Mathijssen RH, van Schaik RH. Predicting paclitaxel-induced neutropenia using the DMET platform. *Pharmacogenomics.* 2015;16(11):1-11.

Nijhof IS, Lammerts van Bueren JJ, van Kessel B, Andre P, Morel Y, Lokhorst HM, van de Donk NW, Parren PW, Mutis T. Daratumumab-mediated lysis of primary multiple myeloma cells is enhanced in combination with the human anti-KIR antibody IPH2102 and lenalidomide. *Haematologica.* 2015;100:263-8.

Span PN, Pollakis G, Paxton WA, Sweep FC, Foekens JA, Martens JW, Sieuwerts AM, van Laarhoven HW. Improved metastasis-free survival in nonadjuvantly treated postmenopausal breast cancer patients with chemokine receptor 5 del32 frameshift mutations. *Int J Cancer.* 2015;136(1):91-7.

van der Horst-Schrivers AN, Sluiter WJ, Muller Kobold AC, Wolfenbittel BH, Plukker JT, Bisschop PH, de Klerk JM, Al Younis I, Lips P, Smit JW, Brouwers AH, Links TP. Recombinant TSH Stimulated Remnant Ablation Therapy in Thyroid Cancer: The Success Rate Depends on the Definition of Ablation Success-An Observational Study. *PLoS One.* 2015;10(3):e0120184.

Welzen ME, Dezentjé VO, van Schaik RH, Colbers AP, Guchelaar HJ, van Erp NP, den Hartigh J, Burger DM, van Laarhoven HW. The Effect of Tamoxifen Dose Increment in Patients With Impaired CYP2D6 Activity. *Ther Drug Monit.* 2015;37(4):501-507.

#### **Klinisch: Toxicologie**

Van den Hof WF, Ruiz-Aracama A, Van Summeren A, Jennen DG, Gaj S, Coonen ML, Brauers K, Wodzig WK, van Delft JH, Kleinjans JC. Integrating multiple omics to unravel mechanisms of Cyclosporin A induced hepatotoxicity in vitro. *Toxicol In Vitro.* 2015;29(3):489-501.