

## Publicaties der leden 2016

### Analytisch: Chromatografie: HPLC, GC, CE

Boelen A, Ruiter AF, Claahsen-van der Grinten HL, Endert E, Ackermans MT. Determination of a steroid profile in heel prick blood using LC-MS/MS. *Bioanalysis.* 2016 Mar;8(5):375-84.

Helander A, Wielders J, Anton R, Arndt T, Bianchi V, Deenmamode J, Jeppsson JO, Whitfield JB, Weykamp C, Schellenberg F. International Federation of Clinical Chemistry and Laboratory Medicine Working Group on Standardisation of Carbohydrate-Deficient Transferrin (IFCC WG-CDT). Standardisation and use of the alcohol biomarker carbohydrate-deficient transferrin (CDT). *Clin Chim Acta.* 2016 Aug 1;459:19-24.

### Analytisch: Hematologie

Baaten CC, Moenen FC, Henskens YM, Swieringa F, Wetzels R, van Oerle R, Ten Cate H, Beckers EA, Heemskerk JW, van der Meijden PE. OC-08 - Multiple functional defects in platelets from thrombocytopenic cancer patients undergoing chemotherapy. *Thromb Res.* 2016 Apr;140 Suppl 1:S171.

Barasa BA, van Oirschot BA, Bianchi P, van Solinge WW, Heck AJ, van Wijk R, Slijper M. Proteomics reveals reduced expression of transketolase in pyrimidine 5'-nucleotidase deficient patients. *Proteomics Clin Appl.* 2016 Aug;10(8):859-69.

Bikker A, Bouman E, Sebastian S, Korporaal SJ, Urbanus RT, Fijnheer R, Boven LA, Roest M. Functional recovery of stored platelets after transfusion. *Transfusion.* 2016 May;56(5):1030-7.

Bots M, de Grouw EP, van Rooyen-Schreurs IH, van den Akker GJ, Sturk A, Klinkspoor JH, Zeerleder SS. Strategies to reduce wastage of red blood cell units. *Vox Sang.* 2016 Feb;110(2):143-9.

Broen K, Scholtes B, Vossen R. Predicting the need for further thrombosis diagnostics in suspected DVT is increased by using age adjusted D-dimer values. *Thromb Res.* 2016 Sep;145:107-8.

Bui HN, Bogers JP, Cohen D, Njo T, Herruer MH. Evaluation of the performance of a point-of-care method for total and differential white blood cell count in clozapine users. *Int J Lab Hematol.* 2016 Dec;38(6):703-709.

de Jong E, de Lange DW, Beishuizen A, van de Ven PM, Girbes AR, Huisman A. Neutrophil CD64 expression as a longitudinal biomarker for severe disease and acute infection in critically ill patients. *Int J Lab Hematol.* 2016 Oct;38(5):576-84.

de Swart L, Hendriks JC, van der Vorm LN, Cabantchik ZI, Evans PJ, Hod EA, Brittenham GM, Furman Y, Wojczyk B, Janssen MC, Porter JB, Mattijsen VE, Biemond BJ, MacKenzie MA, Origa R, Galanello R, Hider RC, Swinkels DW. Second international round robin for the quantification of serum non-transferrin-bound iron and labile plasma iron in patients with iron-overload disorders. *Haematologica.* 2016 Jan;101(1):38-45.

De Vooght KM, Oostendorp M, van Solinge WW. Dealing with anti-CD38 (daratumumab) interference in blood compatibility testing. *Transfusion.* 2016 Mar;56(3):778-9.

De Vooght KM, Oostendorp M, van Solinge WW. New mAb therapies in multiple myeloma: interference with blood transfusion compatibility testing. *Curr Opin Hematol.* 2016 Nov;23(6):557-562.

Dima F, Hoffmann JJML, Montolli V, Lippi G. Assessment of reticulated platelets with automated hemocytometers: are we measuring the same thing? *Diagnosis.* 2016;3(2):91-93.

Donk NWCJ van de, Sonneveld P, Minnema MC, Nieuwenhuis L, den Hartog YM, Bosman PWC, Mutis T, Nijhof I, Otten HG, Bloem AC, Slomp J, de Vooght KMK, Som N, Jacobs JFM, Zweegman S, Lokhorst HM. Daratumumab in de dagelijkse praktijk. *Ned Tijdschr Hematologie.* 2016;13:123-130.

Eijgenraam P, ten Cate H, Henskens Y, van den Ham R, ten Cate-Hoek A. Effects of peri-operative bridging with low molecular weight heparins on coagulation during interruption of vitamin K antagonists: A mechanistic study. *Thromb Res.* 2016 Apr;140:59-65.

Engele LJ, Straat M, van Rooijen IH, de Vooght KM, Cremer OL, Schultz MJ, Bos LD, Juffermans NP. MARS Consortium. Transfusion of platelets, but not of red blood cells, is independently associated with nosocomial infections in the critically ill. *Ann Intensive Care.* 2016 Dec;6(1):67.

Evers D, Middelburg RA, de Haas M, Zalpuri S, de Vooght KM, van de Kerkhof D, Visser O, Péquéraux NC, Hudig F, Schonewille H, Zwaginga JJ, van der Bom JG. Red-blood-cell alloimmunisation in relation to antigens` exposure and their immunogenicity: a cohort study. *Lancet Haematol.* 2016 Jun;3(6):e284-92.

Fleming C, Russcher H, Brouwer R, Lindemans J, de Jonge R. Evaluation of Sysmex XN-1000 High-Sensitive Analysis (hsA) Research Mode for Counting and Differentiating Cells in Cerebrospinal Fluid. *Am J Clin Pathol.* 2016 Mar;145(3):299-307.

Jacobs JF, Tate JR, Merlini G. Is accuracy of serum free light chain measurement achievable? *Clin Chem Lab Med.* 2016 Jun 1;54(6):1021-30.

de Bruyn K, Stroobants AK. Validation of methods in hemostasis testing: a practical approach. *The Clotting Times.* special issue 2016.

Kuiper GJ, Henskens YM. Rapid and correct prediction of thrombocytopenia and hypofibrinogenemia with rotational thromboelastometry in cardiac surgery reconsidered. *J Cardiothorac Vasc Anesth.* 2016 Dec;30(6):e55-e56.

Kuiper GJ, Kleinegris MC, van Oerle R, Spronk HM, Lancé MD, Ten Cate H, Henskens YM. Validation of a modified thromboelastometry approach to detect changes in fibrinolytic activity. *Thromb J.* 2016 Jan 14;14:1.

Leaf DE, Swinkels DW. Catalytic iron and acute kidney injury. *Am J Physiol Renal Physiol.* 2016 Nov 1;311(5):F871-F876.

Rotman M, van Rossum AP, Beishuizen ED. Diepveneuze trombose bij SLE patienten met het antifosfolipidensyndroom. *FocusVasculair.* 2016 Feb;1: 44-48.

Mattheij NJ, Swieringa F, Mastenbroek TG, Berny-Lang MA, May F, Baaten CC, van der Meijden PE, Henskens YM, Beckers EA, Suylen DP, Nolte MW, Hackeng TM, McCarty OJ, Heemskerk JW, Cosemans JM. Coated platelets function in platelet-dependent fibrin formation via integrin  $\alpha$ II $\beta$ 3 and transglutaminase factor XIII. *Haematologica.* 2016 Apr;101(4):427-36.

McCudden C, Axel AE, Slaets D, Dejouie T, Clemens PL, Frans S, Bald J, Plesner T, Jacobs JF, van de Donk NW, Moreau P, Schechter JM, Ahmadi T, Sasser AK. Monitoring multiple myeloma patients treated with daratumumab: teasing out monoclonal antibody interference. *Clin Chem Lab Med.* 2016 Jun 1;54(6):1095-104.

Noordegraaf M, Meijer P, Ruinemans-Koerts J. Diagnostic efficiency of the Sysmex XN WPC channel for the reduction of blood smears. *Clin Biochem.* 2016 Nov;49(16-17):1292-1294.

Schellings MW, Boonen K, Schmitz EM, Jonkers F, van den Heuvel DJ, Besselaar A, Hendriks JG, van de Kerkhof D. Determination of dabigatran and rivaroxaban by ultra-performance liquid chromatography-tandem mass spectrometry and coagulation assays after major orthopaedic surgery. *Thromb Res.* 2016 Mar;139:128-34.

Schotten N, Pasker-de Jong PC, Moretti D, Zimmermann MB, Geurts-Moespot AJ, Swinkels DW, van Kraaij MG. The donation interval of 56 days requires extension to 180 days for whole blood donors to recover from changes in iron metabolism. *Blood.* 2016 Oct 27;128(17):2185-2188.

Solinge WW van, van Wijk R. Erythrocyte enzyme disorders. *Williams Hematology,* 9th edition, chapter 47, McGraw-Hill Education, New York. 2016: 689-723.

Swieringa F, Baaten CC, Verdoold R, Mastenbroek TG, Rijnveld N, van der Laan KO, Breele EJ, Collins PW, Lancé MD, Henskens YM, Cosemans JM, Heemskerk JW, van der Meijden PE. Platelet control of fibrin distribution and microelasticity in thrombus formation under flow. *Arterioscler Thromb Vasc Biol.* 2016 Apr;36(4):692-9.

van Beers JJ, van Egmond LT, Wetzel RJ, Verhezen PW, Beckers EA, van Oerle R, Spronk HM, Straat RJ, Henskens YM. Increased coagulation and fibrinolytic potential of solvent-detergent plasma: a comparative study between Omniplasma and fresh frozen plasma. *Vox Sang.* 2016 Jul;111(1):33-42.

Van Bruwaene L, Huisman A, Urbanus RT, Versluys B. Heparin-resistant thrombosis due to homozygous antithrombin deficiency treated with rivaroxaban: a case report. *J Pediatr Hematol Oncol.* 2016 Nov;38(8):658-660.

van de Donk NW, Otten HG, El Haddad O, Axel A, Sasser AK, Croockewit S, Jacobs JF. Interference of daratumumab in monitoring multiple myeloma patients using serum immunofixation electrophoresis can be abrogated using the daratumumab IFE reflex assay (DIRA). *Clin Chem Lab Med.* 2016 Jun 1;54(6):1105-9.

van de Geijn GM, Denker S, Meuleman-van Wanig V, Koeleman HG, Birnie E, Braunstahl GJ, Njo TL. Evaluation of new laboratory tests to discriminate bacterial from nonbacterial chronic obstructive pulmonary disease exacerbations. *Int J Lab Hematol.* 2016 Dec;38(6):616-628.

van de Geijn GM, van Gent M, van Pul-Bom N, Beunis MH, van Tilburg AJ, Njo TL. A new flow cytometric method for differential cell counting in ascitic fluid. *Cytometry B Clin Cytom.* 2016 Nov;90(6):506-511.

van de Kerkhof D, Schmitz E, Moolenaar M, Schellings M, Boer AK, Boonen K. Interference of anticoagulants on coagulation testing. *Clin Chem Lab Med.* 2016 Jul 1;54(7):e207-10.

van der Vorm LN, Hendriks JC, Laarakkers CM, Klaver S, Armitage AE, Bamberg A, Geurts-Moespot AJ, Girelli D, Herkert M, Itkonen O, Konrad RJ, Tomosugi N, Westerman M, Bansal SS, Campostrini N, Drakesmith H, Fillet M, Olbina G, Pasricha SR, Pitts KR, Sloan JH, Tagliaro F, Weykamp CW, Swinkels DW. Toward worldwide hepcidin assay harmonization: identification of a commutable secondary reference material. *Clin Chem.* 2016 Jul;62(7):993-1001.

van der Vorm LN, van Meijel LJ, Lips J, Galesloot TE, Laarakkers CM, Swinkels DW. Underestimation of hepcidin concentration by time of flight mass spectrometry and competitive ELISA in hepcidin p.Gly71Asp heterozygotes. *Clin Chem Lab Med.* 2016 Apr 1;54(5):e173-6.

Van Poucke S, Stevens K, Wetzel R, Kicken C, Verhezen P, Theunissen M, Kuiper G, van Oerle R, Henskens Y, Lancé M. Early platelet recovery following cardiac surgery with cardiopulmonary bypass. *Platelets.* 2016 Dec;27(8):751-757.

Van Poucke S, Zhang Z, Roest M, Vukicevic M, Beran M, Lauwereins B, Zheng MH, Henskens Y, Lancé M, Marcus A. Normalization methods in time series of platelet function assays: A SQUIRE compliant study. *Medicine (Baltimore).* 2016 Jul;95(28):e4188.

### Analytisch: Immunochemie

Campbell JP, Eijsvogels TM, Wang Y, Hopman MT, Jacobs JF. Assessment of serum free light chain levels in healthy adults immediately after marathon running. *Clin Chem Lab Med.* 2016 Mar 1;54(3):459-65.

Jacobs JF, Wevers RA, Lefeber DJ, van Scherpenzeel M. Fast, robust and high-resolution glycosylation profiling of intact monoclonal IgG antibodies using nanoLC-chip-QTOF. *Clin Chim Acta.* 2016 Oct 1;461:90-7.

Rotteveel-de Groot DM, Ross HA, Janssen MJR, Netea-Maier RT, Oosting JD, Sweep FCG, van Herwaarden AE. Evaluation of the highly sensitive Roche Thyroglobulin II assay and establishment of a reference limit for Thyroglobulin-negative patient samples. *Pract Lab Med.* 2016;5:6-13.

Schmitz EM, van de Kerkhof D, Hamann D, van Dongen JL, Kuijper PH, Brunsved L, Scharnhorst V, Broeren MA. Therapeutic drug monitoring of infliximab: performance evaluation of three commercial ELISA kits. *Clin Chem Lab Med.* 2016 Jul 1;54(7):1211-9.

### Analytisch: Klinische chemie

Barth JH, Misra S, Aakre KM, Langlois MR, Watine J, Twomey PJ, Oosterhuis WP. Why are clinical practice guidelines not followed? *Clin Chem Lab Med.* 2016 Jul 1;54(7):1133-9.

Bittner T, Zetterberg H, Teunissen CE, Ostlund RE Jr, Militello M, Andreasson U, Hubæk I, Gibson D, Chu DC, Eichenlaub U, Heiss P, Kobold U, Leinenbach A, Madin K, Manuilova E, Rabe C, Blennow K. Technical performance of a novel, fully automated electrochemiluminescence immunoassay for the quantitation of -amyloid (1-42) in human cerebrospinal fluid. *Alzheimers Dement.* 2016 May;12(5):517-26.

Boerlage TC, Westerink F, Poland DC, Huibregtse IL, Acherman YI, Gerdes VE. Fecal Calprotectin, Elastase, and Alpha-1-Antitrypsin levels after Roux-en-Y gastric bypass; Calprotectin is significantly elevated in the majority of patients. *Obes Surg.* 2016 Dec;26(12):2974-2980.

Coskun A, Oosterhuis WP, Serteser M, Unsal I. Sigma metric or defects per million opportunities (DPMO): the performance of clinical laboratories should be evaluated by the Sigma metrics at decimal level with DPMOs. *Clin Chem Lab Med.* 2016 Aug 1;54(8):e217-9.

Geerts N, Boonen KJ, Boer AK, Scharnhorst V. Cut-off values to rule out urinary tract infection should be gender-specific. *Clin Chim Acta.* 2016 Jan 15;452:173-6.

Geerts N, Wlazlo N, Scharnhorst V. Between analyser differences in chloride measurements and thus anion gap cause different interpretations of the acid-base balance. *Clin Chem Lab Med.* 2016 Mar;54(3):e81-4.

Hilderink JM, Koopmans RP, Rennenberg RJ, van Diejen-Visser MP, Meex SJ. Real change or natural fluctuation? *Ned Tijdschr Geneesk.* 2016;160(0):D132.

van Zanden JJ, Wagenmakers-Huizinga L, Inia L, Muller Kobold AC. Comparison of the automated Roche Elecsys Cobas Anti Mullerian Hormone (AMH) assay with the Beckman AMH Gen II ELISA. *Ned Tijdschr Klin Chem Labgeneesk.* 2016; 41: 214-215.

Kemperman H, van Solinge WW, de Vooght KMK. Overestimation of hypoglycemia in infants with a high hematocrit. *J Appl Lab Med.* 2016;1:77-82.

Kimenai DM, Henry RM, van der Kallen CJ, Dagnelie PC, Schram MT, Stehouwer CD, van Suijlen JD, Niens M, Bekers O, Sep SJ, Schaper NC, van Diejen-Visser MP, Meex SJ. Direct comparison of clinical decision limits for cardiac troponin T and I. *Heart.* 2016 Apr;102(8):610-6.

Klinkenberg LJ, Luyten P, van der Linden N, Urgel K, Snijders DP, Knackstedt C, Dennert R, Kietselaer BL, Mingels AM, Cardinaels EP, Peeters FE, van Suijlen JD, Ten Kate J, Marsch E, Theelen TL, Sluimer JC, Wouters K, Bekers O, Bekkers SC, van Loon LJ, van Diejen-Visser MP, Meex SJ. Cardiac troponin T and I release after a 30-km run. *Am J Cardiol.* 2016 Jul 15;118(2):281-7.

Krabbe JG, Monaghan PJ, Russell J, de Rijke YB. Analytical evaluation of a second generation assay for chromogranin A; a dual-site study. *Clin Chem Lab Med.* 2016 Apr;54(4):e139-42.

Luttmer R, Dijkstra MG, Snijders PJ, Hompes PG, Pronk DT, Hubcek I, Berkhof J, Heideman DA(1), Meijer CJ(5). Presence of human papillomavirus in semen in relation to semen quality. *Hum Reprod.* 2016 Feb;31(2):280-6.

Vos MJ, Fokkert MJ, Jonker N, Bouwhuis JW, Diepeveen SH, van Apeldoorn JA, Dikkeschei LD. De rol van monstertransport en biologische variatie in erytrocyair kaliumverlies in het ontstaan van pseudo-hyperkaliëmie. *Ned Tijdschr Klin Chem Labgeneesk.* 2016;41:188-192.

Revet I, Boesten LSM, Linthorst J, Yildiz E, Janssen JW, de Rijke JB, Albersen A. Misleading FT4 measurement: Assay-dependent antibody interference. *Biochimia Medica* 2016;26(3):436-43.

Monaghan PJ, Lord SJ, St John A, Sandberg S, Cobbaert CM, Lennartz L, Verhagen-Kamerbeek WD, Ebert C, Bossuyt PM, Horvath AR. Test Evaluation Working Group of the European Federation of Clinical Chemistry and Laboratory Medicine. Biomarker development targeting unmet clinical needs. *Clin Chim Acta.* 2016 Sep 1;460:211-9.

Oostendorp M, El Amrani M, Diemel EC, Hekman D, van Maarseveen EM. Measurement of hematocrit in dried blood spots using near-infrared spectroscopy: robust, fast, and nondestructive. *Clin Chem.* 2016 Nov;62(11):1534-1536.

Oosterhuis WP, Theodorsson E. Total error vs. measurement uncertainty: revolution or evolution? *Clin Chem Lab Med.* 2016 Feb;54(2):235-9.

Ruhaak LR, van der Burg YE, Cobbaert CM. Prospective applications of ultrahigh resolution proteomics in clinical mass spectrometry. *Expert Rev Proteomics.* 2016 Dec;13(12):1063-1071.

Russcher A, Kusters E, Wolterbeek R, Kuijper EJ, Cobbaert CM, van der Beek MT. Interlaboratory collaboration for optimized screening for urinary tract infection. *J Clin Microbiol.* 2016 Jan;54(1):93-8.

Schottmann G, Sarpong A, Lorenz C, Weinhold N, Gill E, Teschner L, Ferdinandusse S, Wanders RJ, Prigione A, Schuelke M. A movement disorder with dystonia and ataxia caused by a mutation in the HIBCH gene. *Mov Disord.* 2016 Nov;31(11):1733-1739.

Talsma EF, Brouwer ID, Verhoef H, Mbera G, Demir AY, Boy E, Zimmerman MB, Melse-Boonstra A. Reply to SA Tanumihardjo et al. *Am. J Clin Nutrition.* 2016 Jul;104(1):236-7.

Terink R, Balvers MG, Hopman MT, Witkamp RF, Mensink M, Gunnewiek JM. Decrease in ionized and total Magnesium blood concentrations in endurance athletes following an exercise bout restores within hours - potential consequences for monitoring and supplementation. *Int J Sport Nutr Exerc Metab.* 2016 Dec 20:1-22.

van den Berg SA, van Thiel SW, Thelen MH. Updating pregnancy diabetes guidelines: is (y)our laboratory ready? *Clin Chem Lab Med.* 2016 Aug 1;54(8):e225-7.

van den Berg SAA, de Groot MJM, Salden LPW, Draad PJGJ, Dijkstra IM, Lunshof S, van Thiel SW, Boonen KJM, Thelen MHM. How to perform pregnancy diabetes screening correctly. *Ned Tijdschr Klin Chem Labgeneesk.* 2016;41:198-199.

van den Hurk K, Ponjee GHM, Treskes M, Deckers MML. Foutief verlaagde kreatinine uitslag door interferentie van dobutamine. *Ned Tijdschr Klin Chem Labgeneesk.* 2016;41:203-204.

van den Wijngaard JP, Bakker JA, Gillis JM, Ballieux BE, de Vries JJ, Schenk PW, Cobbaert CM. Keeping Ebola out of the lab: a practical solution on how to analyze Ebola associated blood anomalies. *Clin Chem Lab Med.* 2016 Nov 1;54(11):e353-e357.

van der Spoel E, Roelfsema F, Jansen SW, Akintola AA, Ballieux BE, Cobbaert CM, Blauw GJ, Slagboom PE, Westendorp RG, Pijl H, van Heemst D. Familial Longevity Is Not Associated with Major Differences in the Hypothalamic-Pituitary-Gonadal Axis in Healthy Middle-Aged Men. *Front Endocrinol (Lausanne).* 2016 Nov 9;7:143.

van Veen M, Nijman RG, Zijlstra M, Dik WA, de Rijke YB, Moll HA, Neele M, Smit FJ, Oostenbrink R. Neutrophil CD64 expression is not a useful biomarker for detecting serious bacterial infections in febrile children at the emergency department. *Infect Dis (Lond).* 2016;48(5):331-7.

### Analytisch: Moleculaire technieken

Kalman LV, Agúndez J, Appell ML, Black JL, Bell GC, Boukouvala S, Bruckner C, Bruford E, Caudle K, Coulthard SA, Daly AK, Tredici AD, den Dunnen JT, Drozda K, Everts RE, Flockhart D, Freimuth RR, Gaedigk A, Hachad H, Hartshorne T, Ingelman-Sundberg M, Klein TE, Lauschke VM, Maglott DR,

McLeod HL, McMillin GA, Meyer UA, Müller DJ, Nickerson DA, Oetting WS, Pacanowski M, Pratt VM, Relling MV, Roberts A, Rubinstein WS, Sangkuhl K, Schwab M, Scott SA, Sim SC, Thirumaran RK, Toji LH, Tyndale RF, van Schaik R, Whirl-Carrillo M, Yeo K, Zanger UM. Pharmacogenetic allele nomenclature: International workgroup recommendations for test result reporting. *Clin Pharmacol Ther.* 2016 Feb;99(2):172-85.

Kooijman SA, Aleza CG, Roffler SR, van Solinge WW, Vader P, Schiffelers RM. Display of GPI-anchored anti-EGFR nanobodies on extracellular vesicles promotes tumour cell targeting. *J Extracell Vesicles.* 2016 Mar 14;5:31053.

Kortman GA, Dutilh BE, Maathuis AJ, Engelke UF, Boekhorst J, Keegan KP, Nielsen FG, Betley J, Weir JC, Kingsbury Z, Kluijtmans LA, Swinkels DW, Venema K, Tjalsma H. Microbial Metabolism Shifts Towards an Adverse Profile with Supplementary Iron in the TIM-2 In vitro Model of the Human Colon. *Front Microbiol.* 2016 Jan 6;6:1481.

Kumuthini J, Mbiyavanga M, Chimusa ER, Pathak J, Somervuo P, Van Schaik RH, Dolzan, Mizzi C, Kalideen K, Ramesar RS, Macek M, Patrinos GP, Squassina A. Minimum information required for a DMET experiment reporting. *Pharmacogenomics.* 2016 Sep;17(14):1533-45.

Laurent MR, Helsen C, Antonio L, Schollaert D, Joniau S, Vos MJ, Decallonne B, Hammond GL, Vanderschueren D, Claessens F. Effects of sex hormone-binding globulin (SHBG) on androgen bioactivity in vitro. *Mol Cell Endocrinol.* 2016 Dec 5;437:280-291.

Mizzi C, Dalabira E, Kumuthini J, Dzimiri N, Balogh I, Başak N, Böhm R, Borg J, Borgiani P, Bozina N, Bruckmueller H, Burzynska B, Carracedo A, Cascorbi I, Deltas C, Dolzan V, Fenech A, Grech G, Kasiulevicius V, Kádaš, Kuinskas V, Khusnutdinova E, Loukas YL, Macek M Jr, Makukh H, Mathijssen R, Mitropoulos K, Mitropoulou C, Novelli G, Papantoni I, Pavlovic S, Saglio G, Setric J, Stojiljkovic M, Stubbs AP, Squassina A, Torres M, Turnovec M, van Schaik RH, Voskarides K, Wakil SM, Werk A, Del Zompo M, Zukic B, Katsila T, Lee MT, Motsinger-Rief A, Mc Leod HL, van der Spek PJ, Patrinos GP. A european spectrum of pharmacogenomic biomarkers: implications for clinical pharmacogenomics. *PLoS One.* 2016 Sep 16;11(9):e0162866.

Nioi P, Sigurdsson A, Thorleifsson G, Helgason H, Agustsdottir AB, Nordahl GL, Helgadottir A, Magnusdottir A, Jonasdottir A, Gretarsdottir S, Jonsdottir I, Steinhorsdottir V, Rafnar T, Swinkels DW, Galesloot TE, Grarup N, Jørgensen T, Vestergaard H, Hansen T, Lauritzen T, Linneberg A, Friedrich N, Krarup NT, Fenger M, Abildgaard U, Hansen PR, Galløe AM, Braund PS, Nelson CP, Hall AS, Williams

MJ, van Rij AM, Jones GT, Patel RS, Levey AI, Hayek S, Shah SH, Reilly M, Eyjolfsson GI, Sigurdardottir O, Olafsson I, Kiemeney LA, Quyyumi AA, Rader DJ, Kraus WE, Samani NJ, Pedersen O, Thorgeirsson G, Masson G, Holm H, Gudbjartsson D, Sulem P, Thorsteinsdottir U, Stefansson K. Variant ASGR1 associated with a reduced risk of coronary artery disease. *N Engl J Med.* 2016 Jun 2;374(22):2131-41.

Payne DA, Baluchova K, Peoc'h KH, van Schaik RH, Chan KC, Maekawa M, Mamotte C, Russomando G, Rousseau F, Ahmad-Nejad P; IFCC Committee for Molecular Diagnostics (C-MD). Pre-examination factors affecting molecular diagnostic test results and interpretation: A case-based approach. *Clin Chim Acta.* 2016 Jun 16. pii: S0009-8981(16)30263-7.

Schreibelt G, Bol KF, Westendorp H, Wimmers F, Aarntzen EH, Duiveman-de Boer T, van de Rakt MW, Scharenborg NM, de Boer AJ, Pots JM, Olde Nordkamp MA, van Oorschot TG, Tel J, Winkels G, Petry K, Blokx WA, van Rossum MM, Welzen ME, Mus RD, Croockewit SA, Koornstra RH, Jacobs JF, Kelderman S, Blank CU, Gerritsen WR, Punt CJ, Figdor CG, de Vries IJ. Effective clinical responses in metastatic melanoma patients after vaccination with primary myeloid dendritic cells. *Clin Cancer Res.* 2016 May 1;22(9):2155-66.

van Breda GF, Bongartz LG, Zhuang W, van Swelm RP, Pertijs J, Braam B, Cramer MJ, Swinkels DW, Doevedans PA, Verhaar MC, Masereeuw R, Joles JA, Gaillard CA. Cardiac Hepcidin expression associates with injury independent of iron. *Am J Nephrol.* 2016;44(5):368-378.

van Dommelen SM, van der Meel R, van Solinge WW, Coimbra M, Vader P, Schiffelers RM. Cetuximab treatment alters the content of extracellular vesicles released from tumor cells. *Nanomedicine (Lond).* 2016 Apr;11(8):881-90.

van Swelm RP, Wetzel JF, Verweij VG, Laarakkers CM, Pertijs JC, van der Wijst J, Thévenod F, Masereeuw R, Swinkels DW. Renal handling of circulating and renal-synthesized hepcidin and its protective effects against hemoglobin-mediated kidney injury. *J Am Soc Nephrol.* 2016 Sep;27(9):2720-32.

Vijzelaar R, van der Zwan E, van Gammeren A, Yilmaz R, Verheul A, van Hoogstraten I, de Baar E, Schrauwen L, Kortlandt W. Rapid detection of the three celiac disease risk genotypes HLA-DQ2.2, HLA-DQ2.5, and HLA-DQ8 by multiplex ligation-dependent probe amplification. *Genet Test Mol Biomarkers.* 2016 Mar;20(3):158-61.

Zuber V, Marconett CN, Shi J, Hua X, Wheeler W, Yang C, Song L, Dale AM, Laplana M, Risch A, Wittoelar A, Thompson WK, Schork AJ, Bettella F, Wang Y, Djurovic S, Zhou B, Borok Z, van der Heijden HF, de Graaf J, Swinkels D, Aben KK, McKay J, Hung RJ, Bikeboller H, Stevens VL, Albanes D, Caporaso

NE, Han Y, Wei Y, Panadero MA, Mayordomo JI, Christiani DC, Kiemeneij L, Andreassen OA, Houlston R, Amos CI, Chatterjee N, Laird-Offringa IA, Mills IG, Landi MT. Pleiotropic analysis of lung cancer and blood triglycerides. *J Natl Cancer Inst.* 2016 Aug 26;108(12). pii:джw167.

#### **Analytisch: Vlamfotometrie, AAS, massaspectrometrie**

Bekkach Y, Heijboer AC, Endert E, Ackermans MT. Determination of urinary aldosterone using a plasma aldosterone 2D ID LC-MS/MS method. *Bioanalysis.* 2016 Sep;8(17):1765-75.

Büttler RM, Martens F, Ackermans MT, Davison AS, van Herwaarden AE, Kortz L, Krabbe JG, Lentjes EG, Syme C, Webster R, Blankenstein MA, Heijboer AC. Comparison of eight routine unpublished LC-MS/MS methods for the simultaneous measurement of testosterone and androstenedione in serum. *Clin Chim Acta.* 2016 Feb 15;454:112-8.

de Brouwer B, Spanbroek M, Drummen NE, Van den Ouwehand J, Zanen P, Vermeer C, Janssen R. Low vitamin K status is associated with COPD and accelerated degradation of mature elastin *Am J Respir Crit Care Med.* 2016;A4134.

Dirks NF, Vesper HW, van Herwaarden AE, van den Ouwehand JM, Kema IP, Krabbe JG, Heijboer AC. Various calibration procedures result in optimal standardization of routinely used 25(OH)DID-LC-MS/MS methods. *Clin Chim Acta.* 2016 Nov 1;462:49-54.

Streng AS, de Boer D, Bouwman FG, Mariman EC, Scholten A, van Diejen-Visser MP, Wodzig WK. Validation, optimisation, and application data in support of the development of a targeted selected ion monitoring assay for degraded cardiac troponin T. *Data Brief.* 2016 Mar 3;7:397-405.

Streng AS, de Boer D, Bouwman FG, Mariman EC, Scholten A, van Diejen-Visser MP, Wodzig WK. Development of a targeted selected ion monitoring assay for the elucidation of protease induced structural changes in cardiac troponin T. *J Proteomics.* 2016 Mar 16;136:123-32.

van den Broek I, Romijn FP, Nouta J, van der Laarse A, Drijfhout JW, Smit NP, van der Burgt YE, Cobbaert CM. Automated multiplex LC-MS/MS assay for quantifying serum apolipoproteins A-I, B, C-I, C-II, C-III, and E with qualitative apolipoprotein E phenotyping. *Clin Chem.* 2016 Jan;62(1):188-97.

van Zelst BD, de Beer RJ, Neele M, Kos S, Kema IP, Tegelaars FP, Cobbaert CM, Weykamp CW, de Jonge R. A multicenter comparison of whole blood vitamin B6 assays. *Clin Chem Lab Med.* 2016 Apr;54(4):609-16.

#### **Bedrijfsvoering: Dienstverlening**

Beijer C, De Jong AM, Statius Muller, Eysink Smeets J, Pronk-Admiraal C. Aanvraagbeleid na het diagnostisch toetsoverleg. *Huisarts Wet.* 2016; 59(6):434-8.

Bruce BB, El-Kareh R, Ely JW, Kanter MH, Rao G, Schiff GD, ten Berg MJ, McDonald KM. Methodologies for evaluating strategies to reduce diagnostic error: report from the research summit at the 7th International Diagnostic Error in Medicine Conference Diagnosis 3. 2016:1-7.

Fragoulakis V, Mitropoulou C, van Schaik RH, Maniadakis N, Patrinos GP. An alternative methodological approach for cost-effectiveness analysis and decision making in genomic medicine. *OMICS.* 2016 May;20(5):274-82.

Slomp J, Soons JWPH, Henskens YMC, de Rijke YB, Vossen RCRM, Kortlandt W. Tarieven voor inboeken en uitgifte van transfusie-eenheden en hemovigilantiewerkzaamheden. *Ned Tijdschr Klin Chem Labgeneesk.* 2016;41:54-55.

Jong AM de, van Royen A, Schouten MCM, de Vooght KMK. Preparing children for blood sampling using a serious gaming app (Prik!) decreases perceived pain and distress. *J Appl Lab Med.* 2016;1:88-94.

van Hoeven LR, Hooftman BH, Janssen MP, de Brujne MC, de Vooght KM, Kemper P, Koopman MM. Protocol for a national blood transfusion data warehouse from donor to recipient. *BMJ Open.* 2016 Aug 4;6(8):e010962.

#### **Bedrijfsvoering: Diversen**

Kip MM, Koffijberg H, IJzerman MJ, Kusters R. Procalcitonin to guide antibiotic stewardship in intensive care. *Lancet Infect Dis.* 2016 Aug;16(8):888.

Vozikis A, Cooper DN, Mitropoulou C, Kambouris ME, Brand A, Dolzan V, Fortina P, Innocenti F, Lee MT, Leyens L, Macek M Jr, Al-Mulla F, Prainsack B, Squassina A, Taruscio D, van Schaik RH, Vayena E, Williams MS, Patrinos GP. Test Pricing and Reimbursement in Genomic Medicine: Towards a General Strategy. *Public Health Genomics.* 2016;19(6):352-363.

#### **Bedrijfsvoering: Kwaliteit/Automatisering/Statistiek**

Boursier G, Vukasovic I, Brguljan PM, Lohmander M, Ghita I, Bernabeu Andreu FA, Barrett E, Brugnoni D, Kroupis C, Sprongl L, Thelen MH, Vanstapel F, Vodnik T, Huisman W, Vaubourdolle M; Working Group Accreditation and ISO/CEN standards (WG-A/ISO) of the EFLM. Accreditation process in European countries - an EFLM survey. *Clin Chem Lab Med.* 2016 Apr;54(4):545-51.

Nederlof M, Frederix GW, Stoker LJ, van Solinge WW, Egberts TC, Heerdink ER. Patient monitoring:

the hidden costs of treatment with antipsychotics. Br J Clin Pharmacol. 2016 Aug;82(2):570-2.

Udo R, Maitland-van der Zee AH, Egberts TC, den Breeijen JH, Leufkens HG, van Solinge WW, De Bruin ML. Validity of diagnostic codes and laboratory measurements to identify patients with idiopathic acute liver injury in a hospital database. Pharmacoepidemiol Drug Saf. 2016 Mar;25 Suppl 1:21-8.

van der Vuurst H, Sigger J, Kemna EHJM, Wissink JGAM, Weykamp CW. Onzekerheid over meetonzekerheid. Ned Tijdschr Klin Chem Labgeneesk. 2016;41:193-197.

van Rossum HH, Kemperman H. A method for optimization and validation of moving average as continuous analytical quality control instrument demonstrated for creatinine. Clin Chim Acta. 2016 Jun 1;457:1-7.

Vis JY, Huisman A. Verification and quality control of routine hematology analyzers. Int J Lab Hematol. 2016 May;38 Suppl 1:100-9.

### **Bedrijfsvoering: Point-of-care testing**

Kemna E, Jentink W, te Molder I, Straalman I. International Normalized Ratio (INR) testing: analytical and clinical performance of four point-of-care devices versus central laboratory instrumentation analysis. Clin Chem Lab Med. 2016 Mar;54(3):e89-92.

Klonoff DC, Lias C, Beck S, Parkes JL, Kovatchev B, Vigersky RA, Arreaza-Rubin G, Burk RD, Kowalski A, Little R, Nichols J, Petersen M, Rawlings K, Sacks DB, Sampson E, Scott S, Soley JJ, Slingerland R, Vesper HW. Development of the Diabetes Technology Society Blood Glucose Monitor System Surveillance Protocol. J Diabetes Sci Technol. 2016 May 3;10(3):697-707.

van Horssen R, Schuurman TN, de Groot MJM, Jakobs BS. Lactate point-of-care testing for acidosis: Cross-comparison of two devices with routine laboratory results. Pract Lab Med. 2016;4 41-49.

### **Klinisch: Allergie/infectieziekten**

Aguirre-Gamboa R, Joosten I, Urbano PC, van der Molen RG, van Rijssen E, van Cranenbroek B, Oosting M, Smekens S, Jaeger M, Zorro M, Withoff S, van Herwaarden AE, Sweep FC, Netea RT, Swertz MA, Franke L, Xavier RJ, Joosten LA, Netea MG, Wijmenga C, Kumar V, Li Y, Koenen HJ. Differential effects of environmental and genetic factors on T and B Cell immune traits. Cell Rep. 2016 Nov 22;17(9):2474-2487.

de Groot JC, Storm H, Amelink M, de Nijs SB, Eichhorn E, Reitsma BH, Bel EH, Ten Brinke A. Clinical profile of patients with adult-onset eosinophilic asthma. ERJ Open Res. 2016 May 26;2(2):pii: 00100-2015.

de Jong E, van Oers JA, Beishuizen A, Vos P, Vermeijden WJ, Haas LE, Loef BG, Dormans T, van Melsen GC, Kluiters YC, Kemperman H, van den Elsen MJ, Schouten JA, Streefkerk JO, Krabbe HG, Kieft H, Kluge GH, van Dam VC, van Pelt J, Bormans L, Otten MB, Reidinga AC, Endeman H, Twisk JW, van de Garde EM, de Smet AM, Kesecioglu J, Girbes AR, Nijsten MW, de Lange DW. Efficacy and safety of procalcitonin guidance in reducing the duration of antibiotic treatment in critically ill patients: a randomised, controlled, open-label trial. Lancet Infect Dis. 2016 Jul;16(7):819-27.

Holtman GA, Lisman-van Leeuwen Y, Kollen BJ, Norbruis OF, Escher JC, Kindermann A, de Rijke YB, van Rheenen PF, Berger MY. Diagnostic accuracy of fecal calprotectin for pediatric inflammatory bowel disease in primary care: a prospective cohort study. Ann Fam Med. 2016 Sep;14(5):437-45.

van Veen LN, Heron M, Batstra M, van Haard PMM, de Groot H. The diagnostic value of componentresolved diagnostics in peanut allergy in children attending a Regional Paediatric Allergology Clinic. BMC Pediatrics 2016;16:74-81.

Peltenburg NC, Leers MP, Bakker JA, Lowe SH, Vroemen WH, Paulussen AD, van den Bosch BJ, Bierau J, Verbon A. Inosine Triphosphate Pyrophosphohydrolase Expression: Decreased in Leukocytes of HIV-Infected Patients Using Combination Antiretroviral Therapy. J Acquir Immune Defic Syndr. 2016 Dec 1;73(4):390-395.

Teodorowicz M, Terlouw RJ, Jansen A, Savelkoul HF, Ruinemans-Koerts J. Immunological Characterization of Dutch Sesame Seed-Allergic Patients. Int Arch Allergy Immunol. 2016;169(1):13-22.

van der Geest PJ, Mohseni M, Linssen J, Duran S, de Jonge R, Groeneveld AB. The intensive care infection score - a novel marker for the prediction of infection and its severity. Crit Care. 2016 Jul 7;20(1):180.

Vroling AB, Dorresteijn EM, Cransberg K, de Rijke YB. The impact of estimated glomerular filtration rate equations on chronic kidney disease staging in pediatric renal or heart transplant recipients. Pediatr Nephrol. 2016 Jul;31(7):1145-55.

### **Klinisch: Endocrinologie**

Albers EM, Beijers R, Riksen-Walraven JM, Sweep FC, de Weerth C. Cortisol levels of infants in center care across the first year of life: links with quality of care and infant temperament. Stress. 2016;19(1):8-17.

Aleknaviciute J, Tulen JH, Kamperman AM, de Rijke YB, Kooiman CG, Kushner S. Borderline and cluster C personality disorders manifest distinct physiological responses to psychosocial stress. *Psychoneuroendocrinology*. 2016 Oct;72:131-8.

Althaus M, Groen Y, A Wijers A, Noltes H, Tucha O, Sweep FC, Calcagnoli F, Hoekstra PJ. Do blood plasma levels of oxytocin moderate the effect of nasally administered oxytocin on social orienting in high-functioning male adults with autism spectrum disorder? *Psychopharmacology (Berl)*. 2016 Jul;233(14):2737-51.

Blum MR, Wijsman LW, Virgini VS, Bauer DC, den Elzen WP, Jukema JW, Buckley BM, de Craen AJ, Kearney PM, Stott DJ, Gussekloo J, Westendorp RG, Mooijaart SP, Rodondi N; PROSPER study group. Subclinical Thyroid Dysfunction and Depressive Symptoms among the Elderly: A Prospective Cohort Study. *Neuroendocrinology*. 2016;103(3-4):291-9.

Büttler RM, Peper JS, Crone EA, Lentjes EG, Blankenstein MA, Heijboer AC. Reference values for salivary testosterone in adolescent boys and girls determined using Isotope-Dilution Liquid-Chromatography Tandem Mass Spectrometry (ID-LC-MS/MS). *Clin Chim Acta*. 2016 May 1;456:15-8.

Chaker L, Baumgartner C, den Elzen WP, Collet TH, Ikram MA, Blum MR, Dehghan A, Drechsler C, Luben RN, Portegies ML, Iervasi G, Medici M, Stott DJ, Dullaart RP, Ford I, Bremner A, Newman AB, Wanner C, Sgarbi JA, Dörr M, Longstreth WT Jr, Psaty BM, Ferrucci L, Maciel RM, Westendorp RG, Jukema JW, Ceresini G, Imaizumi M, Hofman A, Bakker SJ, Franklyn JA, Khaw KT, Bauer DC, Walsh JP, Razvi S, Gussekloo J, Völzke H, Franco OH, Cappola AR, Rodondi N, Peeters RP; Thyroid Studies Collaboration. Thyroid Function Within the Reference Range and the Risk of Stroke: An Individual Participant Data Analysis. *J Clin Endocrinol Metab*. 2016 Nov;101(11):4270-4282.

de Koning PP, Figue M, Endert E, van den Munckhof P, Schuurman PR, Storosum JG, Denys D, Fliers E. Rapid effects of deep brain stimulation reactivation on symptoms and neuroendocrine parameters in obsessive-compulsive disorder. *Transl Psychiatry*. 2016 Jan 26;6:e722.

Dekkers T, Prejbisz A, Kool LJ, Groenewoud HJ, Velema M, Spiering W, Kolodziejczyk-Kruk S, Arntz M, Kadziela J, Langenhuijsen JF, Kerstens MN, van den Meiracker AH, van den Born BJ, Sweep FC, Hermus AR, Januszewicz A, Ligthart-Naber AF, Makai P, van der Wilt GJ, Lenders JW, Deinum J; SPARTACUS Investigators. Adrenal vein sampling versus CT scan to determine treatment in primary aldosteronism: an outcome-based randomised diagnostic trial. *Lancet Diabetes Endocrinol*. 2016 Sep;4(9):739-46.

Depmann M, van Disseldorp J, Broer SL, Eijkemans MJ, Laven JS, Visser JA, de Rijke YB, Mol BW, Broekmans FJ. Fluctuations in anti-Müllerian hormone levels throughout the menstrual cycle parallel fluctuations in the antral follicle count: a cohort study. *Acta Obstet Gynecol Scand*. 2016 Jul;95(7):820-8.

Direk N, Dekker MJ, Luik AI, Kirschbaum C, de Rijke YB, Hofman A, Hoogendoijk WJ, Tiemeier H. The Very Low-Dose Dexamethasone Suppression Test in the General Population: A Cross-Sectional Study. *PLoS One*. 2016 Oct 13;11(10):e0164348.

Direk N, Dekker MJ, Luik AI, Kirschbaum C, de Rijke YB, Hofman A, Hoogendoijk W, Tiemeier H. The Very Low-Dose Dexamethasone Suppression Test in the General Population: A Cross-Sectional Study. *PLoS One*. 2016 Oct 13;11(10):e0164348.

Finken MJ, van der Voorn B, Heijboer AC, de Waard M, van Goudoever JB, Rotteveel J. Glucocorticoid Programming in Very Preterm Birth. *Horm Res Paediatr*. 2016;85(4):221-31.

Groen BB, Horstman AM, Hamer HM, de Haan M, van Kranenburg J, Bierau J, Poeze M, Wodzig WK, Rasmussen BB, van Loon LJ. Increasing Insulin Availability Does Not Augment Postprandial Muscle Protein Synthesis Rates in Healthy Young and Older Men. *J Clin Endocrinol Metab*. 2016 Nov;101(11):3978-3988.

Hamel CC, Terwisscha van Scheltinga J, van den Ouwehand JMW, Franssen AMHW. Persisterend verhoogd humaan choriongonadotrofine (hCG) bij een postmenopauzale vrouw: veel onrust, veel diagnostiek, weinig aan de hand? *NTOG*. 2016;129:290-3.

Heusser K, Tank J, Brinkmann J, Schroeder C, May M, Großhennig A, Wenzel D, Diedrich A, Sweep FC, Mehling H, Luft FC, Jordan J. Preserved autonomic cardiovascular regulation with cardiac pacemaker inhibition: a crossover trial using high-fidelity cardiovascular phenotyping. *J Am Heart Assoc*. 2016 Jan 13;5(1). pii: e002674.

Hogenelst K, Schovers RA, Kema IP, Sweep FC, aan het Rot M. Empathic accuracy and oxytocin after tryptophan depletion in adults at risk for depression. *Psychopharmacology (Berl)*. 2016 Jan;233(1):111-20.

Holwerda AM, Kouw IW, Trommelen J, Halson SL, Wodzig WK, Verdijk LB, van Loon LJ. Physical activity performed in the evening increases the overnight muscle protein synthetic response to presleep protein ingestion in older men. *J Nutr*. 2016 Jul;146(7):1307-14.

Holwerda AM, Kouw IW, Trommelen J, Halson SL, Wodzig WK, Verdijk LB, van Loon LJ. Exercise Enhances The Overnight Muscle Protein Synthetic Response To Pre-sleep Protein Feeding In Older Males. *Med Sci Sports Exerc*. 2016 May;48(5 Suppl 1):3.

Joosen AM, van der Linden IJ, de Jong-Aarts N, Hermus MA, Ermens AA, de Groot MJ. TSH and fT4 during pregnancy: an observational study and a review of the literature. *Clin Chem Lab Med.* 2016 Jul 1;54(7):1239-46.

Karras SN, Fakhoury H, Muscogiuri G, Grant WB, van den Ouwehand JM, Colao AM, Kotsa K. Maternal vitamin D levels during pregnancy and neonatal health: evidence to date and clinical implications. *Ther Adv Musculoskelet Dis.* 2016 Aug;8(4):124-35.

Kieviet N, de Groot S, Noppe G, de Rijke YB, van Rossum EF, van den Akker EL, Dolman KM, Honig A. Is poor neonatal adaptation after exposure to antidepressant medication related to fetal cortisol levels? An explorative study. *Early Hum Dev.* 2016 Jul;98:37-43.

Koeneman MM, Heiligers-Duckers C, van der Velde R, Wouda S, de Rooij MJ, Janssen MJ, Boskamp D. Ovarian Leydig cell hyperplasia as a rare cause of hair loss in a postmenopausal female patient: a case report and diagnostic approach toward postmenopausal hyperandrogenism. *Eur J Obstet Gynecol Reprod Biol.* 2016 Apr;199:198-200.

Korevaar TI, Muetzel R, Medici M, Chaker L, Jaddoe VW, de Rijke YB, Steegers EA, Visser TJ, White T, Tiemeier H, Peeters RP. Association of maternal thyroid function during early pregnancy with offspring IQ and brain morphology in childhood: a population-based prospective cohort study. *Lancet Diabetes Endocrinol.* 2016 Jan;4(1):35-43.

Korevaar TI, Steegers EA, Chaker L, Medici M, Jaddoe VW, Visser TJ, de Rijke YB, Peeters RP. The Risk of Preeclampsia According to High Thyroid Function in Pregnancy Differs by hCG Concentration. *J Clin Endocrinol Metab.* 2016 Dec;101(12):5037-5043.

Korevaar TI, Nieboer D, Bisschop PH, Goddijn M, Medici M, Chaker L, de Rijke YB, Jaddoe VW, Visser TJ, Steyerberg EW, Tiemeier H, Vrijkotte TG, Peeters RP. Risk factors and a clinical prediction model for low maternal thyroid function during early pregnancy: two population-based prospective cohort studies. *Clin Endocrinol (Oxf).* 2016 Dec;85(6):902-909.

Luttkholt J, van Norren K, Rijna H, Buijs N, Ankersmit M, Heijboer AC, Gootjes J, Hartmann B, Holst JJ, van Loon LJ, van Leeuwen PA. Jejunal feeding is followed by a greater rise in plasma cholecystokinin, peptide YY, glucagon-like peptide 1, and glucagon-like peptide 2 concentrations compared with gastric feeding in vivo in humans: a randomized trial. *Am J Clin Nutr.* 2016 Feb;103(2):435-43.

Noppe G, de Rijke YB, Koper JW, van Rossum EF, van den Akker EL. Scalp hair 17-hydroxyprogesterone and androstenedione as a long-term therapy monitoring tool in congenital adrenal hyperplasia. *Clin Endocrinol (Oxf).* 2016 Oct;85(4):522-7.

Noppe G, van den Akker EL, de Rijke YB, Koper JW, Jaddoe VW, van Rossum E. Long-term glucocorticoid concentrations as a risk factor for childhood obesity and adverse body-fat distribution. *Int J Obes (Lond).* 2016 Oct;40(10):1503-1509.

Ooms N, van Daal H, Beijers AM, Gerrits GP, Semmekrot BA, van den Ouwehand JM. Time-course analysis of 3-epi-25-hydroxyvitamin D<sub>3</sub> shows markedly elevated levels in early life, particularly from vitamin D supplementation in preterm infants. *Pediatr Res.* 2016 Apr;79(4):647-53.

van Haard PMM, Herbrink P, Schweitzer DH. Differentiation of Paired Human Subcutaneous and Visceral Adipose Tissues by Holistic Proteome Profiling using LC-MS/MS: a Pilot Study. *IJRSB* 2016; 4(7): 32-42.

Quispel R, van Driel LM, Veldt BJ, van Haard PM, Bruno MJ. The utility and yield of endoscopic ultrasonography for suspected choledocholithiasis in common gastroenterology practice. *Eur J Gastroenterol Hepatol.* 2016 Dec;28(12):1473-1476.

Riphagen IJ, Gijsbers L, van Gastel MD, Kema IP, Gansevoort RT, Navis G, Bakker SJ, Geleijnse JM. Effects of potassium supplementation on markers of osmoregulation and volume regulation: results of a fully controlled dietary intervention study. *J Hypertens.* 2016 Feb;34(2):215-20.

Roger T, Schneider A, Weier M, Sweep FC, Le Roy D, Bernhagen J, Calandra T, Giannoni E. High expression levels of macrophage migration inhibitory factor sustain the innate immune responses of neonates. *Proc Natl Acad Sci USA.* 2016 Feb 23;113(8):E997-1005.

Ter Horst KW, Versteeg RI, Gilijamse PW, Ackermans MT, Heijboer AC, Romijn JA, la Fleur SE, Trinko R, DiLeone RJ, Serlie MJ. The vitamin D metabolites 25(OH)D and 1,25(OH)<sub>2</sub>D are not related to either glucose metabolism or insulin action in obese women. *Diabetes Metab.* 2016 Dec;42(6):416-423.

Ter Horst R, Jaeger M, Smeekens SP, Oosting M, Swertz MA, Li Y, Kumar V, Diavatopoulos DA, Jansen AF, Lemmers H, Toenhake-Dijkstra H, van Herwaarden AE, Janssen M, van der Molen RG, Joosten I, Sweep FC, Smit JW, Netea-Maier RT, Koenders MM, Xavier RJ, van der Meer JW, Dinarello CA, Pavelka N, Wijmenga C, Notebaart RA, Joosten LA, Netea MG. Host and Environmental Factors Influencing Individual Human Cytokine Responses. *Cell.* 2016 Nov 3;167(4):1111-1124.e13.

van den Berg SAA, van Thiel SW, Thelen MHM. Updating pregnancy diabetes guidelines: is (y)our laboratory ready? *Clin Chem Lab Med.* 2016 Aug 1;54(8):e225-7.

Van den Ouwendijk JM. Analysis of vitamin D metabolites by liquid chromatography-tandem mass spectrometry. *Trends Anal Chem*. 2016;84:117-30.

Van den Ouwendijk JM, Mol M, Tax L, Beijers T, van Daal H.  $\alpha$ -Methyldopa interference in urinary normetanephrine measurement by LC-MS/MS? *J Applied Lab Med*. 2016;1:321-4.

van der Meijden K, Bakker AD, van Essen HW, Heijboer AC, Schulten EA, Lips P, Bravenboer N. Mechanical loading and the synthesis of 1,25(OH)2D in primary human osteoblasts. *J Steroid Biochem Mol Biol*. 2016 Feb;156:32-9.

van der Meijden K, Bravenboer N, Dirks NF, Heijboer AC, den Heijer M, de Wit GM, Offringa C, Lips P, Jaspers RT. Effects of 1,25(OH)2 D3 and 25(OH)D3 on C2C12 Myoblast Proliferation, Differentiation, and Myotube Hypertrophy. *J Cell Physiol*. 2016 Nov;231(11):2517-28.

van der Voorn B, de Waard M, van Goudoever JB, Rotteveel J, Heijboer AC, Finken MJ. Breast-Milk Cortisol and Cortisone Concentrations Follow the Diurnal Rhythm of Maternal Hypothalamus-Pituitary-Adrenal Axis Activity. *J Nutr*. 2016 Nov;146(11):2174-2179.

Vos XG, Endert E, Zwinderman AH, Tijssen JG, Wiersinga WM. Predicting the Risk of Recurrence Before the Start of Antithyroid Drug Therapy in Patients With Graves Hyperthyroidism. *J Clin Endocrinol Metab*. 2016 Apr;101(4):1381-9.

Wester VL, van der Wulp NR, Koper JW, de Rijke YB, van Rossum EF. Hair cortisol and cortisone are decreased by natural sunlight. *Psychoneuroendocrinology*. 2016 Oct;72:94-6.

Willemse RH, van Leeuwen L, Vooren-van Bergen TA, de Rijke YB, Pijnenburg MW, van den Akker EL. Reproducibility and utility of an overnight 0.25 mg dexamethasone suppression test as a marker for glucocorticoid sensitivity in children with asthma. *J Endocrinol Invest*. 2016 Jan;39(1):93-6.

### Klinisch: Erfelijke stofwisselingsziekten

Berendse K, Engelen M, Ferdinandusse S, Majoie CB, Waterham HR, Vaz FM, Koelman JH, Barth PG, Wanders RJ, Poll-The BT. Zellweger spectrum disorders: clinical manifestations in patients surviving into adulthood. *J Inherit Metab Dis*. 2016 Jan;39(1):93-106.

Berendse K, Klouwer FC, Koot BG, Kemper EM, Ferdinandusse S, Koelfat KV, Lenicek M, Schaap FG, Waterham HR, Vaz FM, Engelen M, Jansen PL, Wanders RJ, Poll-The BT. Cholic acid therapy in Zellweger spectrum disorders. *J Inherit Metab Dis*. 2016 Nov;39(6):859-868.

Bijvoet GP, van der Sijs-Bos CJ, Wielders JP, Groot OA. Fatal hyperammonaemia due to late-onset ornithine transcarbamylase deficiency. *Neth J Med*. 2016 Jan;74(1):36-9.

Boyle L, Wamelink MM, Salomons GS, Roos B, Pop A, Dauber A, Hwa V, Andrew M, Douglas J, Feingold M, Kramer N, Saitta S, Rettner K, Cho MT, Begtrup A, Monaghan KG, Wynn J, Chung WK. Mutations in TKT Are the Cause of a Syndrome Including Short Stature, Developmental Delay, and Congenital Heart Defects. *Am J Hum Genet*. 2016 Jun 2;98(6):1235-42.

Bruinenberg VM, van der Goot E, van Vliet D, de Groot MJ, Mazzola PN, Heiner-Fokkema MR, van Faassen M, van Spronken FJ, van der Zee EA. The Behavioral Consequence of Phenylketonuria in Mice Depends on the Genetic Background. *Front Behav Neurosci*. 2016 Dec 20;10:233.

Dercksen M, Duran M, IJlst L, Kulik W, Ruiter JP, van Cruchten A, Tuchman M, Wanders RJ. A novel UPLC-MS/MS based method to determine the activity of N-acetylglutamate synthase in liver tissue. *Mol Genet Metab*. 2016 Dec;119(4):307-310.

Dercksen M, Kulik W, Mienie LJ, Reinecke CJ, Wanders RJ, Duran M. Polyunsaturated fatty acid status in treated isovaleric acidemia patients. *Eur J Clin Nutr*. 2016 Oct;70(10):1123-1126.

Ferdinandusse S, Ebberink MS, Vaz FM, Waterham HR, Wanders RJ. The important role of biochemical and functional studies in the diagnostics of peroxisomal disorders. *J Inher Metab Dis*. 2016 Jul;39(4):531-43.

Ferri L, Dionisi-Vici C, Taurisano R, Vaz FM, Guerrini R, Morrone A. When silence is noise: infantile-onset Barth syndrome caused by a synonymous substitution affecting TAZ gene transcription. *Clin Genet*. 2016 Nov;90(5):461-465.

Fuijkschot J, Seyger MM, Bastiaans DE, Wevers RA, Roeleveld N, Willemse MA. Zileuton for Pruritus in Sjögren-Larsson Syndrome: A Randomized Double-blind Placebo-controlled Crossover Trial. *Acta Derm Venereol*. 2016 Feb;96(2):255-6.

Girelli D, Nemeth E, Swinkels DW. Hepcidin in the diagnosis of iron disorders. *Blood*. 2016 Jun 9;127(23):2809-13.

Herzog K, Pras-Raves ML, Vervaart MA, Luyf AC, van Kampen AH, Wanders RJ, Waterham HR, Vaz FM. Lipidomic analysis of fibroblasts from Zellweger spectrum disorder patients identifies disease-specific phospholipid ratios. *J Lipid Res*. 2016 Aug;57(8):1447-54.

Houten SM, Violante S, Ventura FV, Wanders RJ. The Biochemistry and Physiology of Mitochondrial Fatty Acid ?-Oxidation and Its Genetic Disorders. *Annu Rev Physiol*. 2016;78:23-44.

Huidekoper HH, Vaz FM, Verrips A, Bosch AM. Hepatotoxicity due to chenodeoxycholic acid supplementation in an infant with cerebrotendinous xanthomatosis: implications for treatment. *Eur J Pediatr.* 2016 Jan;175(1):143-6.

Jaeger B, Abeling NG, Salomons GS, Struys EA, Simas-Mendes M, Geukers VG, Poll-The BT. Pyridoxine responsive epilepsy caused by a novel homozygous PNPO mutation. *Mol Genet Metab Rep.* 2016 Feb 10;6:60-3.

Jansen EE, Vogel KR, Salomons GS, Pearl PL, Roullet JB, Gibson KM. Correlation of blood biomarkers with age informs pathomechanisms in succinic semialdehyde dehydrogenase deficiency (SSADHD), a disorder of GABA metabolism. *J Inherit Metab Dis.* 2016 Nov;39(6):795-800.

Jansen EJ, Timal S, Ryan M, Ashikov A, van Scherpenzeel M, Graham LA, Mandel H, Hoischen A, Iancu TC, Raymond K, Steenbergen G, Gilissen C, Huijben K, van Bakel NH, Maeda Y, Rodenburg RJ, Adamowicz M, Crushell E, Koenen H, Adams D, Vodopitza J, Greber-Platzer S, Müller T, Dueckers G, Morava E, Sykut-Cegielska J, Martens GJ, Wevers RA, Niehues T, Huynen MA, Veltman JA, Stevens TH, Lefeber DJ. ATP6AP1 deficiency causes an immunodeficiency with hepatopathy, cognitive impairment and abnormal protein glycosylation. *Nat Commun.* 2016 May 27;7:11600.

Jansen JC, Cirak S, van Scherpenzeel M, Timal S, Reunert J, Rust S, Pérez B, Vicogne D, Krawitz P, Wada Y, Ashikov A, Pérez-Cerdá C, Medrano C, Arnoldy A, Hoischen A, Huijben K, Steenbergen G, Quelhas D, Diogo L, Rymen D, Jaeken J, Guffon N, Cheillan D, van den Heuvel LP, Maeda Y, Kaiser O, Schara U, Gerner P, van den Boogert MA, Holleboom AG, Nassogne MC, Sokal E, Salomon J, van den Bogaart G, Drenth JP, Huynen MA, Veltman JA, Wevers RA, Morava E, Matthijs G, Foulquier F, Marquardt T, Lefeber DJ. CCDC115 Deficiency Causes a Disorder of Golgi Homeostasis with Abnormal Protein Glycosylation. *Am J Hum Genet.* 2016 Feb 4;98(2):310-21.

Jansen JC, Timal S, van Scherpenzeel M, Michelakakis H, Vicogne D, Ashikov A, Moraitou M, Hoischen A, Huijben K, Steenbergen G, van den Boogert MA, Porta F, Calvo PL, Mavrikou M, Cenacchi G, van den Bogaart G, Salomon J, Holleboom AG, Rodenburg RJ, Drenth JP, Huynen MA, Wevers RA, Morava E, Foulquier F, Veltman JA, Lefeber DJ. TMEM199 Deficiency Is a Disorder of Golgi Homeostasis Characterized by Elevated Aminotransferases, Alkaline Phosphatase, and Cholesterol and Abnormal Glycosylation. *Am J Hum Genet.* 2016 Feb 4;98(2):322-30.

Janssen BH, Lassche S, Hopman MT, Wevers RA, van Engelen BG, Heerschap A. Monitoring creatine and phosphocreatine by C MR spectroscopic imaging during and after C4 creatine loading: a feasibility study. *Amino Acids.* 2016 Aug;48(8):1857-66.

Kemp S, Huffnagel IC, Linthorst GE, Wanders RJ, Engelen M. Adrenoleukodystrophy - neuroendocrine pathogenesis and redefinition of natural history. *Nat Rev Endocrinol.* 2016 Oct;12(10):606-15.

Kevelam SH, Klouwer FC, Fock JM, Salomons GS, Bugiani M, van der Knaap MS. Absent Thalamus Caused by a Homozygous EARS2 Mutation: Expanding Disease Spectrum of LTBL. *Neuropediatrics.* 2016 Jan;47(1):64-7.

Klouwer FC, Huffnagel IC, Ferdinandusse S, Waterham HR, Wanders RJ, Engelen M, Poll-The BT. Clinical and Biochemical Pitfalls in the Diagnosis of Peroxisomal Disorders. *Neuropediatrics.* 2016 Aug;47(4):205-20.

Louro P, Ramos L, Robalo C, Cancelinha C, Dinis A, Veiga R, Pina R, Rebelo O, Pop A, Diogo L, Salomons GS, Garcia P. Phenotyping GABA transaminase deficiency: a case description and literature review. *J Inherit Metab Dis.* 2016 Sep;39(5):743-7.

Lu YW, Galbraith L, Herndon JD, Lu YL, Pras-Raves M, Vervaart M, Van Kampen A, Luyf A, Koehler CM, McCaffery JM, Gottlieb E, Vaz FM, Claypool SM. Defining functional classes of Barth syndrome mutation in humans. *Hum Mol Genet.* 2016 May 1;25(9):1754-70.

Maas RR, Marina AD, de Brouwer AP, Wevers RA, Rodenburg RJ, Wortmann SB. SUCLA2 Deficiency: A Deafness-Dystonia Syndrome with Distinctive Metabolic Findings (Report of a New Patient and Review of the Literature). *JIMD Rep.* 2016;27:27-32.

Martens T, van Gammeren AJ, Huijmans JG, de Man SA. Black discolouration of urine in two young sisters. *J Paediatr Child Health.* 2016 Jun;52(6):680-1.

Mathis D, Abela L, Albersen M, Bürer C, Crowther L, Beese K, Hartmann H, Bok LA, Struys E, Papuc SM, Rauch A, Hersberger M, Verhoeven-Duif NM, Plecko B. The value of plasma vitamin B6 profiles in early onset epileptic encephalopathies. *J Inherit Metab Dis.* 2016 Sep;39(5):733-41.

Medema S, Mocking RJ, Koeter MW, Vaz FM, Meijer C, de Haan L, van Beveren NJ; for GROUPa; aGenetic Risk and Outcome of Psychosis investigators;, Kahn R, de Haan L, van Os J, Wiersma D, Bruggeman R, Cahn W, Meijer C, Myint-Germeyns I. Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. *Schizophr Bull.* 2016 Mar;42(2):358-68.

Mercimek-Mahmutoglu S, Pop A, Kanhai W, Fernandez Ojeda M, Holwerda U, Smith D, Loeber JG, Schielen PC, Salomons GS. A pilot study to estimate incidence of guanidinoacetate methyltransferase deficiency in newborns by direct sequencing of the GAMT gene. *Gene.* 2016 Jan 1;575(1):127-31.

Mierzecka H, Mierzecka-Schmidt M, Salomons GS, Dudzinska M, Szczepanik E. Alexander disease - astrogliopathy considered as leukodystrophy - experience of an institution. *Dev Period Med.* 2016 Apr-Jun;20(2):110-7.

Morava E, Tiemes V, Thiel C, Seta N, de Lonlay P, de Klerk H, Mulder M, Rubio-Gozalbo E, Visser G, van Hasselt P, Horovitz DD, de Souza CF, Schwartz IV, Green A, Al-Owain M, Uziel G, Sigaudy S, Chabrol B, van Spronsen FJ, Steinert M, Komini E, Wurm D, Bevot A, Ayadi A, Huijben K, Dercksen M, Witters P, Jaeken J, Matthijs G, Lefeber DJ, Wevers RA. ALG6-CDG: a recognizable phenotype with epilepsy, proximal muscle weakness, ataxia and behavioral and limb anomalies. *J Inherit Metab Dis.* 2016 Sep;39(5):713-23.

Neerincx AH, Geurts BP, Habets MF, Booij JA, van Loon J, Jansen JJ, Buydens LM, van Ingen J, Mouton JW, Harren FJ, Wevers RA, Merkus PJ, Cristescu SM, Kluijtmans LA. Identification of *Pseudomonas aeruginosa* and *Aspergillus fumigatus* mono- and co-cultures based on volatile biomarker combinations. *J Breath Res.* 2016 Jan 29;10(1):016002.

Neerincx AH, Geurts BP, van Loon J, Tiemes V, Jansen JJ, Harren FJ, Kluijtmans LA, Merkus PJ, Cristescu SM, Buydens LM, Wevers RA. Detection of *Staphylococcus aureus* in cystic fibrosis patients using breath VOC profiles. *J Breath Res.* 2016 Nov 30;10(4):046014.

Potze L, Di Franco S, Grandela C, Pras-Raves ML, Picavet DI, van Veen HA, van Lenthe H, Mullauer FB, van der Wel NN, Luyf A, van Kampen AH, Kemp S, Everts V, Kessler JH, Vaz FM, Medema JP. Betulinic acid induces a novel cell death pathway that depends on cardiolipin modification. *Oncogene.* 2016 Jan 28;35(4):427-37.

Regenboog M, van Kuilenburg AB, Verheij J, Swinkels DW, Hollak CE. Hyperferritinemia and iron metabolism in Gaucher disease: Potential pathophysiological implications. *Blood Rev.* 2016 Nov;30(6):431-437.

Rombout-Sestrienkova E, Koek GH, Neslo R, van Kraaij M, Menheere PP, Mascllee A, Swinkels DW. Course of iron parameters in HFE-hemochromatosis patients during initial treatment with erythrocytapheresis compared to phlebotomy. *J Clin Apher.* 2016 Dec;31(6):564-570.

Sala PR, Ruijter G, Acquaviva C, Chabli A, de Sain-van der Velden MG, Garcia-Villoria J, Heiner-Fokkema MR, Jeannesson-Thivisol E, Leckstrom K, Franzson L, Lynes G, Olesen J, Onkenhout W, Petrou P, Drousiotou A, Ribes A, Vianey-Saban C, Merinero B. Pilot Experience with an External Quality Assurance Scheme for Acylcarnitines in Plasma/Serum. *JIMD Rep.* 2016;30:23-31.

Santra S, Cameron JM, Shyr C, Zhang L, Drögemöller B, Ross CJ, Wasserman WW, Wevers RA, Rodenburg RJ, Gupte G, Preece MA, van Karnebeek CD. Cytosolic phosphoenolpyruvate carboxykinase deficiency presenting with acute liver failure following gastroenteritis. *Mol Genet Metab.* 2016 May;118(1):21-7.

Sass JO, Vaithilingam J, Gemperle-Britschgi C, Delnooz CC, Kluijtmans LA, van de Warrenburg BP, Wevers RA. Expanding the phenotype in aminoacylase 1 (ACY1) deficiency: characterization of the molecular defect in a 63-year-old woman with generalized dystonia. *Metab Brain Dis.* 2016 Jun;31(3):587-92.

Schackmann MJ, Ofman R, van Geel BM, Dijkstra IM, van Engelen K, Wanders RJ, Engelen M, Kemp S. Pathogenicity of novel ABCD1 variants: The need for biochemical testing in the era of advanced genetics. *Mol Genet Metab.* 2016 Jun;118(2):123-7.

Schooneman MG, Houtkooper RH, Hollak CE, Wanders RJ, Vaz FM, Soeters MR, Houten SM. The impact of altered carnitine availability on acylcarnitine metabolism, energy expenditure and glucose tolerance in diet-induced obese mice. *Biochim Biophys Acta.* 2016 Aug;1862(8):1375-82.

Taher M, Leen WG, Wevers RA, Willemse MA. Lactate and its many faces. *Eur J Paediatr Neurol.* 2016 Jan;20(1):3-10.

Tarailo-Graovac M, Shyr C, Ross CJ, Horvath GA, Salvarinova R, Ye XC, Zhang LH, Bhavsar AP, Lee JJ, Drögemöller BI, Abdelsayed M, Alfadhel M, Armstrong L, Baumgartner MR, Burda P, Connolly MB, Cameron J, Demos M, Dewan T, Dionne J, Evans AM, Friedman JM, Garber I(1), Lewis S, Ling J, Mandal R, Mattman A, McKinnon M, Michoulas A, Metzger D, Ogunbayo OA, Rakic B, Rozmus J, Ruben P, Sayson B, Santra S, Schultz KR, Selby K, Shekel P, Sirrs S, Skrypnyk C, Superti-Furga A, Turvey SE, Van Allen MI, Wishart D, Wu J, Wu J, Zafeiriou D, Kluijtmans L, Wevers RA, Eydoux P, Lehman AM, Vallance H, Stockler-Ipsiroglu S, Sinclair G, Wasserman WW, van Karnebeek CD. Exome Sequencing and the Management of Neurometabolic Disorders. *N Engl J Med.* 2016 Jun 9;374(23):2246-55.

Thiels C, Fleger M, Huemer M, Rodenburg RJ, Vaz FM, Houtkooper RH, Haack TB, Prokisch H, Feichtinger RG, Lücke T, Mayr JA, Wortmann SB. Atypical Clinical Presentations of TAZ Mutations: An Underdiagnosed Cause of Growth Retardation? *JIMD Rep.* 2016;29:89-93.

Thompson WR, DeCroes B, McClellan R, Rubens J, Vaz FM, Kristaponis K, Avramopoulos D, Vernon HJ. New targets for monitoring and therapy in Barth syndrome. *Genet Med.* 2016 Oct;18(10):1001-10.

Thurm A, Himelstein D, D'Souza P, Rennert O, Jiang S, Olatunji D, Longo N, Pasquali M, Swedo S, Salomons GS, Carrillo N. Creatine Transporter Deficiency: Screening of Males with Neurodevelopmental Disorders and Neurocognitive Characterization of a Case. *J Dev Behav Pediatr.* 2016 May;37(4):322-6.

Tuschl K, Clayton PT, Gospe SM Jr, Gulab S, Ibrahim S, Singhi P, Aulakh R, Ribeiro RT, Barsottini OG, Zaki MS, Del Rosario ML, Dyack S, Price V, Rideout A, Gordon K, Wevers RA, Chong WK, Mills PB. Syndrome of Hepatic Cirrhosis, Dystonia, Polycythemia, and Hypermanganesemia Caused by Mutations in SLC30A10, a Manganese Transporter in Man. *Am J Hum Genet.* 2016 Aug 4;99(2):521.

van de Beek MC, Dijkstra IM, van Lenthe H, Ofman R, Goldhaber-Pasillas D, Schauer N, Schackmann M, Engelen-Lee JY, Vaz FM, Kulik W, Wanders RJ, Engelen M, Kemp S. C26:0-Carnitine Is a New Biomarker for X-Linked Adrenoleukodystrophy in Mice and Man. *PLoS One.* 2016 Apr 28;11(4):e0154597.

van Engen CE, Ofman R, Dijkstra IM, van Goethem TJ, Verheij E, Varin J, Vidaud M, Wanders RJ, Aubourg P, Kemp S, Barbier M. CYP4F2 affects phenotypic outcome in adrenoleukodystrophy by modulating the clearance of very long-chain fatty acids. *Biochim Biophys Acta.* 2016 Oct;1862(10):1861-70.

van Eunen K, Volker-Touw CM, Gerding A, Bleeker A, Wolters JC, van Rijt WJ(5), Martines AM, Niezen-Koning KE, Heiner RM, Permentier H, Groen AK, Reijngoud DJ, Derkx TG, Bakker BM. Living on the edge: substrate competition explains loss of robustness in mitochondrial fatty-acid oxidation disorders. *BMC Biol.* 2016 Dec 7;14(1):107.

van Karnebeek CD, Bonafé L, Wen XY, Tarailo-Graovac M, Balzano S, Royer-Bertrand B, Ashikov A, Garavelli L, Mammi I, Turolla L, Breen C, Donnai D, Cormier V, Heron D, Nishimura G(, Uchikawa S, Campos-Xavier B, Rossi A, Hennet T, Brand-Arzamendi K, Rozmus J, Harshman K, Stevenson BJ, Girardi E, Superti-Furga G, Dewan T, Collingridge A, Halparin J, Ross CJ, Van Allen MI, Rossi A, Engelke UF, Kluijtmans LA, van der Heeft E, Renkema H, de Brouwer A, Huijben K, Zijlstra F, Heisse T, Boltje T, Wasserman WW, Rivolta C, Unger S, Lefeber DJ, Wevers RA, Superti-Furga A. NANS-mediated synthesis of sialic acid is required for brain and skeletal development. *Nat Genet.* 2016 Jul;48(7):777-84.

van Rappard DF, Bugiani M, Boelens JJ, van der Steeg AF, Daams F, de Meij TG, van Doorn MM, van Hasselt PM, Gouma DJ, Verbeke JI, Hollak CE, van Hecke W, Salomons GS, van der Knaap MS, Wolf NI. Gallbladder and the risk of polyps and carcinoma in metachromatic leukodystrophy. *Neurology.* 2016 Jul 5;87(1):103-11.

van Rijt WJ, Jager EA, van Spronsen FJ, de Koning T, Heiner-Fokkema MR, Derkx TG. Neonates at risk of medium-chain acyl-CoA dehydrogenase deficiency: a perinatal protocol for use before population neonatal screening test results become available. *Genet Med.* 2016 Dec;18(12):1322-1323.

van Rijt WJ, Koolhaas GD, Bekhof J, Heiner Fokkema MR, de Koning TJ, Visser G, Schielen PC, van Spronsen FJ, Derkx TG. Inborn Errors of Metabolism That Cause Sudden Infant Death: A Systematic Review with Implications for Population Neonatal Screening Programmes. *Neonatology.* 2016;109(4):297-302.

van Roermund CW, Schroers MG, Wiese J, Facchinelli F, Kurz S, Wilkinson S, Charton L, Wanders RJ, Waterham HR, Weber AP, Link N. The Peroxisomal NAD Carrier from Arabidopsis Imports NAD in Exchange with AMP. *Plant Physiol.* 2016 Jul;171(3):2127-39.

van Vliet D, Bruinenberg VM, Mazzola PN, van Faassen MH, de Blaauw P, Pascucci T, Puglisi-Allegra S, Kema IP, Heiner-Fokkema MR, van der Zee EA, van Spronsen FJ. Therapeutic brain modulation with targeted large neutral amino acid supplements in the Pah-enu2 phenylketonuria mouse model. *Am J Clin Nutr.* 2016 Nov;104(5):1292-1300.

van Zutphen T, Ciapaite J, Bloks VW, Ackereley C, Gerding A, Jurdzinski A, de Moraes RA, Zhang L, Wolters JC, Bischoff R, Wanders RJ, Houten SM, Bronte-Tinkew D, Shatseva T, Lewis GF(8), Groen AK, Reijngoud DJ, Bakker BM, Jonker JW, Kim PK, Bandsma RH. Malnutrition-associated liver steatosis and ATP depletion is caused by peroxisomal and mitochondrial dysfunction. *J Hepatol.* 2016 Dec;65(6):1198-1208.

Vanclooster A, Wollersheim H, Vanhaecht K, Swinkels D, Aertgeerts B, Cassiman D; Haemochromatosis working group. Key-interventions derived from three evidence based guidelines for management and follow-up of patients with HFE haemochromatosis. *BMC Health Serv Res.* 2016 Oct 13;16(1):573.

Wanders RJ, Waterham HR, Ferdinandusse S. Metabolic Interplay between Peroxisomes and Other Subcellular Organelles Including Mitochondria and the Endoplasmic Reticulum. *Front Cell Dev Biol.* 2016 Jan 28;3:83.

Wang F, Travins J, Lin Z, Si Y, Chen Y, Powe J, Murray S, Zhu D, Artin E, Gross S, Santiago S, Steadman M, Kernytsky A, Straley K, Lu C, Pop A, Struys EA, Jansen EE, Salomons GS, David MD, Quivoron C, Penard-Lacronique V, Regan KS, Liu W, Dang L, Yang H, Silverman L, Agresta S, Dorsch M, Biller S, Yen K, Cang Y, Su SM, Jin S. A small molecule inhibitor of mutant IDH2 rescues cardiomyopathy in a D-2-hydroxyglutaric aciduria type II mouse model. *J Inher Metab Dis.* 2016 Nov;39(6):807-820.

Wiseman DH, Williams EL, Wilks DP, Sun Leong H, Somerville TD, Dennis MW, Struys EA, Bakkali A, Salomons GS, Somervaille TC. Frequent reconstitution of IDH2(R140Q) mutant clonal multilineage hematopoiesis following chemotherapy for acute myeloid leukemia. *Leukemia*. 2016 Sep;30(9):1946-50.

Witters P, Régal L, Waterham HR, De Meirlier L, Wanders RJ, Morava E. Normal cognitive outcome in a PEX6 deficient girl despite neonatal multisystem presentation. *Am J Med Genet A*. 2016 Jun;170(6):1642-6.

Zhang L, Voskuijl W, Mouzaki M, Groen AK, Alexander J, Bourdon C, Wang A, Versloot CJ, Di Giovanni V, Wanders RJ, Bandsma R. Impaired Bile Acid Homeostasis in Children with Severe Acute Malnutrition. *PLoS One*. 2016 May 10;11(5):e0155143.

#### Klinisch: Gynaecologie/obstetrie/perinatologie

Bongers-Schokking JJ, Resing WC, Oostdijk W, de Rijke YB, de Muinck Keizer-Schrama SM. Individualized treatment to optimize eventual cognitive outcome in congenital hypothyroidism. *Pediatr Res*. 2016 Dec;80(6):816-823.

Broen K, Schiffelers C, Winkens B, Schmitz R, Sprengers O, ten Kate J, Gondrie E. IUI uitkomst na ovariële stimulatie met urinair of recombinant FSH in koppels met verschillende oorzaken van subfertiliteit. *NTOG*. 2016;3:129.

Bruijn MM, Kamphuis EI, Hoesli IM, Martinez de Tejada B, Loccuif AR, Kühnert M, Helmer H, Franz M, Porath MM, Oudijk MA, Jacquemyn Y, Schulzke SM, Vetter G, Hoste G, Vis JY, Kok M, Mol BW, van Baaren GJ. The predictive value of quantitative fibronectin testing in combination with cervical length measurement in symptomatic women. *Am J Obstet Gynecol*. 2016 Dec;215(6):793.e1-793.e8.

Bruijn MM, Vis JY, Wilms FF, Oudijk MA, Kwee A, Porath MM, Oei G, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Haak MC, Bolte AC, Vandenbussche FP, Woiski MD, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvank BW, van Eyck J, Franssen MT, Sollie KM, van der Post JA, Bossuyt PM, Opmeer BC, Kok M, Mol BW, van Baaren GJ. Comparison of the Actim Partus test and the fetal fibronectin test in the prediction of spontaneous preterm birth in symptomatic women undergoing cervical length measurement. *Eur J Obstet Gynecol Reprod Biol*. 2016 Nov;206:220-224.

Daan NM, Muka T, Koster MP, Roeters van Lennep JE, Lambalk CB, Laven JS, Fauser CG, Meun C, de Rijke YB, Boersma E, Franco OH, Kavousi M, Fauser BC. Cardiovascular Risk in Women With Premature Ovarian Insufficiency Compared to Premenopausal Women at Middle Age. *J Clin Endocrinol Metab*. 2016 Sep;101(9):3306-15.

de Wit L, Kusters E, van Rossum AP, van Wijngaarden WJ. Ferritine bij ijzergebreksanemie in de zwangerschap: hoe laag is té laag? *NTOG*. 2016;2:80-3.

Kleijkers SH, van Montfoort AP, Bekers O, Coonen E, Derhaag JG, Evers JL, Dumoulin JC. Ammonium accumulation in commercially available embryo culture media and protein supplements during storage at 2-8°C and during incubation at 37°C. *Hum Reprod*. 2016 Jun;31(6):1192-9.

Korevaar TI, Chaker L, Medici M, de Rijke YB, Jaddoe VW, Steegers EA, Tiemeier H, Visser TJ, Peeters RP. Maternal total T4 during the first half of pregnancy: physiologic aspects and the risk of adverse outcomes in comparison with free T4. *Clin Endocrinol (Oxf)*. 2016 Nov;85(5):757-763.

Lemmens L, Kos S, Beijer C, Brinkman JW, van der Horst FA, van den Hoven L, Kieslinger DC, van Trooyen-van Vrouwerff NJ, Wolthuis A, Hendriks JC, Wetzel AM; Semen Section of the Dutch Foundation for Quality Assessment in Medical Laboratories. Predictive value of sperm morphology and progressively motile sperm count for pregnancy outcomes in intrauterine insemination. *Fertil Steril*. 2016 Jun;105(6):1462-8.

Matic M, van den Bosch GE, de Wildt SN, Tibboel D, van Schaik RH. Genetic variants associated with thermal pain sensitivity in a paediatric population. *Pain*. 2016 Nov;157(11):2476-2482.

Roos C, Vis JY, Scheepers HC, Bloemenkamp KW, Duvekot HJ, van Eyck J, de Groot C, Kok JH, Opmeer BC, Oudijk MA, Papatsionis DN, Porath MM, Sollie K, Spaanderman ME, Lotgering FK, van der Post JA, Mol BW. Fetal fibronectin status and cervical length in women with threatened preterm labor and the effectiveness of maintenance tocolysis. *J Matern Fetal Neonatal Med*. 2016;29(10):1556-61.

Schindhelm RK, Hoogenberg J, de Vos MT, Tegelaers FP. Analytical performance of quantitative fetal fibronectin assay. *Ultrasound Obstet Gynecol*. 2016 Jan;47(1):127.

Wilms FF, Vis JY, Oudijk MA, Kwee A, Porath MM, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Bolte AC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvank BW, Eijck JV, Franssen MT(9), Sollie KM(9), Vandenbussche FP, Woiski MD, van der Post JA, Bossuyt PM, Opmeer BC, Mol BW, van Baaren GJ. The impact of fetal gender and ethnicity on the risk of spontaneous preterm delivery in women with symptoms of preterm labor. *J Matern Fetal Neonatal Med*. 2016 Nov;29(21):3563-9.

## Klinisch: Hart- en vaatziekten

Cardinaels EP, Altintas S, Versteylen MO, Joosen IA, Jellema LJ, Wildberger JE, Das M, Crijns HJ, Bekers O, van Dieijen-Visser MP, Ketselaer BL, Mingels AM. High-Sensitivity Cardiac Troponin Concentrations in Patients with Chest Discomfort: Is It the Heart or the Kidneys As Well? *PLoS One.* 2016 Apr 20;11(4):e0153300.

Eikendal AL, Blomberg BA, Haaring C, Saam T, van der Geest RJ, Visser F, Bots ML, den Ruijter HM, Hoefer IE, Leiner T. 3D black blood VISTA vessel wall cardiovascular magnetic resonance of the thoracic aorta wall in young, healthy adults: reproducibility and implications for efficacy trial sample sizes: a cross-sectional study. *J Cardiovasc Magn Reson.* 2016 Apr 14;18:20.

Eikendal AL, Bots ML, Haaring C, Saam T, van der Geest RJ, Westenberg JJ, den Ruijter HM, Hoefer IE, Leiner T. Reference Values for Cardiac and Aortic Magnetic Resonance Imaging in Healthy, Young Caucasian Adults. *PLoS One.* 2016 Oct 12;11(10):e0164480.

Eindhoven JA, van den Bosch AE, Oemrawsingh RM, Baggen VJ, Kardys I, Cuypers JA, Witsenburg M, van Schaik RH, Roos-Hesselink JW, Boersma E. Release of growth-differentiation factor 15 and associations with cardiac function in adult patients with congenital heart disease. *Int J Cardiol.* 2016 Jan 1;202:246-51.

Gijsberts CM, Ellenbroek GH, Ten Berg MJ, Huisman A, van Solinge WW, Asselbergs FW, den Ruijter HM, Pasterkamp G, de Kleijn DP, Hoefer IE. Routinely analyzed leukocyte characteristics improve prediction of mortality after coronary angiography. *Eur J Prev Cardiol.* 2016 Jul;23(11):1211-20.

Gijsberts CM, Seneviratna A, Bank IE, den Ruijter HM, Asselbergs FW, Agostoni P, Remijn JA, Pasterkamp G, Kiat HC, Roest M, Richards AM, Chan MY, de Kleijn DP, Hoefer IE. The ethnicity-specific association of biomarkers with the angiographic severity of coronary artery disease. *Neth Heart J.* 2016 Mar;24(3):188-98.

Goorden SM, van Engelen RA, Wong LS, van der Ploeg T, Verdel GJ, Buijs MM. A novel troponin I rule-out value below the upper reference limit for acute myocardial infarction. *Heart.* 2016 Nov 1;102(21):1721-1727.

Helgadottir A, Gretarsdottir S, Thorleifsson G, Hjartarson E, Sigurdsson A, Magnusdottir A, Jonasdottir A, Kristjansson H, Sulem P, Oddsson A, Sveinbjornsson G, Steinhorsdottir V, Rafnar T, Masson G, Jonsdottir I, Olafsson I, Eyjolfsson GI, Sigurdardottir O, Daneshpour MS, Khalili D, Azizi F, Swinkels DW, Kiemeney L, Quyyumi AA, Levey AI, Patel RS, Hayek SS, Gudmundsdottir IJ, Thorgeirsson G, Thorsteinsdottir U, Gudbjartsson DF, Holm H, Stefansson K. Variants with large effects on blood

lipids and the role of cholesterol and triglycerides in coronary disease. *Nat Genet.* 2016 Jun;48(6):634-9.

Huskens D, Roest M, Remijn JA, Konings J, Kremers RM, Bloemen S, Schurgers E, Selmechi A, Kelchtermans H, van Meel R, Meex SJ, Kleinegris MC, de Groot PG, Urbanus RT, Ninivaggi M, de Laat B. Strenuous exercise induces a hyperreactive rebalanced haemostatic state that is more pronounced in men. *Thromb Haemost.* 2016 Jun 2;115(6):1109-19.

Klinkenberg LJ, Wildi K, van der Linden N, Kouw IW, Niens M, Twerenbold R, Rubini Gimenez M, Puelacher C, Daniel Neuhaus J, Hillinger P, Nestelberger T, Boeddinghaus J, Grimm K, Sabti Z, Bons JA, van Suijlen JD, Tan FE, Ten Kate J, Bekers O, van Loon LJ, van Dieijen-Visser MP, Mueller C, Meex SJ. Diurnal Rhythm of Cardiac Troponin: Consequences for the Diagnosis of Acute Myocardial Infarction. *Clin Chem.* 2016 Dec;62(12):1602-1611.

Kusters E, Beishuizen ED Lipidenprofiel: wel of niet nuchter bloed laten afnemen? *Focus Vasculair.* 2016;4.

Leunissen TC, Gijsberts CM, Wisman PP, Huisman A, Berg MT, Asselbergs FW, Hoefer IE, Pasterkamp G, Moll FL, de Borst GJ, Roest M. Lower Platelet Reactivity Is Associated with Presentation of Unstable Coronary Artery Disease. *Int J Angiol.* 2016 Dec;25(4):210-218.

Leunissen TC, Janssen PW, Ten Berg JM, Moll FL, Korporaal SJ, de Borst GJ, Pasterkamp G, Urbanus RT. The use of platelet reactivity testing in patients on antiplatelet therapy for prediction of bleeding events after cardiac surgery. *Vascul Pharmacol.* 2016 Feb;77:19-27.

Marsch E, Demandt JA, Theelen TL, Tullemans BM, Wouters K, Boon MR, van Dijk TH, Gijbels MJ, Dubois LJ, Meex SJ, Mazzone M, Hung G, Fisher EA, Biessen EA, Daemen MJ, Rensen PC, Carmeliet P, Groen AK, Sluimer JC. Deficiency of the oxygen sensor prolyl hydroxylase 1 attenuates hypercholesterolaemia, atherosclerosis, and hyperglycaemia. *Eur Heart J.* 2016 Oct 14;37(39):2993-2997.

Nordestgaard BG, Langsted A, Mora S, Kolovou G, Baum H, Bruckert E, Watts GF, Sypniewska G, Wiklund O, Borén J, Chapman MJ, Cobbaert C, Descamps OS, von Eckardstein A, Kamstrup PR, Pulkki K, Kronenberg F, Remaley AT, Rifai N, Ros E, Langlois M; European Atherosclerosis Society (EAS) and the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) Joint Consensus Initiative. Fasting Is Not Routinely Required for Determination of a Lipid Profile: Clinical and Laboratory Implications Including Flagging at Desirable Concentration Cutpoints *Clin Chem.* 2016 Jul;62(7):930-46.

Oemrawsingh RM, Cheng JM, García-García HM, Kardys I, van Schaik RH, Regar E, van Geuns RJ, Serruys PW, Boersma E, Akkerhuis KM. High-sensitivity Troponin T in relation to coronary plaque characteristics in patients with stable coronary artery disease; results of the ATHEROREMO-IVUS study. *Atherosclerosis*. 2016 Apr;247:135-41.

Oemrawsingh RM, Akkerhuis KM, Umans VA, Kietselaer B, Schotborgh C, Ronner E, Lenderink T, Liem A, Haitsma D, van der Harst P, Asselbergs FW, Maas A, Oude Ophuis AJ, Ilmer B, Dijkgraaf R, de Winter RJ, The SH, Wardeh AJ, Hermans W, Cramer E, van Schaik RH, Hoefer IE, Doevedans PA, Simoons ML, Boersma E. Cohort profile of BIOMArCS: the BIOMarker study to identify the Acute risk of a Coronary Syndrome-a prospective multicentre biomarker study conducted in the Netherlands. *BMJ Open*. 2016 Dec 23;6(12):e012929.

Peeters FE, Van der Linden N, Thomassen AL, Crijns HJ, Meex SJ, Kietselaer BL. Clinical and echocardiographic determinants in bicuspid aortic dilatation: Results from a longitudinal observational study. *Medicine (Baltimore)*. 2016 Dec;95(52):e5699.

Rettig TC, Verwijmeren L, Dijkstra IM, Boerma D, van de Garde EM, Noordzij PG. Postoperative Interleukin-6 Level and Early Detection of Complications After Elective Major Abdominal Surgery. *Ann Surg*. 2016 Jun;263(6):1207-12.

Streng AS, de Boer D, van Doorn WP, Kocken JM, Bekers O, Wodzig WK. Cardiac troponin T degradation in serum is catalysed by human thrombin. *Biochem Biophys Res Commun*. 2016 Dec 2;481(1-2):165-168.

van der Linden N, Cornelis T, Klinkenberg LJ, Kimenai DM, Hilderink JM, Litjens EJ, Kooman JP, Bekers O, van Diejen-Visser MP, Meex SJ. Strong diurnal rhythm of troponin T, but not troponin I, in a patient with renal dysfunction. *Int J Cardiol*. 2016 Oct 15;221:287-8.

van der Linden N, Klinkenberg LJ, Bekers O, Loon LJ, Diejen-Visser MP, Zeegers MP, Meex SJ. Prognostic value of basal high-sensitive cardiac troponin levels on mortality in the general population: A meta-analysis. *Medicine (Baltimore)*. 2016 Dec;95(52):e5703.

van der Velde AR, Meijers WC, Ho JE, Brouwers FP, Rienstra M, Bakker SJ, Muller Kobold AC, van Veldhuisen DJ, van Gilst WH, van der Harst P, de Boer RA. Serial galectin-3 and future cardiovascular disease in the general population. *Heart*. 2016 Jul 15;102(14):1134-41.

van Dijk SC, Enneman AW, Swart KM, van Wijngaarden JP, Ham AC, de Jonge R, Blom HJ, Feskens EJ, Geleijnse JM, van Schoor NM, Dhonukshe-Rutten RA, de Jongh RT, Lips P, de Groot LC, Uitterlinden AG, van den Meiracker TH, Mattace-Raso FU, van

der Velde N, Smulders YM. Effect of vitamin B12 and folic acid supplementation on biomarkers of endothelial function and inflammation among elderly individuals with hyperhomocysteinemia. *Vasc Med*. 2016 Apr;21(2):91-8.

van Gulik L, Ahlers S, van Dijk M, Bruins P, Meima ME, de Rijke YB, Biemond-Moeniralam HS, Tibboel D, Knibbe C. Procedural pain does not raise plasma levels of cortisol or catecholamines in adult intensive care patients after cardiac surgery. *Anaesth Intensive Care*. 2016 Jan;44(1):52-6.

van Horssen P, van Lier MG, van den Wijngaard JP, VanBavel E, Hoefer IE, Spaan JA, Siebes M. Influence of segmented vessel size due to limited imaging resolution on coronary hyperemic flow prediction from arterial crown volume. *Am J Physiol Heart Circ Physiol*. 2016 Apr 1;310(7):H839-46.

van Riet EE, Hoes AW, Limburg A, Landman MA, Kemperman H, Rutten FH. Extended prediction rule to optimise early detection of heart failure in older persons with non-acute shortness of breath: a cross-sectional study. *BMJ Open*. 2016 Feb 15;6(2):e008225.

Wens SC, Schaaf GJ, Michels M, Kruijshaar ME, van Gestel TJ, in 't Groen S, Pijnenburg J, Dekkers DH, Demmers JA, Verdijk LB, Brusse E, van Schaik RH, van der Ploeg AT, van Doorn PA, Pijnappel WW. Elevated Plasma Cardiac Troponin T Levels Caused by Skeletal Muscle Damage in Pompe Disease. *Circ Cardiovasc Genet*. 2016 Feb;9(1):6-13.

Wijermars LG, Schaapherder AF, de Vries DK, Verschuren L, Wüst RC, Kostidis S, Mayboroda OA, Prins F, Ringers J, Bierau J, Bakker JA, Kooistra T, Lindeman JH. Defective postreperfusion metabolic recovery directly associates with incident delayed graft function. *Kidney Int*. 2016 Jul;90(1):181-91.

### Klinisch: Hematologie

Badenhorst CE, Dawson B, Cox GR, Sim M, Laarakkers CM, Swinkels DW, Peeling P. Seven days of high carbohydrate ingestion does not attenuate post-exercise IL-6 and hepcidin levels. *Eur J Appl Physiol*. 2016 Sep;116(9):1715-24.

Bots M, Grouw EP de, Rooyen-Schreuers IH van, Akker GJ van den, Sturk A, Klinkspoor JH, Zeerleder SS. Strategies to reduce wastage of red blood cell units. *Vox Sang*. 2016;110:143-9.

Boyce M, Warrington S, Cortezi B, Zöllner S, Vauléon S, Swinkels DW, Summo L, Schwoebel F, Riecke K. Safety, pharmacokinetics and pharmacodynamics of the anti-hepcidin Spiegelmer lexaptepid pegol in healthy subjects. *Br J Pharmacol*. 2016 May;173(10):1580-8.

Donker AE, Schaap CC, Novotny VM, Smeets R, Peters TM, van den Heuvel BL, Raphael MF, Rijneveld AW, Appel IM, Vlot AJ, Versluijs AB, van Gelder M, Granzen B, Janssen MC, Rennings AJ, van de Veerdonk FL, Brons P, Bakkeren DL, Nijziel MR, Vlasveld LT, Swinkels DW. Iron refractory iron deficiency anemia: a heterogeneous disease that is not always iron refractory. *Am J Hematol.* 2016 Dec;91(12):E482-E490.

Evers D, van der Bom JG, Tijmensen J, Middelburg RA, de Haas M, Zalpuri S, de Vooght KM, van de Kerkhof D, Visser O, Péquériaux NC, Hudig F, Zwaginga JJ. Red cell alloimmunisation in patients with different types of infections. *Br J Haematol.* 2016 Dec;175(5):956-966.

Elsenberg EH, Tromp-Van Driel SC, Van der Spek AC, Schindhelm RK. Wisselende trombocyten-en leukocytenaantallen bij een patiënt met polycythaemia vera kort na het starten van de behandeling met hydroxycarbamide. *Ned Tijdschr Hematol.* 2016;13(1):25-29.

Galesloot TE, Verweij N, Traglia M, Barbieri C, van Dijk F, Geurts-Moespot AJ, Girelli D, Kiemeney LA, Sweep FC, Swertz MA, van der Meer P, Camaschella C, Toniolo D, Vermeulen SH, van der Harst P, Swinkels DW. Meta-GWAS and Meta-Analysis of Exome Array Studies Do Not Reveal Genetic Determinants of Serum Hepcidin. *PLoS One.* 2016 Nov 15;11(11)

Hoffmann JJ, Urrechaga E, Aguirre U. Discriminant indices for distinguishing thalassemia and iron deficiency in patients with microcytic anemia: a reply. *Clin Chem Lab Med.* 2016 Apr 1;54(4):e107-8.

Homan J, Ruinemans-Koerts J, Aarts EO, Janssen IM, Berends FJ, de Boer H. Management of vitamin K deficiency after biliopancreatic diversion with or without duodenal switch. *Surg Obes Relat Dis.* 2016 Feb;12(2):338-44.

Huijskens MJ, Wodzig WK, Walczak M, Germeraad WT, Bos GM. Ascorbic acid serum levels are reduced in patients with hematological malignancies. *Results Immunol.* 2016 Jan 12;6:8-10.

Loeffen R, van Oerle R, Leers MP, Kragten JA, Crijns H, Spronk HM, Ten Cate H. Factor XIa and Thrombin Generation Are Elevated in Patients with Acute Coronary Syndrome and Predict Recurrent Cardiovascular Events. *PLoS One.* 2016 Jul 15;11(7):e0158355.

Nieuwenhuizen L, Schutgens RE, Coeleveld K, Mastbergen SC, Schiffelers RM, Roosendaal G, Biesma DH, Lafeber FP. Silencing of protease-activated receptors attenuates synovitis and cartilage damage following a joint bleed in haemophilic mice. *Haemophilia.* 2016 Jan;22(1):152-9.

Satchwell TJ, Bell AJ, Hawley BR, Pellegrin S, Mordue KE, van Deursen CT, Braak NH, Huls G, Leers MP, Overwater E, Tamminga RY, van der Zwaag B, Fermo E, Bianchi P, van Wijk R, Toye AM. Severe Ankyrin-R deficiency results in impaired surface retention and lysosomal degradation of RhAG in human erythroblasts. *Haematologica.* 2016 Sep;101(9):1018-27.

Schmidt-Hieltjes Y, Elshof C, Roovers L, Ruinemans-Koerts J. Diagnostic reference range of  $\kappa/\lambda$  free light chain ratio to screen for Bence Jones proteinuria is not significantly influenced by GFR. *Eur J Haematol.* 2016 May;96(5):527-31.

Schonewille H, Honohan Á, van der Watering LM, Hudig F(3), Te Boekhorst PA, Koopman-van Gemert AW, Brand A. Incidence of alloantibody formation after ABO-D or extended matched red blood cell transfusions: a randomized trial (MATCH study). *Transfusion.* 2016 Feb;56(2):311-20.

Sins JW, Biemond BJ, van den Bersselaar SM, Heijboer H, Rijneveld AW, Cnossen MH, Kerkhoffs JL, van Meurs AH, von Ronnen FB, Zalpuri S, de Rijke YB, Ellen van der Schoot C, de Haas M, van der Bom JG, Fijnvandraat K. Early occurrence of red blood cell alloimmunization in patients with sickle cell disease. *Am J Hematol.* 2016 Aug;91(8):763-9.

Urrechaga U, Boveda O, Hoffmann JJML. Red cell cytogram in CELL-DYN® Sapphire: a ready-to-use function for recognizing thalassemia trait. *Thalassemia Reports.* 2016;6(1):5260

van Gammeren AJ, Haneveer MM, Slappendel R. Reduction of red blood cell transfusions by implementation of a concise pretransfusion checklist. *Transfus Med.* 2016 Apr;26(2):99-103.

### Klinisch: Interne geneeskunde

Adema AY, van Ittersum FJ, Hoenderop JG, de Borst MH, Nanayakkara PW, Ter Wee PM, Heijboer AC, Vervloet MG; NIGRAM consortium. Reduction of Oxidative Stress in Chronic Kidney Disease Does Not Increase Circulating  $\alpha$ -Klotho Concentrations. *PLoS One.* 2016 Jan 25;11(1):e0144121.

Bastian OW, Kuijper A, Koenderman L, Stellato RK, van Solinge WW, Leenen LP, Blokhuis TJ. Impaired bone healing in multitrauma patients is associated with altered leukocyte kinetics after major trauma. *J Inflamm Res.* 2016 May 18;9:69-78.

Blonk MI, Langemeijer CC, Colbers AP, Hoogtanders KE, van Schaik RH, Schouwenberg BJ, Burger DM. Pharmacokinetic drug-drug interaction study between raltegravir and citalopram. *Antivir Ther.* 2016;21(2):143-52.

de Kruif M, Stolk L, Zillikens MC, de Rijke YB, Bierma-Zeinstra SM, Hofman A, Huygen FJ, Uitterlinden AG, van Meurs JB. Lower sex hormone levels are associated with more chronic musculoskeletal pain in community-dwelling elderly women. *Pain*. 2016 Jul;157(7):1425-31.

Dekkers JF, Berkers G, Kruisselbrink E, Vonk A, de Jonge HR, Janssens HM, Bronsveld I, van de Graaf EA, Nieuwenhuis EE, Houwen RH, Vleggaar FP, Escher JC, de Rijke YB, Majoor CJ, Heijerman HG, de Winter-de Groot KM, Clevers H, van der Ent CK, Beekman JM. Characterizing responses to CFTR-modulating drugs using rectal organoids derived from subjects with cystic fibrosis. *Sci Transl Med*. 2016 Jun 22;8(344):344ra84.

Elens L, Norman E, Matic M, Rane A, Fellman V, van Schaik RH. Genetic Predisposition to Poor Opioid Response in Preterm Infants: Impact of KCNJ6 and COMT Polymorphisms on Pain Relief After Endotracheal Intubation. *Ther Drug Monit*. 2016 Aug;38(4):525-33.

Grobbee EJ, van der Vlugt M, van Vuuren AJ, Stroobants AK, Mundt MW, Spijker WJ, Bongers EJ, Kuipers EJ, Lansdorp-Vogelaar I, Bossuyt PM, Dekker E, Spaander MC. A randomised comparison of two faecal immunochemical tests in population-based colorectal cancer screening. *Gut*. 2016 Aug 9, pii: gutjnl-2016-311819.

Karamat FA, Horjus D, Haan Y, Woude L van der, Schaap M, Oudman I, Montfrans GA van, Nieuwland R, Clark J, Sturk A, Brewster L. The acute effect of the specific creatine kinase inhibitor beta-GPA in healthy man (the ABC-trial). *J Hypertension* 2016;34 suppl.2:e113-4.

Kruit A, Zanen P. The association between vitamin D and C-reactive protein levels in patients with inflammatory and non-inflammatory diseases. *Clin Biochem*. 2016 May;49(7-8):534-7.

Macdougall IC, Bircher AJ, Eckardt KU, Obrador GT, Pollock CA, Stenvinkel P, Swinkels DW, Wanner C, Weiss G, Chertow GM; Conference Participants. Iron management in chronic kidney disease: conclusions from a "Kidney Disease: Improving Global Outcomes" (KDIGO) Controversies Conference. *Kidney Int*. 2016 Jan;89(1):28-39.

Matic M, de Wildt SN, Elens L, de Hoon JN, Annaert P, Tibboel D, van Schaik RH, Allegaert K. SLC22A1/OCT1 Genotype Affects O-desmethyltramadol Exposure in Newborn Infants. *Ther Drug Monit*. 2016 Aug;38(4):487-92.

Mitrov-Winkelmoelen L, van Buul-Gast MC, Swank DJ, Overdiek HW, van Schaik RH, Touw DJ. The Effect of Roux-en-Y Gastric Bypass Surgery in Morbidly Obese Patients on Pharmacokinetics of (Acetyl)Salicylic Acid and Omeprazole: the ERY-PAO Study. *Obes Surg*. 2016 Sep;26(9):2051-8.

M'Rabet-Bensalah K, Aubert CE, Coslovsky M, Collet TH, Baumgartner C, den Elzen WP, Luben R, Angelillo-Scherrer A, Aujesky D, Khaw KT, Rodondi N. Thyroid dysfunction and anaemia in a large population-based study. *Clin Endocrinol (Oxf)*. 2016 Apr;84(4):627-31.

Pol E van der, Mudde YD, Coumans FA, Leeuwen TG van, Sturk A, Nieuwland R. Wound scabs protect regenerating tissue against harmful ultraviolet irradiation. *Medical Hypotheses*. 2016;96:39-41.

Porto G, Brissot P, Swinkels DW, Zoller H, Kamarainen O, Patton S, Alonso I, Morris M, Keeney S. EMQN best practice guidelines for the molecular genetic diagnosis of hereditary hemochromatosis (HH). *Eur J Hum Genet*. 2016 Apr;24(4):479-95.

Prytula AA, Cransberg K, Bouts AH, van Schaik RH, de Jong H, de Wildt SN, Mathôt RA. The Effect of Weight and CYP3A5 Genotype on the Population Pharmacokinetics of Tacrolimus in Stable Paediatric Renal Transplant Recipients. *Clin Pharmacokinet*. 2016 Sep;55(9):1129-43.

Sharma AS, Weerwind PW, Bekers O, Wouters EM, Maessen JG. Carbon dioxide dialysis in a swine model utilizing systemic and regional anticoagulation. *Intensive Care Med Exp*. 2016 Dec;4(1):2.

Shuker N, Bouamar R, van Schaik RH, Clahsen-van Groningen MC, Damman J, Baan CC, van de Wetering J, Rowshani AT, Weimar W, van Gelder T, Hesselink DA. A Randomized Controlled Trial Comparing the Efficacy of Cyp3a5 Genotype-Based With Body-Weight-Based Tacrolimus Dosing After Living Donor Kidney Transplantation. *Am J Transplant*. 2016 Jul;16(7):2085-96.

Tang JT, Andrews LM, van Gelder T, Shi YY, van Schaik RH, Wang LL, Hesselink DA. Pharmacogenetic aspects of the use of tacrolimus in renal transplantation: recent developments and ethnic considerations. *Expert Opin Drug Metab Toxicol*. 2016 May;12(5):555-65.

Teenenga N, Guan Z, Stevens J, Kist-van Holthe JE, Ackermans MT, van der Heijden AJ, van Schaik RH, van Gelder T, Nauta J. Population Pharmacokinetics of Prednisolone in Relation to Clinical Outcome in Children With Nephrotic Syndrome. *Ther Drug Monit*. 2016 Aug;38(4):534-45.

van de Ven J. Leeftijds- en geslachtsafhankelijke referentiewaarden voor de CKD-EPI eGFR. *Ned Tijdschr Klin Chem Labgeneesk*. 2016;41:211-213.

van der Schaft J, van Schaik RH, van Zuilen AD, Hijnen DJ, Berg MT, van den Broek MP, Bruijnzeel-Koomen CA, de Bruin-Weller MS. First experience with extended release tacrolimus in the treatment of adult patients with severe, difficult to treat atopic dermatitis: Clinical efficacy, safety and dose finding. *J Dermatol Sci*. 2016 Jan;81(1):66-8.

van Schaarenburg RA, Magro-Checa C, Bakker JA, Teng YK, Bajema IM(4), Huizinga TW, Steup-Bekkman GM, Trouw LA. C1q Deficiency and Neuropsychiatric Systemic Lupus Erythematosus. *Front Immunol.* 2016 Dec 27;7:647.

van Waes JA, Grobben RB, Nathoe HM, Kemperman H, de Borst GJ, Peelen LM, van Klei WA; Cardiac Health After Surgery (CHASE) Investigators. One-Year Mortality, Causes of Death, and Cardiac Interventions in Patients with Postoperative Myocardial Injury. *Anesth Analg.* 2016 Jul;123(1):29-37.

Vet NJ, Brussee JM, de Hoog M, Mooij MG, Verlaat CW, Jerchel IS, van Schaik RH, Koch BC, Tibboel D, Knibbe CA, de Wildt SN; SKIC (Dutch collaborative PICU research network). Inflammation and Organ Failure Severely Affect Midazolam Clearance in Critically Ill Children. *Am J Respir Crit Care Med.* 2016 Jul 1;194(1):58-66.

Wassenaar S, den Boer E, Westerman EM, Hazes JM, de Jonge R. Letter to the editor in response to the article "Clinical characteristics and risk factors for low dose methotrexate toxicity: a cohort of 28 patients" by Kivity S, Zafrir Y, Loebstein R, Pauzner R, Mouallem M, Mayan H. *Autoimmun Rev.* 2014 Nov;13(11):11. *Autoimmun Rev.* 2016 Nov;15(11):1109-1110.

Weijers RN. Membrane flexibility, free fatty acids, and the onset of vascular and neurological lesions in type 2 diabetes. *J Diabetes Metab Disord.* 2016 Apr 27;15:13.

Wintjens DSJ, van den Berg SAA, van Gulick J. Autoimmuun pancreatitis. Analyse. 2016;(2):32-34.

Zhou K, Yee SW, Seiser EL, van Leeuwen N, Tavendale R, Bennett AJ, Groves CJ, Coleman RL, van der Heijden AA, Beulens JW, de Keyser CE, Zaharenko L, Rotroff DM, Out M, Jablonski KA, Chen L, Javorský M, Židzik J, Levin AM, Williams LK, Dujic T, Semiz S, Kubo M, Chien HC, Maeda S, Witte JS, Wu L, Tká I, Kooy A, van Schaik RH, Stehouwer CD, Logie L; MetGen Investigators; DPP Investigators; ACCORD Investigators, Sutherland C, Klovins J, Pirags V, Hofman A, Stricker BH, Motsinger-Reif AA, Wagner MJ, Innocenti F, Hart LM, Holman RR, McCarthy MI, Hedderson MM, Palmer CN, Florez JC, Giacomini KM, Pearson ER. Variation in the glucose transporter gene SLC2A2 is associated with glycemic response to metformin. *Nat Genet.* 2016 Sep;48(9):1055-9.

### Klinisch: Neurologie/psychiatrie

Aleknaviciute J, Tulen JH, Timmermans M, de Rijke YB, van Rossum EF, de Jong FH, Kushner SA. Adrenocorticotrophic hormone elicits gonadotropin secretion in premenopausal women. *Hum Reprod.* 2016 Oct;31(10):2360-8.

Biemans EA, Verhoeven-Duif NM, Gerrits J, Claassen JA, Kuiperij HB, Verbeek MM. CSF d-serine

concentrations are similar in Alzheimer's disease, other dementias, and elderly controls. *Neurobiol Aging.* 2016 Jun;42:213-6.

Herbert MK, Stammen-Vogelzangs J, Verbeek MM, Rietveld A, Lundberg IE, Chinoy H, Lamb JA, Cooper RG, Roberts M, Badrising UA, De Bleeker JL, Machado PM, Hanna MG, Plestilova L, Vencovsky J, van Engelen BG, Pruijn GJ. Disease specificity of autoantibodies to cytosolic 5'-nucleotidase 1A in sporadic inclusion body myositis versus known autoimmune diseases. *Ann Rheum Dis.* 2016 Apr;75(4):696-701.

Lambrechts DA, Brandt-Wouters E, Verschuure P, Vles HS, Majoen MJ. A prospective study on changes in blood levels of cholecystokinin-8 and leptin in patients with refractory epilepsy treated with the ketogenic diet. *Epilepsy Res.* 2016 Nov;127:87-92.

Lattanzi S, Silvestrini M, Verbeek MM, Mollenhauer B, Lindqvist D, Janelidze S, Hansson O. Increased CSF biomarkers of angiogenesis in Parkinson disease. *Neurology.* 2016 May 3;86(18):1747-8.

Lelement N, Brandner S, Kofanova O, Blennow K, Zetterberg H, Andreasson U, Engelborghs S, Mroczko B, Gabryelewicz T, Teunissen C, Mollenhauer B, Parnetti L, Chiasserini D, Molinuevo JL, Perret-Liaudet A, Verbeek MM, Andreasen N, Brosseron F, Bahl JM, Herukka SK, Hausner L, Frölich L, Labonte A, Poirier J, Miller AM, Zilka N, Kovacech B, Urbani A, Suardi S, Oliveira C, Baldeiras I, Dubois B, Rot U, Lehmann S, Skinningsrud A, Betsou F, Wiltfang J, Gkatzima O, Winblad B, Buchfelder M, Kornhuber J, Lewczuk P. Comparison of Different Matrices as Potential Quality Control Samples for Neurochemical Dementia Diagnostics. *J Alzheimers Dis.* 2016 Mar 1;52(1):51-64.

Luykx JJ, Olde Loohuis LM, Neeleman M, Strengman E, Bakker SC, Lentjes E, Borgdorff P, van Dongen EP, Bruins P, Kahn RS, Horvath S, de Jong S, Ophoff RA. Peripheral blood gene expression profiles linked to monoamine metabolite levels in cerebrospinal fluid. *Transl Psychiatry.* 2016 Dec 13;6(12):e983.

Meijer FJ, Steens SC, van Rumund A, van Cappellen van Walsum AM, Küsters B, Esselink RA, Verbeek MM, Bloem BR, Goraj B. Nigrosome-1 on Susceptibility Weighted Imaging to Differentiate Parkinson's Disease From Atypical Parkinsonism: An In Vivo and Ex Vivo Pilot Study. *Pol J Radiol.* 2016 Aug 3;81:363-9.

Mijderwijk H, Klimek M, van Beek S, van Schaik RH, Duivenvoorden HJ, Stolker RJ. Implication of UGT2B15 Genotype Polymorphism on Postoperative Anxiety Levels in Patients Receiving Lorazepam Premedication. *Anesth Analg.* 2016 Nov;123(5):1109-1115.

Mollenhauer B, Parnetti L, Rektorova I, Kramberger MG, Pikkarainen M, Schulz-Schaeffer WJ, Aarsland

D, Svenningsson P, Farotti L, Verbeek MM, Schlossmacher MG. Biological confounders for the values of cerebrospinal fluid proteins in Parkinson's disease and related disorders. *J Neurochem.* 2016 Oct;139 Suppl 1:290-317.

Muris AH, Smolders J, Rolf L, Klinkenberg LJ, van der Linden N, Meex S, Damoiseaux J, Hupperts R. Vitamin D Status Does Not Affect Disability Progression of Patients with Multiple Sclerosis over Three Year Follow-Up. *PLoS One.* 2016 Jun 8;11(6):e0156122.

Müller M, Jäkel L, Bruinsma IB, Claassen JA, Kuiperij HB, Verbeek MM. MicroRNA-29a Is a Candidate Biomarker for Alzheimer's Disease in Cell-Free Cerebrospinal Fluid. *Mol Neurobiol.* 2016 Jul;53(5):2894-9.

Müller M, Kuiperij HB, Versleijen AA, Chiasserini D, Farotti L, Baschieri F, Parnetti L, Struyfs H, De Roeck N, Luyckx J, Engelborghs S, Claassen JA, Verbeek MM. Validation of microRNAs in Cerebrospinal Fluid as Biomarkers for Different Forms of Dementia in a Multicenter Study. *J Alzheimers Dis.* 2016 Apr 16;52(4):1321-33.

Simonsen AH, Kuiperij B, El-Agnaf OM, Engelborghs S, Herukka SK, Parnetti L, Rektorova I, Vanmechelen E, Kapaki E, Verbeek M, Mollenhauer B. The utility of -synuclein as biofluid marker in neurodegenerative diseases: a systematic review of the literature. *Biomark Med.* 2016;10(1):19-34.

van Waalwijk van Doorn LJ, Koel-Simmelink MJ, Haußmann U, Klafki H, Struyfs H, Lanning P, Knölker HJ, Twaalfhoven H, Kuiperij HB, Engelborghs S, Scheltens P, Verbeek MM, Vanmechelen E, Wilfang J, Teunissen CE. Validation of soluble amyloid-precursor protein assays as diagnostic CSF biomarkers for neurodegenerative diseases. *J Neurochem.* 2016 Apr;137(1):112-21.

Verbeek MM, Leen WG, Willemsen MA, Slats D, Claassen JA. Hourly analysis of cerebrospinal fluid glucose shows large diurnal fluctuations. *J Cereb Blood Flow Metab.* 2016 May;36(5):899-902.

## Klinisch: Oncologie

Bins S, Lenting A, El Bouazzaoui S, van Doorn L, Oomen-de Hoop E, Eskens FA, van Schaik RH, Mathijssen RH. Polymorphisms in SLCO1B1 and UGT1A1 are associated with sorafenib-induced toxicity. *Pharmacogenomics.* 2016 Sep;17(14):1483-90.

Crona DJ, Ramirez J, Qiao W, de Graan AJ, Ratain MJ, van Schaik RH, Mathijssen RH, Rosner GL, Innocenti F. Clinical validity of new genetic biomarkers of irinotecan neutropenia: an independent replication study. *Pharmacogenomics J.* 2016 Feb;16(1):54-9.  
Damude S, Hoekstra HJ, Bastiaannet E, Muller Kobold AC, Kruijff S, Wevers KP. The predictive power of serum

S-100B for non-sentinel node positivity in melanoma patients. *Eur J Surg Oncol.* 2016 Apr;42(4):545-51.

Damude S, Niebling MG, Muller Kobold AC, Hoekstra HJ, Kruijff S, Wevers KP. Adipocytes in venipunctures cause falsely elevated S-100B serum values. *Clin Chem Lab Med.* 2016 Aug 1;54(8):e235-7.

De Marchi T, Liu NQ, Stingl C, Timmermans MA, Smid M, Look MP, Tjoa M, Braakman RB, Opdam M, Linn SC, Sweep FC, Span PN, Kliffen M, Luider TM, Foekens JA, Martens JW, Umar A. 4-protein signature predicting tamoxifen treatment outcome in recurrent breast cancer. *Mol Oncol.* 2016 Jan;10(1):24-39.

De Marchi T, Timmermans AM, Smid M, Look MP, Stingl C, Opdam M, Linn SC, Sweep FC, Span PN, Kliffen M, van Deurzen CH, Luider TM, Foekens JA, Martens JW, Umar A. Annexin-A1 and caldesmon are associated with resistance to tamoxifen in estrogen receptor positive recurrent breast cancer. *Oncotarget.* 2016 Jan 19;7(3):3098-110.

De Marchi T, Kuhn E, Dekker LJ, Stingl C, Braakman RB, Opdam M, Linn SC, Sweep FC, Span PN, Luider TM, Foekens JA, Martens JW, Carr SA, Umar A. Targeted MS Assay Predicting Tamoxifen Resistance in Estrogen-Receptor-Positive Breast Cancer Tissues and Sera. *J Proteome Res.* 2016 Apr 1;15(4):1230-42.

Del Re M, Citi V, Crucitta S, Rofi E, Belcaro F, van Schaik RH, Danesi R. Pharmacogenetics of CYP2D6 and tamoxifen therapy: Light at the end of the tunnel? *Pharmacol Res.* 2016 May;107:398-406.

Eysbouts YK, Bulten J, Ottevanger PB, Thomas CM, Ten Kate-Booij MJ, van Herwaarden AE, Siebers AG, Sweep FC, Massuger LF. Trends in incidence for gestational trophoblastic disease over the last 20 years in a population-based study. *Gynecol Oncol.* 2016 Jan;140(1):70-5.

Eysbouts YK, Massuger L, Thomas C, Ottevanger P, Short D, Harvey R, Sebire N, Kaur B, Naveed S, Sweep F, Seckl M. Dutch Risk Classification and FIGO 2000 for Gestational Trophoblastic Neoplasia Compared. *Int J Gynecol Cancer.* 2016 Nov;26(9):1712-1716.

Jacobs JF, Wevers RA, Lefevere DJ, van Scherpenzeel M. Fast, robust and high-resolution glycosylation profiling of intact monoclonal IgG antibodies using nanoLC-chip-QTOF. *Clin Chim Acta.* 2016 Oct 1;461:90-7.

Law EK, Siewerts AM, LaPara K, Leonard B, Starrett GJ, Molan AM, Temiz NA, Vogel RI, Meijer-van Gelder ME, Sweep FC, Span PN, Foekens JA, Martens JW, Yee D, Harris RS. The DNA cytosine deaminase APOBEC3B promotes tamoxifen resistance in ER-positive breast cancer. *Sci Adv.* 2016 Oct 7;2(10):e1601737.

Liu NQ, De Marchi T, Timmermans A, Trapman-Jansen AM, Foekens R, Look MP, Smid M, van

Deurzen CH, Span PN, Sweep FC(5), Brask JB, Timmermans-Wielenga V, Foekens JA, Martens JW(1), Umar A. Prognostic significance of nuclear expression of UMP-CMP kinase in triple negative breast cancer patients. *Sci Rep.* 2016 Aug 25;6:32027.

Neerincx AH, Linders YA, Vermeulen L, Belderbos RA, Mandon J, van Mastrigt E, Pijnenburg MW, van Ingen J, Mouton JW, Kluijtmans LA, Wevers RA, Harren FJ, Cristescu SM, Merkus PJ. Hydrogen cyanide emission in the lung by *Staphylococcus aureus*. *Eur Respir J.* 2016 Aug;48(2):577-9.

Oosten AW, Matic M, van Schaik RH, Look MP, Jongen JL, Mathijssen RH, van der Rijt CC. Opioid treatment failure in cancer patients: the role of clinical and genetic factors. *Pharmacogenomics.* 2016 Aug;17(13):1391-403.

Rieswijk L, Claessen SM, Bekers O, van Herwijnen M, Theunissen DH, Jennen DG, de Kok TM, Kleinjans JC, van Breda SG. Aflatoxin B1 induces persistent epigenomic effects in primary human hepatocytes associated with hepatocellular carcinoma. *Toxicology.* 2016 Mar 28;350-352:31-9.

Tel J, Benitez-Ribas D, Janssen EM, Smits EL, Jacobs JF. Dendritic Cells as Vaccines: Key Regulators of Tolerance and Immunity. *Mediators Inflamm.* 2016;2016:5789725.

van Barneveld KW, Smeets BJ, Heesakkers FF, Bosmans JW, Luyer MD, Wasowicz D, Bakker JA, Roos AN, Rutten HJ, Bouvy ND, Boelens PG. Beneficial Effects of Early Enteral Nutrition After Major Rectal Surgery: A Possible Role for Conditionally Essential Amino Acids? Results of a Randomized Clinical Trial. *Crit Care Med.* 2016 Jun;44(6):e353-61.

van Horssen R, Freire Jorge P, van Dam GM, Nijsten MW. The Warburg effect and its role in tumour metabolism: opportunities for new cancer treatments *Ned Tijdschr Geneeskdl.* 2016;160:A9489.

van Lith SA, Navis AC, Lenting K, Verrijp K, Schepens JT, Hendriks WJ, Schubert NA, Venselaar H, Wevers RA, van Rooij A, Wesseling P, Molenaar RJ, van Noorden CJ, Pusch S, Tops B, Leenders WP. Identification of a novel inactivating mutation in Isocitrate Dehydrogenase 1 (IDH1-R314C) in a high grade astrocytoma. *Sci Rep.* 2016 Jul 27;6:30486.

Vree M, van Trommel N, Kenter G, Sweep F, Ten Kate-Booij M, Massuger L, Lok C. The influence of lung metastases on the clinical course of gestational trophoblastic neoplasia: a historical cohort study. *BJOG.* 2016 Oct;123(11):1839-45.

Wigny KM, van Dorp W, van der Kooi AL, de Rijke YB, de Vries AC, Smit M, Pluijm SM, van den Akker EL, Pieters R, Laven JS, van den Heuvel-Eibrink MM. Gonadal function in boys with newly diagnosed cancer before the start of treatment. *Hum Reprod.* 2016 Nov;31(11):2613-2618.